



Dekke type	Kule diameter	Volum pr. kule	Antall kuler pr.	c/c plastkule	Fradrag volum betong
	mm	m <sup>3</sup>	m <sup>2</sup>	mm	m <sup>3</sup>
230	180	0,003	25,0	200	0,076
280	225	0,006	16,0	250	0,095
340	270	0,010	11,1	300	0,115
400	315	0,016	8,2	350	0,134
450	360	0,024	6,3	400	0,153
Dekke type	Volum betong ferdig dekke	Egenvekt dekke	Utstøping på byggeplass	Spennvidder	Utkrager
	m <sup>3</sup> /m <sup>2</sup>	kg/m <sup>2</sup>	m <sup>3</sup> /m <sup>2</sup>	m	m
230	0,154	392	0,098	5 - 8	2,3
280	0,185	475	0,129	7 - 10	2,8
340	0,225	581	0,172	8 - 11	3,4
400	0,266	686	0,215	9 - 13	4,0
450	0,297	765	0,247	10 - 17	4,5