

Commonly Requested Ideas for Pain Management Compounding

– FOR PCCA MEMBER USE ONLY –

Please Contact PCCA's Pharmacy Consulting Department With Questions Regarding The Formulations

Rheumatoid Arthritis / Joint Pain

PCCA Formula # 6558 *Ketoprofen 10% Topical Lipoderm®*
PCCA Formula # 6559 *Ketoprofen 20% in Lipoderm™ Transdermal Gel*

Soft Tissue Inflammation

PCCA Formula # 6555 *Ibuprofen 20% in Lipoderm® Transdermal Gel*
PCCA Formula # 6552 *Diclofenac Sodium 10% in Lipoderm® Transdermal Gel*
PCCA Formula # 9516 *Ibuprofen 20%/Piroxicam 1% Topical Lipoderm®*

Plantar Fasciitis

PCCA Formula # 9247 *Piroxicam 2% Topical Anhydrous Lipoderm®*
PCCA Formula # 6560 *Piroxicam 5% in Lipoderm® Transdermal Gel*

General Pain

PCCA Formula # 9384 *Ketoprofen 10%/Cyclobenzaprine HCl 2% Topical Lipoderm®*
PCCA Formula # 9517 *Ibuprofen 20%/Piroxicam 1%/Cyclobenzaprine HCl 1% Topical Lipoderm®*

Migraines

PCCA Formula # 6556 *Indomethacin 10% in Lipoderm® Transdermal Gel*

Muscle Cramps for Athletes

PCCA Formula # 5358 *Guaifenesin (2% & 10%) in Lipoderm® Base*

Anesthetics Before Laser Procedure

PCCA Formula # 5733 *Lidocaine 6%/Tetracaine 6%/Benzocaine 4% Topical Gel*

Anesthetics Before Needle Sticks

PCCA Formula # 9007 *Benzocaine 20%/Lidocaine 6%/Tetracaine 4% Topical Lipoderm®*
PCCA Formula # 9246 *Benzocaine 20%/Lidocaine 6%/Tetracaine 4% Topical Anhydrous Lipoderm®*
PCCA Formula # 3927 *Benzocaine 20%/Lidocaine 6%/Tetracaine 4%/Phenylephrine HCl 0.01% Topical PLO*

Colitis

PCCA Formula # 1093 *Sodium Acetate 60 mM/Sodium Propionate 30 mM/Sodium Butyrate 40 mM Enema (Short-Chain Fatty Acid Enema)*

Irritable Bowel Syndrome (IBS)

PCCA Formula # 4297 *Retention Enema Vehicle (Tacrolimus Enema)*

Radiation Proctitis

PCCA Formula # 4297 *Retention Enema Vehicle (Misoprostol Enema)*

G-Tube Suspension Base

PCCA Formula # 6349 *Methylcellulose 0.5% Stock Suspension (Potassium Sorbate)*

Painful Diaper Rash

PCCA Formula # 6456 *Cholestyramine 10% Diaper Rash Ointment*



See the Members-only Web Site for the PCCA Lipoderm Studies!



© 2009 PCCA. All Rights Reserved.
No claims are made as to the safety, efficacy or use of these formulations.

Commonly Requested Ideas for Pain Management Compounding

– FOR PCCA MEMBER USE ONLY –

Please Contact PCCA's Pharmacy Consulting Department With Questions Regarding The Formulations

Burning Mouth Syndrome

- PCCA Formula # 3327 Capsaicin 0.25 mg Base A Troche
PCCA Formula # 2634 Salicylic Acid 0.3% Mouthwash (Also referred to as BMS Mouthwash.)
PCCA Formula # 5539 Salicylic Acid 0.3% Mouthwash, Alternate

Other dosage forms as well as drugs are often used for Burning Mouth Syndrome. Please call the PCCA Pharmacy Consulting Department for more information.

Mouth Pain

- PCCA Formula # 3720 Misoprostol 0.0024%/Diphenhydramine HCl 0.1%/Compound Oral Rinse (Also referred to as Radiation Burn Mouth Rinse.)
PCCA Formula # 7035 Morphine Sulfate 1 mg/mL Oral Gel
PCCA Formula # 5380 Tetracaine HCl 0.5% Sorbitol Lollipop™ Base
PCCA Formula # 5376 Diphenhydramine HCl 25 mg/Lidocaine HCl 2%/Hydrocortisone 1% Sorbitol Lollipop™ Base
PCCA Formula # 4500 Lidocaine 4% Oral Polyox Bandage ▶
PCCA Formula # 4442 Misoprostol 0.0024%/Lidocaine HCl 1% Oral Suspension
PCCA Formula # 5413 Ketamine 50 mg Sorbitol Lollipop™ Base



See PCCA Document #97763 for Oral Mucosal Bandage Patient Instructions.

Suspensions

- PCCA Formula # 8538 Morphine Sulfate 50 mg/mL Oral Suspension
PCCA Formula # 7545 Hydromorphone HCl 20 mg/mL Oral Solution

High Strength Opiate Capsules (SR)

- PCCA Formula # 7537 Hydrocodone Bitartrate 20 mg SR Capsules Size #1 (Hydrocodone without APAP)
PCCA Formula # 8536 Oxycodone HCl 40 mg SR Capsules Size #1

Smooth Muscle Spasm

- PCCA Formula # 1151 Belladonna Extract 15 mg/Morphine Sulfate 7.5 mg Base MBK Suppository (Blue Mold) (B & O Suppository has been unavailable.)

Ultrasound (Phonophoresis)

- PCCA Formula # 4430 Hydroxyethyl Cellulose 3% Aqueous Gel
PCCA Formula # 5046 Hydrocortisone 10% Ultrasound Gel

Iontophoresis

- PCCA Formula # 5039 Acetic Acid 2% (W/V) Iontophoresis Solution (PF)
PCCA Formula # 5051 Lidocaine HCl 4% Iontophoresis Solution (PF)

Dyspnea

- PCCA Formula # 3253 Morphine SO4 0.25% Inhalation Solution

Chronic Obstructive Pulmonary Disease (COPD)

- PCCA Formula # 5518 Glutathione 60 mg/mL Inhalation Solution (PF)

Multiple Sclerosis

- PCCA Formula # 7536 Naltrexone HCl 0.5 mg Capsules Size #1

Call the PCCA Pharmacy Consulting Department for alternate strengths. See the "Consultant's Corner" article in the September 2009 *Apothegram* for additional information.



The Electronic Mortar & Pestle (EMP) creates pharmaceutically elegant ointments, creams, gels and suspensions. Components are weighed, mixed and dispensed in the same jar, eliminating compounding time, clean-up and waste.

Commonly Requested Ideas for Pain Management Compounding

– FOR PCCA MEMBER USE ONLY –

Please Contact PCCA's Pharmacy Consulting Department With Questions Regarding The Formulations

Neuropathic Pain

- PCCA Formula # 9376 Amitriptyline HCl 2%/Baclofen 5%/Ketamine HCl 5%/Ketoprofen 10% Topical Lipoderm®
- PCCA Formula # 9377 Amitriptyline HCl 2%/Baclofen 2% Topical Lipoderm®
- PCCA Formula # 9378 Ketoprofen 20%/Ibuprofen 2%/Ketamine 2%/Clonidine 0.2%/Amitriptyline HCl 2%/Guaifenesin 2% Topical Lipoderm®
- PCCA Formula # 9379 Baclofen 5%/Ketoprofen 10%/Lidocaine 5%/Gabapentin 5% Topical Lipoderm®
- PCCA Formula # 8541 Ketamine 10%/Gabapentin 6%/Clonidine 0.2%/ Nifedipine 2% Topical Lipoderm®
- PCCA Formula # 9250 Gabapentin 10%/Clonidine HCl 0.2%/Baclofen 1% Topical Anhydrous Lipoderm®

See "Algorithm for Pain/Neuropathy," PCCA Document #94064, in the Resources/ Documents Section of the PCCA Members-only Web site.

Opioid Tolerance

- PCCA Formula # 7164 Dextromethorphan HBr 30 mg SR Capsules Size #1
- PCCA Formula # 7165 Dextromethorphan HBr 60 mg SR Capsules Size #0

Constipation with Opioids

- PCCA Formula # 7536 Naltrexone HCl 0.5 mg Capsules Size #1

Wound Care – Pain

- PCCA Formula # 7034 Morphine Sulfate 1 mg/mL Topical Gel

Radiation Burns

- PCCA Formula # 3476 Ketoprofen 2%/Lidocaine 2%/Misoprostol 0.0024%/Phenytoin 2%/Aloe Vera 0.2% Topical Cream
- PCCA Formula # 1732 Allantoin 2%/Vitamin D3 1000 IU/Gm/Aloe Vera 0.5% Compound Topical Cream

Bone Pain

- PCCA Formula # 2491 Ibuprofen 400 mg Base MBK Suppository (Pink Mold)
- PCCA Formula # 9114 Ibuprofen 600 mg Base MBK Suppository (Large Shell Mold)
- PCCA Formula # 9115 Ibuprofen 800 mg Base MBK Suppository (Large Shell Mold)
- PCCA Formula # 7790 Ibuprofen 800 mg/5 mL Oral Suspension

Allodynia

Sometimes people have pain on the skin upon which they cannot apply cream. Using a spray or foam may make them comfortable enough to apply Lipoderm®.

- PCCA Formula # 6734 Ketamine HCl 2%/Morphine Sulfate 2% Topical Foam ▶
- PCCA Formula # 5026 Ketamine HCl 4%/Morphine Sulfate 4% Topical Spray
- PCCA Formula # 5027 Ketamine HCl 10%/Bupivacaine HCl 0.3% Topical Spray

Amputation Pain

- PCCA Formula # 9378 Ketoprofen 20%/Ibuprofen 2%/Ketamine 2%/Clonidine 0.2%/ Amitriptyline HCl 2%/Guaifenesin 2% Topical Lipoderm®
- PCCA Formula # 9381 Ketoprofen 10%/Guaifenesin 10%/Capsaicin 0.025%/Lidocaine 2%/ Amitriptyline HCl 2% Topical Lipoderm®
- PCCA Formula # 9379 Baclofen 5%/Ketoprofen 10%/Lidocaine 5%/Gabapentin 5% Topical Lipoderm®
- PCCA Formula # 7919 Ketamine HCl 5%/Gabapentin 10%/Clonidine HCl 0.2%/Baclofen 2% Topical Lipoderm®
- PCCA Formula # 9380 Ketoprofen 5%/Cyclobenzaprine HCl 0.5%/Lidocaine HCl 5%/Bupivacaine HCl 1% Topical Lipoderm®

Inflammatory Pain from Injury

- PCCA Formula # 6560 Piroxicam 5% in Lipoderm® Transdermal Gel
- PCCA Formula # 9247 Piroxicam 2% Topical Anhydrous Lipoderm®
- PCCA Formula # 6552 Diclofenac Sodium 10% in Lipoderm® Transdermal Gel
- PCCA Formula # 9199 Ketoprofen 10% Topical Lipoderm® (Pentylene Glycol)
- PCCA Formula # 6555 Ibuprofen 20% in Lipoderm® Transdermal Gel



Foam Liquid, Such as PCCA VersaBase® Foam, is Poured into the Foam Pump Dispenser (PCCA #35-3533); The Foam is Created as it is Dispensed from the Pump.

