

copyright 2012 Rae Hoekstra. All rights reserved.

No part of this pattern or file may be reproduced or distributed for any purpose without written permission.

This pattern piece is intended for personal use only.

Please contact me at rae.made@gmail.com if you have any questions.

cut along this line and add/subtract width provided in the bo

add or subtract length for a longer/shorter sleeve (sleeve is about elbow-length on me



IMPORTANT: CHECK SCALE BEFORE CUTTING ANYTHING OUT! THIS RECTANGLE SHOULD BE EXACTLY 7.5" x 10"

1/2" seam allowance included

add: subtract: 1/4" (L) 3/8" (XS) 1/2" (XL) 1/8" (S) 3/4" (XXL)

k above for sizes other than MEDIUM. Smooth armhole curve before cutting

SEWING INSTRUCTIONS

- 1. Cut two sleeves on the fold
- 2. Transfer dots to fabric with marking pen
- 3. Gather between dots using a long stitch length and high tens
- 4. After sewing shoulder seam on dress (Step 5), pin sleeve to are the armpits and moving toward the center, adjusting gathering shoulder. Right sides should be facing.
- 5. Sew together with a 1/2" seam. I like to machine baste first, chand then re-sew with a normal stitch length.
- 6. Attach facings (or linings if desired), then sew side seams of di
- 7. Press under 1/4" at bottom of sleeve, then again 1/2" and stitctfold to form an elastic casing, leaving 1" open to thread elastic.
- 8. Cut a length of 1/4" elastic long enough to circle your forearn
- 9. Using a safety pin, thread the 1/4" elastic through opening, over and stitch together. Sew casing shut.

L D



IMPORTANT: CHECK SCALE BEFORE CUTTING ANYTHING OUT! THIS RECTANGLE SHOULD BE EXACTLY 7.5" x 10"

