

Dear Parents and Students,

As educators, we realize that students experience a learning loss in mathematics if not academically engaged. Consequently, at the beginning of each school year we are forced to spend an inordinate amount of time reviewing concepts from the previous math course. Our solution for this problem is to expedite the review process in the form of a summer math packet.

The purpose of these packets is to have students review concepts taught during the school year so that there is no retention loss in key concept areas and to better prepare the students for the upcoming year in mathematics.

We ask that over the course of the summer, you download and print the summer math packet that corresponds to your child(ren). If your child is entering the 9th grade then you will download the “Incoming Geometry Students” packet. All work is to be turned in the first full day of school.

As teachers, we will still be reviewing, but not reteaching.

Should you have any questions regarding the math packet please feel free to contact:

Mrs. Denise G. Brassell
Upper School Assistant Principal
dbrassell@eastwoodschool.org
(334)386-2310

Thank you for your understanding and cooperation. Enjoy the summer! We look forward to working with you and your child during the upcoming 2016-2017 academic term.

7 th graders	“Incoming Pre-Algebra Students”
8 th graders	“Incoming Algebra 1 Students”
9 th graders	“Incoming Geometry Students”
10 th graders	“Incoming Algebra 2 with Trig Students”
11 th graders	“Incoming Pre-Calculus Students”
12 th graders	“Incoming Calculus Students”

Algebra 1 Summer Review Packet

About Algebra 1:

Algebra 1 teaches students to think, reason, and communicate mathematically. Students use variables to determine solutions to real world problems. Skills gained in Algebra 1 are foundational to subsequent math courses.

Summer packet directions:

The problems in this packet are designed to help you review content areas that are important to your success in Algebra 1. **All work is to be shown for each problem.**

Table of Contents

1.	Order of Operations	page 1
2.	Operations with Signed Numbers	page 3
3.	Rounding Numbers	page 5
4.	Evaluating Expressions	page 6
5.	Combining Like terms	page 8
6.	Graphing	page 9
7.	Solving Equations	page 13
8.	Inequalities	page 15
9.	Algebraic Translations	page 17
10.	Word Problems	page 19

Order of Operations

To avoid having different results for the same problem, mathematicians have agreed on an order of operations when simplifying expressions that contain multiple operations.

1. Perform any operation(s) inside grouping symbols. (Parentheses, brackets above or below a fraction bar)
2. Simplify any term with exponents.
3. Multiply and divide in order from left to right.
4. Add and subtract in order from left to right.

One easy way to remember the order of operations process is to remember the acronym PEMDAS or the old saying, "**P**lease **E**xcuse **M**y **D**ear **A**unt **S**ally."

P - Perform operations in grouping symbols

E - Simplify exponents

M - Perform multiplication and division in order from left to right

D

A - Perform addition and subtraction in order from left to right

S

Example 1

$$\begin{aligned}2 - 3^2 + (6 + 3 \times 2) \\2 - 3^2 + (6 + 6) \\2 - 3^2 + 12 \\2 - 9 + 12 \\-7 + 12 \\= 5\end{aligned}$$

Example 2

$$\begin{aligned}-7 + 4 + (2^3 - 8 \div -4) \\-7 + 4 + (8 - 8 \div -4) \\-7 + 4 + (8 - -2) \\-7 + 4 + 10 \\-3 + 10 \\= 7\end{aligned}$$

Order of Operations

Evaluate each expression. Remember your order of operations process (PEMDAS).

1. $6 + 4 - 2 \cdot 3 =$

2. $(-2) \cdot 3 + 5 - 7 =$

3. $15 \div 3 \cdot 5 - 4 =$

4. $29 - 3 \cdot 9 + 4 =$

5. $20 - 7 \cdot 4 =$

6. $4 \cdot 9 - 9 + 7 =$

7. $50 - (17 + 8) =$

8. $(12 - 4) \div 8 =$

9. $12 \cdot 5 + 6 \div 6 =$

10. $18 - 4^2 + 7 =$

11. $3(2 + 7) - 9 \cdot 7 =$

12. $3 + 8 \cdot 2^2 - 4 =$

13. $16 \div 2 \cdot 5 \cdot 3 \div 6 =$

14. $12 \div 3 - 6 \cdot 2 - 8 \div 4 =$

15. $10 \cdot (3 - 6^2) + 8 \div 2 =$

16. $6 \cdot 9 - 3 \cdot 2 \cdot (10 + 5) =$

17. $32 \div [16 \div (8 + 2)] =$

18. $[10 + (2 \cdot 8)] \div 2 =$

19. $180 \div [2 + (12 \div 3)] =$

20. $\frac{1}{4}(3 \cdot 8) + 2 \cdot (-12) =$

21. $\frac{5 + [30 - (8 - 1)^2]}{11 - 2^2} =$

22. $\frac{3[10 - (27 \div 9)]}{4 - 7} =$

23. $5(14 - 39 \div 3) + 4 \cdot \frac{1}{4} =$

24. $[8 \cdot 2 - (3 + 9)] + [8 - 2 \cdot 3] =$

25. $162 \div [6(7 - 4)^2] \div 3 =$

Operations with Signed Numbers

Adding and Subtracting Signed Numbers

Adding Signed Numbers

Like Signs	Different Signs
Add the numbers & carry the sign	Subtract the numbers & carry the sign of the larger number
$(+) + (+) = +$ $(+3) + (+4) = +7$	$(+) + (-) = ?$ $(+3) + (-2) = +1$
$(-) + (-) = -$ $(-2) + (-3) = (-5)$	$(-) + (+) = ?$ $(-5) + (+3) = -2$

Subtracting Signed Numbers

Don't subtract! Change the problem to **addition** and change the sign of the **second** number.
Then use the addition rules.

$(+9) - (+12) = (+9) + (-12)$	$(+4) - (-3) = (+4) + (+3)$
$(-5) - (+3) = (-5) + (-3)$	$(-1) - (-5) = (-1) + (+5)$

Simplify. **Do not use a calculator for this section.**

- $9 + -4 =$
- $-8 + 7 =$
- $-14 - 6 =$
- $-30 + -9 =$
- $14 - 20 =$
- $-2 + 11 =$
- $20 - -6 =$
- $7 - 10 =$
- $-6 - -7 =$
- $5 - 9 =$
- $-8 - 7 =$
- $1 - -12 =$

Multiplying and Dividing Signed Numbers

If the signs are the same,
the answer is *positive*

If the signs are different,
the answer is *negative*

Like Signs	Different Signs
$(+)(+) = +$ $(+3)(+4) = +12$	$(+)(-) = -$ $(+2)(-3) = -6$
$(-)(-) = +$ $(-5)(-3) = +15$	$(-)(+) = -$ $(-7)(+1) = -7$
$(+)/(+) = +$ $(+3)/(+4) = +12$	$(+)/(-) = -$ $(+2)/(-3) = -6$
$(+)/(+) = +$ $(+3)/(+4) = +12$	$(-)/(+) = -$ $(-7)/(+1) = -7$

Simplify. **Do not use a calculator for this section.**

1. $(-5)(-3) =$

7. $\frac{-7}{-1} =$

2. $\frac{-6}{2} =$

8. $(3)(-4) =$

3. $(2)(4) =$

9. $\frac{8}{-4} =$

4. $\frac{-12}{-4} =$

10. $(-2)(7) =$

5. $(-1)(-5) =$

11. $\frac{-20}{-1} =$

6. $\frac{-16}{8} =$

12. $(2)(-5) =$

Rounding Numbers

Step 1: Underline the place value in which you want to round.

Step 2: Look at the number to the right of that place value you want to round.

Step 3: If the number to the right of the place value you want to round is less than 5, keep the number the same and drop all other numbers.

If the number to the right of the place value you want to round is 5 or more, round up and drop the rest of the numbers.

Example: Round the following numbers to the tenths place.

Tenths

1. 23.1246 2 is less than 5 so keep the 1 the same 23.1

2. 64.2685 6 is greater than 5 so add one to the 2 64.3

3. 83.9721 7 is greater than 5 so add one to the 9

$$\begin{array}{r} 83.9721 \\ + 1 \\ \hline 84 \end{array}$$

Round the following numbers to the tenths place.

- | | |
|------------------|-------------------|
| 1. 18.6231 _____ | 6. 0.2658 _____ |
| 2. 25.0543 _____ | 7. 100.9158 _____ |
| 3. 3.9215 _____ | 8. 19.9816 _____ |
| 4. 36.9913 _____ | 9. 17.1083 _____ |
| 5. 15.9199 _____ | 10. 0.6701 _____ |

Evaluating Expressions

Example

Evaluate the following expression when $x = 5$

Rewrite the expression substituting 5 for the x and simplify.

- a. $5x = 5(5) = 25$
- b. $-2x = -2(5) = -10$
- c. $x + 25 = 5 + 25 = 30$
- d. $5x - 15 = 5(5) - 15 = 25 - 15 = 10$
- e. $3x + 4 = 3(5) + 4 = 19$

Evaluate each expression given that: $x = 5$ $y = -4$ $z = 6$

1. $3x$

5. $y + 4$

2. $2x^2$

6. $5z - 6$

3. $3x^2 + y$

7. $xy + z$

4. $2(x + z) - y$

8. $2x + 3y - z$

Evaluate each expression given that: $x = 5$ $y = -4$ $z = 6$

9. $5x - (y + 2z)$

13. $5z + (y - x)$

10. $\frac{xy}{2}$

14. $2x^2 + 3$

11. $x^2 + y^2 + z^2$

15. $4x + 2y - z$

12. $2x(y + z)$

16. $\frac{yz}{2}$

Combining Like Terms

What is a **term**? The parts of an algebraic expression that are separated by an addition or subtraction sign are called **terms**.
The expression $4x + 2y - 3$ has 3 terms.

What are **like terms**? Terms with the same variable factors are called **like terms**.
 $2n$ and $3n$ are **like terms**, but $4x$ and $3y$ are **not like terms** because their variable factors x and y are different.

To simplify an expression, you must combine the like terms.

Examples:

Simplify

1. $5x + 8x$
 $5x + 8x = (5 + 8)x = 13x$

2. $3y - 6y$
 $3y - 6y = (3 - 6)y = -3y$

3. $3x + 4 - 2x + 3$
 $3x - 2x + 4 + 3 = (3 - 2)x + 4 + 3 = x + 7$

4. $2b + 5c + 3b - 6c$
 $2b + 3b + 5c - 6c = (2+3)b + (5-6)c = 5b - c$

Practice: Simplify each expression

1. $6n + 5n$

2. $25b + 15b$

3. $37z + 4z$

4. $x - 5x$

6. $3n + 1 - 2n + 8$

6. $4f + 5f - 6 + 8$

7. $7t + 9 - 4t + 3$

8. $2k + 4 - 8k - 1$

9. $4r + 3r + 6y - 2y$

10. $8g + 9h - 4g - 5h$


11. $2m + 3n - 4m + 5n$

12. $a + 5b - 2a + 9b$

Graphing

Points in a plane are named using 2 numbers, called a coordinate pair. The first number is called the x-coordinate. The x-coordinate is positive if the point is to the right of the origin and negative if the point is to the left of the origin. The second number is called the y-coordinate. The y-coordinate is positive if the point is above the origin and negative if the point is below the origin.

The x-y plane is divided into 4 quadrants (4 sections) as described below.




All points in Quadrant 1 has a **positive** x-coordinate and a **positive** y-coordinate (+ x, + y).
All points in Quadrant 2 has a **negative** x-coordinate and a **positive** y-coordinate (- x, + y).
All points in Quadrant 3 has a **negative** x-coordinate and a **negative** y-coordinate (- x, - y).
All points in Quadrant 4 has a **positive** x-coordinate and a **negative** y-coordinate (+ x, - y).

Plot each point on the graph below. Remember, coordinate pairs are labeled (x, y). Label each point on the graph with the letter given.

1. A(3, 4)
2. B(4, 0)
3. C(-4, 2)
4. D(-3, -1)
5. E(0, 7)

Example: F(-6, 2)






Determine the coordinates for each point below:

Example. (2, 3)

6. (__, __)




7. (__, __)



8. (__, __)

9. (__, __)




10. (__, __)



11. (__, __)

12. (__, __)

13. (__, __)



Complete the following tables. Then graph the data on the grid provided.

Example: $y = -2x - 3$

X	Y
-3	3
-2	1
-1	-1
0	-3

Work:

$$x = -3$$

$$y = -2(-3) - 3 = 6 - 3 = 3$$

$$\text{Therefore } (x, y) = (-3, 3)$$

$$x = -2$$

$$y = -2(-2) - 3 = 4 - 3 = 1$$

$$\text{Therefore } (x, y) = (-2, 1)$$

$$x = -1$$


$$y = -2(-1) - 3 = 2 - 3 = -1$$

$$\text{Therefore } (x, y) = (-1, -1)$$

$$x = 0$$


$$y = -2(0) - 3 = 0 - 3 = -3$$

$$\text{Therefore } (x, y) = (0, -3)$$




14. $y = x + 2$

X	Y
0	
1	
2	




15. $y = 2x$

X	Y
0	
1	
2	
3	




16. $y = -x$

X	Y
-3	
-1	
1	
3	




17. $y = 2x - 3$

X	Y
0	
1	
2	
3	




18. $y = \frac{1}{2}x + 1$

X	Y
0	
2	
4	
6	




19. $y = \frac{3}{2}x - 1$

X	Y
-2	
0	
2	



20. $y = -\frac{2}{3}x + 1$

X	Y
-3	
0	
3	



Solving Equations

To solve an equation means to **find the value** of the variable. We solve equations by isolating the variable using opposite operations.

Example:

Solve.

$$\begin{array}{r} 3x - 2 = 10 \\ + 2 \quad + 2 \end{array}$$

$$\frac{3x}{3} = \frac{12}{3}$$

$$x = 4$$

Check your answer.

$$3(4) - 2 = 10$$

$$12 - 2 = 10$$

$$10 = 10$$

Isolate $3x$ by adding 2 to each side.

Simplify

Isolate x by dividing each side by 3.

Simplify

Substitute the value in for the variable.

Simplify

Is the equation true? If yes, you solved it correctly!

Opposite Operations:
Addition (+) & Subtraction (-)
Multiplication (x) & Division (÷)

Please remember...
to do the same step on
each side of the equation.

**Always check your
work by substitution!**

Try These:

Solve each equation below.

1. $x + 3 = 5$

2. $w - 4 = 10$

3. $c - 5 = -8$

4. $3p = 9$

5. $-7k = 14$

6. $-x = -17$

7. $\frac{h}{3} = 5$

8. $\frac{m}{8} = 7$

9. $\frac{4}{5}d = 12$

10. $\frac{3}{8}j = 6$

11. $2x - 5 = 11$

12. $4n + 1 = 9$

13. $5j - 3 = 12$

14. $2x + 11 = 9$

15. $-3x + 4 = -8$

16. $-6x + 3 = -9$

17. $\frac{f}{3} + 10 = 15$

18. $\frac{a}{7} - 4 = 2$

19. $\frac{b+4}{2} = 5$

20. $\frac{x-6}{5} = -3$

Use substitution to determine whether the solution is correct.

21. $4x - 5 = 7$ $x = 3$

22. $-2x + 5 = 13$ $x = 4$

24. $1 - x = 9$ $x = -8$

23. $6 - x = 8$ $x = 2$

Inequalities

An inequality is a statement containing one of the following symbols:


$<$ is less than $>$ is greater than \leq is less than or equal to \geq is greater than or equal to

An inequality has many solutions, and we can represent the solutions of an inequality by a set of numbers on a number line.


When graphing an inequality, $<$ and $>$ use an open circle \circ \leq and \geq use a closed circle \bullet

Examples:


$x > 0$




$x < 0$




$x \geq -8$





$x \leq -8$




Practice: Write an inequality to represent the solution set that is shown in the graph.










Graph each of the following inequalities on a number line.


1. $x > 4$




2. $k \leq -6$



3. $5 > y$



4. $j < -\frac{1}{2}$



5. $-2 \leq t$



6. $w \leq 15$



Algebraic Translations - Translating from English to Mathematics

Key Words for Translations:

Add	Subtract	Multiply	Divide	Inequalities	Variable	=
Plus Sum Longer Than Greater Than Together Total Increased More Than In all And	Decreased Smaller Less than Difference Reduced Differ Fewer Shorter Than Minus Diminished	Per For Every For each Triple Multiplied Of Times Twice Double	One-third Quotient Divided by Each part Half as much Spilt equally	< is less than > is greater than ≤ is less than or equal to ≥ is greater than or equal to	a number some number quantity	Same as Equals Is Total Was Result Outcome Answer

Examples:

- A) Translate into a mathematical expression: 3 less than 5 times some number

3 less than 5 times some number

to subtract from	multiply	use a variable
------------------	----------	----------------

Translation: $5n - 3$

- B) Translate into a mathematical statement: 3 less than 5 times some number is 22

3 less than 5 times some number is 22

to subtract from	multiply	use a variable	=
------------------	----------	----------------	---

Translation: $5n - 3 = 22$

- C) Translate into a mathematical statement: the quotient of a number and -4, less 8 is -42

The quotient of a number and -4, less 8 is -42

Divide a variable and a number	subtract	=
--------------------------------	----------	---

Translation: $\frac{n}{-4} - 8 = -42$

- D) Translate into a mathematical statement: four plus three times a number is less than or equal to 18

four plus three times a number is less than or equal to 18

add	multiply	use a variable	≤
-----	----------	----------------	---

Translation: $4 + 3n \leq 18$

Practice: Translate each phrase into a mathematical statement

1. Seven plus five times a number is greater than or equal to -9
2. Eight times a number increased by 6 is 62
3. One half of a number is equal to 14
4. 6 less than 8 times some number
5. a number divided by 9
6. p decreased by 5
7. twice a number decreased by 15 is equal to -27
8. 9 less than 7 times some number is -6
9. the sum of a number and eight is less than 2
10. eleven increased by a number is -12

Matching – Put the letter of the algebraic expression that best matches the phrase.

- | | |
|------------------------------------|------------------|
| _____ 1. two more than a number | a. $2x$ |
| _____ 2. two less than a number | b. $x + 2$ |
| _____ 3. half of a number | c. $2 - x$ |
| _____ 4. twice a number | d. $x - 2$ |
| _____ 5. two decreased by a number | e. $\frac{x}{2}$ |

Careful! Pay attention to subtraction. The order makes a difference. Translate to an algebraic expression, then reread to check!

Word Problems

Translate each word problem into an algebraic equation, using x for the unknown, and solve. Write a "let $x =$ " for each unknown; write an equation; solve the equation; substitute the value for x into the let statements(s) to answer the question.

For Example:

Kara is going to Maui on vacation. She paid \$325 for her plane ticket and is spending \$125 each night for the hotel. How many nights can she stay in Maui if she has \$1200?

Step 1: What are you asked to find? Let variables represent what you are asked to find.

How many nights can Kara stay in Maui?

Let $x =$ The number of nights Kara can stay in Maui

Step 2: Write an equation to represent the relationship in the problem.

$$325 + 125x = 1200$$

Step 3: Solve the equation for the unknown

$$\begin{array}{r} 325 + 125x = 1200 \\ - 325 \qquad \qquad -325 \\ \hline 125x = 875 \end{array}$$

$$\begin{array}{r} 125x = 875 \\ x = 7 \end{array}$$

Kara can spend 7 nights in Maui

Word Problem Practice Set

1. A video store charges a one-time membership fee of \$12.00 plus \$1.50 per video rental. How many videos can Stewart rent if he spends \$21?
2. Bicycle city makes custom bicycles. They charge \$160 plus \$80 for each day that it takes to build the bicycle. If you have \$480 to spend on your new bicycle, how many days can it take Bicycle City to build the bike?
3. Darel went to the mall and spent \$41. He bought several t-shirts that each cost \$12 and he bought 1 pair of socks for \$5. How many t-shirts did Darel buy?

4. Janet weighs 20 pounds more than Anna. If the sum of their weights is 250 pounds, how much does each girl weigh?

5. Three-fourths of the student body attended the pep rally. If there were 1230 students at the pep rally, how many students are there in all?

6. Two-thirds of the Algebra students took the H S A the first time. If 60 students took the algebra H S A how many algebra students are there in all?

7. The current price of a school t-shirt is \$10.58. Next year the cost of a t-shirt will be \$15.35. How much will the tee shirt increase next year?

8. The school lunch prices are changing next year. The cost of a hot lunch will increase \$0.45 from the current price. If the next year's price is \$2.60, what did a hot lunch cost this year?

9. Next year the cost of gasoline will increase \$1.25 from the current price. If the cost of a gallon of gasoline next year will be \$4.50, what is the current price of gasoline?

10. Sarah drove 3 hours more than Michael on their trip to Texas. If the trip took 37 hours, how long did Sarah and Michael each drive?