## Online Figure A. Florida Obsessive-Compulsive Inventory

**General instructions:** The questions below are designed to identify some of the common symptoms of obsessive-compulsive disorder (OCD). Keep in mind that a high score on this questionnaire does not necessarily mean you have OCD. Only an evaluation by a health professional can make this determination. Answer these questions as accurately as you can.

Part A instructions: Please check YES or NO for the following questions, based on your experiences in the past month:

	YES	NO
Have you been bothered by unpleasant thoughts or images that repeatedly enter your mind, such as:		
1. Concerns about contamination (dirt, germs, chemicals, radiation) or acquiring a serious illness such as AIDS?		
2. Overconcern with keeping objects (clothing, tools, etc.) in perfect order or arranged exactly?		
3. Images of death or other horrible events?		
4. Personally unacceptable religious or sexual thoughts?		
Have you worried a lot about terrible things happening, such as:		
5. Fire, burglary, or flooding of your house?		
6. Accidentally hitting a pedestrian with your car or letting it roll down a hill?		
7. Spreading an illness (giving someone AIDS)?		
8. Losing something valuable?		
9. Harm coming to a loved one because you weren't careful enough?		
Have you worried about acting on an unwanted and senseless urge or impulse, such as:		
10. Physically harming a loved one, pushing a stranger in front of a bus, steering your car into oncoming traffic, inappropriate sexual contact, or poisoning dinner guests?		
Have you felt driven to perform certain acts over and over again, such as:		
11. Excessive or ritualized washing, cleaning, or grooming?		
12. Checking light switches, water faucets, the stove, door locks, or the emergency brake?		
13. Counting, arranging, evening-up behaviors (making sure socks are at the same height)?		
14. Collecting useless objects or inspecting the garbage before it is thrown out?		
15. Repeating routine actions (in/out of chair, going through doorways, relighting cigarettes) a certain number of times until it feels just right?		
16. Needing to touch objects or people?		
17. Unnecessary rereading or rewriting; opening envelopes before they are mailed?		
18. Examining your body for signs of illness?		
19. Avoiding colors ("red means blood"), numbers ("13 is unlucky"), or names ("those that start with D signify death") that are associated with dreaded events or unpleasant thoughts?		
20. Needing to "confess" or repeatedly asking for reassurance that you said or did something correctly?		
If you answered YES to three or more of these questions, please continue with part B.		

## Online Figure A. Florida Obsessive-Compulsive Inventory (continued)

**Part B instructions:** The following questions refer to the repeated thoughts, images, urges, or behaviors identified in part A. Consider your experience in the past 30 days when selecting an answer.

Check the box next to the most appropriate number from 0 to 4.

In the past month					
On average, how much <i>time</i> is occupied by these thoughts or behaviors each day?	0 🗖 None	1 🛄 Mild (less than 1 hour)	2 🗖 Moderate (1 to 3 hours)	3 📮 Severe (3 to 8 hours)	4 🗖 Extreme (more than 8 hours)
2. How much <i>distress</i> do they cause you?	0 🗖 None	1 🗖 Mild	2 🗖 Moderate	3 🗖 Severe	4 🗖 Extreme (disabling)
3. How hard is it for you to <i>control</i> them?	0 🗖 Complete control	1 🗖 Much control	2 📮 Moderate control	3 🗖 Little control	4 🗖 No control
4. How much do they cause you to <i>avoid</i> doing anything, going anyplace, or being with anyone?	0 🗖 No avoidance	1 🗖 Occasional avoidance	2 🛄 Moderate avoidance	3  Frequent and extensive avoidance	4 🗖 Extreme avoidance (housebound)
5. How much do they <i>interfere</i> with school, work, or your social or family life?	0 🛄 None	1 🗖 Slight interference	2 Definitely interferes with functioning	3 🛄 Much interference	4 🗖 Extreme interference (disabling)

Sum on part B (add items 1 to 5): \_\_\_\_\_

After answering the questions in part B, total your score. It should range from 0 to a maximum of 20. If you scored 8 or more, it is recommended that you consider consultation with a mental health professional.

Reprinted with permission from Wayne Goodman, MD.