

# Attachment and pairbonding

Eli J Finkel<sup>1</sup> and Paul W Eastwick<sup>2</sup>

Relative to other primates, *Homo sapiens* are born immature. To survive, they require intensive provisioning and nurturance across many years. One evolved mechanism for fostering such caregiving is for parents to *pairbond* — to develop and sustain a deep emotional connection to each other — which bolsters fathers' contributions to childrearing. Such paternal investment increases the likelihood that offspring survive long enough to reproduce. On average, once a pairbond has formed, partners typically provide each other with emotional and motivational support and, ultimately, promote each other's psychological and physical health. Furthermore, they tend to exert themselves to sustain the pairbonded relationship over time, including by engaging in biased cognitive processing to derogate alternative romantic partners.

## Addresses

<sup>1</sup> Northwestern University, United States

<sup>2</sup> University of Texas at Austin, United States

Corresponding author: Finkel, Eli J ([finkel@northwestern.edu](mailto:finkel@northwestern.edu))

Current Opinion in Behavioral Sciences 2015, 3:7–11

This review comes from a themed issue on **Social behavior**

Edited by **Molly Crockett** and **Amy Cuddy**

<http://dx.doi.org/10.1016/j.cobeha.2014.12.006>

2352-1546/© 2014 Published by Elsevier Ltd.

Humans develop deep emotional attachments to mating partners. Chimpanzees and bonobos do not.

Discovering why humans pairbond — while our closest genetic relatives do not — has revealed profound insights that are challenging traditional evolutionary perspectives on the nature of human mating. In this article, we situate human pairbonding within a broad evolutionary framework that addresses why and how pairbonds evolved in the genus *Homo*. We discuss current theoretical perspectives on pairbonding in humans and examine the various ways that people who have built a pairbond exert themselves to maintain it. We conclude with an exhortation for an expansive evolutionary psychology of human mating, one that complements the emphasis on adaptations that help the two sexes snooker each other with an emphasis on adaptations that help them collaborate to develop loving and stable family units [1<sup>•</sup>,2<sup>••</sup>,3,4<sup>••</sup>].

## The evolution of pairbonds in the genus *Homo*

The term *pairbond* refers to a relationship between two adult conspecifics that is characterized by affection, stability, reciprocity, and proximity seeking [5]. The archeological and anthropological records suggest that pairbonding entered the human lineage around two million years ago, around four million years after the lineage split off from those of chimpanzees and bonobos [6]. The advent of pairbonding roughly coincided with the moment at which enormous increases in brain size — and, consequently, cranium size — began to exceed the capacity limits of the birth canal. Specifically, as our ancestors became bipedal, selection pressures reengineered the pelvis in a manner that constrained the width of the birth canal. This reengineered pelvis caused problems when subsequent selection pressures favored larger brains. Evolution addressed this obstetric challenge by timing childbirth to earlier stages of organismic development, which increased infant altriciality [4<sup>••</sup>,7]. Indeed, when calibrated to norms based on other primates, human infants are born 12 months premature [8]. Consequently, during their first year of postnatal life, they are essentially 'extra-uterine fetuses' [9] — organisms that are incapable of engaging in even the most basic behavior required for survival. This evolutionary moment, which corresponded to the emergence of the *Homo* lineage, also witnessed two additional developments that made pairbonds especially functional: the advent of meat eating and coordinated hunting [10] and the controlled use of fire [11].

## Why did pairbonds evolve in the genus *Homo*?

Even as our evolutionary ancestors entered the world in an increasingly altricial state, optimal postnatal development of their increasingly large and sophisticated brains required a calorie-rich and nutrient-rich diet [12]. In conjunction, these factors led to substantially longer *neoteny* — the period during which offspring survival depends upon caregiving from older conspecifics — and a greater need for intensive resource investment for offspring survival. In contrast to the young in other Great Ape species, who largely provision for themselves after weaning [13], children in forager societies do not provision as many calories as they consume until many years later — by one estimate, until they are 18 years old [14]. This prolonged dependence allows for particularly sophisticated socialization processes — the sort of brain growth required to develop the complex social and technological skills required of our group-living ancestors. Meanwhile, the interbirth interval of 3–4 years among human hunter-gatherers [15] is considerably shorter than among other Great Ape species [13], which means that human females are, relative to their closest evolutionary

relatives, especially likely to have multiple highly dependent offspring simultaneously [4\*\*].

These factors converged to make human mothers especially dependent upon others for assistance with survival and childrearing [16], and fathers began playing a much larger role in helping their offspring survive until they were themselves able to reproduce. Indeed, several lines of evidence suggest that infant survival became increasingly linked to paternal investment [17–19]. For example, in a study of the Ache, a hunter–gatherer culture in Paraguay, child mortality by age 15 was 20% when the father lived with the child, but it was 45% when, because of divorce or death, he did not [20]. Scholars are converging on the view that the primary mechanism through which evolution increased paternal investment was a deep emotional bond between the mother and the father of young children [2\*\*,3,4\*\*,6,16,21–28]. This bond motivates mothers and (of particular relevance to the present discussion) fathers to develop a long-term relationship predicated on mutual love and affection, and it would have had the additional benefit of helping mothers of young children acquire high-quality food and protect their food stores against theft.

#### How did pairbonds evolve in the genus *Homo*?

The prevailing analysis for this pairbonding mechanism begins with the observation that evolution is more of a tinkering than an engineering process, scaffolding later adaptations on top of earlier adaptations rather than creating new adaptations *ex nihilo* [29,30]. It appears that, in the genus *Homo*, pairbonds were scaffolded on top of infant–caregiver attachment bonds [6,25,26,31,32].

Although most primate species lack pairbonds, they do exhibit infant–caregiver attachment bonds, whose emergence coincided with the emergence of the lineage that led to the apes and Old World Monkeys around 35 million years ago [33,34]. Perhaps the most famous studies of infant–caregiver attachment bonds in primates were those conducted by the American psychologist Harry F. Harlow in the mid-20th century [35], which emphasized the importance of gentle physical contact in an infant rhesus monkey’s tendency to bond with its mother. Around that time, the English psychiatrist John Bowlby was studying the consequences of parental loss among orphans, which inspired him to develop attachment theory, a broad, interdisciplinary perspective on infant–caregiver attachment bonds [36]. According to attachment theory, the infant–caregiver bond served to promote offspring survival, and the strength of the bond is indexed by the extent to which the infant, first, seeks physical proximity to the caregiver; second, experiences emotional distress upon separation from the caregiver; third, experiences comfort (a haven of safety) from the caregiver when feeling distressed and fourth, uses the caregiver as a secure base from which she can explore the environment.

The evolution of pairbonds in the human lineage two million years ago was, it appears, an *exaptation* of the sorts of infant–caregiver attachment bonds that long characterized that lineage — a shift of the adaptive function of the affectional bonding system. Just as feathers that had initially evolved for birds’ temperature regulation were subsequently exapted for flight, the affectional bonding system that had initially evolved to increase mothers’ investments in their offspring was, two million years ago, exapted for pairbonding [6,21]. To be sure, pairbonds differ from infant–caregiver bonds in major ways, especially regarding sexual behavior and the bidirectional nature of caregiving. But they also exhibit striking parallels: both types of bonds are characterized by desire for physical proximity, intimate physical contact, and so forth [37]. It seems that new selection pressures arising two million years ago — especially those resulting from the combination of smaller birth canals and larger brains — redeployed for pairbonding purposes the emotional bonding system that had initially evolved to foster infant–caregiving bonds. Indeed, the primary self-report measure of pairbond strength [38] taps the same four functions Bowlby emphasized for the infant–caregiver bond: proximity-seeking, separation distress, safe haven, and secure base.

#### The development and maintenance of pairbonds

In Western cultures today, it takes about two years for a full-fledged pairbond to form — a bond in which the romantic partner is the primary person one turns to for all four of these primary attachment functions [39]. However, the process of developing a potential pairbond begins much sooner than that, sometimes in the first moments of interaction with a partner one finds romantically intriguing [40]. People experience this proto-pairbonding as a form of attachment-related anxiety regarding the potential partner — as agreement with self-report items like ‘I need a lot of reassurance that this person cares about me’ and ‘I feel uncertain about this person’s true feelings for me.’ This attachment-related anxiety is linked to efforts to deepen the potential pairbond. For example, the extent to which people report such attachment-related anxiety predicts an increased likelihood of contacting the partner after interacting with him or her for 4 min at a speed-dating event [40]. Even at this early stage, and continuing as a fledgling relationship deepens over time, people are especially likely to pairbond with a partner who is successful at helping them fulfill their needs and goals [41] and who are especially attracted to them (relative to other potential partners) [42].

Most of these potential relationships fizzle out before becoming full-fledged pairbonds. But those that persist and flourish show the sorts of attachment-related features that characterize healthy infant–caregiver bonds [43]. As demonstrated by Feeny and Collins [44\*], for example,

pairbonded individuals serve as robust safe havens and secure bases for each other. They help each other thrive rather than crumble when confronting adversity (safe haven), and they help each other achieve personal growth rather than stagnation in the absence of adversity (secure base). More generally, they help to regulate each other's emotion, physiology, cognition, and behavior in a manner that ultimately promotes both partners' psychological and physical health [45,46].


Once formed, these full-fledged attachment bonds tend to be resilient. Many pairbonded relationships dissolve, of course, but a remarkable feature of pairbonds is how hard people work to maintain them over time. To the extent that people feel strongly committed to their pairbonded relationship — that is, psychologically attached to it and oriented toward maintaining the relationship well into the future — they work to protect it from a torrent of potential threats. Some threats come from within the relationship. For example, highly committed people are especially likely to forgive partner transgressions [47] and to prefer that both partners make painful sacrifices to strengthen the relationship's chances of persisting for the long-term [48\*]. Other threats come from outside the relationship, particularly from alternative romantic partners.

From the perspective of a pairbonded individual, the threat posed by romantic alternatives comes in two distinct forms. First, these alternatives might be romantic rivals for one's partner's affections, in which case one's efforts to protect the pairbond are called *mate guarding*. People pursue a broad range of mate guarding tactics, including derogating the romantic rival, expressing love and affection for the partner, and being vigilant for signs that the partner might be interested in the rival [49]. In addition, mate guarding effects appear to be especially strong in situations where the romantic rival poses a larger-than-typical threat [50,51]. In one study,

for example, participants who were strongly concerned about threats posed by romantic rivals (but not those who were weakly concerned) were especially vigilant to physically attractive rivals when mate-guarding considerations were experimentally primed [52]. In another study, participants who are prone toward romantic jealousy (but not those who are not so prone) were especially vigilant to physically attractive rivals when infidelity was experimentally primed [53]. Whether mate-guarding tactics are successful in protecting the pairbond — rather than, say, undermining the pairbond by souring it with jealousy and conflict — is an open question [2\*], but there is little doubt that these tactics are at least *intended* to protect the bond.

Second, alternatives might be romantic rivals for one's own affections, in which case one's efforts to protect the pairbond are called *derogation of alternatives* [54\*]. In the seminal study investigating this process, dating partners who were highly committed to their current romantic relationship were especially likely to assess an alternative romantic partner as unappealing, but only if that partner was objectively attractive [55]. This commitment-related derogation of alternatives tends to be especially robust among people who view their relationship as an important part of their identity [56] and who are dispositionally comfortable with the sort of psychological closeness and intimacy that are fundamental to the pairbond [57]. The motivated derogation or neglect of romantic alternatives even influences basic perceptual processes. For example, relative to dating individuals who were assigned to write an essay about a time when they felt extremely happy, dating individuals who were assigned to write an essay about a time when they experienced strong feelings of love for their partner paid less visual attention to attractive (but not unattractive) alternative partners at an early, automatic stage of the perception process [58]. In addition, consistent with the idea that the pairbonding process can begin within the opening moments of interaction with

Figure 1



Summary of our discussion of proximal predictors and consequences of pairbonds.

an appealing potential partner [40], mutual romantic interest during a first interaction with a stranger causes people to pay less visual attention to attractive alternative potential partners [59]. Figure 1 summarizes our discussion of proximal predictors and consequences of pair-bonds.

## Conclusion

Pairbonding characterizes fewer than 5% of mammalian species [60], but it is arguably the defining feature of human mating tendencies. These pairbonds serve the ultimate evolutionary function by increasing the likelihood that one's offspring survive long enough to reproduce. More proximally, they tend to promote loving and stable family units that promote the mental and physical health of all involved. In contrast to evolutionary models that emphasize how mating partners frequently deceive each other — by, for example, sneaking off to become impregnated by a masculine man when one is fertile or to impregnate women other than one's primary partner — the present analysis emphasizes the evolutionary benefits of building and sustaining a deep emotional connection with one's mating partner.

## Conflict of interest statement

Nothing declared.

## References and recommended reading

Papers of particular interest, published within the period of review, have been highlighted as:

- of special interest
  - of outstanding interest
1. Eastwick PW, Finkel EJ: **The evolutionary armistice: attachment bonds moderate the function of ovulatory cycle adaptations.** *Pers Soc Psychol Bull* 2012, **38**:174-184.
  - This article reports the results of two experiments demonstrating that the extent to which ovulatory cycle phase predicts women's desire to have sex with their primary partner to enhance emotional intimacy depends on how strongly attached they are to their partners.
  2. Eastwick PW, Luchies LB, Finkel EJ, Hunt LL: **The many voices of Darwin's descendants: reply to Schmitt (2014).** *Psychol Bull* 2014, **140**:673-681 <http://dx.doi.org/10.1037/a0036111>.
  - This article reviews the evidence that feelings of psychological attachment to and connection with a romantic partner are linked to relationship stability, which in turn is linked to adaptive processes, defined in terms of survival and reproduction.
  3. Fletcher GJO, Simpson JA, Campbell L, Overall NC: **Pair-bonding, romantic love, and evolution: the curious case of Homo sapiens.** *Perspect Psychol Sci* 2014. in press.
  4. Stewart-Williams S, Thomas A: **The ape that thought it was a peacock: does evolutionary psychology exaggerate human sex differences?** *Psychol Inq* 2013, **24**:137-168 <http://dx.doi.org/10.1080/1047840X.2013.804899>.
  - This wide-ranging review article provides an evolutionary perspective on pair bonds and argues that mainstream evolutionary psychology may have exaggerated the frequency or magnitude of sex differences in human mating.
  5. Fuentes A: **Re-evaluating primate monogamy.** *Am Anthropol* 1998, **100**:890-907.
  6. Eastwick PW: **Beyond the Pleistocene: using phylogeny and constraint to inform the evolutionary psychology of human mating.** *Psychol Bull* 2009, **135**:794-821 <http://dx.doi.org/10.1037/a0016845>.
  7. Smith BH, Tompkins RL: **Toward a life history of the Hominidae.** *Annu Rev Anthropol* 1995, **24**:257-279.
  8. Martin RD: **Primate Origins and Evolution: A Phylogenetic Reconstruction.** Princeton, NJ: Princeton University Press; 1990. .
  9. Taylor T: **The Artificial Ape: How Technology Changed the Course of Human Evolution.** New York, NY: Palgrave Macmillan; 2010. .
  10. Surovell T, Waguespack N, Brantingham PJ: **Global archaeological evidence for proboscidean overkill.** *Proc Natl Acad Sci U S A* 2005, **102**:6231-6236.
  11. Rowlett RM: **Fire control by Homo erectus in east Africa and Asia.** *Acta Anthropol Sin* 2000, **19**:198-208.
  12. Aiello LC, Wheeler P: **The expensive-tissue hypothesis: the brain and the digestive system in human and primate evolution.** *Curr Anthropol* 1995, **36**:199-221.
  13. Hrdy SB: **Mothers and Others: The Evolutionary Origin of Mutual Understanding.** Cambridge, MA: Harvard University Press; 2009. .
  14. Kaplan H: **Evolutionary and wealth flow theories of fertility: empirical tests and new models.** *Popul Dev Rev* 1994, **20**:753-791.
  15. Pennington R: **Hunter-gatherer demography.** In *Hunter-Gatherers: An Interdisciplinary Perspective*. Edited by Panter-Brick C, Layton RH, Rowley-Conwy P. Cambridge, UK: Cambridge University Press; 2001:170-204.
  16. Marlowe FW: **A critical period for provisioning by Hadza men: implications for pair bonding.** *Evol Hum Behav* 2003, **24**:217-229 [http://dx.doi.org/10.1016/S1090-5138\(03\)00014-X](http://dx.doi.org/10.1016/S1090-5138(03)00014-X).
  17. Kaplan H, Hill K, Lancaster J, Hurtado AM: **A theory of human life history evolution: diet, intelligence, and longevity.** *Evol Anthropol* 2000, **9**:156-185.
  18. Quinlan RJ, Quinlan MB: **Human lactation, pair-bonds, and alloparents: a cross-cultural analysis.** *Hum Nat* 2008, **19**:87-102.
  19. Wrangham RW, Jones JH, Laden G, Pilbeam D, Conklin-Brittain N: **The raw and the stolen: cooking and the ecology of human origins.** *Curr Anthropol* 1999, **40**:567-594.
  20. Hill K, Hurtado AM: **Demographic/Life History of Ache Foragers.** Hawthorne, NY: Aldine de Gruyter; 1996. .
  21. Fraley RC, Brumbaugh CC, Marks MJ: **The evolution and function of adult attachment: a comparative and phylogenetic analysis.** *J Pers Soc Psychol* 2005, **89**:731-746.
  22. Geary DC: **Evolution and proximate expression of human paternal investment.** *Psychol Bull* 2000, **126**:55-77.
  23. Gettler LT: **Direct male care and hominin evolution: why male-child interaction is more than a nice social idea.** *Am Anthropol* 2010, **112**:7-21 <http://dx.doi.org/10.1111/j.1548-1433.2009.01193.x>.
  24. Gray PB, Anderson KG: **Fatherhood: Evolution and Human Paternal Behavior.** Cambridge, MA: Harvard University Press; 2010. .
  25. Hazan C, Diamond LM: **The place of attachment in human mating.** *Rev Gen Psychol* 2000, **4**:186-204.
  26. Miller LC, Fishkin SA: **On the dynamics of human bonding and reproductive success: seeking windows on the adapted-for human-environmental interface.** In *Evolutionary Social Psychology*. Edited by Simpson JA, Kenrick DT. Mahwah, NJ: Erlbaum; 1997:197-236.
  27. Winking J, Gurven M, Kaplan H: **The impact of parents and self-selection on child survival among the Tsimane of Bolivia.** *Curr Anthropol* 2011, **52**:277-284.
  28. Wood BM, Marlowe FW: **Household and kin provisioning by Hadza men.** *Hum Nat* 2013, **24**:280-317 <http://dx.doi.org/10.1007/s12110-013-9173-0>.
  29. Jacob F: **Evolution and tinkering.** *Science* 1977, **196**:1161-1166.
  30. Maynard Smith J, Burian R, Kaufmann S, Alberch P, Campbell J, Goodwin B et al.: **Developmental constraints and evolution: a perspective from the mountain lake conference on development and evolution.** *Q Rev Biol* 1985, **60**:265-287.

31. Fraley RC, Shaver PR: **Adult romantic attachment: theoretical developments, emerging controversies, and unanswered questions.** *Rev Gen Psychol* 2000, **4**:132-154.
32. Zeifman D, Hazan C: **Pair bonds as attachments: reevaluating the evidence.** In *The Handbook of Attachment*. Edited by Cassidy J, Shaver PR. New York: Guilford Press; 2008:436-455.
33. Maestripieri D, Roney JR: **Evolutionary developmental psychology: contributions from comparative research with nonhuman primates.** *Dev Rev* 2006, **26**:120-137.
34. Schrago CG, Russo CAM: **Timing the origin of new world monkeys.** *Mol Biol Evol* 2003, **20**:1620-1625.
35. Harlow HF: **The nature of love.** *Am Psychol* 1958, **13**:673.
36. Bowlby J: **Attachment and Loss.** Attachment. New York: Basic Books; 1969, .
37. Shaver P, Hazan C, Bradshaw D: **Love as attachment: the integration of three behavioral systems.** In *The Psychology of Love*. Edited by Sternberg RJ, Barnes ML. New Haven, CT: Yale University Press; 1988:68-99.
38. Tancredy CM, Fraley RC: **The nature of adult twin relationships: an attachment-theoretical perspective.** *J Pers Soc Psychol* 2006, **90**:78-93 <http://dx.doi.org/10.1037/0022-3514.90.1.78>.
39. Hazan C, Zeifman D: **Sex and the psychological tether.** *Adv Pers Relationsh* 1994, **5**:151-177.
40. Eastwick PW, Finkel EJ: **The attachment system in fledgling relationships: an activating role for attachment anxiety.** *J Pers Soc Psychol* 2008, **95**:628-647.
41. Eastwick PW, Finkel EJ, Mochon D, Ariely D: **Selective versus unselective romantic desire: not all reciprocity is created equal.** *Psychol Sci* 2007, **18**:317-319.
42. Finkel EJ, Eastwick PE: **Interpersonal attraction: in search of a theoretical Rosetta stone.** In *APA Handbook of Personality and Social Psychology*. Edited by Simpson JA, Dovidio JF. **Interpersonal Relations.** Washington: American Psychological Association; 2015:179-210.
43. Bowlby J: *A Secure Base.* New York, NY: Basic Books; 1988, .
44. Feeney BC, Collins NL: **A new look at social support: a theoretical perspective on thriving through relationships.** *Pers Soc Psychol Rev* 2014.
- This integrative review article provides a theoretical perspective on the ways in which pairbonds (and other attachment relationships) can help people flourish.
45. Diamond LM, Hicks AM, Otter-Henderson KD: **Every time you go away: changes in affect, behavior, and physiology associated with travel-related separations from romantic partners.** *J Pers Soc Psychol* 2008, **95**:385-403.
46. Sbarra DA, Hazan C: **Coregulation, dysregulation, self-regulation: an integrative analysis and empirical agenda for understanding adult attachment, separation, loss, and recovery.** *Pers Soc Psychol Rev* 2008, **12**:141-167.
47. Finkel EJ, Rusbult CE, Kumashiro M, Hannon PA: **Dealing with betrayal in close relationships: does commitment promote forgiveness?** *J Pers Soc Psychol* 2002, **82**:956-974.
48. Hui CM, Finkel EJ, Fitzsimons GM, Kumashiro M, Hofmann W: **The Manhattan effect: when relationship commitment fails to promote support for partner interests.** *J Pers Soc Psychol* 2014, **106**:546-570 <http://dx.doi.org/10.1037/a0035493>.
- This article demonstrates that people who are strongly committed to making their relationship last are willing to set aside both their own and their partner's interests to ensure the continuation of the pairbond.
49. Buss DM, Shackelford TK: **From vigilance to violence: mate retention tactics in married couples.** *J Pers Soc Psychol* 1997, **72**:346.
50. Gangestad SW, Thornhill R, Garver CE: **Changes in women's sexual interests and their partner's mate-retention tactics across the menstrual cycle: evidence for shifting conflicts of interest.** *Proc R Soc Lond B: Biol Sci* 2002, **269**:975-982.
51. Haselton MG, Gangestad SW: **Conditional expression of women's desires and men's mate guarding across the ovulatory cycle.** *Horm Behav* 2006, **49**:509-518.
52. Maner JK, Gailliot MT, Rouby DA, Miller SL: **Can't take my eyes off you: attentional adhesion to mates and rivals.** *J Pers Soc Psychol* 2007, **93**:389.
53. Maner JK, Miller SL, Rouby DA, Gailliot MT: **Intrasexual vigilance: the implicit cognition of romantic rivalry.** *J Pers Soc Psychol* 2009, **97**:74.
54. Lydon JE, Karremans JC: **Relationship regulation in the face of eye candy: a motivated cognition framework for understanding responses to attractive alternatives.** *Curr Opin Psychol* 2014. in press.
55. Johnson DJ, Rusbult CE: **Resisting temptation: devaluation of alternative partners as a means of maintaining commitment in close relationships.** *J Pers Soc Psychol* 1989, **57**:967-980 <http://dx.doi.org/10.1037/0022-3514.57.6.967>.
56. Linardatos L, Lydon JE: **Relationship-specific identification and spontaneous relationship maintenance processes.** *J Pers Soc Psychol* 2011, **101**:737-753.
57. DeWall CN, Lambert NM, Slotter EB, Deckman T, Pond RD, Finkel EJ, Luchies LB, Fincham FD: **So far away from one's partner, yet so close to romantic alternatives: avoidant attachment, interest in alternatives, and infidelity.** *J Pers Soc Psychol* 2011, **101**:1302-1316.
58. Maner JK, Rouby DA, Gonzaga GC: **Automatic inattention to attractive alternatives: the evolved psychology of relationship maintenance.** *Evol Hum Behav* 2008, **29**:343-349.
59. Koranyi N, Rothermund K: **When the grass on the other side of the fence doesn't matter: reciprocal romantic interest neutralizes attentional bias towards attractive alternatives.** *J Exp Soc Psychol* 2012, **48**:186-191.
60. Kleiman DG: **Monogamy in mammals.** *Q Rev Biol* 1977, **52**:39-69.