

VACCINE / PROPHYLACTIC MEDICATION LIST

VACCINES APPROVED IN JAPAN		
Vaccine / Medication Name	Dose / Schedule	Fee per dose*
DTP (diphtheria-tetanus-pertussis)	3 doses every 4 weeks, booster in one year.	¥5,000
DTP-IPV (diphtheria-tetanus-pertussis-inactivated polio)	3 doses every 4 weeks, booster in one year.	¥9,000
DT (diphtheria-tetanus)	1 dose at age 11 to 12 years	¥4,000
Inactivated Polio	3 doses every 4 weeks, booster in one year.	¥7,500
MR (measles-rubella)	First dose at age 12 months, booster at 5 to 7 years of age.	¥9,000
Measles	First dose at age 12 months, booster at 5 to 7 years of age.	¥5,000
Rubella	First dose at age 12 months, booster at 5 to 7 years of age.	¥5,000
Mumps	First dose at age 12 months, booster at 5 to 7 years of age.	¥5,000
Varicella	First dose at age 12 months, booster after minimum three month interval	¥7,000
Japanese Encephallitis	2 doses at 1 to 4 week interval then booster in one year.	¥6,000
Hepatitis A (Aimmugen)	2 doses at 2 to 4 week interval then booster in 6 months.	¥6,000
Hepatitis B (Bimmugen, Hepatavax-II)	2 doses at 4 week interval then booster in 6 months.	¥5,000
Haemophilus influenza b (Hib)	3 doses at 4 week intervals then booster at 12 months of age	¥8,000
Pneumococcal Conjugate Vaccine 13 (Prevenar 13)	3 doses at 4 week intervals then booster at 12 months of age	¥10,000
Meningococcal Conjugate Vaccine [MCV4] (Menactra)	1 dose every 5 years	¥22,000
HPV 2-valent (Cervarix) [call to confirm stock]	2 doses at 4 week interval then booster in 6 months	¥15,000
HPV 4-valent (Gardasil) [call to confirm stock]	2 doses at 8 week interval then booster in 6 months	¥15,000
Rotavirus (oral) [Rotarix]	2 doses at 4 week interval (must be completed between 6 to 24 weeks of age)	¥12,000
Rotavirus (oral) [Rotateq]	3 doses at 4 week intervals (must be completed between 6 to 32 weeks of age)	¥8,250

NOTE: Imported vaccines are not covered by government compensation programs in the event of any adverse effects. Japanese National Health Insurance does not cover the cost of most vaccinations. Doses and schedules listed may vary depending on age, prior vaccinations, and medical history.

*consumption tax will be added to the fees listed. Prices subject to change without notice.

Tetanus toxoid	Every 10 years.	¥3,000
Rabies (Kaketsuken domestic)	Preexposure: 3 doses at 0, 1, and 6 months (please call to confirm availability)	¥12,000
Pneumococcal 23 (adult) [Pneumovax]	1 dose every 5 years	¥8,000

NOTE: Imported vaccines are not covered by government compensation programs in the event of any adverse effects. Japanese National Health Insurance does not cover the cost of most vaccinations. Doses and schedules listed may vary depending on age, prior vaccinations, and medical history.

*consumption tax will be added to the fees listed. Prices and availability subject to change without notice.

IMPORTED VACCINES		
Vaccine / Medication Name	Dose / Schedule	Fee per dose*
Hepatitis A (pediatric) (Havrix 720)	2 doses at 6 to 12 month interval	¥10,000
Hepatitis A (adult) (Havrix 1440)	2 doses at 6 to 12 month interval	¥11,000
Hepatitis A / Typhoid (Vivaxim/Hepatyrix) [call to confirm stock]	1 dose (Hepatitis A booster in 6 months, Typhoid booster in 3 years)	¥15,000
Hepatitis A & B (adult) (Twinrix 720/20)	3 doses at 0, 1, and 6 months	¥13,000
Hepatitis A & B (pediatric) (Twinrix Junior 360/10)	3 doses at 0, 1, and 6 months	¥11,000
Infanrix Hexa [DTP-Polio-Hib-Hepatitis B]	3 doses at 4 to 8 week intervals	¥15,000
Infanrix (5) [DTP-Polio-Hib] [call to confirm stock]	3 doses at 4 to 8 week intervals	¥12,000
MMR [measles-mumps-rubella] (Priorix)	1 dose at age 12 months, booster at age 4 to 6 years	¥10,000
MMRV [measles-mumps-rubella-varicella] (Priorix Tetra) [call to confirm stock]	1 dose at age 12 months, booster at age 4 to 6 years	¥18,000
Meningococcal Conjugate Vaccine [MCV4] (Menveo)	1 dose every 5 years	¥18,000
Meningococcal-C Conjugate Vaccine (Neisvac-C) [call to confirm stock]	1 to 3 doses	¥20,000
Meningococcal-B recombinant vaccine (Bexsero) [call to confirm stock]	2 to 3 doses at 4 to 8 week intervals	¥25,000
Typhoid [injectable] (Typhim Vi, Typherix)	1 dose every 3 years	¥8,500
Rabies [imported] (Verorab)	3 doses at 0, 7, and 21 to 28 days.	¥9,000
Tdap (Boostrix)	1 dose at age 7 years or older.	¥8,000
Td [tetanus-diphtheria] (Td-pur)	1 dose every 10 years after age 7 years.	¥6,000
Cholera [oral inactivated] (Dukoral) [call to confirm stock]	2 doses at 1 to 6 week interval for age > 2 years (3 doses for age 2 to 6 years).	¥6,000
Tick-borne encephalitis [adult] (Encepur N, FSME-Immun)	2 doses at 4 week interval then booster after 9 to 12 months	¥10,000
Tick-borne encephalitis [pediatric] (Encepur Junior)	2 doses at 4 week interval then booster after 9 to 12 months	¥10,000

NOTE: Imported vaccines are not covered by government compensation programs in the event of any adverse effects. Japanese National Health Insurance does not cover the cost of most vaccinations. Doses and schedules listed may vary depending on age, prior vaccinations, and medical history.

*consumption tax will be added to the fees listed. Prices and availability subject to change without notice.

Herpes zoster [shingles] (Zostavax) [ordered individually]	1 dose at age 60 years or older	¥35,000
--	---------------------------------	---------

NOTE: Imported vaccines are not covered by government compensation programs in the event of any adverse effects. Japanese National Health Insurance does not cover the cost of most vaccinations. Doses and schedules listed may vary depending on age, prior vaccinations, and medical history.

*consumption tax will be added to the fees listed. Prices and availability subject to change without notice.

MALARIA PROPHYLAXIS		
Doxycycline 100mg	1 tablet per day. Begin one day prior to arrival and continue for 4 weeks after leaving risk area.	¥60 / tablet
Mefloquine 275mg	1 tablet once a week. Begin 1 week prior to arrival and continue for 4 weeks after leaving risk area.	¥1,200 / tablet
Malarone (atovaquone 250mg / proguanil 100mg)	1 tablet per day. Begin one day prior to arrival and continue for 1 week after leaving risk area.	¥600 / tablet
Malarone Junior (atovaquone 62.5mg / proguanil 25mg)	Dose varies with age. Begin one day prior to arrival and continue for 1 week after leaving risk area.	¥800 / tablet
HIGH-ALTITUDE SICKNESS PREVENTION		
Diamox 250mg (acetazolamide)	1/2 to 1 tablet twice a day. Begin 24 hours prior to ascent. Continue for 48 hours after reaching peak elevation.	¥60 / tablet

NOTE: Imported vaccines are not covered by government compensation programs in the event of any adverse effects. Japanese National Health Insurance does not cover the cost of most vaccinations. Doses and schedules listed may vary depending on age, prior vaccinations, and medical history.

*consumption tax will be added to the fees listed. Prices and availability subject to change without notice.