

**GHOST**  
**tone**  
r e v e r b





## Congratulations

on your purchase of **Ghost Tone** reverb, a sweet-sounding reverb for guitarists, wanting to bring their sound to life.

**Ghost Tone** gives you incredible reverbs specially tuned for the electric guitar. You can shape your reverb by controlling the decay time – and you can warp it to create all kinds of thick, layered sounds.

Take a quick look at the overview of controls in this user manual to familiarize yourself with **Ghost Tone** and its surprising capabilities.

# GHOST TONE CONTROLS

Your **Ghost Tone** features five separate controls.

The **REVERB** knob lets you adjust the amount of reverb you get, while the **DECAY** knob determines the length of your reverb trail. Turn these controls up to simulate a large concert hall or other large spaces, and roll down to get a smaller club or room effect.

The **LEVEL** knob is used to set the overall output volume from your **Ghost Tone** pedal. At 12 o'clock your output is the same as your input volume.

The **Ghost Tone** offers phenomenal-sounding **Room**, **Hall** and **LFO** modes controlled by the mode switch. We've even added a completely revamped Spring mode that will simply blow your mind. When the decay is set low in Spring mode, **Ghost Tone** emulates a short-spring reverb. Turn the decay up, and you get a killer long-spring reverb you just won't hear anywhere else. The display shows, what mode you are using.

# Technical Specification

Input Impedance @ 1KHz	Higher than 1M Ohm
Output Impedance @ 1KHZ	Lower than 1K Ohm
Power supply	9V DC (T-Rex FuelTank)
Minimum Power supply Voltage	8,5V DC
Maximum Power supply Voltage	12,5V DC
Current Draw @ 9V DC	130 mA
Maximum Input signal Vp/p	2Vp/p
Battery Type	9 V battery 6F22
Battery Life	30 to 60 minutes
External connectors	Input Jack, Output Jack, 9V DC Jack
Controls	On/Off, Mode switch, Volume, Reverb, Tone, Decay
Pedal size incl. knobs (W x H x D)	100 x 55 x 120 mm 3,9 x 2,2 x 4,7 inch
Weight excl. battery and packaging	0,335 kg / 11,8 oz

## T-REX WARRANTY CONDITIONS

T-Rex offers a 2-year warranty on all our products. In the unlikely event of a malfunction, please contact our technical support at [service@t-rex-effects.com](mailto:service@t-rex-effects.com) before sending us the product for repair. Read more about warranty conditions at [www.t-rex-effects.com/service](http://www.t-rex-effects.com/service)

## ABOUT T-REX

Based in Vejle, Denmark, T-Rex Engineering makes classic and signature effects pedals for the world's best musicians. Our approach blends hi-tech innovation with old-world craftsmanship – always in the service of killer tone.

## EU REGULATIONS • ENVIRONMENT PROTECTION

T-Rex accepts and follows the regulations and directives issued by the EU. We find these environment protecting regulations very good, and we are happy to follow them.



*Lars D. Jørgensen*

*Sebastian Jensen*



Lars Dahl-Jørgensen  
& Sebastian Jensen  
Founder & Owner

T-Rex Engineering ApS



[www.t-rex-effects.com](http://www.t-rex-effects.com)

Made by T-REX Denmark 2014