

*User manual*

# ToneBug

*Reverb*





## CONGRATULATIONS

on your purchase of Reverb, part of a brand new series of great-sounding, pared-down pedals from T-Rex Engineering.

Reverb helps bring your sound to life by putting you up on the stage. And we mean any stage – from a steamy blues club to a huge outdoor stadium. No matter what settings you choose, though, you can count on Reverb to sound great and give you all the incredible tone you'd expect from a T-Rex pedal.

Using your Reverb is easy and intuitive. Just turn the page to get started.

## READY, SET, GO!

### Using your ToneBug Reverb

Insert a 9 Volt alkaline battery or connect the pedal to one of the T-Rex FuelTank power supplies (not included).

This pedal accepts both 9 and 12 Volt DC (see technical specs).

Plug your guitar into the INPUT jack, and run a lead from the OUTPUT jack into your amp.

Set the mode switch to MODERN for a contemporary reverb sound or SPRING, for a more retro sound.

Adjust the DECAY setting to determine how long your reverb will last, and the DEPTH setting to determine how “heavy” it will be.

## TECHNICAL SPECIFICATIONS:

Input Impedance @ 1KHz	Higher than 1 M Ohm
Output Impedance @ 1KHz	Lower than 1 K Ohm
Power supply	9V DC
Minimum Power supply Voltage	8V DC
Maximum Power supply Voltage	12,5V DC
Current Draw @ 9V DC	75 mA
Maximum input signal Vp/p	2,5 Vp/p
Battery Type	9V battery 6F22 Alkaline
Battery Life	0,5 to 1 Hours
External connectors	Input Jack. Output Jack, 9V DC Jack (center pin negative)
Controls	On/Off, Decay, Modern/Spring, Depth
Depth	120 mm
Width	78 mm
Height	60 mm
Weight (excl. battery)	0,404 Kg

## SAMPLE SETTINGS:

### Simple Spring

MODE: SPRING

DECAY: 8 o'clock

DEPTH: 12 o'clock

### Hot Rod

MODE: SPRING

DECAY: 1 o'clock

DEPTH: 5 o'clock

### Medium Hall

MODE: MODERN

DECAY: 11 o'clock

DEPTH: 10 o'clock

### Stadium Rock

MODE: MODERN

DECAY: 2 o'clock

DEPTH: 10 o'clock



## T-REX WARRANTY CONDITIONS

T-Rex offers a 2-year warranty on all our products. In the unlikely event of a malfunction, please contact our technical support at [info@t-rex-effects.com](mailto:info@t-rex-effects.com) before sending us the product for repair. When the product has been sent to us at sender's cost, we will repair or replace your product and send it back to you - free of charge and usually within 3 weeks (shipping not included). The product needs to be accompanied by a copy of your receipt, serial number, return address, phone number, e-mail address and a brief explanation of the problem. Please note that we cannot replace a product until we have received it here in Denmark.

The warranty is lost if the product has been damaged by alteration, misuse, accident, or neglect; or if the product has been repaired or serviced by persons not authorized by T-Rex. Read more about warranty conditions at [www.t-rex-effects.com](http://www.t-rex-effects.com).

## ABOUT T-REX

Based in Vejle, Denmark, T-Rex Engineering makes classic and signature effects pedals for the world's best musicians. Our approach blends hi-tech innovation with old-world craftsmanship - always in the service of killer tone.

## EU REGULATIONS • ENVIRONMENT PROTECTION

T-Rex accepts and follows the regulations and directives issued by the EU. We find these environment protecting regulations very good, and we are happy to follow them.

ISSUED IN VEJLE 2009



Steen Meldgaard Laursen  
Managing Director



Lars Dahl-Jørgensen  
Development Director



Sebastian Jensen  
Production Director



**T-Rex Engineering ApS**

[www.t-rex-effects.com](http://www.t-rex-effects.com)