

Sequoia

CARPET

PRODUCT SPECIFICATION

STYLE	Garfield Grove - Solid
WIDTH	12'0"
PILE CONTENT	100% BCF Solution Dyed Polyester
TPI	5
FABRIC TYPE	Texture
GAUGE	5/32 CP
PILE HEIGHT	19/32"
STITCHES PER INCH	7.83
TUFTED WEIGHT	35 oz.
TOTAL WEIGHT	65.4 oz. per square yard
DYE METHOD	Solution dyed
PRIMARY BACKING	Polypropylene
SECONDARY BACKING	Polypropylene
TREATMENT	Soil Shield
PATTERN REPEAT	N/A
INDOOR AIR QUALITY	Passed
FLAMMABILITY	Passed
FHA	Meets all requirements
MEA NUMBER	10103
PAR	3.5
NOTE	<i>All specifications are subject to normal manufacturing tolerances</i>

WARRANTY INFORMATION

STAIN RESISTANCE	Lifetime
ABRASIVE WEAR	10 year
MANUFACTURING DEFECTS	10 year
FADE RESISTANCE	Lifetime
SOIL RESISTANCE	15 year

A division of Galleher Corporation
9303 Greenleaf Avenue, Santa Fe Springs, CA 90670
www.galleher.com
www.sequoiacarpet.com

Sequoia

CARPET

PRODUCT SPECIFICATION

STYLE	Garfield Grove - Barber Pole
WIDTH	12'0"
PILE CONTENT	100% BCF Solution Dyed Polyester
TPI	5
FABRIC TYPE	Texture
GAUGE	5/32 CP
PILE HEIGHT	18/32"
STITCHES PER INCH	8
TUFTED WEIGHT	35 oz.
TOTAL WEIGHT	65.7 oz. per square yard
DYE METHOD	Solution dyed
PRIMARY BACKING	Polypropylene
SECONDARY BACKING	Polypropylene
TREATMENT	Soild Shield
PATTERN REPEAT	N/A
INDOOR AIR QUALITY	Passed
FLAMMABILITY	Passed
FHA	Meets all requirements
MEA NUMBER	10104
PAR	3.5
NOTE	<i>All specifications are subject to normal manufacturing tolerances</i>

WARRANTY INFORMATION

STAIN RESISTANCE	Lifetime
ABRASIVE WEAR	10 year
MANUFACTURING DEFECTS	10 year
FADE RESISTANCE	Lifetime
SOIL RESISTANCE	15 year

A division of Galleher Corporation
9303 Greenleaf Avenue, Santa Fe Springs, CA 90670
www.galleher.com
www.sequoiacarpet.com

Sequoia

CARPET

PRODUCT SPECIFICATION

STYLE	Garfield Grove - Fleck
WIDTH	12'0"
PILE CONTENT	100% BCF Solution Dyed Polyester
TPI	5
FABRIC TYPE	Texture
GAUGE	5/32 CP
PILE HEIGHT	19/32"
STITCHES PER INCH	7.83
TUFTED WEIGHT	35 oz.
TOTAL WEIGHT	65.7 oz. per square yard
DYE METHOD	Solution dyed
PRIMARY BACKING	Polypropylene
SECONDARY BACKING	Polypropylene
TREATMENT	Soil Shield
PATTERN REPEAT	N/A
INDOOR AIR QUALITY	Passed
FLAMMABILITY	Passed
FHA	Meets all requirements
MEA NUMBER	10106
PAR	3.5
NOTE	<i>All specifications are subject to normal manufacturing tolerances</i>

WARRANTY INFORMATION

STAIN RESISTANCE	Lifetime
ABRASIVE WEAR	10 year
MANUFACTURING DEFECTS	10 year
FADE RESISTANCE	Lifetime
SOIL RESISTANCE	15 year

A division of Galleher Corporation
9303 Greenleaf Avenue, Santa Fe Springs, CA 90670
www.galleher.com
www.sequoiacarpet.com