



L & H SEEDS

4756 West SR 260
Connell, WA 99326
lhseeds.com

509.234.4433 office
509.234.0202 fax
info@lhseeds.com

2016 Product List

L&H Seeds has an extensive inventory of native and naturalized seed species for wildland restoration and disturbance reclamation. We take special care to inventory numerous site-adapted selections and varietal releases adapted to the western U.S. and Canada and can custom blend any combination of grasses, grasslikes, forbs, wildflowers, legumes and shrubs to meet your project's specifications.

We also carry hay, pasture, range and cover crop species for agricultural projects, and a full line of turfgrass seed for landscape contractors.

For current pricing—or if you don't see what you need listed here—please contact us.

Species are categorized by (1) growth form, and (2) alphabetical by scientific name. (County and state information is provided for local accessions.)

GRASSES & GRASSLIKES

Grass and grasslike species for upland, wetland, riparian, turf, landscaping, pasture and rangeland projects.

Indian ricegrass (*Achnatherum hymenoides*)

- Nezpar
- Paloma
- Rimrock
- Star Lake
- White River

Letterman needlegrass (*Achnatherum lettermanii*)

Thurber's needlegrass (*Achnatherum thurberianum*)

Crested wheatgrass* (*Agropyron cristatum*)

- Ephriam
- Fairway
- Kirk

Standard crested wheatgrass* (*Agropyron desertorum*)

- Hycrest & Hycrest II
- Nordan

Siberian Wheatgrass* (*Agropyron fragile*)

- Vavilov & Vavilov II

Colonial bentgrass* (*Agrostis capillaris*)

- Highland

Redtop* (*Agrostis gigantea*)

- Streaker

Rough bentgrass (*Agrostis scabra*)

Creeping bentgrass* (*Agrostis stolonifera*)

Creeping meadow foxtail* (*Alopecurus arundinaceus*)

- Garrison

Water foxtail* (*Alopecurus geniculatus*)

Meadow foxtail* (*Alopecurus pratensis*)

American sloughgrass (*Beckmannia syzigachne*)

Alkali bulrush (*Bolboschoenus maritimus*)

Meadow brome* (*Bromopsis biebersteinii*)

- Cache
- Fleet
- Macbeth
- Paddock
- Regar

California brome (*Bromus carinatus*)

Fringed brome (*Bromus ciliatus*)

Smooth brome* (*Bromus inermis*)

- Carlton
- Lincoln
- Manchar

Mountain brome (*Bromus marginatus*)

- Bromar
- Garnet
- John Day (Grant OR)
- Umatilla (Umatilla/Morrow OR)

Bluejoint reedgrass (*Calamagrostis canadensis*)

Water sedge (*Carex aquatilis*)

Slenderbeak sedge (*Carex athrostachya*)

Bebb's sedge (*Carex bebbii*)

Small-winged sedge (*Carex microptera*)

Nebraska sedge (*Carex nebrascensis*)

Slough sedge (*Carex obnupta*)

Woolly sedge (*Carex pellita*)

*** Species introduced to North America.**

Meadow sedge (*Carex praegracilis*)

Beaked sedge (*Carex rostrata*)

Analogue sedge (*Carex simulata*)

Awlfruit sedge (*Carex stipata*)

Fox sedge (*Carex vulpinoidea*)

Orchardgrass* (*Dactylis glomerata*)

- Crowne Royale
- Latar
- Paiute
- Pennlate
- Potomac
- Pro-File
- Tekapo

California oatgrass (*Danthonia californica*)

Tufted hairgrass (*Deschampsia cespitosa*)

Slender hairgrass (*Deschampsia elongata*)

Inland saltgrass (*Distichlis spicata*)

Creeping spikerush (*Eleocharis palustris*)

Canada wildrye (*Elymus canadensis*)

- Mandan

Dahurian wildrye* (*Elymus dahuricus*)

- James

Bottlebrush squirreltail (*Elymus elymoides*)

- CRNG (Jefferson OR)
- Pleasant Valley (Baker OR)
- Toe Jam Creek

Blue wildrye (*Elymus glaucus*)

- Arlington
- Elkton
- Union Flat (Whitman WA)
- White Pass (Yakima WA)

Thickspike wheatgrass (*Elymus lanceolatus* ssp. *lanceolatus*)

- Bannock & Bannock II
- Critana
- Schwendimar

Streambank wheatgrass (*Elymus lanceolatus* ssp. *psammophilus*)

- Sodar

Big squirreltail (*Elymus multisetus*)

- Umatilla (Umatilla OR)

Slender wheatgrass (*Elymus trachycaulus* ssp. *trachycaulus*)

- Copperhead
- FirstStrike
- Pryor
- Revenue
- San Luis

Snake River wheatgrass (*Elymus wawawaiensis*)

- Discovery
- Secar

RS hybrid wheatgrass* (*Elytrigia repens* x *Pseudoroegneria spicata*)

- AC Saltlander
- Newhy

Tall fescue* (*Festuca arundinacea*)

- Fawn
- K-31
- Rustler
- *Numerous turf types. See [Turfgrasses](#).*

Durar hard fescue* (*Festuca brevipila*)

Rough fescue (*Festuca campestris*)

Idaho fescue (*Festuca idahoensis*)

- CTUIR (Umatilla OR)
- Lake Chelan (Chelan WA)
- Winchester (Lewis ID)

Western fescue (*Festuca occidentalis*)

Sheep fescue* (*Festuca ovina*)

- Covar
- *Numerous turf types. See [Turfgrasses](#).*

Blue fescue* (*Festuca ovina glauca*)

Meadow fescue* (*Festuca pratensis*)

Roemer's fescue (*Festuca roemeri*)

Native red fescue (*Festuca rubra*)

Creeping red fescue* (*Festuca rubra*)

- *Numerous turf types. See [Turfgrasses](#).*

Chewings fescue* (*Festuca rubra commutata*)

- *Numerous turf types. See [Turfgrasses](#).*

Festulolium* (*Festuca* spp. x *Lolium* spp.)

- Duo
- Spring Green

Hard fescue* (*Festuca trachyphylla*)

- *Numerous turf types. See [Turfgrasses](#).*

Rocky Mountain fescue (*Festuca saximontana*)

American mannagrass (*Glyceria grandis*)

Western mannagrass (*Glyceria occidentalis*)

Fowl mannagrass (*Glyceria striata*)

Needle and thread (*Hesperostipa comata* ssp. *comata*)

- Boardman (Morrow OR)

Meadow barley (*Hordeum brachyantherum*)

- Jackson-Frazier (Benton OR)

Baltic rush (*Juncus balticus*)

Toad rush (*Juncus bufonius*)

Common rush (*Juncus effusus*)

Swordleaf rush (*Juncus ensifolius*)

Saltmeadow rush (*Juncus gerardii*)

Poverty rush (*Juncus tenuis*)

Torrey's rush (*Juncus torreyi*)

Prairie junegrass (*Koeleria macrantha*)

- Blue Mountain (Umatilla OR)
- Hanford (Benton WA)
- Umatilla (Umatilla OR)
- Ochoco (Deschutes OR)

Basin wildrye (*Leymus cinereus*)

- Crooked River (Crook OR)
- CTUIR (Umatilla OR)
- Grande Ronde (Union OR)
- Magnar
- NBR ("Northern Basin & Range") (Malheur OR)
- Trailhead
- Winter Rim (Lake OR)

Manystem wildrye* (*Leymus multicaulis*)

- Shoshone

Beardless wildrye (*Leymus triticoides*)

Perennial ryegrass* (*Lolium perenne*)

** Species introduced to North America.*

- Albion
- Linn
- Oro Verde
- *Numerous turf types. See Turfgrasses.*

Annual ryegrass* (*Lolium perenne* ssp. multiflorum)

- Gulf

Western wheatgrass (*Pascopyrum smithii*)

- Arriba
- Barton
- Recovery
- Rosana

Reed canarygrass (*Phalaris arundinacea*)

Alpine timothy (*Phleum alpinum*)

Timothy* (*Phleum pretense*)

- Climax
- Tuukka

Alpine bluegrass (*Poa alpina*)

Canada bluegrass* (*Poa compressa*)

- Reubens
- Talon

Muttongrass (*Poa fedleriana*)

Wheeler bluegrass (*Poa nervosa*)

Nevada bluegrass (*Poa nevadensis*)

- Opportunity

Fowl bluegrass (*Poa palustris*)

Kentucky bluegrass* (*Poa pratensis*)

- Ginger
- *Numerous turf types. See Turfgrasses.*

Big bluegrass (*Poa secunda* ssp. ampla)

- Sherman

Canby bluegrass (*Poa secunda* ssp. canbyi)

- Canbar

Sandberg bluegrass (*Poa secunda* ssp. sandbergii)

- Hanford (Benton WA)
- High Plains
- Mountain Home
- Reliable (Yakima/Kittitas WA)
- Vale (Malheur OR)

Russian wildrye* (*Psathyrostachys juncea*)

- Bozoisky Select & Bozoisky II
- Swift

Beardless bluebunch wheatgrass (*Pseudoroegneria spicata* ssp. inermis)

- Whitmar

Bluebunch wheatgrass (*Pseudoroegneria spicata* ssp. spicata)

- Anatone
- Boardman (Morrow OR)
- Columbia Germplasm (Adams WA)
- Goldar

Alkaligrass* (*Puccinellia distans*)

- *Numerous turf types. See Turfgrasses.*

Nuttall alkaligrass (*Puccinellia nuttalliana*)

Hardstem bulrush (*Schoenoplectus acutus* var. acutus)

Olney threesquare (*Schoenoplectus americanus*)

Common threesquare (*Schoenoplectus pungens*)

Softstem bulrush (*Schoenoplectus tabernaemontani*)

Smallfruit bulrush (*Scirpus microcarpus*)

Alkali sacaton (*Sporobolus airoides*)

Sand dropseed (*Sporobolus cryptandrus*)

- Asotin (Asotin WA)
- Western (Wheeler OR)

Intermediate wheatgrass* (*Thinopyrum intermedium*)

- Chief
- Clarke
- Manifest
- Oahe
- Reliant
- Rush

Pubescent wheatgrass* (*Thinopyrum intermedium* ssp. barbulatum)

- Luna
- Manska

Tall wheatgrass* (*Thinopyrum ponticum*)

- Alkar
- Jose

Spike trisetum (*Trisetum spicatum*)

Small fescue (*Vulpia microstachys*)

Sixweeks fescue (*Vulpia octoflora*)

WILDFLOWERS, FORBS & SHRUBS

Wildflower, forb, legume and shrub seed for restoration, reclamation, pollinator habitat, landscaping and beautification.

Western yarrow (*Achillea millefolium* var. occidentalis)

- Columbia (Sherman/Gillman OR)
- Eagle (Ada ID)
- Yakima (Yakima/Kittitas WA)

Red alder (*Alnus rubra*)

Saskatoon serviceberry (*Amelanchier alnifolia*)

Colorado blue columbine (*Aquilegia coerulea*)

Kinnikinnick (*Arctostaphylos uva-ursi*)

Low sage (*Artemisia arbuscula*)

Silver sagebrush (*Artemisia cana*)

Fringed sagebrush (*Artemisia frigida*)

White sagebrush (*Artemisia ludoviciana*)

Black sagebrush (*Artemisia nova*)

Basin big sagebrush (*Artemisia tridentata* ssp. tridentata)

Mountain big sagebrush (*Artemisia tridentata* ssp. vaseyana)

Wyoming big sagebrush (*Artemisia tridentata* ssp. wyomingensis)

Showy milkweed (*Asclepias speciosa*)

Butterfly milkweed (*Asclepias tuberosa*)

Canadian milkvetch (*Astragalus canadensis*)

Basalt milkvetch (*Astragalus filipes*)

- Dry River (Deschutes OR)
- NBR-1

Fourwing saltbush (*Atriplex canescens*)

Shadscale (*Atriplex confertifolia*)

Carey's balsamroot (*Balsamorhiza careyana*)

Arrowleaf balsamroot (*Balsamorhiza sagittata*)

Forage kochia* (*Bassia prostrata*)

- Immigrant (ssp. virescens)
- Snowstorm (ssp. grisea)

** Species introduced to North America.*

English (or Lawn) daisy* (*Bellis perennis*)
Common camas (*Camassia quamash*)
Deerbrush (*Ceanothus integerrimus*)
Redstem ceanothus (*Ceanothus sanguineus*)
Snowbrush ceanothus (*Ceanothus velutinus*)
Cornflower (or Bachelor's button)* (*Centaurea cyanus*)
Curl-leaf mountain mahogany (*Cercocarpus ledifolius*)
Birch-leaf mountain mahogany (*Cercocarpus montanus*)
Fireweed (*Chamerion angustifolium*)
Wallflower* (*Cheiranthus allionii*)
Douglas (or Low) rabbitbrush (*Chrysothamnus viscidiflorus*)
Farewell-to-spring (*Clarkia amoena*)
Yellow beeplant (*Cleome lutea*)
Rocky Mountain beeplant (*Cleome serrulata*)
Rocket larkspur* (*Consolida ajacis*)
Lance-leaved coreopsis (*Coreopsis lanceolata*)
Plains coreopsis (*Coreopsis tinctoria*)
Bunchberry (*Cornus canadensis*)
Red-osier dogwood (*Cornus sericea*)
Cosmos* (*Cosmos bipinnatus*)
Sulphur cosmos* (*Cosmos sulphureus*)
Tapertip hawkbeard (*Crepis acuminata*)
Western prairie clover (*Dalea ornata*)

- Aridlands (Wheeler OR)
- Majestic

Searls prairie clover (*Dalea searlsiae*)
Sweet William* (*Dianthus barbatus*)
Hoary tansyaster (*Dieteria canescens*)
Foxglove* (*Digitalis purpurea*)
African daisy* (*Dimorphotheca sinuata*)
Clasping coneflower (*Dracopis amplexicaulis*)
Purple coneflower (*Echinacea purpurea*)
Rubber rabbitbrush (*Ericameria nauseosa*)
Aspen daisy (*Erigeron speciosus*)
Piper's golden buckwheat (*Eriogonum flavum* var. *piperi*)
Wyeth buckwheat (*Eriogonum heracleoides*)
Sulfur flower buckwheat (*Eriogonum umbellatum*)
Oregon sunshine (*Eriophyllum lanatum*)
Tufted poppy (*Eschscholzia caespitosa*)
California poppy (*Eschscholzia californica*)
Blanket flower (*Gaillardia aristata*)

- Meriwether

Firewheel (*Gaillardia pulchella*)
Wild geranium (*Geranium viscosissimum*)
Globe gilia (*Gilia capitata*)
Bird's eyes (*Gilia tricolor*)
Spiny hopsage (*Grayia spinosa*)
Northern sweetvetch (*Hedysarum boreale*)

- Timp

Oneflowered heliathela (*Helianthella uniflora*)
Annual sunflower (*Helianthus annuus*)

Nuttalls sunflower (*Helianthus nuttallii*)
Showy goldeneye (*Heliomeris multiflora*)
Dame's rocket* (*Hesperis matronalis*)
Hairy false goldenaster (*Heterotheca villosa*)
Scarlet gilia (*Ipomopsis aggregata*)
Rocky Mountain iris (*Iris missouriensis*)
Winterfat (*Krascheninnikovia lanata*)
Tidy tips (*Layia platyglossa*)
Dotted gayfeather (*Liatris punctata*)
Mountain phlox (*Linanthus grandiflorus*)
Baby snapdragon* (*Linaria maroccana*)
Scarlet flax* (*Linum grandiflorum*)
Lewis flax (*Linum lewisii*)

- Boardman (Morrow OR)
- Columbia (Franklin WA)
- Maple Grove

Blue flax* (*Linum perenne*)

- Appar

Sweet alyssum* (*Lobularia maritima*)
Fernleaf biscuitroot (*Lomatium dissectum*)
Silverleaf lupine (*Lupinus argenteus*)
Mountain lupine (*Lupinus argenteus* ssp. *rubricaulis*)
Miniature lupine (*Lupinus bicolor*)
Tailcup lupine (*Lupinus caudatus*)
Wild lupine (*Lupinus perennis*)
Bigleaf lupine (*Lupinus polyphyllus*)
Riverbank lupine (*Lupinus rivularis*)

- Herdema

Silky lupine (*Lupinus sericeus*)
Arroyo lupine (*Lupinus succulentus*)
Maltesecross* (*Lychnis chalconica*)
Prairie aster (*Machaeranthera tanacetifolia*)
Creeping Oregon grape (*Mahonia repens*)
Whitestem blazingstar (*Mentzelia albicaulis*)
Smoothstem blazingstar (*Mentzelia laevicaulis*)
Monkeyflower (*Mimulus guttatus*)
Wild bergamot (*Monarda fistulosa*)
Forget-me-not* (*Myosotis sylvatica*)
Five spot (*Nemophila maculata*)
Baby blue eyes (*Nemophila menziesii*)
Yellow evening primrose (*Oenothera biennis*)
Common evening primrose* (*Oenothera lamarckiana*)
Pale evening primrose (*Oenothera pallida*)
Sweet anise (*Osmorhiza occidentalis*)
Iceland poppy* (*Papaver nudicaule*)
Corn (or Flanders) poppy* (*Papaver rhoeas*)
Elephanthead lousewort (*Pedicularis groenlandica*)
Sharpleaf penstemon (*Penstemon acuminatus*)
Firecracker penstemon (*Penstemon eatonii*)
Fuzzytounge penstemon (*Penstemon eriantherus*)

- Old Works

Palmer penstemon (*Penstemon palmeri*)

** Species introduced to North America.*

Smallflower penstemon (Penstemon procerus)
Blue mountain penstemon (Penstemon rydbergii)
Rocky Mountain penstemon (Penstemon strictus)

- Bandera

Bluebells (Phacelia campanularia)
Lacy phacelia (Phacelia tanacetifolia)
Annual phlox (Phlox drummondii)
Tall cinquefoil (Potentilla arguta)
Chokecherry (Prunus virginiana)
Antelope bitterbrush (Purshia tridentata)
Prairie coneflower (Ratibida columnifera)
Mexican hat (Ratibida columnifera forma pulcherrima)
Smooth sumac (Rhus glabra)
Oakbrush sumac (Rhus trilobata)
Golden currant (Ribes aureum)
Wax currant (Ribes cereum)
Woods rose (Rosa woodsii)
Blackeyed susan (Rudbeckia hirta)
Western coneflower (Rudbeckia occidentalis)
Small burnet* (Sanguisorba minor)

- Delar

Blue elderberry (Sambucus nigra ssp. cerulea)
Red elderberry (Sambucus racemosa)
Black greasewood (Sarcobatus vermiculatus)
Russett buffaloberry (Shepherdia canadensis)
Catchfly* (Silene armeria)
Blue-eyed grass (Sisyrinchium bellum)
Scarlet globemallow (Sphaeralcea coccinea)
Gooseberry-leaf globemallow (Sphaeralcea grossulariifolia)
Munro globemallow (Sphaeralcea munroana)
Common snowberry (Symphoricarpos albus)
Mountain snowberry (Symphoricarpos oreophilus)
Pacific aster (Symphyotrichum chilense)
Smooth blue aster (Symphyotrichum laeve)
Golden banner (Thermopsis montana)
Blue verbena (Verbena hastata)
Purple verbena (Verbena stricta)
American vetch (Vicia americana)
Johnny jump-up* (Viola cornuta)
Mule's ears (Wyethia amplexicaulis)
Woolly mule-ears (Wyethia mollis)

FORAGES, LEGUMES, COVER & ANNUAL CROPS

Species for hay, pasture, range, cover and green manure. Inquire regarding any varieties not listed here.

Cicer milkvetch* (Astragalus cicer)

- Lutana
- Monarch

Oats* (Avena sativa)
White mustard* (Sinapis alba)

- Martigena

Oriental mustard* (Brassica juncea)

- Cutlass

Dwarf essex rape* (Brassica napus)
Purple top turnip* (Brassica rapa)
Safflower* (Carthamus tinctorius)
Chicory* (Cichorium intybus)
Japenese millet* (Echinochloa esculenta)
Teff grass* (Eragrostis tef)
Buckwheat* (Fagopyrum esculentum)
Common sunflower (Helianthus annuus)
Barley* (Hordeum vulgare)
Birdsfoot trefoil* (Lotus corniculatus)

- Bruce
- Leo
- Norcen

Alfalfa* (Medicago sativa)

- *Numerous types available. Contact for full availability.*

Falcata (or Yellow-flower) alfalfa* (Medicago sativa ssp. falcata)

- Don

White sweetclover* (Melilotus alba)
Yellow sweetclover* (Melilotus officinalis)
Sainfoin* (Onobrychis viciifolia)

- Delaney
- Eski
- Remont
- Shoshone

White proso millet* (Panicum miliaceum)
Pearl millet* (Pennisetum glaucum)
Austrian winter pea* (Pisum sativum ssp. arvense)
Daikon radish* (Raphanus sativus var. longipinnatus)
Fodder radish* (Raphanus sativus)
Cereal rye* (Secale cereal)
Foxtail millet* (Setaria italica)
Sorghum* (Sorghum vulgare)
Sudangrass* (Sorghum Sudanese)
Berseem clover* (Trifolium alexandrinum)

- Frosty

Strawberry clover* (Trifolium fragiferum)

- O'Connors
- Palestine

Rose clover* (Trifolium hirtum)
Alsike clover* (Trifolium hybridum)
Crimson clover* (Trifolium incarnatum)

- Dixie

Balansa clover* (Trifolium michelianum)

- FIXatioN

Red clover* (Trifolium pratense)

- Kenland
- Mammoth

White Dutch clover* (Trifolium repens)
Ladino clover* (Trifolium repens latum)
Wheat* (Triticum aestivum)
Regreen* (Triticum aestivum x Elytrigia elongata)
'QuickGuard' Sterile Triticale* (Triticum aestivum x Secale cereal)

** Species introduced to North America.*

Triticale* (Triticum aestivum x Secale cereal)

Hairy vetch* (Vicia villosa)

Wooly pod vetch* (Vicia villosa ssp.varia)

'QuickGuard' Sterile Triticale

A sterile cover crop that establishes rapidly on previously barren sites. QuickGuard provides a fast erosion control solution, allowing time for perennial plant establishment. Not persistent or invasive. Holds soil and builds soil organic matter. Adapted to a wide range of soil types and moisture conditions. Drought tolerant and intended for use in semi-arid locations of the PNW. [Photos and additional information at lhseeds.com](#) (Apply at 8-15 lbs/acre.)

TURFGRASSES

High-performing turfgrass varieties for lawns, parks, golf and sports fields. Inquire regarding any varieties not listed here.

Creeping bentgrass* (Agrostis stolonifera)

- Alpha
- L-93
- Penn A-4
- Pennlinks II
- Penn A-1
- Penncross
- Seaside II
- Southshore
- T-1

Tall fescue* (Festuca arundinacea)

- Arid 3
- Blade Runner II
- Cayenne
- Cochise IV
- Corona V
- Coyote II
- Crossfire II
- Gold Medalion
- Inferno
- Mustang 4
- Summer
- Tomahawk GT

Sheep fescue* (Festuca ovina)

- Azure
- Bighorn
- Covar
- Marco Polo

Creeping red fescue* (Festuca rubra)

- Aruba
- Audubon
- Crossbow
- Epic
- Garnet
- Gibraltar
- Lighthouse
- Jasper II

- Shademaster II

Chewings fescue* (Festuca rubra commutata)

- Ambrose
- J-5
- Rushmore
- Shadow II
- Windward

Hard fescue* (Festuca trachyphylla)

- Aurora Gold
- Eco Star
- Eureka II
- Little Bighorn
- Predator
- Reliant 4
- Rescue 911
- Spartan II
- Stonehenge

Perennial ryegrass* (Lolium perenne)

- Accent II
- All Star 2
- Amazing GS
- Brightstar SLT
- Caddieshack II
- Calypso II
- Citation Fore
- Dasher 3
- Fiesta 4
- Karma
- La Quinta
- Metolius
- Mighty
- Palmer III
- Paragon GLR
- Presidio
- Revenge GLX
- Silver Dollar
- Top Gun II

Kentucky bluegrass* (Poa pratensis)

- 4 Season
- America
- Armada
- Ashland
- Avalanche
- Award
- Baron
- Corsair
- Diva
- Everest
- Everglade
- Full Moon
- Ginney II
- Granite
- High Noon
- Kenblue
- Langara
- Mercury
- Marquis
- Midnight
- Midnight II
- Midnight Star
- Moonlight SLT

** Species introduced to North America.*

- Moonshine
- NuDestiny
- NuGlade
- P-105
- Prosperity
- Quantum Leap
- Quartz
- Quickstart
- Right
- Rugby II
- Shamrock
- Sudden Impact
- Wildhorse
- Wildwood

Alkaligrass* (*Puccinellia distans*)

- Fults II
- Salton Sea
- Salty

HOUSE BLENDS

L&H Seeds also offers a selection of pre-mixed blends for many general applications. Tailored to be adaptable to a wide range of conditions, these provide excellent options for many projects. No inert fillers, just seed.

Elite Landscape Lawn Blend

Designed for the Pacific Northwest—whether in the temperate west or arid east—each regional version of our Elite turfgrass blend is developed to thrive in its appropriate range. Optimized to provide the best genetic color, leaf texture, sod density, shade tolerance, and pest and disease resistance available. A beautiful lawn that will exceed expectations. Includes: Creeping red fescue, Kentucky bluegrass and Perennial ryegrass. *(Apply at 7-8 lbs/1000 ft².)*

Eco-Elite Landscape Lawn Blend

A blend of low-growing grass and flower species provide a fragrant, low-maintenance flowering alternative to traditional manicured lawns. The inclusion of clover naturally fertilizes, helping Eco-Elite to stay green and blooming throughout the season. Use for low-traffic areas or as a transitional border around an existing manicured lawn. Mow once a month to a height of 3-5 inches. Includes: Creeping red fescue, Kentucky bluegrass, Perennial ryegrass, Strawberry clover, Baby blue eyes, Sweet alyssum, White yarrow and English (or Lawn) daisy. *(Apply at 1 lb/1000 ft².)*

Tall Fescue Elite Lawn Blend

A three variety blend of low-growing, dark green turf-type tall fescues. Designed for heat tolerance, reduced irrigation and good pest and disease resistance. For use in high traffic areas or residential lawns where infrequent irrigation is desired. Includes: three named varieties of Tall fescue. *(Apply at 8-10 lbs/1000 ft².)*

Fine Fescue Elite Lawn Blend

A blend of thin bladed low-growing fine fescues. Designed to be used for low-grow, low maintenance lawns that require shade tolerance, reduced irrigation, and suffer from low fertility soils. Can also be left un-mowed for a short, naturalized appearance or used in non-manicured erosion control situations. Includes: Creeping red fescue, Hard fescue, Sheep fescue, and Chewings fescue. *(Apply at 8 lbs/1000 ft².)*



Meadow Lawn Blend

A low-water, low-maintenance lawn alternative for those who want to reduce the time and money spent mowing, fertilizing and watering thirsty, work intensive lawns. This blend of low growing grasses is designed to be left unmowed for weeks at a time, creating a rugged, naturalized appearance. Thrives in low-fertility soils and is easy to maintain. **Photos and additional information at lhseeds.com** *(Apply at 8 lbs/1000 ft².)*

Northwest Wildflower Blend

For use in landscaping applications needing a splash of high density color. A sizable mixture of native and non-native annuals and perennials intended to provide continuous blooming color throughout the growing season. Also, makes excellent habitat for pollinator species. Contact for a full species list. *(Apply at 1 lb/2000 ft² in irrigated, high-density areas; reduce rate when seeding with grasses, in dryland areas or where a light scattering of flowers is the objective.)*

Premium Pasture Blend

(Irrigated or Dryland available)

Versatile blends designed to provide tender, nutrient-rich grass and legume forage that remains palatable throughout the season. Each blend is made of highly palatable, high yielding varieties, ensuring that your animals spend more time eating and less time roaming. *(Drill application at 15 lbs/acre; 25 lbs/acre for broadcast.)*

Better Horse Irrigated Pasture Blend

High quality irrigated horse pasture grass mix designed to provide nutritious forage for grazing while remaining productive all season long. A blend of highly palatable grass species meant to encourage uniform grazing throughout the pasture and tolerate close, heavy grazing. *(Drill application at 15 lbs/acre; 25 lbs/acre for broadcast.)*

L&H SEEDS IS A PROUD MEMBER OF...



** Species introduced to North America.*