



**Hewlett Packard**  
Enterprise

# **HPE Content Manager**

Software Version: 9.1

## Specifications and Limitations

Document Release Date: February 2017

Software Release Date: February 2017

## Legal Notices

### Warranty

The only warranties for Hewlett Packard Enterprise Development LP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HPE shall not be liable for technical or editorial errors or omissions contained herein.

The information contained herein is subject to change without notice.

### Restricted Rights Legend

Confidential computer software. Valid license from HPE required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

### Copyright Notice

© Copyright 2008-2017 Hewlett Packard Enterprise Development LP

### Trademark Notices

Adobe™ is a trademark of Adobe Systems Incorporated.

Microsoft® and Windows® are U.S. registered trademarks of Microsoft Corporation.

UNIX® is a registered trademark of The Open Group.

This product includes an interface of the 'zlib' general purpose compression library, which is Copyright © 1995-2002 Jean-loup Gailly and Mark Adler.

## Documentation Updates

The title page of this document contains the following identifying information:

- Software Version number, which indicates the software version.
- Document Release Date, which changes each time the document is updated.
- Software Release Date, which indicates the release date of this version of the software.

To check for recent software updates: <https://softwaresupport.hpe.com/patches>.

To verify that you are using the most recent edition of a document, go to: <https://softwaresupport.hpe.com/manuals>.

This site requires that you register for an HPE Passport and sign in. To register for an HPE Passport ID, go to: <https://hpp12.passport.hpe.com/hppcf/login.do>.

Or click the **Register** link at the top of the HPE Software Support page.

You will also receive updated or new editions if you subscribe to the appropriate product support service. Contact your HPE sales representative for details.

## Support

Visit the HPE Software Support Online web site at: <https://softwaresupport.hpe.com>

This web site provides contact information and details about the products, services, and support that HPE Software offers.

HPE Software online support provides customer self-solve capabilities. It provides a fast and efficient way to access interactive technical support tools needed to manage your business. As a valued support customer, you can benefit by using the support web site to:

- Search for knowledge documents of interest
- Submit and track support cases and enhancement requests

- Download software patches
- Manage support contracts
- Look up HPE support contacts
- Review information about available services
- Enter into discussions with other software customers
- Research and register for software training

Most of the support areas require that you register as an HPE Passport user and sign in. Many also require a support contract.

To register for an HPE Passport ID, go to:

<https://hpp12.passport.hp.com/hppcf/createuser.do>

To find more information about access levels, go to:

<https://softwaresupport.hpe.com/web/softwaresupport/access-levels>

**HPE Software Solutions Now** accesses the HPESW Solution and Integration Portal Web site. This site enables you to explore HPE Product Solutions to meet your business needs, includes a full list of Integrations between HPE Products, as well as a listing of ITIL Processes. The URL for this Web site is <https://softwaresupport.hpe.com>.

# Contents

- Specifications ..... 1
- Introduction ..... 1
- Recommended minimum requirements ..... 2
- Main applications ..... 2
- HPE Content Manager client (32-bit) ..... 2
- HPE Content Manager client (64-bit) ..... 3
- HPE Content Manager Workgroup Server (64-bit) ..... 4
- Peripheral applications ..... 4
- HPE Content Manager Web Client Server (64-bit) ..... 4
- HPE Content Manager Web Client Browser Support ..... 5
- HPE Content Manager for SharePoint (64-bit) ..... 5
- HPE Content Manager Service API ..... 7
- HPE Content Manager WebDrawer (64-bit) ..... 7
- HPE Content Manager Render (64-bit) ..... 7
- Integrations ..... 8
- HPE Content Manager Office integration by client add-in ..... 8
- HPE Content Manager Thin Office and Outlook integration ..... 8
- HPE Content Manager EmailLink email integration ..... 9
- HPE Content Manager Lotus Notes integration by client add-in (32-bit) ..... 9
- HPE Content Manager SAP integration (64-bit) ..... 9
- HPE Content Manager Kofax integration (32-bit) ..... 10
- HPE Content Manager Warehouse integrations (64-bit) ..... 10
- HPE Content Manager IDOL integration ..... 10
- HPE ControlPoint integration with HPE Content Manager (64-bit) ..... 11
- EMC Centera integration (64-bit) ..... 11
- Structured Records Management Solution (SRMS) (32-bit) ..... 11
- Structured Records Management Solution (SRMS) integration (64-bit) ..... 11
- HPE Content Manager document viewer supported file formats ..... 11
- HPE Content Manager for demonstrations ..... 11
- 64-bit support ..... 12
- Other Environment ..... 12
- Relational Database Management System (RDBMS) requirements ..... 13
- Supported RDBMS servers (64-bit) ..... 13
- Minimum Requirements for database access ..... 13
- Supported RDBMS clients (64-bit) ..... 13
- Limitations and Behaviors ..... 15
- Authentication ..... 15
- Product Accessibility ..... 15
- Supported Languages ..... 16
- Installation ..... 17
- License Keys ..... 17
- Help ..... 17

Access control and security .....	18
Records and containers .....	18
New Record forms .....	20
Searching .....	21
Report layouts .....	23
Printing .....	23
HPE Content Manager viewer .....	24
Document Preview .....	24
Statistics reports .....	25
Action tracking .....	25
Dates .....	25
Barcodes .....	25
Thesaurus .....	25
Currency and language .....	25
Tagging and dragging .....	26
Interface .....	26
Locations .....	26
Alerts .....	27
Desktop integration .....	27
General .....	27
Offline Records and HPE Content Manager Desktop .....	28
MS Office .....	29
Microsoft Office client add-in functionality .....	29
General .....	30
Compound documents .....	31
MS Excel .....	31
MS other .....	32
Thin Office Integration .....	32
Mail messaging systems .....	32
Microsoft Outlook .....	33
Lotus Notes integrations .....	35
HPE Content Manager DataPort .....	36
HPE Content Manager Enterprise Studio .....	36
HPE Content Manager Image Scanner .....	37
HPE Content Manager Render .....	37
HPE Content Manager Web Client .....	38
HPE Content Manager Workflow .....	39
Key limits .....	39
Data storage .....	39
Obsoleted Features .....	42
HP Records Manager 8.0 .....	42
HP Records Manager 8.2 .....	42
Labelink .....	42
SDK Release Notes .....	42
HPE Records Manager 8.3 .....	43
HPE Content Manager 9.0 .....	43

Obsoleted Features ..... 43  
Obsoleted Platforms ..... 44

# Specifications

## Introduction

Hewlett Packard Enterprise Development LP (HPE) Content Manager contains powerful and useful functions for electronic document and records management.

Because HPE Content Manager can and should be configured in a number of ways depending on your requirements, the functions have been designed to be flexible without compromising rigorous document and records management standards.

Please note that HPE Content Manager is designed to operate within the parameters of sound information management principles and that attempts to extend HPE Content Manager beyond these parameters will adversely affect its implementation .

## Recommended minimum requirements

**Note:** For all machines which have HPE Content Manager components installed, it is mandatory that the Windows® operating systems have the latest Universal C Runtimes update installed. For additional information regarding this update, please see <https://support.microsoft.com/en-us/kb/3118401>

### Main applications

#### HPE Content Manager client (32-bit)

Component	Requirement
Operating system	Windows 7 SP1 (32-bit) Professional or Enterprise Windows 8 (32-bit) Professional or Enterprise Windows 8.1 (32-bit) Professional or Enterprise Windows 10 (32-bit) Professional or Enterprise
Processor	Business class processor
Memory	2 GB RAM
Disk space	2 GB free space Sufficient space for configuration, document caching and logging.
Display	Graphics device capable of displaying a resolution of 1280 x 768 or higher
Installation prerequisites for .msi installation	Available for download: <a href="#">Windows installer 4.5</a> <a href="#">Microsoft .NET Framework 4.5</a>

For Web Client requirements, see [HPE Content Manager Web Client Browser Support](#).



### HPE Content Manager client (64-bit)

Component	Requirement
Operating system	Windows 7 SP1 (64-bit) Professional or Enterprise Windows 8 (64-bit) Professional or Enterprise Windows 8.1 (64-bit) Professional or Enterprise Windows 10 (64-bit) Professional or Enterprise
Processor	Business class processor
Memory	2GB RAM
Disk space	2GB free space  Sufficient space to manage configuration, document caching and logging.
Display	Graphics device capable of displaying a resolution of 1280 x 768 or higher
Installation prerequisites for .msi installation	Available for download: <a href="#">Windows installer 4.5</a> <a href="#">Microsoft .NET Framework 4.5</a>

For Web Client requirements, see [HPE Content Manager Web Client Browser Support](#).

## HPE Content Manager Workgroup Server (64-bit)

An HPE Content Manager implementation must have at least one HPE Content Manager Workgroup Server, but may have several depending on the number of HPE Content Manager clients and their geographical distribution.

Component	Requirement
Operating system	Windows Server 2012 (64-bit) Windows Server 2012 R2 (64-bit) Windows Server 2016 Standard (64-bit)
Processor	Business class server processor
Memory	4GB RAM or greater
Disk space	2GB free space for installation Sufficient space to manage configuration, stores and logs.
Display	Graphics device capable of displaying a resolution of 1280 x 768 or higher
Installation prerequisites for .msi installation	Available for download: <a href="#">Windows installer 4.5</a> <a href="#">Microsoft .NET Framework 4.5</a>

## Peripheral applications

HPE Content Manager comes with a number of peripheral applications, which you can choose to install during client or server installation, or you may need to use one of the separate .msi files from the installation media.

Some of these have additional requirements.

## HPE Content Manager Web Client Server (64-bit)

Component	Requirement
Operating system	Windows 2012 Server (64-bit) Windows 2012 Server R2 (64-bit) Windows Server 2016 Standard (64-bit)
Microsoft Internet Information Services (IIS) Version 8.0, 8.5 or 10.0	For IIS 8.0: Windows Server 2012 For IIS 8.5: Windows Server 2012 R2 For IIS 10.0: Windows Server 2016 Standard
HPE Content Manager	HPE Content Manager Workgroup Server
Installation prerequisite	Microsoft .NET Framework 4.5

## HPE Content Manager Web Client Browser Support

Component	Requirement
Browser	Google Chrome v54.0.02840.71m Microsoft Internet Explorer versions 11 Microsoft Edge version v38.14393.0.0 Mozilla Firefox v49.0
Smartphone	iPhone/iOS 9.3.2 running Google Chrome v54.0.2840.66
Tablet	iPad/iOS 9.3.2 running Google Chrome v54.0.2840.66

\*Please see [Limitations and Behaviors – Web Client](#) for a known limitation with Google Chrome v51+ on mobile devices.

HPE Content Manager Web Client is fully responsive to a minimum screen resolution of 768px by 991px.

**Note:** the **Check Out and edit** option is supported using Internet Explorer 11. The supported Office applications are Office 2010, 2013 SP1 or 2016.

## HPE Content Manager for SharePoint (64-bit)

### SharePoint Online

Component	Requirement
SharePoint version	SharePoint Online Plan 1, Plan 2, or E3
Microsoft Office	Any version supported by SharePoint Online
Browser	IE10 and 11 are the only browsers supported when using configuration or information pages provided by the app. SharePoint users who do not need these pages can use any browser supported by the version of SharePoint.

**SharePoint 2013 or SharePoint 2016 on premise**

<b>Component</b>	<b>Requirement</b>
SharePoint version	SharePoint 2013 SP1 or SharePoint 2016
Operating system	Any operating system supported by SharePoint 2013 SP1 or SharePoint 2016
Microsoft Office	Any version supported by SharePoint 2013 SP1 or SharePoint 2016
Browser	IE10 and 11 are the only browsers supported when using configuration or information pages provided by the app. SharePoint users who do not need these pages can use any browser supported by the version of SharePoint.

**HPE Content Manager Servers in support of SharePoint 2013 or SharePoint 2016**

<b>Component</b>	<b>Requirement</b>
Operating System	Windows Server 2012 (64-bit) Windows Server 2012 R2 (64-bit) Windows Server 2016 Standard (64-bit)
Ancillary components	HPE Content Manager Workgroup Server A SQL Server instance must be available on the same or a remote computer. Supported versions: — SQL Server 2012 — SQL Server 2012 R2 — SQL Server 2012 Express — SQL Server 2014

## HPE Content Manager Service API

Component	Requirement
Operating system	Windows Server 2012 (64-bit) Windows Server 2012 R2 (64-bit) Windows Server 2016 Standard (64-bit)
Microsoft Internet Information Services (IIS) version 7.5, 8.0 or 8.5	For IIS 8.0: Windows Server 2012 (64-bit) For IIS 8.5: Windows Server 2012 R2 (64-bit) For 10.0: Windows Server 2016 Standard (64-bit)
Installation prerequisites for .msi installation	Available for download: <a href="#">Windows installer 4.5</a> <a href="#">Microsoft .NET Framework 4.5</a>

For Web Client requirements, see [HPE Content Manager Web Client Browser Support](#).

## HPE Content Manager WebDrawer (64-bit)

Component	Requirement
Operating System Support	Windows Server 2012 (64-bit) Windows Server 2012 R2 (64-bit) Windows Server 2016 Standard (64-bit)
Microsoft Internet Information Services (IIS) version 8.0, 8.5 or 10.0	For IIS 8.0: Windows Server 2012 For IIS 8.5: Windows Server 2012 R2 For IIS 10.0: Windows Server 2016 Standard Role <b>IIS Management</b> selected
Prerequisites	HPE Content Manager Workgroup Server must be installed with this application <a href="#">Microsoft .NET Framework 4.5</a>

## HPE Content Manager Render (64-bit)

Component	Requirement
Operating system	Windows Server 2012 (64-bit) Windows Server 2012 R2 (64-bit) Windows Server 2016 Standard (64-bit)
Prerequisites	HPE Content Manager Workgroup Server must be installed with Render Onstream printer files, which install with Render when using <b>Setup_HPE_CM_x64.exe</b>

## Integrations

HPE Content Manager integrates with a number of applications, which you can choose to install during client or server installation, or you may need to use one of the separate .msi files from the installation media.

Some of these have additional requirements.

### HPE Content Manager Office integration by client add-in

Component	Requirement
Operating system	Same as HPE Content Manager 32-bit or 64-bit client
Microsoft Office support	<p>Office 2010 SP2 (32-bit or 64-bit)                      Office 2013 SP1(32-bit or 64-bit)                      Office 365 (Full, installed Office on PC, 32-bit or 64-bit)                      Office 2016 (32-bit or 64-bit)</p> <p>With a 32-bit version of HPE Content Manager client, you must run a 32-bit version of Microsoft Office .                      With a 64-bit version of HPE Content Manager client, you must run a 64-bit version of Microsoft Office .</p> <p>You can run 32-bit versions of HPE Content Manager on supported 64-bit operating systems, and then integrate with 32-bit Office as supported by Microsoft.</p>
Installation prerequisite	HPE Content Manager client (32-bit or 64-bit)

### HPE Content Manager Thin Office and Outlook integration

Component	Requirement
Operating system	Same as HPE Content Manager 32-bit or 64-bit client
Microsoft Office support	<p>Office 2010 SP2 (32-bit or 64-bit)                      Office 2013 SP1 (32-bit or 64-bit)                      Office 2016 (32-bit or 64-bit)</p>
Installation prerequisite	HPE Content Manager Web Client Server

### HPE Content Manager EmailLink email integration

Component	Requirement
Microsoft Exchange Server	Exchange Online Exchange 2010 SP3 Exchange 2013 SP1 Exchange 2016
Google Mail (Gmail)	Gmail for Business

### HPE Content Manager Lotus Notes integration by client add-in (32-bit)

Component	Requirement
Operating system	Windows 7 SP1 (32-bit) Professional or Enterprise Windows 8 (32-bit) Professional or Enterprise Windows 8.1 (32-bit) Professional or Enterprise Windows 10 (32-bit) Professional or Enterprise
Lotus Notes support	Version 8.5.3 IBM Notes 9.0.1
Installation prerequisite	HPE Content Manager client (32-bit)

### HPE Content Manager SAP integration (64-bit)

Component	Requirement
Operating system	Windows Server 2012 (64-bit) Windows Server 2012 R2 (64-bit) Windows Server 2016 Standard (64-bit)
SAP support	KGS Content Server 4.0.5 or later
Prerequisites	Tomcat 6.x, 7.x and 8.x HPE Content Manager Workgroup Server

### HPE Content Manager Kofax integration (32-bit)

Component	Requirement
Operating system	Windows 7 SP 1 Professional (32-bit) Windows 8.1 Professional or Enterprise (32-bit)
Kofax Capture support	Version 10.2.1
Prerequisites	HPE Content Manager client (32-bit) Microsoft .NET Framework 3.5

### HPE Content Manager Warehouse integrations (64-bit)

Component	Requirement
Operating system	Windows 7 SP1 (64-bit) Professional or Enterprise Windows Server 2012 R2 Windows Server 2016 Standard
Prerequisites	HPE Content Manager core libraries installed using <b>Setup_HPE_CM_x64.exe</b>

### HPE Content Manager IDOL integration

Component	Requirement
Operating system	Windows 2012 Server Windows 2012 Server R2 Windows Server 2016 Standard
IDOL support	IDOL 11.2 Enterprise or OEM HPE Content Manager uses IDOL 11.2 OEM for the following HPE Content Manager features: — Document content indexing — Optical Character Recognition (by using IDOL Image Server) — Auto Classification (by using IDOL Automatic Categorization) Older versions of IDOL Enterprise are supported on principle, but they may not support the above HPE Content Manager features.
Prerequisite	HPE Content Manager client (64-bit)



## HPE ControlPoint integration with HPE Content Manager (64-bit)

This integration requires HPE ControlPoint version 4.5 QU7 or later.

## EMC Centera integration (64-bit)

Component	Requirement
Operating system	Windows 2012 Server (64-bit) Windows 2012 Server R2 (64-bit) Windows Server 2016 Standard (64-bit)
EMC Centera support	Version 3.4 or later
Installation prerequisites	HPE Content Manager Workgroup Server (64-bit)

## Structured Records Management Solution (SRMS) (32-bit)

Component	Requirement
Operating system	Windows 7 SP1 (32-bit) Professional or Enterprise Windows 8 (32-bit) Professional or Enterprise Windows 8.1 (32-bit) Professional or Enterprise Windows 10 (64-bit) Professional or Enterprise
SRMS support	SDM 7.12
Installation prerequisites	HPE Content Manager client (32-bit)

## Structured Records Management Solution (SRMS) integration (64-bit)

Component	Requirement
Operating system	Windows 2012 Server (64-bit) Windows 2012 Server R2 (64-bit) Windows Server 2016 Standard (64-bit)
SRMS support	SDM 7.12
Installation prerequisites	HPE Content Manager Workgroup Server (64-bit)

## HPE Content Manager document viewer supported file formats

HPE Content Manager uses HPE KeyView 11.1

## HPE Content Manager for demonstrations

- You must have administrator or elevated access rights for the target computer to install HPE Content Manager.

- Microsoft SQL Server 2008 or its Express Edition.
- The user must be a member of the computer group **SQLServerMSSQLUser\$<computer name>\$SQLEXPRESS**

## 64-bit support

You will find the 64-bit .msi files on the installation CD. Their file names end in **\_x64**.

HPE Content Manager 32-bit applications run on 64-bit operating systems; however, HPE Content Manager 64-bit applications do not run on 32-bit operating systems.

HPE Content Manager 32-bit clients and HPE Content Manager 64-bit clients can connect to a HPE Content Manager 64-bit server.

## Other Environment

### HPE Content Manager in virtual environments

HPE Software undertakes both development and testing of HPE Content Manager in VMWare virtualized environments.

Where an operating system supported for HPE Content Manager is virtualized, this should be transparent to HPE Content Manager; and this has been Hewlett Packard Enterprise Development LP's experience to date. HPE has numerous customers worldwide successfully using HPE Content Manager in virtual environments, with few or no issues. To date, all issues that have arisen have been resolved by reconfiguration of either the virtual host environment or the hosting hardware itself.

With regard to system performance, running HPE Content Manager in a virtual environment is likely to result in increased CPU utilization or other hardware resource consumption. This can result in a reduction in system workload capacity; hence a corresponding increase in transaction response times. Hewlett Packard Enterprise strongly encourages customers and partners to gather baseline performance statistics for HPE Content Manager in both conventional and virtual environments, and satisfy themselves as to the stability and performance of selected virtual environments before using them for production implementations.

If an issue arises in a virtual environment that does not also occur in a conventional environment; Hewlett Packard Enterprise Development LP cannot guarantee a resolution to the issue. Where it is apparent that a particular issue is specific to virtualization technologies, Hewlett Packard Enterprise Development LP may ask the customer to reproduce the issue in a non-virtualized environment before committing further support resources.

### HPE Content Manager and Citrix

Hewlett-Packard neither formally test nor certify HPE Content Manager on any version of Citrix; nor do we produce documentation about deploying HPE Content Manager in Citrix. It is the customer's responsibility to perform in-house testing in their own network environment with their own version of Citrix before deciding whether Citrix is a suitable deployment platform for HPE Content Manager in their organization.

Hewlett Packard Enterprise Development LP Support makes every reasonable effort to assist a customer who reports an issue with HPE Content Manager where it has been deployed using Citrix, but we do not support the Citrix environment itself. Hewlett Packard Enterprise Development LP's past experience with HPE Content Manager sites using Citrix suggests that when Citrix is configured

correctly, e.g. user profiles, home drives, printers etc. behave similarly to a non-Citrix desktop environment, and HPE Content Manager is deployed in a desktop that includes any applications to be integrated with HPE Content Manager, e.g. Microsoft Office suite and email, there should not be any significant issues.

If an issue arises with HPE Content Manager in a Citrix environment that does not also occur with a conventional HPE Content Manager installation, Hewlett Packard Enterprise Development LP cannot guarantee a resolution to the issue. Where it is apparent that a particular issue is specific to the Citrix deployment, Hewlett Packard Enterprise Development LP reserves the right to ask the customer to reproduce the issue in a non-Citrix environment before committing further support resources.

For more information on this subject, see the Hewlett Packard Enterprise Development LP Software Support article at <https://softwaresupport.hpe.com/km/KM1456476>

## Relational Database Management System (RDBMS) requirements

### Supported RDBMS servers (64-bit)

- SQL Server 2012 SP3
- SQL Server 2014 SP1
- SQL Server 2016
- Oracle 11g R2
- Oracle 12c

**Note:** When creating a SQL Server database for HPE Content Manager, it is strongly recommended that you use a case-insensitive (CI) collation sequence.

### Minimum Requirements for database access

For SQL Server:

- db\_ddladmin access.

For Oracle:

The role assigned to the schema used should at least have the following permissions:

- Alter Session
- Create Session
- Create Procedure
- Create Sequence
- Create Table
- Create View

### Supported RDBMS clients (64-bit)

HPE Content Manager supports the OLEDB drivers recommended by the RDBMS manufacturers.

**Note:**

For Oracle – on top of the OLEDB drivers, we provide the InstantClient which is now mandatory. This has changed the way HPE Content Manager works against Oracle. The administrator will need to add a System Environment Variable to the Workgroup Server, such as the following:

Variable name: ORACLE\_HOME

Variable value: C:\oracle\product\12.1.0\client\_1

The variable value comes from the Oracle client's Installation registry entry (this is dependent on the installed environment):

For example:

HKEY\_LOCAL\_MACHINE\SOFTWARE\ORACLE\KEY\_OraClient12Home1

Value name: ORACLE\_HOME

Value data: C:\oracle\product\12.1.0\client\_1

# Limitations and Behaviors

## Authentication

- ADFS authentication and/or connecting to a Workgroup Server via HTTPS are indicators that a user is connecting to a Cloud version of HPE Content Manager, and in the cloud, the client computer will not be able to access certain resources that exist in the Cloud, e.g. the URL of the IDOL Index Server, or the file system path that is used when adding objects to a Document Store. The time out settings on ADFS OAUTH tokens come with can also cause issues for long running HPE Content Manager programs, as the program gets a timeout during running and the user cannot log again. As a result, a number of tasks on the Administration tab in the HPE Content Manager client will not be displayed if you are accessing the client using ADFS authentication, or connecting to the Workgroup Server via HTTPs, or you are using Explicit Windows Authentication.

These tasks include:

- **Setup group:**
  - Document Stores
- **IDOL Indexes group:**
  - IDOL Record Reindex
  - IDOL Category Training
  - IDOL User Reindex
- **Conversions group:**
  - SAP Metadata Conversion
  - Saved Search Conversion
  - Security Filter Converter
  - Mail Message Format Conversion
- **Inactive Records group:**
  - Electronic
  - Physical
- **Other group:**
  - Import/Export
  - Disposal Calculator
  - Manage Thumbnails
- Single sign-on support using ADFS has known problems when using the add-ins for Office applications connecting to HPE Content Manager via the ServiceAPI (Thin Office integration). Authentication from Office applications to HPE Content Manager via the SDK is supported.

## Product Accessibility

We're committed to developing products that are accessible to everyone. To find a Voluntary Product Accessibility Template (VPAT) report, please go to the [Accessibility and Aging site](#)

## Supported Languages

In regards to the English language choices within our software, by design, we follow the Oxford Dictionary which accepts the US spelling as equivalent in both languages and therefore some words are not converted if the language is changed between English (US) and English (International), for example Favorites.

Released Version	Supported Languages
9.1 (multi-language).x	English (International), English (United States), Dutch**, French**, Spanish**
9.1	English (International), English (United States)
9.0 (multi-language).x	<p>English (International), English (United States), Dutch, French, Spanish</p> <div style="background-color: #f0f0f0; padding: 10px;"> <p><b>Note:</b> The HPE Content Manager Web Client and Thin Office integration only supports Dutch, French and Spanish from 9.0 Patch 1. The <b>HPE_CM_ThinOfficeMultiLanguage_xNN.msi</b> and <b>HPE_CM_WebClient_Languages_x64.msi</b> cannot be installed for the 9.0 version.</p> <p>The translated language files for HPE Content Manager SharePoint integration will be available as a part of the SharePoint installation MSIs for 9.0 Patch 1. You will need to install the <b>HPE_CM_LanguageFiles_xNN.msi</b> after you've upgraded your HPE Content Manager SharePoint environment to version 9.0 Patch 1.</p> <p>The translated language files for the HPE Content Manager client can be installed using <b>HPE_CM_LanguageFiles_xNN.msi</b> to any release of the 9.0 version.</p> </div>
9.0	English (International), English (United States)
8.3x	English (International), English (United States), Dutch**, French**, Spanish**
8.2x	English (International), English (United States), Dutch**, French**
8.1 (multi-language).x	English (International), English (United States), Dutch, French, German, Spanish, Italian, Portuguese (Brazilian)*, Russian*
8.1	English (International), English (United States)

8.0 (multi-language).x	English (International), English (United States), Dutch, French
8.0	English (International), English (United States)
7.3.x	English (International), English (United States) 7.2x versions of the translation files: Dutch, French, German, Spanish, Italian, Portuguese (Brazilian), Russian

\* software only (documentation has not been localized)

\*\* the language pack installers for the translated files are available on the relevant version ISO or can be downloaded from <https://softwaresupport.hpe.com> These language pack installers can be used to install the currently supported languages to any release of the relevant version, for example, the language files for 8.2 can be installed for 8.2, 8.2 Patch 1 etc.

### Unicode support

HPE Content Manager can manage any Unicode metadata and content, as long as the database is configured to support Unicode characters. Without the database supporting Unicode characters, HPE Content Manager will regard these characters as invalid and an error message will be displayed.

**Note:** HPE Content Manager Title and Notes word indexing relies on word splitting using spaces and punctuation, and does not have capability to correctly index data that does not split words using spaces or punctuation. If you're using IDOL to document content index your HPE Content Manager objects, they will be indexed, but if you want to search for them you'll need to have the appropriate Asian language packs installed with IDOL so it can properly understand how to split the words. For additional information about IDOL and Asian languages, refer to the IDOL Customer network on <https://softwaresupport.hpe.com/manuals>

## Installation

- The versions of all HPE Content Manager peripheral applications, components and integrations on the computer have to be the same as the version and build number of the main HPE Content Manager application on the same computer
- When installing, upgrading, repairing or removing HPE Content Manager applications, all applications on the computer should be closed

## License Keys

- When applying a new License Key for a pre-8.2 version of HPE Content Manager, the Global Settings are not retained and will need to be reconfigured and deployed after the License Key has been applied.

## Help

- **F1** does not display correct Help topic on right-click menu options – when you press **F1** to display the associated help topic for a right-click menu item, the topic that appears instead is for the list panes and view panes, which is on the screen behind the floating right-click menu. This is a known

limitation.

- Due to the nature of the translation process, Help files in languages other than English may not contain the latest content and in rare cases, links may not work correctly. For the latest content, consult the Help file in an English version.
- Our own document **OurOwn.pdf** is a sample document that you can replace with your organization's own document for users to access their own procedures using the HPE Content Manager Help file. The link from the HPE Content Manager Help file to **OurOwn.pdf** works when HPE Content Manager is installed in the default folder **Program Files\Hewlett-Packard\HPE Content Manager**; however, the link does not work when HPE Content Manager is installed in a different folder unless you edit the **Start In** parameter in the shortcut to the new HPE Content Manager folder path.
- The OurOwn.chm runtime merge facility has been tested to work when developed with the help authoring tool Madcap Flare. Other help authoring tools are not guaranteed to work.

## Access control and security

- Downgrading a user's security profile – when you downgrade the security profile of a user and they have records marked to them that are of a higher security level than the users, then no security violation warning may appear.  
For example, create a record within a Record Type which has top secret profile settings making **User** the **Assignee** Location. **User** has a top secret profile. Then downgrade **User** to **Unclassified**. The record now has an **Assignee** Location with a lesser security profile than itself. However, you can use the HPE Content Manager system option in the **Security** tab **When changing Assignee, Home or Owner for a Record to a less secure Location** to set up HPE Content Manager to display a warning or even prevent the downgrade.
- Access Controls and record creation and default Retention Schedules - Access Control on a Retention Schedule that is set as a default for a Record Type will not prevent users from creating records of that Record Type if the **Retention Schedule** field is not on the New Record form. Adding the **Retention Schedule** field to the New Record form for the Record Type will prevent users from creating records of that Record Type using the default Retention Schedule.
- Access Restrictions and US DoD 5015.2 compliance – when **Administration** → **System Options** → **Features** tab, **Classified Security** or **Compliance** tab, **Implement US DoD 5015.2 compliance**, or both are selected, HPE Content Manager operates according to the US DoD 5015.2 software application design criteria standard.  
See <http://jitc.fhu.disa.mil/projects/rma/standards.aspx> for more information about the standard.

## Records and containers

Containers are generally used to collect material related to a complex business transaction in order that the entirety of the transaction can be well understood at a later point in time. As such, containers rarely exceed 300 documents. Some customers create containers to collect similar but unrelated documents together for the convenience of bulk disposal.

HPE Content Manager is designed to support both of these requirements, however some limitations become evident when creating very large containers (over 1000 documents), as some user interface elements are built with a smaller container size in mind. For example, navigating to the contents of a container will display the contents in descending chronological date order – this sort increases the response time as the container gets bigger.



It is recommended to organizations that have a business requirement to create large containers that they do not apply individual retention rules to the contents. This can lead to delays in reviewing contents at time of disposal, particularly if you choose to archive based on an aggregated disposal schedule.

However, if you really need to use containers with large numbers of records in HPE Content Manager, you can improve performance with the option **Optimize management of contained Records to allow for very large folder sizes** in the **System Options - Records** tab. See HPE Content Manager Help for more details about this option.

It is generally also recommended not to use too many container levels.

A typical implementation uses three container levels:

- Documents
- Folders
- Archive Boxes

More container levels may lead to performance degradation when HPE Content Manager performs recursive comparison such as checking security or retention rules across multiple aggregation levels. HPE Content Manager checks retention rules recursively down through a maximum of four container levels.

- Record creation and Record Types using **Numbering by Container** - when you number records by container and then change the number of the container, the contained records will not have their corresponding record numbers updated to reflect the new container number. Similarly, when you change the record's container, this will not update the record's number either. In these circumstances, it is best to manually renumber the contained records.
- Record titles using **Client titling** - changing a Location name will not change any records created using the Location as the Client title. The change will, however, be reflected in the **Properties** dialog of the record; but not in the title displayed in the view or list panes. Searching by Client Contact with the new Location name will find the record. To manually rectify this:
  - a. Find any records created using the Location
  - b. Modify the Location name
  - c. Right-click one of the records and select **Properties**. In the **Client** field, delete any Location item and then use KwikSelect to choose the modified Location
  - d. Click **OK** to save the change
  - e. The record title will change accordingly and will now show the correct Location
- Copy record - copying record relationships behavior - when **Copy Relationships** is selected when copying a record, only the **is Related To** relationship type is copied. An exception is when creating a new version, in which case any **IsTempCopy** relationship is copied. This is to avoid potential conflicting or incorrect relationships being created by the copy operation. For example, if record A has a **supersedes** relationship with record B and a user then copies record B to create record C, then does record A supersede record C?
- Copy record - **Date Due for Destruction** and **Date Inactive** are not copied from the original record when a new part, new version or record copy are performed. For a new part, HPE Content Manager does not copy **Date Published**, either. While the process of copying a record creates a blank **Date Due for Destruction** field, any pre-

determined states will enter an appropriate date, for example, a Retention Schedule attached to a record being copied, default Retention Schedule on a record, etc.

- Notes field limitation – the **Notes** field is limited to 64 KB (65536 characters). If a user exceeds this limit, the message **An attempt to set the Notes text to contain XX KB failed. Notes text cannot exceed 64KB (65536 characters). The Notes text will be truncated at this limit** appears.

## New Record forms

- Scroll bars - when there are more fields on the form than can be shown in the standard size New Record form dialog box, the New Record forms will have vertical and horizontal scrollbars allowing the users to scroll through the fields on the form.  
If, however, too many fields are on the form, the dialog box may have problems displaying all the fields.
- Mandatory container fields - when selecting **Container Numbering** for a Record Type, the Record Type will automatically enter Container as a mandatory field for the new New Record form. However, if you change the numbering to a different type, then HPE Content Manager does not remove the **Container** field from the form automatically and therefore, you need to remove it manually.
- Assignee Location on a New Record form filled in and then replaced - when there is an **Assignee** field on a form first and there is actually a Location there that was added according to the system rules for enclosed - that is, that require the user to set an Assignee to keep a record from being enclosed automatically - then when a user types in a container for the record, it removes the allocated Assignee and replaces it with the container number.  
To rectify this, you need re-assign the record.
- **Enclose** option - when on a New Record form, the **Enclosed** option will override the record's details and the set defaults from the Record Type or system settings
- Default **Enclose?** option
  - will not retain its default setting in the form and apply it to a new record.  
If you set up the default **Enclose** option for a record to **No**, then when you enter a container on the form, the option details will be overwritten. Therefore, even though the **Enclose** option is not selected on the form because of the default, the record will still revert to the container as the **Assignee** and **Enclosed?** will be **Yes**.
  - the **Enclosed?** behavior is programmatically selected, i.e. not configurable using **System Options**. For this behavior to occur, a record's **Assignee** Location must be equal to the record's **Home** Location. This can be achieved in a number of ways, for example, Record Type Default Location or **Administration** → **System Options** → **Locations** tab.

### Method 1

- Record Type - Default **Home** Location = Blank
- System Options** - Record **Assignee** = Current Login
- Record **Owner** = Assignee
- Record **Home** = Assignee
- Record Details after creation are: **Enclosed?** = **No**
- Assignee = At Home Location: User1
- Owner** = User1

- h. **Home** = User1
- i. Right-click this record → **Location** → **Container**.  
 Here you will see that the **Enclosed?** selection box is cleared with an informative message telling you this record is currently **at Home in User1**.  
 If you choose a container, this will become its new Home Location and the record will be enclosed automatically.

**Method 2**

- a. Record Type - Default **Home** Location = Position1
- b. **System Options** - Record **Assignee** = Default Position
- c. Record **Owner** = Assignee
- d. Record **Home** = Assignee
- e. Record Details after creation are: **Enclosed? = No**
- f. Assignee = **At Home** Location: Position1
- g. **Owner** = Position1
- h. **Home** = Position1
- i. Right-click this record → **Location** → **Container**.  
 Here you will see that the **Enclosed?** check box is cleared with an informative message telling you this record is currently **at Home in \*\*\***.  
 When you choose a container, this will become its new Home Location and the record will be enclosed automatically.  
 When you change the Home Location, then the Assignee will keep the default Assignee Location from the Record Type.

**Note:** The **Associations** of a Location only go up one level. You can make the parent Organization the default, for example, in the following hierarchy structure; Parent Organization - Child Organization - Position – Person.  
 The default Organization for Person will always be Child Organization unless you manually make Parent Organization the default.

On a New Record form, when a user has explicitly changed the value of an Additional Field that has a default value determined by the record Classification, and then changes the Classification, then HPE Content Manager does not change the Additional Field's value to the value determined by the new Classification

## Searching

- **Classification Word** searches – when you enter one word, it means **find records whose attached Classification contains the word**

**Note:** When you enter many words, it means **find records where the attached classification contains all the words**  
 When you type a wildcard character (\*), it means **find records where the attached classification contains a word matching the wildcard character**  
 When you type a wildcard character and one or more other words, it means **find records where the attached classification contains a word matching the wildcard and contains all the other words as well**

- **Record Number Range** searches – this search method is a simple string search method that searches alphabetically for the values you entered, whether they are numbers or letters. Therefore, it is essential that you know the record number pattern of the records you are looking for.

For example, when you enter a search for records in the compressed number range from 1998/1 to 1998/100, HPE Content Manager does not return record 1998/50, because alphabetically, it is not within the range you specified.

Workaround: When searching for a range of records using Record Number:

- use the KwikSelect on the To and From fields to select valid HPE Content Manager record numbers, rather than typing the numbers in.
  - when manually entering record numbers into the TO and FROM field ensure that the record numbers are validated (goes bold)
  - use expanded Record Numbers in the To and From fields
  - use the Expanded Record Number search method (Numberx) as this search method validates the numbers that are entered into the To and From fields.
- Sort order of container content – subordinate items under a container that you expand with the plus symbol are not sorted according to the criteria the container is sorted by, but by a default field. For example, records under containers are sorted by **Date Registered** in descending order.  
Workaround: Right-click the container record and click **Contained Records** to see the container content in a separate search window, where you can sort the records as you require.
  - When **Automatically count results where possible** on the **File** → **Options** → **Search Options** tab is selected, and the user experiences delays with HPE Content Manager returning their search results, turning off this option may improve performance
  - The **Previous search** button executes the previous search result again and replaces the current search result
  - HPE Content Manager applies the default sort order and filters only to new searches, i.e. from the **Search** menu or the **Search** pane, but not, for example, to searches using the Location **Show**, or Classification or Hold **Show Records** commands
  - The IDOL search engine is designed to return a fixed number of items. The default value for HPE Content Manager searches that use the IDOL search engine is 10,000.  
The upper limit for MaxResults is 1000000. Any IDOL search or combined IDOL / metadata search that includes a Content query that exceeds the limit set by MaxResults may return inconsistent results.  
You can change this figure by changing the IDOL configuration files. In HPE Content Manager Enterprise Studio Help, see the topic **Advanced configuration of OEM IDOL** about the parameter **MaxResults**. Setting the MaxResults value to the maximum may impact on the overall search performance of your IDOL and hybrid IDOL/Metadata queries.
  - Saved Searches – due to the design changes made in the Search module in HP Records Manager 8.0, Saved Searches that have been created in HP TRIM 7.3x will not work in HP Records Manager 8.x and HPE Content Manager after upgrading.  
A Saved Search Conversion utility has been added to the Administration menu in HP Records Manager 8.11 and is available in 8.11x or later. Administrators can run this utility to convert old versions of Saved Searches into the correct format for HPE Content Manager. Depending on the complexity of the Saved Searches, the conversion may not be successful. In particular, Action Tracking saved searches and Communications saved searches are not converted the 8.11x or later

version of conversion utility. Searches that fail to convert are left as “old format” searches in the system. It is recommended that organizations document their Saved Searches before upgrading.

- By design, when an existing Saved Search is overwritten, the Active Audit Log will show that Saved Search was Deleted and a new Saved Search is added.
- Record Number Range Search - the Record Number range search method is a string search and as such there is no validation on the numbers that are entered/selected in the To and From fields. The results returned from running a range Record Number search may be unexpected as there is no validation done on string searches.

Workaround:

When searching for a range of records using Record Numbers, use the **Expanded Record Number** search method (Numberx), this search method validates the numbers that are entered into the To and From fields. It is also recommended that you use the KwikSelect on the To and From fields, rather than typing the numbers in.

## Report layouts

- The thickness of a line in a report layout can be controlled, but not the thickness of lines for rectangular boxes
- The option **Print Alternative Barcode?** in the report layout barcode item properties dialog box prints the expanded record number and therefore, applies only to record barcodes, not Location barcodes
- To print more than one page of notes or **Additional text Fields** for a record, a report requires them to be the last active item in the **Band Definition** list.  
Its height must be greater than 1 line so that it may automatically (dynamically) increase vertically to display all the data in the field.
- If the report layout contains more than one text field, for example, both **Notes** and an text Additional Field, the field text area in the report band may expand over other fields in the report, making them illegible. The issue does not occur for the last field in the report band or when the number of characters and/or the font size are small enough to fit all text in the text field area.
- Users in the same HPE Content Manager session cannot open the same report more than once simultaneously
- Users in different HPE Content Manager sessions, for example on different computers, can open and modify the same report. However, only the last modification saved is retained and the administrator will receive a mail notification informing them that the document store could be corrupted.

## Printing

- When printing items whose file type is set to **Bypass Viewer**, HPE Content Manager does not display a confirmation dialog.  
When bypassing the internal HPE Content Manager viewer, you are printing from the associated application. For example, when **Bypass Viewer** is selected for Word documents, clicking **File** → **Print** in HPE Content Manager prints the document. When **Bypass Viewer** is not selected, the viewer handles printing and HPE Content Manager displays a confirmation message in case you have clicked **Print** by accident.

- Printing a specific page of a report is not supported in HPE Content Manager. For example, if you are printing a large multi-page report and the printer has a paper jam, it is not possible to select a page or a range of pages to reprint. Instead, you need to print the whole report again.
- When you print a Word document or an Excel spreadsheet from Offline Records, HPE Content Manager opens Word or Excel to print. The same behavior occurs when you right-click to print a Word document or an Excel spreadsheet from the desktop or Windows Explorer.
- Some documents may take longer to print than others, such as large graphic files, or produce corrupted print. For best printing results, use the original application for printing large and complex image files where possible. The HPE Content Manager image viewing software is designed for generic viewing and does not produce the same viewing results as the authoring application.
- Printing reports - when selecting a different printer to print a report, HPE Content Manager uses the same settings as for the previous printer. Known Windows limitation.
- Users may experience long delays when viewing or printing MS PowerPoint files from HPE Content Manager. As a workaround, it is recommended that they add the MS PowerPoint file extensions, PPT and PPTX, to the **Bypass Viewer for these document types** option on the **Options - Viewer** tab.

## HPE Content Manager viewer

- KeyView provides different levels of support for different file formats:
  - Viewing
  - Filtering (the ability to extract text)
  - Exporting (the ability to convert the file to HTML or XML format)
  - Metadata extraction
  - Detection (ability to detects its format)
 Not every file format is supported for every level. This is a known limitation of a third-party product. To use a localized version of the viewer, users should have the permission **Full Control** to the Windows **Program Files** folder.
- When an email message contains information that is stored in a location inaccessible for the HPE Content Manager viewer, for example a signature on a secure Internet site, HPE Content Manager viewer may not be able to display the entire message, and cannot apply retention business rules or store the remote part of the message.

## Document Preview

A record that has an attached electronic document that is over 25 MB in size will not be automatically displayed in the View pane **Preview**, **Previous** or **Rendition** tabs on a record search results window for performance reasons.

### Workaround

If a user wants to preview the current rendition of the document, they can right-click on the record and click **View**.

If a user wants to view a rendition or previous revision of the document, they can right-click on the record and click **Properties**. On the displayed **Properties** dialog, click on the required tab e.g. Revisions or Renditions and then view the document.

## Statistics reports

- Actions deleted from HPE Content Manager that were attached to a record before remain in the **KwikSelect** → **Action** name list
- Record statistics reports cannot generate or export statistics if Microsoft Excel is not installed on the computer.  
Microsoft Excel components are used to export the statistics report details.

## Action tracking

- Assigning a Procedure with a **Start Date** may generate a **Start date must not be before** message if the regional settings on the PC have the time set for 12 hour time but no designation for AM or PM.
- When attaching an Action to a record with the option **After any Existing Record Actions for this Record**, HPE Content Manager will start this Action after the completed Actions' **Due** date, not their **Completed** date.

## Dates

- HPE Content Manager supports any valid Gregorian date, back to the year 100.  
HPE Content Manager converts years from 30 to 99 to a four-digit year in the 1900s, and a year from 0 to 29 to a year in the 2000s.
- When a document is checked into HPE Content Manager, the earlier of the electronic document's Date Created or Date Modified will be applied to the HPE Content Manager record's Date Created field.  
For example, if an electronic document has a Date Created of 28/02/2015 and a Date Modified of 26/02/2015, when that document is checked into HPE Content Manager, the record's Date Created will be the same as the attached document's Date Modified, 26/02/2015.

## Barcodes

- Foreign barcodes that contain non-printable characters are not supported, for example, tab etc.
- If a user does not have **Can Use** access to a particular Location, they will not be able to change the record's Assignee Location using a barcode scanner

## Thesaurus

The HPE Content Manager Thesaurus has been designed to follow the recommendations of ISO 2788 - Guidelines for the establishment and development of monolingual Thesauri.

While every term may have as many narrower terms as a user may require, a well-designed Thesaurus will have an appropriate number of subordinate terms, typically to a maximum of 10 to 15 terms.

- Thesaurus terms cannot contain hyphens (-).

## Currency and language

- The default currency symbol set in the **System Options** → **Currency** tab only allows one system-wide default to be set up

- French **Date Received** Additional Field and checking in email - when checking in an email message, the **Date Received** Additional Field of type date or date/time will be populated under all available language variations. However, for the French version of **Date Received (Date de Réception)**, the accent must be used in the label of the field for it to function.
- Changing the caption of a field in HPE Content Manager changes it in all interface languages

## Tagging and dragging

- If you are performing a task on some tagged records which causes some of the tagged records to no longer fit the search criteria for the window, then press **Refresh** before performing any additional tag processing, for example, reporting, retention etc.
- Dragging messages to a linked folder in Outlook - HPE Content Manager may not automatically process large numbers of items when dragged to a linked Outlook folder. When a mail message is added to a Linked Folder in Outlook, an event starts. There is a limitation on the number of items that can be dragged to a folder in Outlook and still start this event, they may not all be checked in to HPE Content Manager and error messages may not appear. The items will, however, be added to the selected folder. When there are unprocessed items in a linked folder, it is recommended you use the **Clear All Backlogs** option, to process the unprocessed items in all folders, or **Clear Backlogs** to process just the items in the selected folder. These two clear options are accessible from Check In Styles panel in Outlook.
- When dragging and dropping an email onto HPE Content Manager a different MSG file is produced compared to those that are checked in via the Outlook integration. As a result, if the **Check for duplicate email messages** option is enabled, a warning will not be displayed if an email is checked in twice but via different check in methods.
- When a user drags and drops the same document in quick succession, if the **Record Type** has the **Behavior for Duplicate Titles** set to **Display Warning** or **Prevent**, the warning/error stating that there is a duplicate titled record will not be displayed as HPE Content Manager has not completed the Word Indexing for the first document. The user must wait for the first document to be indexed before a duplicate title check will work.

## Interface

- Some field values appear differently depending on whether they are in a column or in the **View** pane. This is because of the differing amount of space available to display the values.
- Custom toolbar icons – HPE Content Manager does not support the creation of user drawn toolbar icons. A wide selection of predefined icons is available.
- Status bar - staff name display - in online mode, the staff name is obtained from the Location's display name. In offline mode, the staff name is obtained from a Location's network login.

## Locations

- It is recommended to limit the number of staff members allocated to work areas or units to 80 to 100 at each level which enables HPE Content Manager to sort, display and refresh the screen at an acceptable performance level. If the number of Locations exceeds this guideline, customers should enable the HPE Content Manager system option **Administration** → **System Options** → **Object Cache tab** → **Optimize**



### Performance of → Location Member Of Relationships.

- Special characters in Location names limitations:
  - The percentage character (%) is supported, but may cause some inadvertent search results in Location searches
  - The asterisk character (\*) is supported but may cause confusion as it is used as a wildcard search character
- Location properties **Associations** tab – HPE Content Manager does not support changing the order of **Member Of**, **Supervised By** and **Delegate Of**. The **Move Up** and **Move Down** options are only available for the **Has Members**, **Supervisor Of** and **Has Delegate** items.
- Default Location cannot be changed to regular – in the Location properties **Associations** tab, when an association type has only one Location, HPE Content Manager makes it the default. To change its status to regular, make another Location of the same association type the default first.
- User cannot choose between multiple email templates for the same mail event type – if there are multiple email templates for the same mail event type, HPE Content Manager will use the first one according to its name to create an email notification for the event. Users cannot choose the one to use. Workaround: Create only one email template per event.

## Alerts

Due to the design changes made in the Alerts module in HP Records Manager 8.1, Alerts that were created in previous versions of HPE Content Manager and HP TRIM are removed as a part of the upgrade process and will need to be manually redefined in HP Records Manager 8.1 after upgrading.

It is recommended that all Alerts are reviewed and documented before upgrading to HP Records Manager 8.1. This will assist you in recreating the Alerts after upgrading.

## Desktop integration

- Password protected files - password protected files (that is, the password added in authoring application) are not supported. Password protection can cause problems with several facets of HPE Content Manager operations.

**Note:** Deactivating password protection does not necessarily reduce the security problem because a prime purpose of a professional enterprise content management system is to provide storage, retrieval and security for all registered files.

## General

- Unlocked files - apparent check in discrepancy - certain applications do not lock files when in use, for example, WinZip, which means in turn that HPE Content Manager cannot determine whether the file is in use.  
In certain circumstances, for example, when a user modifies a \*.zip file after it has been checked back in - see steps below, this may result in multiple copies of the file.  
Where applications do lock documents in use - for example, Word - check in is disallowed in Offline Records.  
For example:
  - a. Right-click and select Edit to edit a \*.zip record, for example, Test.zip, which checks out the document for editing using HPE Content Manager Desktop.  
HPE Content Manager automatically checks the document back in when you close the

document or authoring application. Before modifying the document or closing the application or document, open Offline Records standalone and check in the \*.zip file

- b. In the authoring application, modify the \*.zip file
  - c. Close the document and authoring application.  
The record in HPE Content Manager has the original document with the original contents and a new draft document has appeared in Offline Records with the modified content.  
This is the same behavior as when you delete a \*.zip file from Windows Explorer while editing the .zip file using WinZip.
- Checking in multiple documents using right-click **Send To** from Windows Explorer may result in the Windows error message **Windows cannot access the specified device, path, or file. You may not have the appropriate permissions to access this item.** - known limitation caused by Windows, not limited to HPE Content Manager.  
Workaround: Send smaller file groups instead.
  - Document queues – sub-folder processing not supported. The document queue processor does not process items in sub-folders. Instead, you will need to create a separate queue to process this folder.
  - Keyboard shortcuts for Microsoft Office 2010 applications other than Word and PowerPoint may not work as expected when integrated with HPE Content Manager. This is due to limitations of those Microsoft Office applications.

## Offline Records and HPE Content Manager Desktop

- The option **File** → **Options** → **Search Options tab** → **Automatically view electronic documents** is not supported for HPE Content Manager Offline Records.
- Offline Records in offline mode and **Container** icons - when a user checks out a container record to Offline Records, the record uses the icon of the Record Type at the time of checkout.  
If the icon changes in HPE Content Manager, it is not reflected in Offline Records until the record has been checked back in and then back out to Offline Records.
- Offline Records file path lengths – maximum lengths supported by applications - different versions of Office and other applications have different file path length limits.  
When a user saves a document in Offline Records, the maximum number of characters is determined according to the application limit. The document name will be truncated at whatever it needs in order to not exceed the applications total file path length limit.  
For example in Excel, the file path length is set at 201 characters including the full Offline Records path, such as **C:\Documents and Settings\user\My Documents\Offline Records (03)\folder name\document name.xls**.
- AutoCAD 2005 - when an AutoCAD 2005 file is saved to Offline Records by clicking **My Offline Records** in the **Save In** box, double-clicking Offline Records does not open Offline Records.  
Workaround: Click the **Save** button to first open Offline Records and then the file can be saved to Offline Records.
- Offline Records and **My Documents** folder set as a shared folder – it is not recommended for organizations to configure their environment so that the **My Documents** folder is a shared network resource, as HPE Content Manager Offline Records will not work as designed, which is as a resource when there is no network access

- Offline Records and Microsoft Word file names - in MS Word, the file names include the path as part of the file name and are limited to 256 characters. This is a MS Word field length limitation. Therefore, when you attempt to save a file using Offline Records and you make the file name too long, Word truncates the name to fit the 256-character limit.
- Upgrading of an older version of the **TRIMTD.mdb** file is not supported
- When you apply global settings, HPE Content Manager resets offline folders to system default settings

## MS Office

### Microsoft Office client add-in functionality

You can use HPE Content Manager add-ins in Microsoft Office applications. The tables show the applications and the HPE Content Manager add-in commands they support:

<b>Office 2010 SP2 (32-bit and 64-bit)</b>				
<b>Feature</b>	<b>Word</b>	<b>Excel</b>	<b>PowerPoint</b>	<b>Project</b>
Open	Yes	Yes	Yes	Yes
Save, Save As	Yes	Yes	Yes	Yes
Record Properties	Yes	Yes	Yes	Yes
Make Final	Yes	Yes	Yes	Yes

<b>Office 2010 SP2 (32-bit and 64-bit)</b>				
<b>Feature</b>	<b>Word</b>	<b>Excel</b>	<b>PowerPoint</b>	<b>Project</b>
Insert Picture	Yes	Yes	Yes	No
Insert Object	Yes	Yes	Yes	No
Insert Text from File	Yes	No	No	No

<b>Office 2013 SP1(32-bit and 64-bit)</b>				
<b>Feature</b>	<b>Word</b>	<b>Excel</b>	<b>PowerPoint</b>	<b>Project</b>
Open	Yes	Yes	Yes	Yes
Save, Save As	Yes	Yes	Yes	Yes
Record Properties	Yes	Yes	Yes	Yes
Make Final	Yes	Yes	Yes	Yes
Insert Picture	Yes	Yes	Yes	No
Insert Object	Yes	Yes	Yes	No

Insert Text from File	Yes	No	No	No
<b>Office 2016 (32-bit and 64-bit)</b>				
<b>Feature</b>	<b>Word</b>	<b>Excel</b>	<b>PowerPoint</b>	<b>Project</b>
Open	Yes	Yes	Yes	Yes
Save, Save As	Yes	Yes	Yes	Yes
Record Properties	Yes	Yes	Yes	Yes
Make Final	Yes	Yes	Yes	Yes
Insert Picture	Yes	Yes	Yes	No
Insert Object	Yes	Yes	Yes	No
Insert Text from File	Yes	No	No	No

## General

- Default file types for integrated Microsoft Office applications
  - Excel - uses the default file type set in Excel when it is **xls, xlt, xlsx, xlsx, xlsm, xlsb, xltx, xltm**. When the default is different, HPE Content Manager uses a default of **xlsx** in for Excel 2010, 2013 and 2016.
  - Word - uses the default file type set in Word when it is **doc, dot, docx, docm, dotx, dotm**. When the default is different, HPE Content Manager uses a default of **docx** for Word 2010, 2013 and 2016.
  - PowerPoint - **pptx** for PowerPoint 2010, 2013 and 2016
  - Project - **mpp** for all versions
- Conflicts of HPE Content Manager Microsoft Office add-ins with 3rd party add-ins – HPE Content Manager Office add-ins for Office 2010 with the Office **File – Close** and **File - Save** commands. While HPE does not anticipate conflicts, nor have received reports of conflicts, there is a theoretical chance that a 3rd party add-in that also works with these commands may conflict with the HPE Content Manager add-in.
 

The Content Manager Office add-ins for MS Office 2013 and onwards do not work with these commands, as they uses a different operating model. As a result, the chance of conflict is reduced. Customers should thoroughly test their add-ins in operation with HPE Content Manager add-ins to identify possible issues before running the add-ins in a production environment.

Workaround when conflicts arise: By using an MS Office custom property, users can turn the HPE Content Manager add-in for the MS Office applications Word, Excel, PowerPoint and Project on and off, depending on when they need to use the add-in functionality. For instructions, see the Tech Note at <https://softwaresupport.hpe.com/km/KM00640635>
- In an Windows 8+ environment, printing HPE Content Manager records (electronic documents) can only be done from the MS Office authoring application **File > Print** menu options. If an HPE Content Manager document is being viewed in the HPE Content Manager Office integration **Open** dialog, printing using the HPE Content Manager **Print Document** option is not supported.

## Compound documents

- Compound documents and email – HPE Content Manager does not detect compound documents when checking in from supported email clients MS Outlook or Lotus Notes
- Compound document renditions – the Renditions function does not recognize compound documents that are record renditions
- Broken links when viewing – after check in, compound document link is broken when viewing in Word or the browser plug-in - Windows limitation
- When a user checks out a document to Offline Records and then edits the actual document, not the link, checks in the document using the **Replace Current Revision** or **Make a New Revision** commands and then right-clicks it and views the document using the associated application - Word - or the browser plug-in for the viewer, the link reads **Error! not a valid link**.  
If the viewer is the HPE Content Manager viewer, the link works correctly, as HPE Content Manager does not alter a document.  
In Microsoft Word (**Edit** → **Link**), the link appears as incorrect because it is pointing to the path to Offline Records, rather than to the folder where the document actually is.  
When you first check out the document and open it, the **Edit** → **Links** function in Word displays the path to the folder where the container document is - the Offline Records folder. When you edit or update the link, it displays the correct folder path.  
If, however, you make changes to the container document and do not edit the link, HPE Content Manager uses the local Offline Records path when you check the document back in, rather than the folder path.
- Excel spreadsheets in Word documents – in Word, when trying to save the document while the Excel spreadsheet is active, an error message may appear. This is due to the way Microsoft Excel add-ins operate.  
HPE Content Manager does not detect that Word is the parent application until the user deselects and then reselects the Excel object.
- Compound documents with broken links - if the path to a linked document does not exist or is not resolvable, HPE Content Manager does not detect a link at all.  
If HPE Content Manager cannot read the linked document, the link defaults to **External To HPE Content Manager**.

## MS Excel

- Excel and date formats - when opening and re-saving tab delimited or comma delimited files into HPE Content Manager using HPE Content Manager integration, ensure that date fields are set to **Text** format to avoid Excel ignoring the date format of the operating system and using US date format.  
You can find more information in the Microsoft Knowledge Base article explaining Excel's handling of date formats: <http://support.microsoft.com/kb/214233>
- Excel **Share Workbook** function – HPE Content Manager supports editing of a shared workbook only when the workbook is checked out of HPE Content Manager to Offline Records or edited as supercopy.  
Using **Edit** in HPE Content Manager checks out the workbook temporarily, but automatically checks it back in when the user has updated or saved it.

- Multiple installed Excel add-ins on one computer are not supported • Microsoft Excel will not allow a custom menu item like the HPE Content Manager **Save**, **Save As** and **Open** commands be used if there is a change made in a cell and the user has not committed the change by moving out of the cell

## MS other

- Microsoft Binder - HPE Content Manager cannot document content index text within Microsoft Binder files

## Thin Office Integration

- Microsoft Project – selecting an existing Microsoft Project Template (.mpt) file using the **Open** option will cause a new project to be created based on the selected template, rather than opening the template file for editing.  
This follows the native behavior of Microsoft Project which does not support editing an existing template file.

## Mail messaging systems

As of HP Records Manager 8.2, the email format checked into HPE Content Manager is dependent on the integration being used. The email formats captured are:

Email Integration	Captured File Format
Outlook integration	EML or MSG (based on System Option – Email Records tab – Email format for records in HPE Content Manager created from email messages)
Thin Outlook integration	MSG as the native file output from MS Outlook
EmailLink integration	EML as there is no MS Outlook interaction to convert to MSG

- Embedded email messages are treated as attachments in HPE Content Manager – HPE Content Manager considers email messages that are embedded in an email message to be attachments.
- Date sent details - date sent information is stored for Extended MAPI compliant applications. Simple MAPI does not provide send date information.
- Email and BCC recipients - it is possible for an email message to be sent that only has **BCC** recipients.  
In some cases, this can result in the email not actually being delivered because some SPAM filters will not permit email in where the only recipients are **BCC** addresses.
- Microsoft Exchange support – while HPE Content Manager does not work directly with Microsoft Exchange, testing does include Microsoft Exchange and Outlook versions supported by Microsoft. However, as there are several versions of Microsoft Exchange and Outlook, as well as many possible HPE Content Manager configurations, it is highly recommended that before upgrading your Microsoft Exchange servers, you undertake thorough testing in your software environment to ensure there are no issues.

## Microsoft Outlook

### Microsoft Outlook client add-in functionality

Function	Microsoft Outlook (32-bit) 2010 SP2, 2013 SP1, 2016	Microsoft Outlook (64-bit) 2010 SP2, 2013 SP1, 2016
Checking in to HPE Content Manager	Yes	Yes
Checking in automatically from folder	Yes	Yes
Checking in on send	Yes	Yes
HPE Content Manager email notification	Yes	Yes
HPE Content Manager File/Send	Yes	Yes
HPE Content Manager mail messageform/send	Yes	Yes
Attach HPE Content Manager record to new message	Yes	Yes

- Outlook linked folders – Sent Items folder - it is not possible to make a link to the Sent Items folder to capture all outgoing messages.

The **Sent Items - HPE Content Manager** folder is linked as a managed folder internally by the HPE Content Manager Outlook integration. It has unique functionality for items that are added to its collection. The user can selectively check in an item sent by them rather than all items sent from their account. This will avoid noise emails from being checked into HPE Content Manager, giving users the control to selectively add their mail to HPE Content Manager.

If all items sent from an account are to be checked in, we suggest using an **Inbox** rule that copies them from the **Sent Items** folder to another folder which can be linked to HPE Content Manager.
- Outlook - HPE Content Manager **Send To** and signature blocks - there are many instances where the signature block is not included in an email, for example, **Explorer** → **Send to** → **Mail Recipient or Word** → **File** → **Send to** → **Mail Recipient**.

This is due to the function requesting a blank Outlook form. To resolve this, when the form appears, choose **Insert** → **Signature**.
- Date and time properties of the actual email sent or received differ to those displayed in the HPE Content Manager viewer. HPE Content Manager rounds down the time to the nearest minute, while Microsoft rounds up to the nearest minute. Therefore, the email time details in HPE Content Manager will differ from the actual email time by a minute.
- Outlook email messages and document content indexing - when you check in an email message that was saved locally in **.msg** format or embedded emails sent to Offline Records, HPE Content Manager saves them as **.msg** files in HPE Content Manager format.

HPE Content Manager indexes their content if that functionality has been applied to their Record Type.

- Outlook **Send To** option - when HPE Content Manager in Outlook is enabled and a user selects **Send To** from another application, the message will be in the Outlook Outbox until **Outlook** is opened and the mail client is connected to the server.
- **Check in on send** is not supported when the Outlook option **Save Sent Items** is not selected.
- As Microsoft does not store the message id on sent Outlook items, items that are checked in on send are not checked as duplicates if the **System Option - Email Records** tab - **Check for duplicate email messages** is enabled.
- **Simple MAPI** is not supported for Outlook
- Outlook and Avaya Unified Messenger – the Avaya Unified Messenger and HPE Content Manager In Outlook add-ins co-exist in Outlook; however there is no HPE Content Manager interface with Unified Messenger itself. That means, when using Unified Messenger, there is no HPE Content Manager functionality available.
- Outlook - managing HPE Content Manager linked folders and public folders on the Exchange Server – when you have multiple users linked to the same public folder on the Exchange Server and to the same HPE Content Manager database then when one person drags an email to the linked folder, all the users that have that folder linked will see the same dialog boxes as the person who is checking in the email message.
- Outlook public folders known limitation - at times, an automation error may occur when attempting to check in from a public folder **Inbox**. However, when you open the email first, you can check it in without the error.
- If the SQL database does not allow for Unicode characters, then after checking in an email message, HPE Content Manager replaces Unicode characters in the email subject line with other characters or question marks (?).
- The Outlook 2013 setting **Cached Exchange Mode** affects the MAPI document browser. When the setting is not selected, HPE Content Manager document queues of type **Extended MAPI Folder** do not display or process the email messages in the **Process Document Queue** window folder when clicking **Process** to process the queue.  
Workaround: In Outlook **Account Settings**, double-click the account. Under **Offline Settings**, if you need to keep **Cached Exchange Mode** selected, use the slider to change the setting for **Mail to keep offline**.  
Content Manager processes all the mail that falls within the period selected here.
- Email items that have their Sensitivity set as Private and are checked in using the HPE Content Manager Outlook Integration are unable to have their subjects modified and will not have HPECM prepended once they've been checked in. This cannot be rectified. A message will be in the log describing the behavior:  
"Information: Unable to change the subject of a checked in item. This item's subject will not be suffixed with HPE CM. Details: The object does not support this method."  
All other Sensitivity types (Normal, Personal or Confidential) should be prepended with HPRM:  
Subject
- In **Cached Exchange Mode**, items that are marked **Check in on Send** will be checked into HPE Content Manager without a Message ID. This behavior is due to Exchange saving a copy of the email that has not yet had an Internet Message ID assigned in the **Sent – HPE Content Manager** folder in MS Outlook.  
If a recipient of this email checks in the received message and HPE Content Manager is checking for duplicate email messages, it will not trigger the duplicate warning, as the Message ID is used to



determine duplicate emails. Subsequent recipients will not be able to check in the email as the email will have been assigned a Message ID.

**Thin Outlook Integration**

- When a new Appointment item is created in MS Outlook, the **Check In on Send** and **Style** options are not available as an Appointment cannot be sent. If the Appointment is changed to a Meeting item by adding an attendee, the HPE Content Manager tab options will not be refreshed to include the Style options.
- The option, **Check In on Send**, is not available on a Meeting item due to a Microsoft limitation.
- Meeting items are not automatically deleted regardless of the **Delete after check in** setting on the **Check In Style** used.
- **Check In on Send** is only supported if you use **Cached Exchange Mode** in Microsoft Outlook. If **Cached Exchange Mode** is not enabled, the **Check In on Send** button is not enabled while composing a new email.

**Workaround:**

Enable **Cached Exchange Mode** in Microsoft Outlook. To enable Cached Exchange Mode:

- a. In Microsoft Outlook, click on **File** and then click **Account Settings**.
- b. Select your E-mail account and then click **Change**.
- c. On the displayed **Server Settings** dialog, under **Offline Settings**, select **Use Cached Exchange Mode**.
- d. Click **Next** and then click **Finish**.

**Lotus Notes integrations**

To use the HPE Content Manager functions with Lotus Notes, you need to create a MAPI profile in Windows for the Lotus Notes email account first, as there is none by default. It is recommended that you do this by using the Windows Control Panel **Mail** function.

**Note:** to provide the Outlook MAPI Service Providers and the Windows Control Panel **Mail** function, it is recommended that the Outlook MAPI Service Providers component of Microsoft Office be installed on the client PC. This feature can be installed without installing the entire Outlook application.

You also need to integrate HPE Content Manager with Lotus Notes by following the instructions in **CM9.1\_LotusNotesIntegration.pdf** in your HPE Content Manager installation folder's **Documentation** folder.

The following list shows the level of integration of HPE Content Manager rich client in Lotus Notes:

<b>Function</b>	<b>Lotus Notes (32-bit) 8.5, 9.01 using client add-in</b>
Checking in to HPE Content Manager	Yes
Checking in automatically from folder	Yes, using queue processing
Checking in on send	Yes
HPE Content Manager email notification	Yes

HPE Content Manager File/Send	Yes
HPE Content Manager mail message form/send	Yes
Attach HPE Content Manager record to new message	Yes

- Lotus Notes document queues – only objects of type **Memo** and **Reply** are supported
- Lotus Notes mail databases - selecting a mail server displays mail databases that are inaccessible. Once you have successfully determined a Lotus Notes Server, a list of all the mail databases appears. The databases in this list cannot be hidden.
- Lotus Notes email addresses and HPE Content Manager **Locations** → **Mail To** - email addresses are checked in from Lotus Notes as Outlook X400 addresses. Lotus Notes provides an X400 address when an SMTP address is requested, causing the **Locations** → **Mail To** function to fail for a Lotus Notes email address. A workaround to this issue:
  - In the **Description** field of the email address properties, you can enter the correctly formatted email address and HPE Content Manager will use it as the recipient when you right-click and select **Mail To** from a Location.
- Only email messages of type **Memo** and **Reply** can be checked in to HPE Content Manager from client add-in or Lotus Document queue processor.
- When using Lotus Notes, the feature **Email Links** is not supported for Matter records

## HPE Content Manager DataPort

- See HPE Content Manager DataPort Help for a list of objects that are supported for import and export
- Numbering from container - the container must exist in the database before importing the record that gets its number from the container. If you have an import source that contains both the container and the record and the record is in either the same batch or an earlier batch than the container, the batch of records containing that record will not be imported.
- There cannot be hyphens (-) in Thesaurus terms. If you have a Thesaurus that contains terms with hyphens in them, modify the import file and replace the hyphens with another character before importing, for example, underscore (\_).
- Location associations – DataPort exports associations in a one-way relationship only
- DataPort does not export associated members because Locations of type Organization may have many thousands of members
- DataPort requires **Integrated Windows Authentication (Active Directory)** to be enabled as the dataset authentication method. If the dataset uses **Explicit Windows Authentication** as its authentication method, HPE Content Manager DataPort will not work.

## HPE Content Manager Enterprise Studio

- When running the HPE Content Manager Workgroup Server as executable file on a computer using Windows Vista or later, User Account Control (UAC) may cause the message **A request to the HPE Content Manager Workgroup Server <name> failed: Function request <name> for HPE**

**Content Manager Workgroup Server <name> failed. Failed to setup a shared memory space for the file <path>. Access is denied. Running as user <name>.** and the operation may fail.

**Note:** Not relevant for normal HPE Content Manager operation, when the HPE Content Manager Workgroup Server runs as a service, not as executable.

Workaround: Turn off UAC before running the HPE Content Manager Workgroup Server as executable file.

- Time coordination - the Workgroup Server coordinates date and time details between the client computers and the HPE Content Manager Servers.  
It also prevents HPE Content Manager updates when the clock is more than 10 seconds different. This would indicate that someone has manually changed the clock on their local computer while logged into HPE Content Manager. If this is the case, they will need to log out and then log back in again to re-synchronize with the network clock.  
If your system clock date does not match the server date, your Workgroup Server access will be denied.  
Manually changing the time on the Workgroup Server causes it to stop processing events.
- Enterprise Studio does not report that the IDOL content index is full

## HPE Content Manager Image Scanner

- HPE Content Manager Image Scanner applies the last used scan settings by default, regardless of the settings in any third-party scanning applications. This behavior is by design and consistent with other professional business applications.

## HPE Content Manager Render

- When you attempt to use rendering on a file and a dialog box appears in the file's authoring application, for example, asking for user details, rendering may fail.  
Workaround: Open the authoring application and answer the questions in the dialog before using it with HPE Content Manager Render.
- Rendering of .chm files to redactable or long-term renditions is not supported
- Rendering may fail with the error message **Failed to render document. Print job cancelled.** when the value for the setting **Timeout Waiting for Result** is too low, as rendering of some file types may take longer. Workaround: Stop the rendering service, set the value to 180-300, and start the rendering service again.
- Printing a VMBX file converts the file to a HTML file and then attempts to print the HTML file. To be able to render a VMBX file, you must have an application registered to handle printing HTML files.
- Known issue: When printing or Rendering an Excel spreadsheet from HPE Content Manager only the first sheet will be printed/rendered. This may be an issue if you want a representation of the whole document, such as a Long Term Storage rendition. This is the default behavior when printing an Excel document from Windows Explorer.  
Workaround: see [Setting Printing defaults for Excel Spreadsheets to enable them to be rendered](#) for a workaround. Please note, this workaround will affect printing Excel spreadsheets from Windows Explorer.

## HPE Content Manager Web Client

- When searching for records by using a phrase that contains special characters like parentheses like [ ( ) ] or colons (:), you need to leave them out in the case of the parentheses, or escape them by using double inverted commas around the entire phrase in the case of a colon.

Examples: To search for a record with the title Report (2007) or Report [2007], use: **title: report 2007** To search for a record with the title report: 2007, use: **title: "report: 2007"**

- During the record creation process, when a MSG file is attached or dragged onto the record entry form, the Date Created field is removed from the form. This is due to a technical limitation that prevents client side applications from extracting date related metadata, such as the Date Created, from a MSG file. However, when the file is sent to the server and finally attached to the newly created record in HPE Content Manager, the date related metadata (Date Created) can be extracted and is appropriately specified on the record.
- Due to the requirement to have Automatic Logon with current user name and password authentication enabled, the WebDAV **Check out and edit** option does not support Guest account access to the HPE Content Manager Web Client. All users must have a valid Windows Domain account that can automatically authenticate to the Web Server.
- A known issue for Internet Explorer users accessing the HPE Content Manager Web Client when they have the Windows High Contrast Black or High Contrast White themes enabled, is that some of the buttons and icons within the Web Client are not rendered correctly and are therefore difficult to access/use.

If a High Contrast theme is required, a workaround is to access the HPE Content Manager Web Client using a Google Chrome browser and its High Contrast extension, if available.

**Note:** the WebDAV **Check out and edit** option is only available using Internet Explorer, so if a user is utilizing a Chrome browser to overcome the High Contrast issue, this Check out and edit option will not be available for them.

- When searching for HPE Content objects by a Date search method using the Web Client, there is no client side validation done on the field. This is to allow for more flexible search options such as This Year, Last Week, Today. If a user types in invalid values into a Date search method, HPE Content Manager will try to retrieve the objects based on the entered values.  
Workaround: Use the Calendar option to select a correctly defined date format.
- On mobile devices using **Google Chrome v51+** the file upload feature is not supported. Users will not be able to create records by attaching a file using a mobile device.
- The **Check out and edit** option, which uses WebDAV, is not supported when some form of load balancing is employed to distribute requests between multiple instances of the Web Client running on different machines.  
The WebDAV feature stores the user's working copies in a WebDAV share located on the Web Server at URL /HPECMWebDAV/DAVDir/ and all requests made to that URL must resolve to the same WebDAV share on the same physical machine so that the user can save their work temporarily and resume editing it before committing changes. This cannot be guaranteed when using a load balancing configuration.
- The WebDAV **Check out and edit** option does not work when using ADFS for Web Client Authentication. The WebDAV implementation in IIS relies upon Windows Authentication to identify the user and does not have the ability to forward authentication requests to ADFS to determine the user's identity. If you are using ADFS for Web Client Authentication, **do not** configure the WebDAV

**Check out and edit** feature as described in **CM9.1\_Web-Client-Install.pdf**

- The WebDAV **Check out and edit** option does not work when logged into a Windows client/Internet Explorer browser using the same Windows user as the HPE Content Manager Workgroup server uses. This is because the workgroup server is denied permission to read or alter the contents of the user's working copies.

## HPE Content Manager Workflow

- A sub-process must have at least two sub-Activities. When there is just one Activity, HPE Content Manager deletes the Activity and the sub-process.
- When a Workflow template that includes document placeholders is exported from, and imported into, an HPE Content Manager dataset, the document placeholders are not transferred. The required document placeholders will need to be manually added to the Workflow template after it has been imported.

## Key limits

### Data storage

**Note:** The following entities are a subset. The subset includes those key to HPE Content Manager operations and most frequently of interest. Further details can be provided on request. The number of records you can have in HPE Content Manager is mostly limited by the RDBMS system you are using.

\* Recommended, but not strictly enforced upper limit. Beyond this limit, HPE Content Manager has not been tested extensively and may be subject to performance degradation.

Entity	Limit
Record Types	1024 *
Record parts	99 *
Records in container	300 *
Security levels	99
Caveats	512
External links	20
Advanced search lines	20 *
Offline Records documents	500 * per user per dataset
Offline Records folders	60 *
Versions	99 *

Decimals and currency	A maximum of 15 digits before the decimal place, up to 8 decimal places
Edit box drop-down history	25
Recent Containers and Recent Documents	25
Document content index database	10 million documents per IDOL content index server (5 million recommended)

## Field length

Entity	Character limit
Record Number	50
Record Type Name	50
Part Numbers	2
Foreign Barcode	30
Record Title (structured text)	512
Record Title (free text)	254
Thesaurus Term	100
Classification Plan number	10
Classification Plan level name	100
Security Level Name	50
Security Caveat Name	50
Person Surname	100
Organization Name	200
Group Name	200
Position Name	200
Location Telephone Number	30
Location Email Address	255
Person Initials	25
Logs in as (user name plus domain name)	255

Entity	Character limit
--------	-----------------

Notes	65536
External reference	50
Workflow Name	100
Workflow Activity Name	100
Retention Schedule title	200
Retention Schedule number	30
Consignment number	50
Priority	5
Additional text Field	65535
Lookup Set name	50
Lookup Set items	1024 *
Index word	50

## Obsoleted Features

### HP Records Manager 8.0

35419	<p><b>FTP Document Stores need to be deprecated.</b> Support for FTP document store has been removed.</p>
45597	<p><b>HP Records Manager 8.0 - References to Novell GroupWise needs to be removed from help files and installation PDFs as it is no longer supported.</b> Support for Novell GroupWise has been removed. References to Novell GroupWise has been removed from help files and installation PDFs</p>
45598	<p><b>HP Records Manager 8.0 - Novell Integration option should be removed from the install and the documentation needs to be updated accordingly as it is no longer supported.</b> Support for Novell Integration has been removed. The Novell Integration option has now been removed from the install and the documentation updated accordingly.</p>
	<p><b>IAP Document Stores need to be deprecated.</b> Support for IAP document store has been removed.</p>

### HP Records Manager 8.2

#### Labelink

Due to the discontinuance of ColorBar Gold APIs in ColorBar version 8, Labelink is obsolete from HP Records Manager 8.2.

For details on how to produce a tab delimited text file that can be imported into ColorBar, please see the HPE Records Manager and the HPE Records Manager DataPort help files.

#### SDK Release Notes

Customers developing applications against the HPE Records Manager SDK should refer to the .NET and COM SDK manuals for the most current information. These manuals are located in the HPE



Records Manager installation directory and on the product media/ISO image.

47613	<p><b>TRIMViewer menus not working correctly when document is displayed non-modally.</b></p> <p>In HPRM 8, the use of the following ActiveX controls will no longer be supported:</p> <ul style="list-style-type: none"> <li>• TRIMedit</li> <li>• TRIMtreeBox</li> <li>• TRIMviewer</li> </ul> <p>These controls are imported from the tsjocx.dll. Whilst these controls will continue to be shipped, developers will be using them at their own risk.</p> <p>The HPE Records Manager SDK support team will not be able to take on any investigative action should problems arise in using these controls.</p> <p>It should be noted that the HPRM COM SDK will continue to be a supported product.</p>
-------	--

## HPE Records Manager 8.3

- Soap Web Service - replaced by ServiceAPI
- Directory Synchronization - In HPE Records Manager 8.3, HPE RM Directory Synchronization has been obsoleted. The Instant On feature introduced in HP Record Manager 8.2 provides an alternative method for adding new users to HPE Record Manager.

Customers should assess if Instant On satisfies requirements for onboarding users to HPE Records Manager. Alternatively, HPE Records Manager APIs provide the necessary integration points for customers to develop their own custom integration solution.

- Worksite Integration is no longer a part of the Hewlett Packard Enterprise Product Portfolio.
- iUS Integration is no longer a part of the Hewlett Packard Enterprise Product Portfolio.
- COM SDK ActiveX controls - these were removed from support in HPE Records Manager 8.2, but continued to be supplied. HPE Records Manager 8.3 will begin the process of removing this code where it is no longer required for our own internal use.

## HPE Content Manager 9.0

### Obsoleted Features

- Web Client Classic has been made obsolete in HPE Content Manager 9.0

## **Obsoleted Platforms**

- Microsoft Office 2007
- SharePoint 2010
- Internet Explorer 10
- Microsoft Server 2008 R2
- Microsoft SQL Server 2008 R2