

# **OMICRON** GROUP®

MAXIMIZE YOUR SOUND EXPERIENCE  
WITH OUR HIGH FIDELITY EQUIPMENTS.

**- PUBLIC - PRICE - 2020 - ITALY**





# THE COMPANY

The Omicron was founded by Mauro Mauri in 1998, after more than twenty years of experience in the field of precision mechanics as the owner and designer. The passion for music and the pursuit of perfection is the main focus on the construction of our products. Technology, innovation and scientific research are fundamental points on which is based mainly the Omicron Group. The company uses proprietary industrial patents for the construction of modular structures for hi-end tables and for the construction of Magic Dream accessories.

During our 20 years of activity (1998 - 2018) we have received multiple awards.

Year 2001 Oscar of the year fedeltà del suono · speakers category

Year 2003 Award Top Audio Video Milan · accessories category tables hi-end

Year 2005 Award Top Audio Video Milan · accessories category Magic Dream

Year 2006 Award Fedeltà del suono · accessories category Magic Dream

Year 2006 Hong Kong Hi-Fi Award 2006 · accessories category · Magic Dream

Year 2007 Award Top Audio Video Milan · categoria Accessories · Harmonic Stabilizer

Year 2007 Award Design · Top Audio Video · accessories category · Harmonic Stabilizer

Year 2008 Award fedeltà del suono · Terni · accessories category · Magic Dream

Year 2010 Phileweb Award · audio Excellence Award 2010 · Accessories category · harmonic stabilizer



# STABILIZER VIBRATION

## HARMONIC - STABILIZER

Code HS10060

The Harmonic Stabilizer has variable oscillation frequency which allows the harmonization of the sound to personal preferences.

The rotation of the gold plated ring the energy dissipation can be changed .

Pressing with both thumbs it is possible to turn the ring clockwise or counter-clockwise.

This device, positioned above the electronics, above the loudspeaker , above the energy transformers etc, makes the sound faster, more focused and natural.

Also the positioning of the device allows the refraction of the sound and an additional clarity of acoustic scene and the sound levels.

All stabilizers might be stacked ( two or more ) to increase the dissipation of energy that allows to optimizer the sound fine-tuning in the room.

Diameter 100 mm

Height 60 mm

**Price- € 148**



## STABILIZER - CLASSIC

code ST10053

Made of "Derlin" polymer with high mechanical performance.

USE :

Vibration stabilizer and energy heatsink, to position OVER the electronics, CD players, preamps, loudspeaker , current transformers etc.

Makes the sound more precise and dynamic, with more accurate acoustic sound making the sound more natural is present .

With this accessory you improve focus the image on musical instruments, the voices will be more present and incisive and you will get a better micro detail.

It has the ability to be superimposed with other vibration stabilizers (with the addition of 3 optional balls) to get better sound tuning in your listening room.

Diameter 100 mm

Height 52 mm

**Price-€ 112**



## ACOUSTIC TUNER

Code AC4060D

The device is screwed above far the STABILIZER CLASSIC (cod.ST10053) and the HARMONIC STABILIZER (cod. HS10060).

it works as a acoustic resounder by improving the naturalness of the sound. Also once positioned above the acoustic cases, it functions as acoustic refractor by improving the acoustic scene in the environment further improving the sound.

Diameter 40 mm

Height 60 mm

**Price- € 39**





# CABLE HOLDER

## CABLE - HOLDER CLASSIC

Code GA60150

The device is designed for the STABILIZER CLASSIC (Cod.ST10053).

The device is designed for the HARMONIC STABILIZER (cod. HS10060).

It should be screwed in the appropriate threaded hole located in the center of the vibration stabilizers. The Standard design includes : leg + head + hoods that tightens the cable .

the hood that tightens the cable has the ability to tighten round cables up to 32 mm and at 90 degrees you can tighten the Flat Cables up to 40 mm in height.

Diameter 60 mm  
Height 150 mm

**Price-€ 92**



## CABLE - HOLDER EVOLUTION

Code CHE 60150

The device is designed for the HARMONIC STABILIZER (cod. HS10060).

It should be screwed in the appropriate threaded hole located in the center of the vibration stabilizers. The Standard design includes : leg + head + hoods that tightens the cable .

the hood that tightens the cable has the ability to tighten round cables up to 32 mm and at 90 degrees you can tighten the Flat Cables up to 40 mm in height.

Diameter 60 mm  
Height 150 mm

**Price- € 109**



## CABLE - HOLDER + STABILIZER CLASSIC

Code ST100200CA

It is made in polymer "Derlin,, and performs high mechanical standards.

The stabilizer, used inside the electrical cables, improves the focus of the acoustic scene and makes the sound faster and more dynamic. Used with the signal cables (CD, pre-amp, power end, ect.), it improves the nature of the sound and increases the "Micro Detail". Used with the connection cables of the loudspeakers it increases the sonic impact of the acoustic scene by making the musical transient more incisive and real.

It is made up of STABILIZER CLASSIC (Cod.ST10053) and CABLE HOLDER (Cod.GA50105)

Diameter 100 mm  
Height 200 mm

**Price- € 204**



# CABLE HOLDER

## CABLE HOLDER EVOLUTION + HARMONIC STABILIZER

Code CHS100210

The cable- Holder with Harmonic Stabilizer Utilized inside the electric cables it improves the focus, intensity, incisiveness and dynamicity of the acoustic scene. Utilized inside the signal cables it enhances the separation of the music instruments and makes the music scene wider, the voices will result even more natural and present. Utilized inside the power cables of the acoustic cases it provides a substantial improvement of the frequency parameters, and the sound will result more natural and dynamic.

The rotation of the gold plated ring the energy dissipation can be changed.

Pressing with both thumbs it is possible to turn the ring clockwise or counter-clockwise.

All stabilizers might be stacked to fine-tuning the sound, and amplify the energy dissipation.

Diameter 100 mm  
Height 210 mm

**Price-€ 257**

## CABLE STABILIZER - FARADAY - 2.0 - NEW

Code SC164150

Cable support, vibration stabilizer, made of "Derlin" polymer with high mechanical performance.

The Evolution system with double swinging effect consisting of a 160mm base with one 100mm central support. The system that allows cancelling the energy of dissipation vibration is which are whit in vibration counterphase.

USE :

1) Used in current wires cable increases acoustic sound focusing and makes the sound more fast and dynamic, improves the low range with more precision with an increase in micro-details.

2) Applied to signal cables (CD, Preamplifier, Power cable, etc.) improves the naturalness of the sound with more focus and improved Micro Detail.

3) Connected to the acoustic speaker cords increases the dynamics of the acoustic scene, making music transients more incisive and realistic.

USE of utilization :

Rotating the golden ring external, (positioned above the Faraday cable-stabilizer), allows us to vary the oscillations and consequently it will also alter the energy dissipation.

This allows us to tuning the sound to your personal needs and allows us to optimize and tuning the sound in the listening room.

Changing turning the position of the golden ring, you can vary the nuances of the sound making it more natural, dynamic, and precise.

The Faraday can host cables of a diameter between 5 and 40mm

It bears one supports and hood. These supports there are cutaway cuts, are in a corner of 90°. One of the supports is able to host cables between 5 and 25mm, the other between 20 and 40mm



On top of the head there are 3 round concave able to host some 3 spheres (optional) and You can add on it more " stabilizer-Classic or harmonic-stabilizer". This permits an additional best stage of sound calibration tuning

Diameter 160 mm  
Height 150 mm

**Price-€ 340**



# MAGIC DREAM DECOUPLER FEET

The positioning of the Magic Dream decoupler feet, should be done inside the perimeter of the original feet. They should be placed in a triangle and in a relative distance of about 20cm. At least one of the feet should be placed below the transformer or in the area where most of the weight of the equipment is concentrated. The component should swing with the lightest touch. The Magic Dream decouplers are suggested even below the external power supply or power filters. With the Magic Dream decouplers You can also make an anti seismic bases.

## DECOUPLER MODEL CLASSIC 1 Set - 3 pz - € 82

Code MD4032 DE

The feet made in polymer "Derlin,, performs high mechanical standards and includes spheres in golden-plated steel diameter 10 mm.

The CLASSIC feet positioned under the electronics, under the feeder and network stabilizers as well as under the multiple electrical plugs improve the music scene by deepening the sound and separating the various music instruments.

It is recommended to use three feet for each music device. The Magic Dream Classic accessory feet model can be used with 3 configurations of 3 different systems depending on the use.

### Configuration 1

Uses the sistem Omicron patented decoupling , for energy dissipation transforming it into rotary motion.

### Configuration 2

The two parts of the feet are turned and the ball is positioned in the center of the cavity. in this way the Omicron system is deactivated and the feet become rigid with the sphere as a point of decoupling transmission of the vibrations.

### Configuration 3

with one feet Magic Dream Classic , the 2 parts are used to make 2 sub-tips uncoupling of delrin polymer material for pointed feet.



## DECOUPLER REFERENCE DELRIN 1 Set - 3 pz - € 145

Code MD4532 RE

The decoupler material , made in polymer "Derlin" performs high mechanical standards and includes spheres in golden-plated steel large 10 mm.

The Decoupler M.D. Reference , it is positioned under the electronics , the feeder and network stabilizers as well as under the multiple electrical plugs improve the music scene by deepening the sound stage and separating improving sound and the various music instruments in the sound stage.

The Decoupler has got the sphere internally closed which simplifies the for montage and ease of positioning .

outer diameter 45 mm  
height 32 mm





# MAGIC DREAM DECOUPLER FEET

## DECOUPLER MODEL ENERGY **1 Set - 3 pz - € 195**

Code EN6036

Decoupler. The foot made in polymer "Derlin", performs high mechanical standards and is large 16 mm. Positioned under the electronics, it makes the sound more fluid and fast, by separating the music instruments it gives the sound additional three-dimensionality and makes the voices more focused and present.

the copper ring has the function of interrupting the electrostatic charges that can be transmitted from the shelves and electronics

Utilized under the energy transformers, the multi-plug adapter, electric stabilizers, it improves the acoustic scene it makes the sound more fluid and faster.

the part above has the possibility of being screwed to create anti-seismic bases or it can be screwed to electronics, loudspeakers, power supply units of current.

diameter 60 mm  
height 40 mm



## DECOUPLER TECHNOS DERLIN **1 Set - 3 pz - € 250**

Code TD06055

Special decoupler and adjustable in height.

It is able to support equipment of substantial weight. It is made in polymer "Derlin" which performs high mechanical standards and includes spheres in steel wide 16 mm.

the part above has the possibility of being screwed to create anti-seismic bases


is possible to adjust heights to be able to put of the shelf perfectly level.

or it can be screwed to turntable, electronics, loudspeakers, power supply units of current,

Positioned under the electronics, it makes the sound more fluid and fast. Also by separating the music instruments it gives tridimensionality to the sound and makes the voices more focused.

Utilized under the transformers, multi-plug adapter and electric stabilizers, it improves the focus of the acoustic scene by speeding up the execution of the music pieces.

diameter 60 mm  
height 55 mm



## DECOUPLER CLAMP TURNTABLE **Price -€ 102**

Code CL08042

The Stabilizer for turntable be positioned above of the vinyl disk.

It improves the precision of the of the head needle stylus, reading better by making the sound more exact and dynamic.

The whole music spectrum is enhanced.

This squanderer exhibits precision on low range and improvements of the micro details.

diameter 80 mm  
height 43 mm



# GOLD AND PLATINUM

**M.D CLASSIC GOLD & PLATINUM**  
Code MD 4032 G&P (MATERIAL BRASS)

**-1 Set - 3 pz - € 285**

Surface finishes: 24K gold  
silver platinum - black nikel

The G&P Classic accessory feet model can be used with 2 configurations of 2 different systems depending on the use.

## Configuration 1

Uses the sistem Omicron patented decoupling , for energy dissipation transforming it into rotary motion.

## Configuration 2

The two parts of the feet are turned and the ball is positioned in the center of the cavity. in this way the Omicron system is deactivated and the feet become rigid with the sphere as a point of decoupling transmission of the vibrations.

diameter 40 mm

height 32 mm

## NEW - M.D REFERENCE G&P

Code MD 4532 G&P (MATERIAL BRASS)

Surface finishes: 24K gold  
silver platinum - black nikel

Anti-vibration feet decoupling , made of high-performance "BRASS" .with "24k gold plating" "silver plating" - Black nikel. Uses 10mm balls, Stainless steel balls. Applied under: electronics, power supplies and power supply stabilizers, and multiple power outlets. And feet M.D. G&P considerably improves the sound scene giving it greater depth sound stage and greater separation of musical instruments. Get an improvement in the precision of the micro-detail and you get a range of low sound more precise and focused range. It is recommended to use three pieces for each device.

diameter 45 mm

height 32 mm

## M.D ENERGY G&P

Code EN06040 G&P (MATERIAL BRASS)

Anti-vibration feet Decoupling, made of high-performance "BRASS" with "24k gold plating" or "silver plating" Uses 16 mm balls, 24k gold plating.

USE:

Placed under the electronics, it makes the sound more fluid and fast with greater separation of musical instruments, giving a greater three-dimensionality to the sound making the more sound focused and accurate, and more real presence. Used under current transformers, power plugs , current stabilizers, will improve the focus and depth of the acoustic scene and you will notice an increase in the running speed of the music tracks.

Get an improvement in the precision of the micro-detail and you get a range of low sound more precise and focused range. They have a threaded



hole from M10 and hence they can be screwed. You can use them as feet for building anti-seismic bases, can also be screwed in under tables for electronics and acoustic speakers . It is recommended to use three pieces for each device.

diameter 60 mm  
height 40 mm

**1-Set - 3 pz € 570**





## GOLD AND PLATINUM

### HARMONIC - STABILIZER **Price - € 300 - each**

code HS10060 G&P

Made of "Derlin" polymer with high mechanical performance. A new technology for metallization of chromium on "Delrin polymers" is carried out. Vibration stabilizer and Variable oscillation frequency energy heatsink.

#### USE :

To position OVER the electronics, CD players, preamps, loudspeaker, current transformers etc.

Makes the sound more precise and dynamic, with more accurate acoustic sound making the sound more natural is present. With this accessory you improve focus the image on musical instruments, the voices will be more present and incisive and you will get a better micro detail. It has the ability to be superimposed with other vibration stabilizers (with the addition of 3 optional balls) to get better sound tuning in your listening room.

#### USE:

Rotating the golden ring, (positioned above the stabilizer), allows us to vary the oscillations and consequently it will also alter the energy dissipation. This allows us to tuning the sound to your personal needs and allows us to optimize and tuning the sound in the listening room. Changing turning the position of the golden ring, you can vary the nuances of the sound making it more natural, dynamic, and precise. They can also be used as feet FOR LOUDSPEAKERS OR ELECTRONICS, Of which can sound may be varied, (because you can vary the energy dissipation).

#### USE:

Placed underneath the electronics - under loudspeaker, under current transformers, power supplies, etc.

### CABLE- STABILIZER FARADAY **Price- € 680**

code SC164150 G&P

Cable support, vibration stabilizer, made of "Derlin" polymer with high mechanical performance.

A new technology for metallization of chromium on "Delrin polymers" is carried out.

The Evolution system with double swinging effect consisting of a 160 mm base with one 100mm central support. The system that allows cancelling the energy of dissipation vibration is which are whit in vibration counterphase.

#### USE :

1) Used in current wires cable increases acoustic sound focusing and makes the sound more fast and dynamic, improves the low range with more precision with an increase in micro-details.

2) Applied to signal cables (CD, Preamplifier, Power cable, etc.) improves the naturalness of the sound with more focus and improved Micro Detail.

3) Connected to the acoustic speaker cords increases the dynamics of the acoustic scene, making music transients more incisive and realistic.

#### USE of utilization :

Rotating the golden ring external, (positioned above the Faraday cable-stabilizer), allows us to vary the oscillations and consequently it will also alter the energy dissipation. This allows us to tuning the


Positioned above up the loudspeaker also act as "refractors - sound resonators", further enhancing the focus and dynamics of the acoustic scene with greater separation of the soundtracks.

(In combination with the "acoustic-tuner" accessory (AC4060 G&P), you will have further sound enhancement)

diameter 100 mm

height 60 mm

### Acoustic - tuner G&P - Price -€ 88



sound to your personal needs and allows us to optimize and tuning the sound in the listening room. Changing turning the position of the golden ring, you can vary the nuances of the sound making it more natural, dynamic, and precise. The Faraday can host cables of a diameter between 5 and 40 mm. It bears one supports and hood. These supports there are cutaway cuts, are in a corner of 90°. One of the supports is able to host cables between 5 and 25 mm, the other between 20 and 40 mm. On top of the head there are 3 round concave able to host some 3 spheres (optional) and You can add on it more "stabilizer-Classic or harmonic-stabilizer". This permits an additional best stage of sound calibration tuning.

diameter 160 mm

height 130 mm



# GOLD AND PLATINUM

## STABILIZER - CLASSIC **Price - € 250 - each**

code ST10053 G&P

Made of "Derlin" polymer with high mechanical performance.

A new technology for metallization of chromium on "Delrin polymers " is carried out

USE :

Vibration stabilizer and energy heatsink, to position OVER the electronics, CD players, preamps, loudspeaker , current transformers etc.

Makes the sound more precise and dynamic, with more accurate acoustic sound making the sound more natural is present.

With this accessory you improve focus the image on musical instruments, the voices will be more present and incisive and you will get a better micro detail.

It has the ability to be superimposed with other vibration stabilizers (with the addition of 3 optional balls) to get better sound tuning in your listening room.

diameter 100 mm  
height 52 mm



## CLAMP FOR TURNTABLE LUXURY **Price - € 430 - each**

code - CLA 8065 G&P

Clamp for turntable with function of energy heatsink. Made of precious materials such as brass and bakelite. The finishes are of high standard with gold plating. Uses the Omicron Magic Dream energy dissipation system.

It improves the precision of the of the head needle stylus , reading better by making the sound more exact and dynamic.

It is positioned as a classic "Clamp" (over vinyl record) and you get an improvement on sound by increasing the precision and dynamics of the sound stage.

Its use will provide excellent precision on the low range and improved micro detail.

diameter 80 mm  
height 68 mm



## CLAMP FOR TURNTABLE LUXURY **Price - € 235 - each**

code - CLA 8042G&P


Clamp for turntable with function of energy heatsink. Uses the Omicron Magic Dream energy dissipation system.

It improves the precision of the of the head needle stylus , reading better by making the sound more exact and dynamic.

It is positioned as a classic "Clamp" (over vinyl record) and you get an improvement on sound by increasing the precision and dynamics of the sound stage.

Its use will provide excellent precision on the low range and improved micro detail.

diameter 80 mm  
height 42 mm





# TESLA


## Not for Sale -- Crome /// Tesla Black 1.850 € each

"Tesla Is a variable electromagnetic waves generated by the passage of current in an electrical connection cable". It is based on the fundamental principles " by quantum mechanics, quantum physics and quantum electrodynamics." The scientific basis of TESLA is founded on the theory and quantum field theory is identified in Wave Field, the Lorentz force, the wave model of the effect Compton in the creation and change of pairs of Dalitz and evolving spherical.

In TESLA are inserted (in the two heads tighten cable) two pairs each of "disks with holes spiral section Aurea Silvery" which vary by rotating the magnetic emission of two powerful magnets. Varying the magnetic field of attraction varies the Lorentz force and consequently, the relativistic Doppler effect, and then varies the "frequency of the electromagnetic radiation" in the connection cable.

Over the top the head "TESLA", there are positioned two other discs with slots at the spiral that they also in turn vary the emission of the higher magnetic field ("Opposed to the internal") "which it interacts on the resonant frequency of the couples Dalitz and involute Spherical.

code TESLA 160170  
diameter 160 mm  
height 170 mm





[info@omicrongroup.net](mailto:info@omicrongroup.net)  
[www.omicrongroup.net](http://www.omicrongroup.net)