

SAFETY DATA SHEET

Issuing Date Nodata available

Revision Date 13-Nov-2014

Revision Number 2

The supplier identified below generated this SOS using the UL SOS template. UL did not test, certify, or approve the substance described in this SOS, and all information in this SOS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SOS and disclaims all liability in connection with the use of this information or the substance described in this SOS. The layout, appearance and format of this SOS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Roto Rooter Pro Line Hair Clog Remover

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Drain openers

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name CR Brands
Supplier Address 8790 Beckett Rd.
West Chester
Ohio
45069
US
Supplier Phone Number Phone:(513) 860-5039
Fax:(513) 682-5420
Contact Phone(513) 860-5039
Supplier Email efrasier@crbrandsinc .com

Emergency telephone numbers

Poison Control 1-800-222-1222

ChemTel 1-888-255-3924

2. HAZARDS IDENTIFICATION

Classification


This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation Category 1

Serious eye damage/eye irritation Category 1

GHS Label elements, including precautionary statements

Emergency Overview

Signal word	Danger		
Hazard Statements	Causes severe skin burns and eye damage		
			
Appearance	Clear to slightly hazy, yellow	Physical State	Viscous liquid Liquid
			Odor Chlorine

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray
 Wash face, hands and any exposed skin thoroughly after handling
 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician
 Specific treatment (see supplemental first aid instructions on this label)

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a POISON CENTER or doctor/physician

Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 Wash contaminated clothing before reuse

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Immediately call a POISON CENTER or doctor/physician

Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

0.7% of the mixture consists of ingredient(s) of unknown toxicity

Other information

Very toxic to aquatic life with long lasting effects

Interactions with Other Chemicals
 No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Wei ht-%	Trade Secret
Sodium hypochlorite	7681-52-9	5 - 10	*

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aidmeasures

- General Advice Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
- Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical attention/advice.
- Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required.
- Inhalation Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, (trained personnel should) give oxygen. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.
- Ingestion Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.
- Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Burning. Burning sensation.
 Effects

Indication of any immediate medical attention and special treatment needed

Notes to Physician Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO₂). Water spray.

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

Some are oxidizers and may ignite combustibles (wood, paper, oil, clothing, etc.).

Uniform Fire Code

CORROSIVE: BASE-LIQUID

Hazardous Combustion Products

Carbonoxides.

Explosion Data

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Stop leak if you can do it without risk.

Other Information

DO NOT GET WATER INSIDE CONTAINERS.

Environmental Precautions

Environmental Precautions

Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for Containment

Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.

Methods for cleaning up

Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and inclosed systems. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

Incompatible Products Acids. Bases. Oxidizing agent.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Appropriate engineering controls

Engineering Measures Showers
Eyewash stations
Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Face protection shield.

Skin and Body Protection Wear protective gloves and protective clothing. Long sleeved clothing. Chemical resistant apron. Impervious gloves.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Take off contaminated clothing and wash before reuse. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. For environmental protection, remove and wash all contaminated protective equipment before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State	Viscous liquid	Liquid	Odor	Chlorine
Appearance	Clear to slightly hazy, yellow		Odor Threshold	No information available
Color	No information available			



<u>Property</u>	<u>Values</u>	<u>Remarks/</u> <u>Method</u>
pH	12	None known
Melting / freezing point	No data available	None known
Boilingpoint / boilingrange	No data available	None known
FlashPoint	5001 C / 9034 F	None known
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit inAir		None known
Upper flammability limit	No data available	
Lowerflammability limit	Nodataavailable	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Specific Gravity	No dataavailable	None known
Water Solubility	Soluble in water	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/water	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	Nodataavailable	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Explosive properties	No dataavailable	
Oxidizing Properties	No dataavailable	

Other Information

Softening Point	No data available
VOEContent (%)	Nodata available
Particle Size	Nodata available
ParticleSizeDistribution	

10. STABILITY ANDREACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibilityof Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions toavoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Acids. Bases. Oxidizing agent.

Hazardous Decomposition

Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likelyroutes ofexposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause irritation of respiratory tract.

Eye Contact Specific test data for the substance or mixture is not available. Causes burns. (based on components). Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.

Skin Contact Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns.

Ingestion Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium hypochlorite 7681-52-9	= 8200 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	-

Information on toxicological effects

Symptoms Erythema (skin redness). Burning. May cause blindness. Coughing and/or wheezing.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Sodium hypochlorite 7681-52-9		Group 3	-	-

*IARC (International Agency for Research on Cancer)
Group 3 - Not Classifiable as to Carcinogenicity in Humans*

Reproductive Toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Chronic Toxicity Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Effects from this product caused by acute exposure may cause permanent damage to target organs and/or may cause chronic conditions.

Target Organ Effects Respiratory system. Eyes. Skin. Gastrointestinal tract (GI).

Aspiration Hazard No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)
91,111.00 mg/kg

12. ECOLOGICAL INFORMATION

This product contains a chemical which is listed as a severe marine pollutant according to DOT

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Sodium hypochlorite 7681-52-9	24h EC50: = 0.095 mg/L (Skeletonema costatum)	96h LC50: 0.28 - 1 mg/L (Lepomis macrochirus) 96h LC50: 0.4 - 0.8 mg/L (Lepomis macrochirus) 96h LC50: 4.5 - 7.6 mg/L (Pimephales promelas) 96h LC50: 0.05 - 0.771 mg/L (Oncorhynchus mykiss) 96h LC50: 0.03 - 0.19 mg/L (Oncorhynchus mykiss) 96h LC50: 0.18 - 0.22 mg/L (Oncorhynchus mykiss) 96h LC50: 0.06 - 0.11 mg/L (Pimephales promelas)		96h EC50: = 2.1 mg/L 48h EC50: 0.033 - 0.044 mg/L

Persistence and Degradability No information available.

Bioaccumulation
No information available

Other adverse effects
No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging Dispose of contents/containers in accordance with local regulations.

California Hazardous Waste Codes 131

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Sodium hypochlorite 7681-52-9	Toxic Ignitable Reactive

14. TRANSPORT INFORMATION

DOT

Proper Shipping Name CONSUMER COMMODITY
 Hazard Class ORM-D
 Marine Pollutant This product contains a chemical which is listed as a severe marine pollutant according to DOT
 Description CONSUMER COMMODITY, ORM-D
 Emergency Response Guide
 Number 154

TOG

UN-No. UN1760
 Proper Shipping Name CORROSIVE LIQUID, N.O.S.
 Hazard Class 8
 Packing Group III
 Description UN1760, CORROSIVE LIQUID, N.O.S. (SODIUM HYPOCHLORITE, SODIUM HYDROXIDE), 8, III, MARINE POLLUTANT

MEX

UN-No. UN1760
 Proper Shipping Name CORROSIVE LIQUID, N.O.S.
 Hazard Class 8
 Packing Group III
 Description UN1760, CORROSIVE LIQUID, N.O.S. (SODIUM HYPOCHLORITE, SODIUM HYDROXIDE), 8, III

ICAO

UN-No. UN1760
 Proper Shipping Name CORROSIVE LIQUID, N.O.S.
 Hazard Class 8
 Packing Group III
 Description UN1760, CORROSIVE LIQUID, N.O.S. (SODIUM HYPOCHLORITE, SODIUM HYDROXIDE), 8, III

IATA

UN-No.	UN1760
Proper ShippingName	CORROSIVE LIQUID, N.O.S.
Hazard Class	8
Packing Group	III
Description	UN1760, CORROSIVE LIQUID, N.O.S.(SODIUM HYPOCHLORITE, SODIUM HYDROXIDE), 8, III

IMDG/IMO

UN-No.	UN1760
Proper ShippingName	CORROSIVE LIQUID, N.O.S.
HazardClass	8
Packing Group	III
EmS-No.	F-A, S-B
Marine Pollutant	Product is a marine pollutant according to the criteria set by IMDG/IMO
Description	UN1760, CORROSIVE LIQUID, N.O.S.(SODIUMHYPOCHLORITE, SODIUM HYDROXIDE), 8, III, MARINE POLLUTANT

RID

UN-No.	UN1760
Proper ShippingName	CORROSIVE LIQUID, N.O.S.
HazardClass	8
Packing Group	III
Classification code	C 9
Description	UN1760, CORROSIVE LIQUID, N.O.S. (SODIUM HYPOCHLORITE, SODIUM HYDROXIDE), 8, III

UN-No.	UN1760
Proper Shipping Name	CORROSIVE LIQUID, N.O.S.
Hazard Class	8
Packing Group	III
Classification code	C 9
Tunnel restriction code	(E)
Description	UN1760, CORROSIVE LIQUID, N.O.S. (SODIUMHYPOCHLORITE, SODIUM HYDROXIDE), 8, III

ADN

UN-No.	UN1760
Proper ShippingName	CORROSIVE LIQUID, N.O.S.
HazardClass	8
Packing Group	III
Classification code	C 9
Special Provisions	274
Description	UN1760, CORROSIVE LIQUID, N.O.S. (SODIUM HYPOCHLORITE, SODIUM HYDROXIDE), 8, III
Limited Quantity	5 L

15. REGULATORY INFORMATION**International Inventories**

Complies
All components are listed either on the DSL or NDSL.

TSCA
DSL

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard

Categories Acute Health	Yes
Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hypochlorite 7681-52-9	100 lb			X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Sodium hypochlorite 7681-52-9	100lb		RQ 100 lb final RQ RQ 45.4 kg final RQ

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Sodium hypochlorite 7681-52-9	X	X	X	X	
Sodium hydroxide 1310-73-2	X	X	X	X	

International Regulations

Canada
WHMIS Hazard Class
E - Corrosive material

**16. OTHER INFORMATION**

NFPA Health Hazards 3 Flammability 0 Instability 0 Physical and Chemical Hazards -

HMIS	Health Hazards 3	Flammability 0	Physical Hazard 0	Personal Protection X
-------------	-------------------------	-----------------------	--------------------------	---------------------------------

Prepared By	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501
Revision Date	13-Nov-2014
Revision Note	No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet