

Samsung Flip

Flip the future of collaboration

What is Samsung Flip?

Samsung Flip is an intuitive and easy to use digital flipchart, for any meeting environment. In 2019, the latest in the Flip lineup has been added to Samsung's portfolio, offering greater collaboration capabilities in an easy UI. The bigger 65-inch screen expands the usability of the display while the no gap wall mount removes any unnecessary space between the product and the wall. An advanced digital experience provides a host of new features, including brush mode, annotation on, merge to roll, and other collaboration tools. The Flip allows teams to work smarter, faster and better.

Intuitive pen & paper writing experience

- Pen Mode
- Brush Mode
 - Passive Pen
 - Flexible Erasing
- NEW Merge to Roll
- NEW Annotation On



Enhanced Collaboration

- Multi Writing up to 4
- Capture
- NEW Selection Tool
 - Seamless Scroll
 - Quick Finder
 - Internal Storage



Easy sharing & presentation

- Versatile Connectivity
- NEW Screen Share
 - Document Viewer
 - Remote PC
- NEW Bluetooth Support
 - Touch Out



Analog to digital showcase

- UHD Display
- Custom Screensaver
- Screen Lock



NEW • Various Form Options



Advanced convenience

- WPA2
- LDAP
- Content Lock

NEW • Remote Management















Business applications















Key features: WM65R



Pen mode & Brush mode notation

Draw, write & inspire new ideas

Samsung Flip provides smooth and familiar pen-to-paper-like writing in a variety of colors, styles and widths, while Brush Mode allows users to create art at the stroke of a brush in water and oil painting modes. Up to 4 people can write simultaneously and erase drawings with a finger or palm swipe.



Annotation on

Write on any background

Samsung Flip allows users to write on any background source. By simply clicking the note layer button, users can enjoy smooth writing anytime, anywhere on any content displayed, without affecting any work behind the original layer.



Selection tool & Merge to roll Flexible image editing

Bringing versatility to the board. With Samsung Flip, users can quickly and easily select, move, crop, capture, and edit any images. Each Image can also be merged to the roll with just one click of a button, allowing it to be edited or erased.



Various form options

Suitable for all business needs

Samsung Flip can be used for a wide range of business applications, providing embedded versatile templates. You can use the Flip as a calendar, scheduler, note or checklist board. Samsung Flip perfectly matches any business need, enabling users to utilize the display in various customized ways.



Scroll & Lock

Easy content navigation & protection

Samsung Flip has up to 20 pages of writing space per roll, allowing users to seamlessly scroll through pages. In addition, the Flip ensures that confidential meeting information remains in the right hands. Its reinforced lock system allows users to safeguard sensitive content from view.



Screen share **Large audience sharing**

Users can project content on Samsung Flip to another large digital display in real time, using Wi-Fi network or HDMI out connection. Even connected to a personal device, the Flip display can be shared. This feature is ideal for large meeting environments, delivering information to bigger audiences.



Versatile connectivity Multiple connection options

Users are empowered by the Flip's versatile connection options. USB, HDMI, NFC and screen sharing capabilities enable optimum collaboration and provide interactive content visibility, notation and sharing. The Flip also offers an optional tray as a more powerful connectivity extension.



UHD display & Tizen OS Precise visuals with powerful operation

Samsung Flip displays all content in clear UHD picture quality, regardless of the room, creating a compelling meeting environment. Backed by the powerful Tizen 5.0 operating system for a seamless user experience, embedded

sensors automatically activate the display when the screen is knocked.




Remote PC & Bluetooth support Connect from anywhere

The Samsung Flip allows users to connect their PC to the board remotely, meaning any meeting can be started without a PC to avoid delays and ensure efficiency. A Bluetooth keyboard, mouse and speaker can also be connected to the Flip, creating a convenient meeting environment.



Easy sharing Effortless meeting recap distribution

Following any meeting, users can distribute recaps to all attendees and colleagues, removing the frustration traditionally associated with handwritten meeting notes. Important conversations and content are stored within the Flip in real-time, easily shareable across mobile and digital channels.



Advanced convenience

Convenient, optimized management

Samsung Flip offers a host of improved capabilities, including secure wireless connection, automatic firmware updates, LDAP synchronization, file security and remote management – ensuring a convenient and productive meeting experience.

New features: WM55H



The Samsung Flip 55" provides two new features for enhanced collaboration. Firstly, annotation on mode allows users to add a layer on top of the display, allowing users to write on any background source. While remote monitoring offers auto save, auto power off and proxy server settings, in addition to allowing files to be deleted remotely, offering improved centralized management.

Feature list

Intuitive pen & paper experience	Enhanced collaboration	Easy sharing & presentation	Analog to digital showcase	Advanced convenience
• Pen Mode	Multi Writing up to 4	Versatile Connectivity	UHD Display	• WPA2
Passive Pen	Capture	 Document Viewer 	 Custom Screensaver 	• LDAP
• Flexible Erasing	 Seamless Scroll 	• Remote PC	Screen Lock	 Content Lock
NEW • Annotation On	 Quick Finder 	• Touch Out		• OTN
	Internal Storage			NEW • Remote Management

Specifications

	Model		WM55H	WM65R	
Diagonal Size			55"	65"	
	Туре		60Hz E-LED	60Hz New Edge	
Resol Panel Brigh	Resolution		3,840 x 2,160 (Landscape) , 2,160 x 3,840 (Portrait)	3,840 x 2,160 (Landscape)	
	Brightness(Typ.)		300 (without glass), 220 (with glass)	350 (without glass), 220 (with glass)	
	Contrast Ratio(Typ.)		4700:1 (Typ.)(without glass)	4000:1 (Typ.)(without glass)	
	Viewing Angle(H/V)		178:178	178:178	
	Response Time(G-to-G)		8ms(Typ.)	8ms(Typ.)	
Carrad			Built in Speaker (10W x 2)	Built in Speaker (10W x 2)	
Sound	Speaker Type	VIDEO			
	INPUT		HDMI1	(Basic) HDMI 2, (With Tray) HDMI 3	
		USB	USB 2 (ver 2.0x2, Side 1, Sensor Assy 1)	(Basic) USB1, (With Tray) USB 2, USB External (In/Out)1	
Connectivity	OUTPUT Touch Out		Touch Out 1 (Side, USB Upstream Type)	(Basic) Touch Out1 (USB Upstream Type), Audio Out1 (With Tray) Touch Out2, Audio Out1, Screen Share(HDMI-Out)1	
	INTERNAL	SENSOR	NFC, Acceleration sensor, Proximity Sensor	(Basic) Acceleration sensor, (With Tray) Acceleration sensor, NFC	
	EXTERNAL	CONTROL	Touch Input, RJ45 (not for User Control)	RS232C, LAN, WiFi/BT	
	Туре		Advanced IR	InGlass™	
	# of Drawing		4 drawing	4 drawing (1024 level touch recognition)	
Touch	Touch Pen Type		Passive Pen	Passive Pen with magnet	
	Object Recognition Rang	e	2mm/4mm/50mm	2mm/ 4mm / 8mm / 50mm , 1024 Level on Brush Mode	
	Touch Response Time		38ms ~ 46ms (According to number of Multi Drawing)	6.7ms	
	Type		Internal	Internal	
			AC100~240V 50/60Hz	AC100~240V 50/60Hz	
	PowerSupply	MFM//LT		AC 100~240V 50/80HZ	
		Max[W/h]	165		
Power		Typical[W/h]	100	100	
	Power Consumption	Rating[W/h]	150	165	
		Stand-by[W/h]	0.5	0.5	
		BTU[W/h]	562.65	618.915	
	Dimension (mm)	Set	1302.6(W) x 805.5(H) x 52.0(D) mm	1522.4(W) x 897.6(H) x 62.9(D) mm	
	Dimension (min)	Package	1469(W) x 924(H) x 210(D) mm	1691(W) x1055(H) x198(D) mm	
		Set	28.9	40.0	
	Weight (kg)	Package	34.9	50.6	
	Color		Light Gray	Light Gray	
Mechanical	VESA Mount		400 x 400	400 x 400	
Spec	Protection Glass		Yes	Yes	
			Moving Stand(Acc), Wall Mount	No-Gap Wall Mount	
	Stand Type			Landscape only with Flip No-Gap Wallmount (Available with rotation support 3rd party	
	Rotation		Available with Flip Stand (Rotation Sylinder Included)	accessory as sensor/portrait UX already applied on Flip)	
	Power Cable Length		3m	3m	
	Accessory		Cover-Jack	Cover-Jack	
Operation	Operating Temperature		0°C~ 40°C	0°C~40°C	
орегиния	Humidity		10~80%	10~80%	
	Key		Flip App	Flip App	
		H/W	Super Clear Coating, Temperature Sensor, Pivot Display, Clock Battery(168hrs Clock Keeping), Built in Speaker(10W x 2), WiFi Module Embedded	Super Clear Coating, Temperature Sensor, Pivot Display, Clock Battery(168hrs Clock Keeping), Built in Speaker(10W x 2), WiFi Module Embedded	
	Special	S/W	Flip S/W	Flip S/W	
		Platform	Kant-M (Tizen 3.0)	Muse-M (Tizen 5.0)	
Feature		Processor	CA72 Quad(1.7GHz)	CA72 Quad(1.7GHz)	
		On-Chip Cache Memory	L1 (I/D): 32KB / 32KB , L2 (Unified): 1MB	L1 (I/D) : 32KB / 32KB, L2 (Unified) : 1MB	
		Clock Speed	1.7GHz CPU Quad	1.7GHz CPU Quad	
	lata and Di	Main Memory Interface	LPDDR41400MHz 64bit 3GB	LPDDR41.6GHz 64bit 2.5GB	
	Internal Player (Embedded H/W)	Graphics	2D & 3D Graphics Engine - Up to 1920x1080. 32bpp - Supports OpenGL ES	2D & 3D Graphics Engine - Up to 1920x1080. 32bpp - Supports OpenGLES	
	(Linbedded 1) 11)				
		Storage	8GB (2.65GB Occupied by O/S, 5.35GB Available,)	8GB (2.65GB Occupied by O/S, 5.35GB Available)	
		IO Ports	USB 2.0	USB 2.0	
		Operating System	Samsung Proprietary OS(VDLinux)	Samsung Proprietary OS(VDLinux)	
	Included		Passive Pen(2), Power Cable, Touch Out Cable (USB upstream)	Passive Pen(2), Power Cable, Touch Out Cable (USB upstream)	
Accessorios		Stand (55") / Tray (65")	STN-WM55H	CY-TF65BRC	
Accessories	Optional	Mount	WMN-6575SE	WMN-WM65R	
	Optionat				

Stand for Flip 55"				
Mechanical Spec	Dimension (mm)	Set	1023(W) x 1611(H) x 991(D) mm	
		Package	1,682(W) x 1,038(H) x 221(D) mm	
	Weight (kg)	Set	31.7	
		Package	41.8	
	Color		Light Gray	
	VESAMount		400 X 400	
	Rotation		Pivot Supports (90°)	
Connectivity	Extention Connectivity from SET		HDMI1/Touch Out1/RJ451/Power1	
Accessories	Included		Installation Guide	
Feature	Special	H/W	Rotation(4-Wheels), Pivot(90°), Pen & NotePC Tray (Rear)	

Wallmount for Flip 65"				
Mechanical Spec	Dimension (mm)	Set	520(W) x 280.3(H) x 15.9(D) mm	
		Package	594(W) x 337(H) x 75(D) mm	
	Weight (kg)	Set	1.75	
		Package	3.2	
	Color		Light Gray	
	VESA Mount		400 X 400	
	Rotation		N/A	
Accessories	Included		Installation Guide, Screws	
Feature	Special	H/W	No-Gap Spacing Extra Bracket for strong fixation	

		Option	al Tray for Flip 65"	
Mechanical Spec	Dimension (mm)	Set	269.8(W) x 111.3(H) x 56.9(D) mm	
		Package	294(W) x136(H) x 69(D) mm	
	Weight (kg)	Set	0.5	
		Package	0.7	
	Color		Light Gray	
	Extra Connectivity Ports		USB1	
			USB External (In/Out)1	
C			Touch Out 1	
Connectivity			HDMI-In1	
			HDMI-Out(Screen Share)1	
			NFC1	
Accessories	Included		Installation Guide, Screws	
Feature	Special	H/W	Easy install with dock connector Front facing connector for BYOD usage	

 $^{{\}it **} \ {\it Specifications} \ on \ the \ table \ are \ flexible \ and \ subject \ to \ change \ under \ certain \ circumstances.$

About Samsung Electronics Co., Ltd.

Samsung Electronics Co., Ltd. inspires the world and shapes the future with transformative ideas and technologies. The company is redefining the worlds of TVs, smartphones, wearable devices, tablets, cameras, digital appliances, medical equipment, network systems, and semiconductor and LED solutions. For the latest news, please visit the Samsung Newsroom at news.samsung.com.

Samsung Flip

For more information about Samsung Flip, visit www.samsung.com/business or www.samsung.com/displaysolutions

Copyright © 2019 Samsung Electronics Co. Ltd. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co. Ltd. Specifications and designs are subject to change without notice. Non-metric weights and measurements are approximate. All data were deemed correct at time of creation. Samsung is not liable for errors or omissions. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective owners and are hereby recognized and acknowledged.

Samsung Electronics Co., Ltd. 416, Maetan 3-dong, Yeongtong-gu, Suwon-si, Gyeonggi-do 443-772, Korea

2019-06



