


# The Original Ribbon® Rack—IDSA National Design Award Winner

PERMANENT DESIGN COLLECTION—MUSEUM OF MODERN ART



## Specifications

All standard units made from ASTM A53/A500 SCHD 40 steel pipe (2.375" OD X .154 wall), hydraulically bent with a mandril, hot-dipped galvanized after fabrication.

The RIBBON® RACK is available in ASTM A312 SCHEDULE 40 TP 304 stainless steel, satin #4 finish—optional and extra.

## Installation Methods

Inground Anchor Mount—standard  
 Surface Flange Mount—optional and extra

## General Information

RIBBON and the Brandir International Inc. logo are trademarks of Brandir International Inc., used exclusively by AAA RIBBON RACK CO. Delivery time: Six weeks or sooner from receipt of order.

## Important Considerations

**Colors:** (Painting/Coating)—Painting or coating the rack will result in a maintenance problem, as no coating will withstand the abuse of the bicycles. Powder coating cannot be maintained; an enamel finish will chip. AAA RIBBON RACK CO. has the best solution where color is essential. Please contact us to find out how to achieve an appropriate color with a minimum of maintenance.


**Materials:** Steel tubing or aluminum are not suitable materials for a bicycle rack. Pre-galvanized material will flake and crack during manufacture. AAA RIBBON RACK CO. uses heavy-duty steel pipe, hot-dipped galvanized after fabrication to provide security and durability.

**Manufacture:** Hydraulic bending with a mandril, as used by AAA RIBBON RACK CO., insures smooth and aesthetic curves on the Ribbon® Rack. Press bending leaves an indentation; other methods flatten outer curves and crimp inner curves.

## Specifying / Estimating / Ordering

Please use the following notations:

Quantity



A A A RIBBON BIKE RACK CO.  
 Division of:  
 BRANDIR INTERNATIONAL, INC.  
 521 Fifth Avenue, 17th Floor  
 New York NY 10175-1799 USA  
 Phone: **800-849-3488**  
 Email: **info@ribbonrack.com**  
 Web: **ribbonrack.com**