This "Windows Logging Cheat Sheet" is intended to help you get started setting up basic and necessary Windows Audit Policy and Logging. By no means is this list extensive; but it does include some very common items that should be enabled, configured, gathered and harvested for any Log Management Program. Start with these settings and add to it as you understand better what is in your logs and what you need.

Malware Archaeology

Sponsored by:



Covered Operating Systems:

Windows 7, Windows 8, Windows 10

Server 2008, Server 2012, Server, 2016, Server 2019

DEFINITIONS:

ENABLE: Things you must do to enable logging to start collecting and keeping events.

CONFIGURE: Configuration that is needed to refine what events you will collect.

GATHER: Tools/Utilities that you can use locally on the system to set or gather log related information – AuditPol, WEvtUtil, Find, etc.

HARVEST: Events that you would want to harvest into some centralized Event log management solution like syslog, SIEM, Splunk, etc.

ENABLE:

- LOCAL LOG SIZE: Increase the size of your local logs. Don't worry you have plenty of disk space, CPU is not an issue
 - a. Application, System logs 256k or larger
 - b. PowerShell logs 256k or larger
 - c. Security Log 512,000k (yes this big) (1,024,000)
- 2. LOCAL SECURITY POLICY: Change Security Options
 - "Audit: Force audit policy subcategory settings" to ENABLE. This sets the system to force use of the "Advanced Audit Policies"
- 3. GROUP POLICY: All settings mentioned should be set with Active Directory Group Policy in order to enforce these settings enterprise wide. There are cases where the Local Security Policy would be used.

ENABLE:

- 1. DNS LOGS: Enable DNS Logging. Capture what DNS queries are happening.
 - "systemroot\System32\Dns\Dns.log"
 - a. Log Packets for debugging
 - b. Outgoing and incoming
 - c. UDP and TCP
 - d. Packet type Request and Response
 - e. Queries/Transfers and updates
- 2. DHCP LOGS: Add your DHCP Logs -
 - "%windir%\System32\Dhcp." This will allow you to detect rogue systems on your network that fall outside your naming convention.
 - a. EventID = 10 New IP address was leased

Windows Audit Policy settings may be set by the Local Security Policy, Group Policy (preferred) or by command line using 'AuditPol.exe'. Be sure to select "Configure the following audit events" box on items that say "No Audit" or the policy will not apply. Any that are left blank will break the GPO and auditing will not be applied. (N) = Will generate large number of events or noise and filtering of events may be needed. (C) Indicates a setting changed. (WA) See the "Windows Advanced Logging Cheat Sheet" for additional info on this setting.

CONFIGURE:

SYSTEM AUDIT POLICIES: In order to capture what you
want and need the following *Advanced Audit Policies* must
be set. You may expand these to your specific needs, but
here is a place to start.

List out the System audit policy

User / Device Claims

Command: AuditPol /get /category:*

• Commana: AuditPol/get/category:*		
Category/Subcategory	Setting	
Account Logon		
Credential Validation	Success and Failure	
 Kerberos Authentication Service 	No Auditing (WA)	
 Kerberos Service Ticket Oper 	No Auditing (WA)	
 Other Account Logon Events 	Success and Failure	
Account Management		
Application Group Management	Success and Failure	
 Computer Account Management 	Success and Failure	
 Distribution Group Management 	Success and Failure	
 Other Acct Management Events 	Success and Failure	
 Security Group Management 	Success and Failure	
 User Account Management 	Success and Failure	
<u>Detailed Tracking</u>		
 DPAPI Activity 	No Auditing	
 Plug and Play (10/2016) 	Success	
 Process Creation 	Success and Failure	
 Process Termination 	No Auditing (WA)	
 RPC Events 	Success and Failure	
 Audit Token Right Adj (10/2016) 	Success (N)	
DS Access		
 Detailed Directory Service Repl 	No Auditing	
 Directory Service Access 	No Auditing (WA)	
 Directory Service Changes 	Success and Failure	
 Directory Service Replication 	No Auditing (WA)	
<u>Logon/Logoff</u>		
 Account Lockout 	Success (WA)	
 Group Membership (10/2016) 	Success	
 IPsec Extended Mode 	No Auditing	
 IPsec Main Mode 	No Auditing	
 IPsec Quick Mode 	No Auditing	
 Logoff 	Success	
 Logon 	Success and Failure	
 Network Policy Server 	Success and Failure	
 Other Logon/Logoff Events 	Success and Failure	
 Special Logon 	Success and Failure	

CONFIGURE:

SYSTEM AUDIT POLICIES: Continued

To set an item:

 Auditpol /set /category:"Account Management" /success:enable /failure:enable

To set a subcategory individually:

 Auditpol /set /subcategory:"Directory Service Access" /success:disable /failure:disable

Catego	ry/Subcategory	Setting	
Object Access			
•	Application Generated	Success and Failure	
•	Certification Services	Success and Failure	
•	Central Policy Staging (8/2012)	No Auditing	
•	Detailed File Share	Success	
•	File Share	Success and Failure	
•	File System	Success	
•	Filtering Platform Connection	Success (N) (WA)	
•	Filtering Platform Packet Drop	No Auditing (<i>WA</i>)	
•	Handle Manipulation	No Auditing (N)(WA)	
•	Kernel Object	No Auditing (<i>WA</i>)	
•	Other Object Access Events	No Auditing (WA)	
•	Removable Storage	Success and Failure	
•	Registry	Success	
•	SAM	Success	
<u>Policy Change</u>			
•	Audit Policy Change	Success and Failure	
•	Authentication Policy Change	Success and Failure	
•	Authorization Policy Change	Success and Failure	
•	Filtering Platform Policy Change	Success (Win FW)	
•	MPSSVC Rule-Level Policy Change	No Auditing	
•	Other Policy Change Events	No Auditing (<i>WA</i>)	
<u>Privileg</u>	<u>e Use</u>		
•	Non Sensitive Privilege Use	No Auditing	
•	Other Privilege Use Events	No Auditing	
•	Sensitive Privilege Use	Success and Failure	
<u>System</u>			
•	IPsec Driver	Success (WA)	
•	Other System Events	Failure (WA)	
•	Security State Change	Success and Failure	
•	Security System Extension	Success and Failure	
•	System Integrity	Success and Failure	
Global Object Access Auditing – ignore			

No Auditing

The "Windows logging Cheat Sheet" is designed to get people started at logging important events. If you want to expand on this logging, then check out the "Windows Advanced Logging Cheat Sheet" for more advanced items.

CONFIGURE:

- 1. WEvtUtil: Use this utility to configure your log settings
 - a. WevtUtil gl Security List settings of the Security Log
 - b. WevtUtil sl Security /ms:524288000 or /ms: 1048576000 if File & Registry auditing, Windows Firewall and Process Create are all enabled Set the Security log size to the number of bytes
 - c. WevtUtil sl Security /rt:false Overwrite as needed
- 2. FILE AUDITING: Configuring auditing of folders and specific files will allow you to catch new file drops in key locations where commodity and advanced malware often use. To understand what, where and why to audit files and folders, refer to the "Windows File Auditing Cheat Sheet" for more detailed information.
- 3. REGISTRY AUDITING: Configuring auditing of registry keys will allow you to catch new keys, values and data in autorun and other locations where commodity and advanced malware often use. To understand what, where and why to audit registry keys, refer to the "Windows Registry Auditing Cheat Sheet" for more detailed information.
- 4. REG.EXE: Use this utility to query what is in a Key or the data within a key or value
 - a. Query a Key and all values Reg query "HKLM\Software\Microsoft\Windows\CurrentVersion\Run"
 - b. Query a Key and all values Reg query
 "HKLM\Software\Microsoft\Windows\CurrentVersion\RunOnce"
 - c. Query a Key and all values Reg query "HKCU\Software\Microsoft\Windows\CurrentVersion\Run"
 - d. Query a Key and all values Reg query"HKCU\Software\Microsoft\Windows\CurrentVersion\RunOnce"
 - e. Query a known value of a Key:

 *Reg query "HKLM\Software\Microsoft\Windows\CurrentVersion\Run" /v malware

CONFIGURE:

- 5. Command Line Logging: One of the most important logging items that you can collect is what was executed on the command line when something executes. Microsoft added this capability into the release of Windows 8.1 and Windows Server 2012 R2 and later versions. In Feb 2015 a patch was made available to add this feature to all Windows 7 and Windows 2008 Server with the following patch:
 - https://support.microsoft.com/en-us/kb/3004375 KB3004375 Patch to add Command Line Logging
 A registry key or GPO change is required to add the "Process Command Line" entry to every event ID 4688 event. The following is the key, value and data that must be set to collect this crucial information:

You can configure it to start collecting with the following command:

reg add "hklm\software\microsoft\windows\currentversion\policies\system\audit" /v
 ProcessCreationIncludeCmdLine_Enabled /t REG_DWORD /d 1

GATHER:

- AUDITPOL: Use this utility to view your current log settings
 - a. List all Policies categories: AuditPol/List/Subcategory:*
 - b. List what is SET: AuditPol /get /category:*
 - c. List what is SET for a subcategory:
 - AuditPol /get /category:"Object Access"
- 2. Reg.exe: Use this utility to query the registry
 - a. Changes to Applnit_Dlls reg query "HKLM\Software\Microsoft\Windows NT\CurrentVersion\Windows" /v
 Applnit_Dlls
 - b. Changes to Services Keys reg query "HKLM\System\CurrentControlSet\Services"
 - c. Changes to Machine Run Key reg query "HKLM\Software\Microsoft\Windows\CurrentVersion\Run"
 - d. Changes to Machine RunOnce Key reg query "HKLM\Software\Microsoft\Windows\CurrentVersion\RunOnce"
 - e. Changes to User Run Key reg query "HKCU\Software\Microsoft\Windows\CurrentVersion\Run"
 - f. Changes to User RunOnce Key reg query "HKCU\Software\Microsoft\Windows\CurrentVersion\RunOnce"

g.

- 3. SC.exe: Use this utility to query the services (sc /? For help)
 - a. List all services in any state sc.exe query state= all (Note: 'space' after the = sign)
 - b. Look for a specific service sc.exe query state= all | find /I "telnet"
 - c. After finding the 'Display_Name' then look for the 'Service_Name' to get the short name

GATHER:

- WEvtUtil: Use this utility to query your logs
 - a. WevtUtil ge Security query the Security Log for events
 - i. Lots of flags here so read help "WevtUtil -?"
 - ii. c:5 = Read 5 events
 - iii. /rd:true = newest events first
 - iv. /f:text = format text, also can do XML
 - b. **Success & Failed Logons** WevtUtil qe Security /q:"*[System[(EventID=4624 or EventID=4625)]]" /c:5 /rd:true /f:text >Parsed\%computername%_Logon_Events_Win7.log
 - c. *User Account Change* WevtUtil qe Security /q:"*[System[(EventID=4738)]]" /c:5 /rd:true /f:text >Parsed\R_%computername%_User_Account_Change_Win7.log
 - d. **New Service Installed** WevtUtil qe Security /q:"*[System[(EventID=7045)]]" /c:5 /rd:true /f:text >Parsed\R_%computername%_New_Service_Installed_Win7.log
 - e. *User Account Changes* wevtutil qe Security /q:"*[System[(EventID=4725 or EventID=4722 or EventID=4723 or EventID=4724 or EventID=4726 or EventID=4767)]]" /c:10 /f:text
- 2. Filtering Log Results: Use this method to filter lines within the logs
 - a. **Registry Changed Find entries with 'Object Name'** WevtUtil qe Security /q:"*[System[(EventID=4657)]]" /c:5 /rd:true /f:text | find /i"Object Name"
 - b. *File or Registry Changed Find entries with 'Object Name'* WevtUtil qe Security /q:"*[System[(EventID=4663)]]" /c:50 /rd:true /f:text |find /i "Object Name"
 - c. *Files Find new files with 'Wbem'* WevtUtil qe Security /q:"*[System[(EventID=4663)]]" /c:50 /rd:true /f:text | find /i "wbem"

HARVEST:

- 1. LOG CLEAR: Watch for log clear messages
 - a. 104 SYSTEM Log The Application or System log was cleared
 - b. 1102 SECURITY Log The audit log was cleared
- TASKS: Watch for a Process to start and call other processes
 - a. 4698 SECURITY Log New Task Created
- 3. DRIVER: Watch for an issue with a driver
 - a. 40 Issue with Driver
- 4. OS VERSION: What OS do machines have
 - a. 6009 Lists OS version, Service Pack and processor type

HARVEST:

- ACCOUNTS: Monitor for attempts to change an account password
 - a. 4720 A user account was created
 - b. 4724 An attempt was made to reset an accounts PW
 - c. 4735 Local Group changed
 - d. 4738 User account password changed

HARVEST:

- PROCESSES: Watch for a Process to start and call other processes
 - a. 4688 SECURITY Log New Process Name, look for Creator Process ID to link what process launched what
- 2. INSTALLER: Watch for the Windows Installer activity
 - a. 1022 Windows Installer *updated the product*
 - b. 1033 Windows Installer *installed the product*
 - c. 1034 Windows Installer *removed the product*
- 3. WINDOWS UPDATE: Watch for the Windows Update Agent activity.
 - a. 18 = Ready, 19 = Installed, 20= Failure
- 4. WINDOWS TIME: Watch for the Windows Service synchronization. Make sure your sources are what they are supposed to be.
 - a. 35 Time Service sync status and source
- 5. APPLICATION ERROR: Watch for application crashes.
 - a. 1000 (Application Log) Application Fault
- TASKSCHEDULER LOG: Enable this log and watch for Created Task and Deleted Task.
 - a. 129 Created, 141 Deleted (New)

HARVEST:

- SERVICES: Found in the SYSTEM log
 - d. 7045 Message=A service was installed in the system.
 - e. 7040 Message=The start type of the XYZ service was changed from auto start to disabled.
 - f. 7000 Message=The XYX service *failed to start* due to the following error: The service did not respond to the start or control request in a timely fashion.
 - g. 7022 Message=The XYZ service hung on starting.
 - h. 7024 Message=The XYZ service terminated with service-specific error %%2414.
 - 7031 Message=The XYZ service terminated unexpectedly. It has done this 1 time(s). The following corrective action will be taken in 60000 milliseconds: Restart the service.
 - 7034 Message=The XYZ service terminated unexpectedly. It has done this 1 time(s).
 - k. 7035 Service sent a request to Stop or Start
 - I. 7036 Service was Started or Stopped (see the "Windows Advanced Logging Cheat Sheet" for auditing non-MS services)
- 2. SERVICES: Found in the SECURITY log
 - a. 4697 Message=A service was installed in the system.

HARVEST:

- 1. AUDIT POLICY: Watch for changes to the Audit Policy that are NOT "SYSTEM"
 - a. 4719 System audit policy was changed

HARVEST:

- NEW FILE ADDED: Watch for the creation of new files.
 Requires File auditing of the directory(s) that you want to monitor
 - b. 4663 Accesses: WriteData (or AddFile)
 - c. GREAT for CryptoWare & Malware drops

HARVEST:

- 1. REGISTRY: Monitor certain Keys for Add, Changes and Deletes. Setting auditing on the Specific keys is required.
 - a. 4657 A Registry value was modified

HARVEST:

- 1. LOGON TYPE: Monitor for what type of logons occur
 - a. 4624 Message=An account was *successfully logged on*.
 - i. Type 2 Interactive GUI
 - ii. Type 3 Network Net Use
 - iii. Type 4 Batch
 - iv. Type 5 Service
 - v. Type 7 Unlock
 - vi. Type 8 Network Clear Text
 - vii. Type 9 New Credentials (RDP Tools)
 - viii. Type 10 Remote Interactive (RDP)
 - ix. Type 11 Cached Interactive (laptops)
 - b. 4625 Message = An account *failed to log on*.

HARVEST:

- FIREWALL: Windows Filtering Platform Watch for Inbound and Outbound connections - <u>Requires</u>
 Windows Firewall to be enabled
 - a. This is the noisiest of all Events. Generating easily 9,000 10,000 events per hour per system
 - b. Storage is required to utilize this event
 - c. 5156 Message=The Windows Filtering
 Platform has permitted a connection. Look for:
 - i. Direction:, Source Address:, Source Port:, Destination Address: & Destination Port:

HARVEST:

- 1. SYSTEM INTEGRITY: Watch for files with page images with bad hashes
 - a. 6281 Failed "page hashes of an image file are not valid"

HARVEST:

- EMAIL / VPN: Monitor for failed and successful logins to your VPN and Webmail application. Consider emailing user if login is from a new IP not in your exclude list
 - a. sc_status=401 Failed OWA login
 - b. "reason = Invalid password" Failed VPN login- Cisco

HARVEST:

- 1. REGISTRY: Watch for the creation or modification of new registry keys and values
 - a. 4657 Accesses: WriteData (or AddFile)
 - i. HKLM, HKCU & HKU Software\Microsoft\Windows\CurrentVersion
 - 1. Run, RunOnce
 - ii. HKLM\Software\Microsoft\Windows NT\CurrentVersion\Windows
 - 1. Watch AppInit_Dlls
 - iii. HKEY LOCAL MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\EMDMgmt
 - 1. Watch Connection time of USB Devices
 - iv. HKLM\System\CurrentControlSet\Services
 - 1. Watch for **NEW Services**
 - v. HKLM\SYSTEM\CurrentControlSet\Enum\USBSTOR
 - 1. Watch for NEW USB devices

These new events were added to identify some unique artifacts for "Subverting Windows Trust" by @mattifestation. For more on this subject, read the article here:

https://specterops.io/assets/resources/SpecterOps_Subverting_Trust_in_Windows.pdf

HARVEST:

- 1. Signature/Trust: Monitor for failed signature or trust validation, This event is only viewable in details view:
 - a. Microsoft-Windows-CAPI2/Operational
 - b. Enable this log (disabled by default)
 - c. 81 Verify Trust

HARVEST:

- 1. DRIVER LOADS: Monitor for failed signed driver loads in the following log:
 - a. Microsoft-Windows-CodeIntegrity/Operational
 - b. 3033 Code Integrity

ADDITIONAL RESOURCES: Places to get more information

LOGGING RESOURCES: Places to get more information on logs for each OS:

Windows 10:

- https://docs.microsoft.com/en-us/windows/security/threat-protection/auditing/advanced-security-audit-policy-settings **Windows 8/2012:**
- https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2012-R2-and-2012/dn319056(v%3dws.11)

Windows 7/2008:

 https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2008-R2-and-2008/dd772712(v=ws.10)

More Windows Logging Cheat Sheets:

MalwareArchaeology.com/cheat-sheets

Advanced Audit Tool scoring - LOG-MD:

• Log-MD.com – The Log Malicious Discovery tool reads security related log events and settings. Use Log-MD to audit your log settings compared to the "Windows Logging Cheat Sheet" and Center for Internet Security (CIS) Benchmarks. It is a standalone tool to help those with and without a log management solution find malicious activity.

Better descriptions of Event ID's:

www.ultimatewindowssecurity.com/securitylog/encyclopedia/Default.aspx -

Most of the Event ID's:

www.EventID.Net –

IIS Error Codes:

http://support.microsoft.com/kb/318380 - IIS Error Codes

Good Article

http://cryptome.org/2014/01/nsa-windows-event.pdf

What's new in Windows 10 logging

• https://technet.microsoft.com/itpro/windows/whats-new/whats-new-windows-10-version-1507-and-1511

Google! - But of course