



safe sleeper™ bed rail ultra

READ ALL INSTRUCTIONS BEFORE FIRST USE.

Ages 2 Years – 6 Years

CAUTION: ADULT ASSEMBLY REQUIRED.

⚠ WARNING: IMPORTANT! KEEP FOR FUTURE REFERENCE!

• SUFFOCATION AND STRANGULATION HAZARD.

• Death or Serious Injury Can Occur.

• Infants who cannot get in and out of an adult bed without help can be trapped between a mattress and a wall and suffocate. NEVER place infants in adult beds with or without a bed rail.

BED RAIL USE:

- Bed rail can trap young children against mattress, headboard, or footboard.**
- Use only for children who have outgrown a crib. NEVER use in place of crib.**
- Use only with children who can get in and out of adult bed without help (typically 2 years and up).**
- ALWAYS keep bed rail pushed firmly against mattress and at least 9 in. from headboard and footboard.**
- NEVER use on toddler bed, bunk bed, waterbed, or bed with inflatable mattress. Use only on adult bed with mattress and mattress support as defined by the manufacturer.**
- Discontinue use if damaged, broken, or if parts are missing.**

COMPONENTS (Figure A):

- 1. Curved Bar (2)**
- 2. Mesh Cover (1)**
- 3. Hinged Legs (2) with Safety Strap**
- 4. Round Lower Bar (2)**
- 5. Square Stabilizer Bar (2)**
- 6. Anchor Strap and Plate (1)**




Figure A

ASSEMBLY INSTRUCTIONS

Please rest assured that these instructions are very easy to follow and will help you assemble this rail very quickly and WITHOUT TOOLS!

01. Lay all pieces out on the floor or table. (Figure A)
02. Connect the 2 Curved Bars until they lock into place. (Figure B)
Make sure silver button protrudes from hole in bar when finished. (Figure C)
03. Insert assembled Curved Bar into Mesh Cover, leaving the ends of Curved Bar exposed. (Figure D)
04. Open Hinged Legs until hinges lock firmly into place. (Figure E)
NOTE: Make sure Safety Straps are not twisted.
05. Connect Hinged Legs to Curved Bar until they lock into place (Figure F), making sure that the sleeve in the middle of Mesh Cover faces inward toward the outstretched Hinged Legs. (see assembled photo below)
Make sure silver button protrudes from hole in bar when finished. (Figure C)
06. Slide Mesh Cover down toward each hinge.
07. Connect the 2 Round Lower Bars until they lock into place. (Figure G)
Make sure silver button protrudes from hole in bar when finished. (Figure C)
08. Depress silver button on plastic slide-lock end of the Lower Bar (Figure G) and slide this section into the "UNLOCK" position.
09. Insert "V" grooved end of assembled Lower Bar (Figure G) into the lower sleeve of the Mesh Cover (see assembled photo below) matching the "V" end of the bar with the "V" end at the base of the Hinged Leg. (Figure H)
Press firmly into place.
10. Align the plastic slide-lock end of the Lower Bar to the fitting on remaining Hinged Leg and slide locking sleeve over the fitting until the spring-loaded button snaps firmly into place. (Figure I and Figure J)
11. Connect the 2 Square Stabilizer Bars. (Figure K)
Make sure silver button protrudes from hole in bar when finished.
12. Insert assembled Stabilizer Bar (Figure K) into the sleeve in the middle of Mesh Cover and close velcro flap. (Figures L and M)
13. Connect Anchor Strap and Plate to Safety Strap attached to Hinged Legs. (Figure N)




Figure B




Figure C




Figure D




Figure E




Figure F




Figure G



Figure H




Figure I




Figure J




Figure K




Figure L



Figure M



Figure N



INSTALLATION AND USE INSTRUCTIONS FOR BEDS WITH BOX SPRINGS

01. Extend Anchor Strap and Plate to maximum length.
02. Insert Hinged Legs into place between mattress and box spring.
03. Extend Anchor Strap and Plate so that Anchor Plate is in position for tightening. (Figure O)
04. Pull red striped tag toward you while pushing the Anchor Plate forward with opposite hand, pressing Anchor Plate firmly against the mattress and box spring. (Figure P)
05. Release grip on the red striped tag and pull the lower strap toward you until Anchor Plate is snug against mattress and box spring. (Figure Q)

IMPORTANT: To insure bed rail is tight as possible against mattress and box spring, raise the mattress and tighten the strap slightly. Then lower the mattress and pull the anchor plate back and firmly into place. Repeat this step as needed and until tight.

06. Tuck remaining length of strap under the mattress, out of the way of children.
07. **Lowering rail after installed on bed:** This rail is designed with childproof hinges for added safety. Therefore – to lower your rail - you must raise EACH (both left and right) spring-loaded hinge at the same time. The hinges each display an arrow pointing upwards in the direction you must raise the hinge to disengage it. Once each spring is raised, you may gently lower the rail with ease. This will allow you to easily change or make the bed. When you raise the rail back to the upright position, the locks will automatically pop back into place for safety.




Figure O




Figure P




Figure Q

CLEANING INSTRUCTIONS

Machine wash cold and hang dry, or surface wash with damp cloth.