

MSDS *Material Safety Data Sheet* **KENRA, LTD.**

1**PRODUCT AND COMPANY IDENTIFICATION**

Manufacturer
Kenra, Ltd.
22 E. Washington Street
Indianapolis, IN 46204

Contact: Customer Service
Telephone Number: 1-800-428-8073
Fax Number: 317-351-1329
Email: customerservice@kenra.com
Web: www.kenra.com

Product Name: Kenra Thermal Styling Spray 55% VOC / 80% VOC
Revision Date: 01/29/2013
MSDS Number: 18000 - 15100
Product Code: 18000 - 15100
Chemical Family: Personal Care Product
Synonyms: Styling Fixative
Internal ID: Retail MSDS
Product Use: Hair Care Product
Emergency Phone Contact: Poison Control, 1-800-222-1222

2**COMPOSITION/INFORMATION ON INGREDIENTS**

CAS #	Chemical Name	Percentage
64175	Ethanol	<55% / <80%

3**HAZARDS IDENTIFICATION**

Route of Entry	Inhalation, skin, eye, ingestion.
Target Organs	Not applicable.
Inhalation	May cause irritation to respiratory tract
Skin Contact	May cause irritation to sensitive individuals
Eye Contact	Direct contact may cause irritation
Ingestion	May cause irritation to mouth, throat, and stomach

4**FIRST AID MEASURES**

Inhalation Remove to ventilated area. Consult physician if problem per

MSDS

Material Safety Data Sheet KENRA, LTD.

Skin Contact	Rinse with water. Consult physician if problem persists.
Eye Contact	Rinse with water for 15 minutes; consult physician if problem
Ingestion	Consult physician.

5 FIRE FIGHTING MEASURES

Flash Point	16.6 C / 62.0 F
Flash Point Method	Tag Closed Cup
Burning Rate	N/A
LEL	3.3% - Ethanol
UEL:	19.0% - Ethanol
Other	Use all purpose extinguisher.

6 ACCIDENTAL RELEASE MEASURES

Small amounts can be washed to a drain with water or absorbed with the appropriate material and disposed of in accordance with local, state and federal guidelines. Recycle plastic containers whenever possible.

7 HANDLING AND STORAGE

Handling Precautions	For external use only. Avoid eye contact. Keep out of the reach of children.
Storage Requirements	Avoid extreme heat and freezing temperatures.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls	None needed for normal use.
Protective Equipment	None needed for normal use.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Transparent clear
Physical State	Liquid
Odor	Floral
pH	7.7 +/- (55%) 6.5 +/- (80%)
Vapor Pressure	N/A
Vapor Density	N/A

MSDS

Material Safety Data Sheet

KENRA, LTD.

Boiling Point	Not determined
Freezing/Melting Point	N/A
Solubility	Complete
Specific Gravity	.90 +/- (55%): .84 +/- (80%)
VOC	<55% (55%): <80% (80%)
Viscosity	5 cp

10

STABILITY AND REACTIVITY

Stability	Stable under normal conditions
Conditions To Avoid	None known.
Materials To Avoid (Incompatibility)	Strong oxidizing or reducing agents.
Hazardous Decomposition Products	Will not occur under normal conditions.
Hazardous Polymerization	Will not occur.

11

TOXICOLOGICAL INFORMATION

None.

12

ECOLOGICAL INFORMATION

None.

13

DISPOSAL CONSIDERATIONS

Small amounts can be washed to a drain with water or absorbed with the appropriate material and disposed of in accordance with local, state and federal guidelines. Recycle plastic containers whenever possible.

14

TRANSPORT INFORMATION

CONSUMER COMMODITY, ORM-D (ETHYL ALCOHOL), HAZARD CLASS 3, UN1170 F GROUP II, IN CARTONS. ITEM 60000A RVNX \$2.50 PER LB. IN CASE OF EMERGENCY CALL CHEMTREC 1 800 424 9300

15

REGULATORY INFORMATION

None.

Kenra, Ltd. Makes no warranty, express or implied, as to the accuracy, completeness, or of information contained herein, except that such information is, to the best of our knowle belief, accurate as of the date indicated. We assume no responsibility for the application information or the consequences of its use.

MSDS

Material Safety Data Sheet KENRA, LTD.

sists.

MSDS

Material Safety Data Sheet KENRA, LTD.

.

terial and
ers

ach of

MSDS


Material Safety Data Sheet KENRA, LTD.

terial and
ners

PACKING
ICY CALL

MSDS

Material Safety Data Sheet **KENRA, LTD.**



reliability
dage and
of the