



Living with Wetlands

*A Handbook for
Homeowners in
Northeastern Illinois*

Dear Homeowner:

When you chose to live near a wetland, you included one of nature's most unique creations in your backyard. You have a front row seat to watch these amazing ecosystems at work—purifying water, holding floodwaters, providing homes to all kinds of wildlife. The value and enjoyment of your home are enhanced when a wetland is nearby.

This handbook is intended to help you understand the wetland in your backyard so you can enjoy it more. Also, with understanding, we hope, will come an increased willingness to be a responsible steward of this natural area.

Sincerely,



A
President, The Wetlands Initiative

Produced by

 The Wetlands Initiative

In partnership with U.S. Fish and Wildlife Service, Chicago Field Office and the U.S. Army Corps of Engineers, Chicago District

Jerry Paulson, editor

Laura Urban, writer

Nancy Williamson, designer and illustrator

William J. Mitsch, Ph.D., The Ohio State University, technical editor

This revised edition made possible by a generous gift from:



Christopher B. Burke Engineering, Ltd.

9575 W. Higgins Road, Suite 600

Rosemont, IL 60018

TEL (847) 823-0500 FAX (847) 823-0520

© 1998, 2004 The Wetlands Initiative

Living with Wetlands

A handbook for homeowners in Northeastern Illinois

WHAT'S INSIDE:



Great Egret

Wetlands and you page 2



Grass Pink

Defining a wetland page 4



Frog & Duckweed

Taking a closer look page 6



Red-winged Blackbird

Protecting wetlands page 10



Eggs & Nest of Red-winged Blackbird

Being a good neighbor page 12



Muskrat

Managing your wetland page 16



Lesser Yellowlegs

Finding help page 20

Wetlands and you



Tall Meadow Rue &
Baltimore Checkerspot



Duck Potato



New England Aster

Wetlands are valuable to you and your community because they:

Improve water quality.

Wetlands can absorb and filter out pollutants and sediments in the water.

Store floodwaters.

Wetlands are a sponge, slowing down the force of flood and storm waters as they travel downstream.

Offer habitat for wildlife.

Many migratory birds and other wildlife found in Illinois depend on wetlands for survival.

Support biodiversity.

The wide variety of living things makes the health of our planet and our own lives possible by ensuring our food supply, regulating the atmosphere, and providing raw materials

for industry and medicine. Wetlands are one of the most productive ecosystems on earth because they produce more living things per acre than other ecosystems.

Provide valuable open space.

Homeowners enjoy the scenic vistas and the increased privacy that come from living near wild areas. Property values usually are enhanced when homes are properly built near healthy wetlands.

Create recreational opportunities.

Fishing, birdwatching, and hiking are just a few of the activities people enjoy in wetland areas.




Great Egret





Swamp Milkweed



Common Burreed



Green Heron



Sneeze Weed



Sawtooth Sunflower



Female Red-winged Blackbird



For nearly 200 years these values were unappreciated across the country. The nation's rich "swamp lands" were viewed only as areas waiting for "improvement." The city of Chicago was even built atop drained and filled wetlands! Most naturally-occurring wetlands in Illinois have been drained, filled, channelized (or otherwise converted) to farms, homes, and businesses. Today less than 10% of the wetlands present in Illinois in the early 1800s remain.

The functional values of our remaining wetlands can be diminished when the ecosystem becomes unbalanced by too much sediment or pollution, or if the areas immediately adjacent to wetlands are not maintained with native plant species. Healthy wetlands need neighbors who are good stewards and managers of these ecosystems.




Defining a wetland

At its simplest definition, a wetland is an area between deep water and dry land. It may hold standing water year-round or for only a few weeks in the rainy season; but regardless of how long it is wet, to be called a wetland, it must be an area where the soil was formed by and plants have adapted to water.


Don't be surprised if you don't always recognize a wetland. Identifying some wetlands takes specialized training in soil science, botany, and hydrology. Wetland delineation is the process ecologists use to identify wetlands and determine their boundaries. While you may not be a wetland scientist, you can learn to recognize the common wetland types in northeastern Illinois.

Types of wetlands in Illinois



Blue
Flag Iris

Marsh—Marshes account for about 90 percent of the total wetlands in northeastern Illinois. Shallow or deep marshes (with water depth of only a few inches to a few feet) have year-round standing water and rooted plants that emerge above water, called emergents, such as bulrush, cordgrass and cattails. Muskrats and frogs, as well as mallards, teal, and other birds—including many state threatened or endangered species—nest, breed, and feed here.



Skunk
Cabbage

Forested wetland—Many of these wetlands are next to a river, where their water level fluctuates with the river level. Other forested wetlands are in poorly drained upland areas. Both types typically only have standing water during part of the growing season. Silver or red maple, green and black ash, willow or alder trees abound in these wetlands. Forested wetlands provide habitat for wood ducks, woodpeckers, salamanders, and wildflowers such as jack-in-the-pulpit.




Marsh
Marigold

Wet meadow—Wet meadows have saturated soil and little standing water. Sedge meadows have saturated soil that supports sedges—a plant that is most recognizable in early spring by its lumpy tufts of grass-like shoots. Wet prairies are wet meadows which are dominated by grasses and wildflowers. Wet meadows are home to a variety of wildlife species, including voles, short-eared owls, sandhill cranes, and marsh hawks.



Grass-of-
Parnassus

Bog and fen—Bogs are known for their waterlogged peat and dense coverings of sphagnum mosses which grow in a bog's acidic environment. A fen develops in an alkaline area, where groundwater flows through calcium- or magnesium-rich glacial deposits and seeps out to the surface. Many rare and interesting plants are found only in bogs or fens.



Wetland mitigation projects


A *wetland mitigation project* is an area where scientists and engineers have created or restored wetlands to lessen the impact of deliberate wetland loss elsewhere. These projects often—though not always—are on land that historically had been a wetland before the land had been drained for farming or other development.

These projects have been mandated by Section 404 of the federal Clean Water Act (see *Protecting wetlands*, page 10). This law requires that if a developer or an individual is permitted to adversely impact a wetland, then they must mitigate or

compensate for that impact. For example, if a developer fills one acre of wetland for his or her project, he or she typically will be required to restore, enhance or create one or more acres of wetlands elsewhere—either on or off the property. This is an expensive undertaking, costing developers \$40,000 to \$100,000 per acre in construction and planting costs, not including the cost of the land itself. Therefore, it is in the best interest of all those involved to do mitigation correctly.


If the wetland near your home is part of a mitigation project, the U.S. Army Corps of Engineers will have required that the developer maintain and monitor the wetland for the first five years after construction. Ask your homebuilder what regulations apply to your wetland or call the Corps (see *Finding help*, page 20).

In this sample wetland mitigation site plan, open water and emergent marsh areas (bottom center) were enlarged and enhanced to compensate for the loss of wetlands in another area.



Detention basin or wetland?

A detention pond is a manmade basin designed to hold water that used to be absorbed into the soil, but now runs off impervious areas (e.g., your home, driveway, roads, and mowed lawns). Rainwater and snow melt accumulates in the basin and then is slowly released to a nearby creek or stream. These basins may be surrounded by concrete and mowed grass, rather than by native vegetation. In the 1980s, some of these basins were considered wetlands by the Corps, and, therefore, were regulated by the Corps. More recent detention ponds usually are not regulated by the Corps. If you're in doubt about whether the detention basin in your area is regulated as a wetland, ask the Corps.



Taking a closer look

You'll enjoy your neighboring wetland more if you understand its complexity and beauty. Start by going on a nature walk and observing it closely. Look for the following:

Water

Where does the water in your wetland come from? Does it flow out of the wetland? Where does it go? How does the water level vary with the season and the year?


Look for the sources of water to your wetland and where the water exits. If there are culverts or outlet pipes, make sure they aren't blocked with sediment or debris. Notice how the water level will fluctuate with the seasons and the rainfall. This is natural—in fact, beneficial—because the fluctuation regenerates vegetation, recycles nutrients, and reduces algae growth.

If you live in an area where homes have been flooded, try to determine why.

Are culverts clogged? Has stormwater runoff increased as roads, parking lots, and other impervious areas have expanded around the wetland?



Every wetland is part of a larger *watershed*, the land area that water flows across or under on its way to the lowest point, that is, a stream, river, lake, or wetland. By knowing where your wetland is situated in the watershed, you'll better understand how you and your neighbors affect water quality and flooding downstream. Take a look around your neighborhood to determine where the rain goes when it falls. If it drains into a storm sewer, see if you can find where it re-emerges. (Your county stormwater management commission or department of environment will be able to help you with this.) Does water from your wetland eventually flow to a river or a lake?

If your wetland has standing water, notice its quality. What color is the water? Is the water turbid or dirty? How much algae is present?



What's that green stuff?

Don't confuse algae with the tiny, floating plant family called duckweed—lesser duckweed and its cousin, watermeal. The round or oval leaves of these plants are less than one-quarter inch long and can be mistaken for algal blooms. Filamentous algae will appear as greenish, stringy slime. Duckweed is an important food for waterfowl.







Water from a healthy wetland can appear various colors, depending on the weather and the biological activity in the water. Water will often appear to be stained brown like tea, although when scooped up in a glass, the water will look clear. The brown hue is perfectly natural and comes from tannic acids that are released as organic matter (e.g., leaves, stems, and organisms) decomposes in the wetland. Water that appears a muddy, chocolate brown, however, is not natural. This color is caused by too much silt and sediment washing into the wetland. Muddy-water wetlands can't support a complete food web because plants and small organisms will become smothered under accumulated sediment, and sight-feeding fish will starve in the murky water.

In early summer, the water may appear green—it may even look as if its been streaked with radiator coolant. This is caused by growth of *planktonic algae*,

small organisms suspended in open water. In mid- and late-summer, the water may appear black. This occurs when the water level is low and the algae and plant production is highest, thus, there is very little oxygen in the water.

If you see algae, try to assess how much is present. Some algae growth is a natural phenomenon and essential to building the food web. Too much algae will cause other aquatic plant life to suffocate, leaving only the mosquitoes to flourish. Think of algae as a warning flag: If the water surface of a wetland is covered with it, the natural balance of nutrients in the water has been upset, most likely due to excess fertilizer washing into the wetland. Septic field leachate, stormwater runoff and animal excrement also can increase nutrients in a wetland (see *Being a good neighbor*, pages 12-13).

The numbers on a county soil map indicate different soil types, including hydric soils. In general, hydric soils have water tables that are closer to the surface than other



Why is my backyard (or basement) wet?

While some residents who live near wetlands may believe that wetlands cause flooding, the opposite is actually true. Wetlands act as a sponge, absorbing rainwater and runoff. The soil can actually hold water, preventing it from racing downstream.

Wetlands, however, form at low points in the landscape and water will collect there. Wetlands also may indicate that the water table, the level of water in the ground, is close to the surface. Thus, if people build basements, backyards, or roads in a wetland or below the water table of a wetland, flooding will occur.

Before you buy or remodel a home, you can learn about the topography, soils, wetlands, and the water table on the property by asking your local Natural Resources Conservation Service office or county Soil and Water Conservation District (see *Finding help*, page 20) for a Soil Survey Report of your area.

Vegetation

How many different types of plants do you see in the wetland and surrounding area? Are there a few species that cover the whole area? How do the plants change as you get farther away or closer to the water?

To a society accustomed to manicured lawns and tidy rows of flowers, wetland vegetation can look unkempt and weedy. Unlike short turf grasses that we plant for lawns, however, wetland plants are perfectly suited for their environment. The tall grasses, reeds, and rushes have deep, strong roots that hold the soil and absorb nutrients out of the wetland. Their bushy tops

are homes to many species of birds and insects who are vital to the

ecosystem's food web, including the damselflies and dragonflies who eat mosquitoes.

Look for different *vegetation communities*, groups of plants that grow together due to similar soil and water conditions. Buy or borrow a guidebook specific for wetland plants and learn to identify what you see. Attend nature walks sponsored by forest preserve districts, nature centers, park districts, or conservation groups.

Soil

How does the soil change color and texture as you get closer to the water level? Does this soil look different than the soil in your yard?

Soil in wetlands, called *hydric soil*, is shaped by the presence of water during the growing season. The soil generally has a deep, dark surface layer followed by a grayer subsoil layer that may have reddish splotches. Rich organic areas will




have deposits of *peat* or *muck*—black, highly-decomposed plants. For further information about soil around your home, contact your Soil and Water Conservation District office (see *Finding Help*, page 20).

Wildlife

What animals do you see, particularly in early morning or early evening? Do you see tracks, droppings, nests, or holes? How many different types of bird songs or frog calls can you hear? Can you find small animals such as frogs, butterflies, dragonflies, or salamanders?

Wetlands are home to many diverse species, from large to small, from airborne to aquatic. Observing wildlife in its own habitat can be one of the most enjoyable aspects of living near a wetland. Attend a birdwatching group's local walk to learn the names and sounds of common birds. Several rare and unusual birds are visible

in local wetlands, including the yellow-headed blackbird, pied-billed grebe, great egret, and black-crowned night heron.



Various water and soil conditions in and around a wetland affect what species live and grow there. This illustration is roughly arranged from plants that favor drier conditions (starting left) to plants that need standing water (right). See if you can find these species around your wetland. 1. Big Bluestem 2. Yellow Coneflower 3. Blue Vervain 4. Prairie Dock 5. Spotted Joe Pye Weed 6. Switch Grass 7. Monarch Butterfly 8. Wild Bergamot 9. Common Sneezeweed 10. Nannyberry Bush 11. Red Osier Dogwood 12. Common Boneset 13. Sawtooth Sunflower 14. Green Darner Dragonfly 15. Bristly Sedge 16. Broadleaf Arrowhead (Duck Potato) 17. Blue Flag Iris 18a. Common Water Plantain (with bloom) 18b. Common Water Plantain 19. Sora Rail 20. River Bulrush 21. Sweet Flag 22. White Water Lily 23. Cattail 24. Water Boatman 25. Leopard Frog 26. Wood Duck 27. Soft-Stem Bulrush 28. Water Smartweed 29. Common Burreed 30. Peachleaf Willow




Protecting wetlands

For more than a century, we have drained, filled, dredged, dammed, and altered our wetlands with the encouragement and support of the federal government. In the past 30 years, however, we have begun to recognize that these lands are valuable. Today many, but not all, wetlands are protected by legislation, ordinances, easements, and deed restrictions.

Federal Law

Section 404 of the Clean Water Act protects “waters of the United States.” For many years this definition included most of the small, isolated wetlands in Illinois. However, in 2001 the U. S. Supreme Court narrowed the definition, ruling that isolated wetlands are not protected by the Clean Water Act. The law, however, still protects wetlands adjacent to “navigable” waters. The U. S. Army Corps of Engineers decides which wetlands fall under protection from Section 404. Corps staff will conduct a “wetland determination” when requested (see Finding help, page 20). This should be your first stop if you are considering any work within a possible wetland. If you own property with a wetland protected by Section 404, you may not fill, grade, conduct mechanized land clearing, excavate, or install rock riprap or seawalls without a permit from the Corps.

The Clean Water Act requires that developers or individuals avoid or minimize the impacts to wetlands when building homes or businesses. If they can't avoid impacting wetlands on their property, the Corps may allow them to mitigate for the damage by restoring previously converted wetlands, enhancing degraded wetlands, or creating new wetlands. This is called wetland mitigation.



The Blandings turtle, once common in northeastern Illinois, has been eliminated throughout much of its range by habitat loss.

Ask your homebuilder if the wetlands in your area were subject to mitigation or preservation action by the Corps. If so, the developer or the homeowners' association may still be obligated to manage the wetland. Check your homeowner's association agreement, covenant, or easement documents.

State Law

At press time (July 2004), the state Senate was still considering enacting the Illinois Wetland Protection Act (HB 913) to protect isolated wetlands that are no longer protected under the federal Clean Water Act. You can follow the status of the bill on the Illinois General Assembly website (www.legis.state.il.us) or by calling your state legislator's office.

No other state laws specifically regulate wetlands. However, if construction projects occur in wetlands in a floodplain or in areas adjacent to a public water body (e.g., the Chain O'Lakes or the Fox River), they will be regulated by the Illinois Department of Natural Resources, Office of Water Resources, (see Finding help, page 20).

County Ordinances

Several counties have enacted laws to protect isolated wetlands in unincorporated county areas. Contact your county zoning or development office or your municipality before beginning any activities in a possible wetland or buffer zone.

Conservation Easements

Some wetlands may be protected by a conservation easement. This is an agreement between the landowner and a third party (such as a homeowners' association, park district, forest preserve district, or conservation organization) granting certain rights concerning the use of a piece of



property without transferring ownership of that land. The developer may have created the easement at the time of development to restrict how the property is used.

If your property is adjacent to a wetland in a newer subdivision, 30 to 50 feet or more of your lot may be under a conservation easement. If so, you are not allowed to build fences, swing sets, or sheds on that portion of your lot. Planting trees, mowing, dumping, or fertilizing also may be banned. The easement may require that a buffer of native vegetation be maintained around the wetland.

Ask your homeowners' association, builder, or local conservation organization if the wetlands near your home are protected—or could be protected—by a conservation easement. (See Finding help, page 21.) If your land is already under an easement, make sure you understand how the easement restricts your activity.

Deed Restrictions

A deed restriction is similar to a conservation easement in that it restricts what activities the landowner can do on his or her land or the land owned by the homeowners' association. A clause in the property deed places restrictions on the use of that land.

In the past decade, the U.S. Army Corps of Engineers has required deed restrictions on homes that border a wetland project permitted by its office. More recently, deed restrictions are placed on “out lots” or common areas that include the wetland. These areas are then held by the homeowners' association.

Deed restrictions also can be mandated by city or county governments. Check your property title or ask your homebuilder what restrictions are on your property.

Conservation easements and deed restrictions are designed to give a wetland the natural vegetated zone that it needs to stay healthy. The 25-50 feet around your wetland may be under such a restriction. Check with your developer or read your property deed.



Being a good neighbor

The common yellow-throat is an abundant wetland warbler easily recognized by his black “mask” and “witchity-witchity” song.



When you live near a wetland, you live near an important natural resource. You have the opportunity—indeed, the responsibility—to be a steward of that resource. Start by being a good neighbor to the wetland. Practice the following environmentally-sensitive activities to decrease the amount of nutrients, pollutants, and sediment that enter the wetland.

Establish adjacent strips of native vegetation.

One of the most important ways you can care for a wetland is to give it space. A wetland that is crowded by pavement, mowed grass, or adjacent development may become overloaded with nutrients (e.g., phosphorus, nitrogen) from fertilizer and with sediment carried by storm runoff. A wetland without native vegetation around it also will lose much of its habitat value to wildlife.



To protect a wetland from adjacent human activity, a *vegetative strip* of native plants—not mowed grass—should be maintained around the wetland. This strip is simply an upland area that is maintained with native vegetation. A conservation easement or deed restriction may be in effect on your lot to provide for this strip. If not, you as the landowner adjacent to the wetland may choose to voluntarily leave this area in native plantings.

The primary benefit that a vegetative strip provides is its ability to filter out nutrients and pollutants before they reach the wetland. The deep, dense roots of

Feeding your lawn or your wetland?

Many homeowners fertilize their lawn several times a season with “combination” fertilizers (containing nitrogen, phosphorus and potassium) whether the soil is hungry or not. Your soil may not need all three nutrients, and, by dumping the product on your lawn, it will wash into the wetland, feeding only the algae.

If your lawn or garden beds look unhealthy, start with other remedies before you fertilize. First, aerate your soil with a rototiller or a shovel so that roots can penetrate into the compacted clay. Then, conduct a soil test using a kit (\$15-\$20) available at your local nursery to measure the nutrients and pH level. Apply fertilizer based on what your soil really needs. When you are finally ready to fertilize, listen to the weather report first. Avoid applying fertilizer before a heavy rain, which will wash the nutrients away before they are absorbed by the soil.





native plants take up nutrients deposited in the soil from local runoff. Native upland vegetation slows the speed of the surface water reaching the wetland, thus, reducing erosion. The tall grasses of these areas also provide habitat and links to other habitats in the area (either other wetlands or nearby upland areas).


For a list of recommended species to plant in these areas, request a free copy of *Shoreline Buffer Strips* from the North-eastern Illinois Planning Commission (see *Finding Help*, p. 23). Once vegetative strips are established (within 1–3 years), they require little maintenance. Occasional

mowing or burning may be necessary to control weeds and maintain native plant diversity. Only mow after midsummer, so as not to disrupt any wildlife nests. Fertilizers should not be used in these areas.

Use chemicals sparingly.

Whatever chemicals you use in your yard can wash into a wetland, either directly or via a nearby storm sewer. Be careful how and when you use lawn fertilizer, pesticides, car cleansers, road salt, and motor oil.

Without a vegetative strip of native plants, road and yard chemicals may wash directly into an adjacent wetland. Filter strips trap chemicals and slow stormwater that rushes off a saturated lawn.




Don't dump on (or in) your wetland.

A wetland is not a compost pile for your grass clippings, a depository for manure or pet droppings, or a convenient place to leave junk, debris, or unused chemicals.

wetland as you
n garden and don't
ith a pile of grass
Heaps of grass clip-
wetland will form
-starved mass that
ecay, but will cause a
and will upset the

balance within the wetland ecosystem. Contact your county's University of Illinois Cooperative Extension Service for information on how to properly compost your yard waste (see *Finding help*, page 20).

Animal waste in or near a wetland will reduce its water quality, as will unused chemicals. If you have materials that you think might be hazardous or toxic to plants or wildlife, contact the Illinois EPA or your municipality and ask about a household hazardous waste collection day in your area.



Bull Frog



Slider Turtles



Yellow-headed Blackbird



Screech Owl



Mayfly on Lady's Slipper

Sharing your land with wildlife

You can do more than protect the wildlife that shares your land; you can conserve and improve its habitat. The Illinois Department of Natural Resources has biologists and literature available, through the "Acres for Wildlife" landowner assistance program, to help you. IDNR staff can suggest helpful plantings or how to construct artificial nest structures and brush piles for animals to use. Staff also may be available for an educational program to your homeowner's group (see *Finding help*, page 20).



Keep pets out of wild areas.

Your lovable and tame house cat can become an effective predator when left to run loose around a wetland. Cats can catch mice, voles, and nesting or feeding birds. Dogs also can wreak havoc for small animals and nesting birds. Leash your dog or provide a fenced area for him or her so he or she cannot harass the very wildlife you are trying to protect.

Maintain your septic system.


If your home has a septic system, you may be tempted to assume all is working well unless you see (or smell) otherwise. But if you wait until there's an obvious problem, your system may contaminate your well water and your nearby wetland in the meantime. Incompletely treated septic system waste may be slowly send-

ing phosphorus-rich effluent to your wetland, adding to the algae and cattail build-up.

Start by inspecting your tank every year to determine the sludge level. Hire a contractor to pump the tank when the sludge exceeds one third of the tank volume (to leave room in the tank for solids to settle out before the sewage liquid enters the soil absorption field).

Check to see that your system has sufficiently dry soil in the absorption field. Fields that are too near the water table or are in poorly-drained soils will cause untreated wastewater to flow to the surface or seep to the groundwater and into your wetland.

Even a properly designed, constructed, and maintained system only lasts about 20 years (depending on the usage). After that time, the capacity of the soil to renovate the wastewater is reduced. Older systems may need upgrading or replacement. For further information, contact your county health department.



A septic field that is placed too close to a wetland or is improperly maintained may damage the water quality of a nearby wetland.

Managing your wetland



Purple beauty or menace?

Purple loosestrife (*Lythrum salicaria*) is a pretty, spiky flower that blooms from early July to early September. Its role in a wetland, however, is far from delightful. Because each plant produces over 100,000 to 1 million seeds each year, it grows rapidly, unchecked by disease or insects, and chokes out native plants. This upsets the delicate balance of a wetland ecosystem, creating dense stands of purple loosestrife that can't support wildlife.

The plant is so disruptive that Illinois and Wisconsin have banned the sale, distribution, planting or cultivation of this non-native invader.

Today ecologists know that just as gardens need tending, urban natural areas such as wetlands, prairies, and forests also need specialized care or management. Although wetlands functioned successfully for centuries without human help, they also existed without human disturbance. In urbanized area, today's wetlands are no longer connected to prairies where animal migrations, freely flowing water, and periodic wildfires once sustained and naturally "managed" these ecosystems. Therefore, if these remaining wetlands are going to be—or become—ecologically healthy, they need human help.

That help includes planting native plants (or sowing seeds), removing unwanted invasive plants, performing prescribed burning, and monitoring the plants and animals to assess their ecological health. These tasks are usually done by professional ecologists. Some work, however, could be done by trained volunteers (see *Finding help*, pages 21-22 for non-profit organizations that offer training).

Because of the large scale of management work, most activities are initiated and paid for by a homeowners' group, not an individual landowner.

Develop a plan.

Before any management work begins, a homeowners' association should develop, with the help of professionals, a long-range management plan. These 10-year plans, produced by ecologists or wetland restoration specialists,

typically cost \$800 to \$1500. Without a plan, it will be difficult for residents to agree on and understand the goals for managing their wetland.

Developers of wetland mitigation projects that have been regulated by the U.S. Army Corps of Engineers are required to create and follow 5-year management plans. Ask for a copy of the plan from your developer.

If your association wants to create a plan and/or complete a specific improvement project in your wetland, you may qualify for a grant to help pay for the work. Contact your local Soil and Water Conservation District office for a current list of possible funding sources (see *Finding help*, page 20).

Control non-native plant species.

To maintain an area of native vegetation around a wetland's perimeter, remove undesirable, exotic vegetation, such as purple loosestrife, reed canary grass, and garlic mustard. This can be done by hand (cutting or pulling), herbicide applications, or prescribed burning. All three may be needed. Wetland areas also need to have invasive species removed. If you are unsure of a plant's identity, take a flower and leaf cutting to a Master Gardener at your county Cooperative Extension Service office (see *Finding help*, page 20). Do not pull or herbicide a plant if you are not sure what it is.

Because herbicides such as Roundup™ or Rodeo™ (for aquatic use) are toxic chemicals, they should only be applied by "painting" and small scale spraying of specific species. Applications must be made by a commercial licensed herbicide applicator. Signs should be prominently displayed wherever herbicides are applied. Whenever possible, use non-chemical methods of removing weeds.

Burn wetlands and buffer areas.


By using controlled fire in and around a wetland, you can weed and fertilize the area “naturally.” Spring fire encourages growth of native plants by warming the soil and by forcing some native seeds to germinate. Fire also discourages weeds (non-natives that come from the cool meadows of Europe) by killing off their early growth and giving native plants a chance to compete.

Even in standing water areas, fire can be used to clear away invasive plants. Cattails and reed canary grass stalks can be burned above the water line in either fall or spring.

Almost all burns are conducted by fire professionals because of the need for adequate training, equipment, safety know-how, liability insurance, etc. Some residents, however, may be willing to try a small burn by themselves. This should be attempted only after acquiring extensive training and experience.

One way to learn about burns is to participate in volunteer stewardship training and workdays sponsored by a local conservation group (e.g., The Nature Conservancy, Liberty Prairie Conservancy). The Liberty Prairie Conservancy offers annual training courses for landowners who wish to burn their own land. You may also ask your local fire department if it is willing to conduct prescribed burns on your property.

Before conducting a prescribed burn, you must obtain a permit from the Illinois Environmental Protection Agency, Division of Air Pollution Control, gain approval from your local fire department, and notify all affected neighbors.



How many cattails are enough?


Everyone knows that cattails belong in wetlands, but can you have too many cattails?

YES. Even though these plants may be native to Illinois, historically, muskrats, and fire kept them from overrunning a wetland.

Today, these hearty plants form dense stands in waters that are rich with excess nutrients from stormwater or runoff. They choke out other plants, reducing the biodiversity of the wetland, and fill up open water areas that birds need. Some management plans may include burning or pulling thick cattail stands.



Controlled burns are necessary to promote growth of native species.





Living with wildlife.

Recognize that if you live near a wetland, you live near wildlife. One of the key values of a wetland is to provide homes for birds, small mammals, reptiles, amphibians, fish, and *macroinvertebrates* (e.g., dragonflies and damselflies). The presence of all of these animals is vital to the health of the wetland and to your enjoyment of this natural area.

There may be times, however, when some animals are less than welcome because of the nuisance they can cause homeowners. In a healthy wetland, these occasions should be rare and may be an indication that your wetland ecosystem is not in balance.

The following are some tips on how to live with three animals: mosquitoes, geese, and beaver.



Purple
Martin



Blackstripe Topminnow



Tiger Salamander



Dragonfly

Mosquitoes. A healthy wetland will be a fertile breeding ground for many of the mosquito's natural predators. By maintaining a healthy wetland buffer and diverse plant community in your wetland, you will naturally reduce your mosquito population.

Note that just because you live near a wetland, your nuisance mosquitoes may not come from there. Studies have shown that many nuisance mosquitoes breed close to your house. Mosquitoes flourish in any stagnant water—old tires, watering cans, pet feeding saucers, clogged rain gutters. Inspect your area carefully, dump any standing water, and remove containers that could collect water.

Biological controls are available when necessary. The least-toxic suppressant available for use in a water environment is the bacterium BTI. It is relatively safe because it is highly selective, attacking only the mosquito larvae and a few related water-inhabiting insects. BTI can be sprayed in a

In-house mosquito eaters

Dragonflies, damselflies, water beetles, fish, salamanders, and purple martins can do the work of mosquito extermination for you. The abundant vegetation in and around a healthy wetland provides the perfect home for these predators. Like Native Americans and early settlers, you may want to try attracting purple martins, who are prodigious bug eaters, by building houses for them. The Illinois Department of Natural Resources publishes a free booklet on how to build habitat structures for many birds, including purple martins (see *Finding help*, page 23).

wetland, although it only lasts for a few days and must be reapplied.

Chemical controls also are available. Mosquito control oil can be applied to the surface of standing water, where the resulting film will suffocate larvae as they come up for air. The film's effects are reduced, however, if the water is disturbed by wind or other activity. For more effective control, use both oil and BTI.

Users of biological or chemical controls must have a pesticide operator's license from the Illinois Department of Agriculture. Call your local mosquito abatement district or private pest control service if you are considering any of these controls.



Canada geese. These birds are protected by federal and state wildlife laws, but simple measures can be tried to minimize conflicts between people and birds.

First, do not feed geese and ducks. Feeding attracts huge flocks that can spread diseases among each other, deposit large amounts of feces, and degrade your water quality.

Second, change their habitat. Geese are attracted to areas with short grasses where they can graze. If your wetland has an adjacent strip of tall, native vegetation, geese will migrate elsewhere. Don't let aerators or fountains keep water in the wetland from freezing. When open water is allowed to freeze, geese and ducks are discouraged from congregating.

Tempted to try using mute swans or fake alligators as aquatic scarecrows? Your success will be minimal or short-lived, at best. Mute swans are only territorial during their mating/breeding season (early spring), after which they co-habitate peacefully with the geese. And geese quickly learn that fake alligators are not serious predators.

Beavers. Although not attracted to isolated wetland areas, beavers do build dams across flowing waters. In doing so, they create wetland habitat for a variety of other aquatic wildlife and plants—the same variety that may have attracted you to the area. Unfortunately, beavers can cause damage to residential properties by gnawing trees, plugging culverts, and, sometimes, causing flooding. There are ways to discourage beaver activity, however. Consider these:

- Apply small-gauge wire mesh around trees to protect from gnawing. Double wrap heavy-duty “hardware cloth,” a galvanized wire with a mesh smaller than chicken wire, around the base of a tree and secure it with wire.
- Plant conifers in upland areas rather than beaver favorites such as cottonwood, willow, silver (soft) maple, and birch trees. Or plant “extra” trees—some for you and some for the beaver.

To lessen the impact of their ponding, you can insert a “beaver pipe” or a “Clemson Beaver Pond Leveler” through their dams to reduce high water. This simple device is more effective than destroying their dams, which they are likely to rebuild unless you remove the beaver. Contact IDNR Division of Wildlife Resources for further information (see *Finding help*, page 20).

Because of their ability to create wetland habitat, beavers are highly beneficial in the wild, but beavers may become a nuisance to homeowners who don't want to contribute their trees to the beaver dam.



Finding help

Government Agencies

For questions on federal wetland laws, to request a wetland determination, or to apply for a permit to dredge or fill a wetland:

**U.S. Army Corps of Engineers
Chicago District,
Regulatory Functions Branch**
111 N. Canal St. 6th Floor, Chicago, IL 60606
(312) 846-5530
www.lrc.usace.army.mil/co-r
Look for the Corps' informative brochure, *Recognizing Wetlands*, at the web site.

For technical assistance on managing wetlands, information on migratory birds and federally endangered species, or for guest speakers:

U.S. Fish and Wildlife Service
Chicago Field Office
1250 S. Grove Ave., Ste. 103, Barrington, IL 60010
Phone: 847-381-2253
www.fws.gov

For information about federal wetlands regulation, wetlands values and functions, and other sources of help:

www.epa.gov/owow/wetlands
or call the **Wetlands Hotline**
(Sponsored by U.S. EPA; operated by private contractor); 1-800-832-7828
www.epa.gov/safewater/resource

For information about state wetlands:
**Illinois Department of Natural Resources,
Office of Resource Conservation**
www.dnr.state.il.us/wetlands

For questions on construction in floodplains:
**Illinois Department of Natural Resource,
Office of Water Resources**
2050 W. Stearns Road, Bartlett, IL 60103
(847) 608-3100
www.dnr.state.il.us/owr/OWR_index.htm

For copies of county soil surveys and local soil expertise:

Soil and Water Conservation District and Natural Resources Conservation Service

(DuPage and Kane counties)
545 Randall Rd., St. Charles, IL 60174-1533
(603) 584-7960
www.kanedupageswcd.org

**(McHenry county; NRCS office also
serves Lake county)**
1143 N. Seminary, Woodstock, IL 60098
(815) 338-0049
www.mchenryswcd.org

(Lake County; SWCD only)
100 N. Atkinson Rd., Suite 102-A
Grayslake, IL 60030
(847) 223-1056
www.lakeswcd.org

(N. Cook County; SWCD only)
P.O. Box 407, Streamwood, IL 60107
(847) 468-0071
www.northcookswcd.org

(N. Cook County; NRCS only)
899 Jay St., Elgin, IL 60120-8243
(847) 608-8165

(Will and S. Cook counties)
1201 S. Gougar Rd., New Lenox, IL 60451
(815) 462-3106

*For questions about wetlands or flooding in
Lake County:*

**Lake County Stormwater Management
Commission**
333B Peterson Rd., Libertyville, IL 60048
(847) 918-5260
www.co.lake.il.us/smc

*For help in identifying local plants, composting
information, or other related gardening questions:*

**University of Illinois
Cooperative Extension Service**
County offices listed in white pages or at
www.aces.uiuc.edu



Private Consultants

When you need services not available from a public agency or if you need more extensive help, you will need to hire a professional consultant. Several counties maintain a list of “qualified” or “certified” wetland consultants, although there is no standard wetland professional license. The U.S. Fish and Wildlife Service, U. S. Army Corps of Engineers, and Soil and Water Conservation District offices maintain lists of the following consultants:

- Nurseries and suppliers of native plants;
- Firms that conduct prescribed burns (including carrying liability insurance, seeking permits, and notifying appropriate authorities and neighbors);
- Wetland consultants (firms that provide maintenance and management services, and civil or environmental engineering firms that have experience in related issues such as site planning and stormwater management);
- Landscaping design and management services.

Consultants charge on an hourly basis with rates ranging from \$70 to \$200 per hour. Fees for management services can vary greatly from contractor to contractor. For example, cost estimates for a private firm to conduct a prescribed burn range from \$600 to \$8000 depending on the contractor, the complexity of the burn, the number of neighbors needed to be notified, and other factors.

Non-profit Organizations

For information on natural landscaping and native plants, contact the following three organizations:

Wild Ones—Natural Landscapers, Ltd.

P.O. Box 1274
Appleton, WI 54912-1274
www.for-wild.org

Lake-to-Prairie chapter (Lake, N. Cook and McHenry counties) (847) 548-1650

Greater DuPage chapter (DuPage, Will & Kane counties) (630) 415-4344

Cary chapter (847) 639-4940

Chicago area chapter (North Park Village Nature Center) (312) 744-5472

Wild Ones online handbook www.epa.gov/glnpo/greenacres/wildones

Wildflower Preservation and Propagation Committee of the McHenry County Defenders 132 Cass St. Woodstock, IL 60098 (815) 338-0393

Chicago Wilderness www.chicagowilderness.org/wildchi/landscape/index.cfm

For information on pesticide alternatives and lists of local yard care companies that practice organic or least hazardous methods:

The Safer Pest Control Project 25 E. Washington, Suite 1515 Chicago IL, 60602 (312) 641-5575 (Phone) www.spcpweb.org

For information on living with beaver, solutions to human/beaver contacts, how to protect trees, and a catalog of books and videos:

Beavers: Wetlands & Wildlife 146 Van Dyke Rd. Dolgeville, NY 13329 (518) 568-2077 www.beaversww.org

For information on living with urban wildlife, including how to set up beaver baffles and bird feeders:

The Humane Society of the United States 2100 L St. NW Washington, D.C. 20037 (202) 452-1100 www.hsus.org

For information on how to create a conservation easement or how to maintain your land as protected open space:

Land Trust Alliance A national clearinghouse for 1,200 member organizations who work with local landowners. Web site provides links to many northeast Illinois land trust organizations. (202) 638-4725 www.lta.org/findlandtrust/IL.htm

Educational and Volunteer Opportunities

Naturalist Certificate Program. A series of field-oriented courses for the general public in ecology, botany, zoology, geology, and interpretation offered by The Morton Arboretum, the Chicago Botanic Garden, and the Field Museum. Courses are available at all three institutions. College credit may be available from College of DuPage. www.mortonarb.org/education/cert_naturalist.htm

Volunteer Stewardship Network. Participate in a workday at one of approximately 25 sites across the region that hosts grassroots ecological restoration projects. No experience necessary; training provided. Coordinated by The Nature Conservancy and the Illinois Nature Preserves Commission; workdays led by volunteer stewards. <http://nature.org/wherework/northamerica/states/illinois/volunteer/art9844.html>

Chicagoland Environmental Network. CEN organizations are involved in habitat restoration; wetland, prairie, and watershed projects; urban gardening; energy conservation; composting, wildlife conservation; and recycling. Volunteer and internship opportunities, job listings, event calendar, and information about 300 member organizations listed on the web site. www.chicagoenvironment.org

Red Buffalo Burn School Geared for the homeowner or volunteer assistant, this six-hour course covers the basics of how to conduct a controlled burn, but does not lead to certification. Offered annually in late March or early April. \$35. Contact Liberty Prairie Conservancy at (847) 548-5989 or www.libertyprairie.org

Weed Walk. Learn the difference between native and exotic plants in your prairie or wetland at this 2 to 3 hour class held each summer. Contact Liberty Prairie Conservancy at (847) 548-5989 or www.libertyprairie.org



CHICAGO WILDERNESS

A Regional Nature Reserve

Chicago Wilderness is a regional partnership of more than 170 public and private organizations that have joined forces to protect, restore, and manage more than 250,000 acres of natural lands and the plants and animals that inhabit them. Visit the web site for comprehensive information on the region's ecology and biodiversity, links to member organizations, volunteer opportunities, and an interactive site-finder for natural areas in 10 counties (spanning Wisconsin to Indiana). www.chicagowilderness.org

Books, Publications, and Videos

A Field Guide to the Wetlands of Illinois.

Illinois Department of Natural Resources, 1988. Field guide with full-color detailed photographs and descriptions of 100 wetland plants typical to Illinois. 252 pp. Available from IDNR Merchandise Sales for \$14.87 (tax and S&H included) by calling (217) 782-1687 or look in local museum book shops.

Chicago Wilderness Magazine. Quarterly magazine that celebrates the rich natural heritage of this region and tells inspiring stories of the people and organizations working to heal and protect local nature. www.chicagowildernessmag.org; (847) 965-9275

A Source Book for Natural Landscaping for Local Officials. Homeowners, too, will benefit from this primer on tools, techniques, and applications of natural landscaping in the Chicago region. Also includes lists of local nurseries and plant sales. By the Northeastern Illinois Planning Commission, funded by U.S. EPA. Revised in 2004. Available on the web at www.epa.gov/glnpo/greenacres/toolkit or in print from NIPC (312-454-0400 ext. 210).

Lake Notes. Series of four-page publications produced by the Illinois EPA on specific topics related to waterfront living. Titles include: Shoreline Buffer Strips, Fertilizers and Pesticides, Septic Systems, and Home and Yard. Free. By the Northeastern Illinois Planning Commission, (312) 454-0400, ext. 210.

Wood Projects for Illinois Wildlife. Detailed instructions on how to build simple houses and feeders to attract and keep local wildlife. By the Illinois Department of Natural Resources, (217) 782-8774 or <http://www.dnr.state.il.us/publications/Freebies1.htm>

To buy or rent independent educational videos:

Environmental Media

www.envmedia.com;
(800) 368-3382

Bullfrog Films

www.bullfrogfilms.com;
(800) 543-3764

For the Common Good: Preserving Private Lands with Conservation Easements. This award-winning video explains the conservation easements and their benefits using three case studies. 16 min. \$25. Produced by the Land Trust Alliance, (202) 638-4725

Education for Teachers

Wetland Discovery Trunk. Contains curriculum guides, videotapes, posters, and field guides focusing on wetlands. Available for educators or the public to borrow. Guest speakers or instructors are also available to attend group presentations. Call U.S. Fish and Wildlife Service at (847) 381-2253.

Wonders of Wetlands Workshop. U.S. Fish and Wildlife Service staff offers this workshop to educators interested in teaching wetlands. Conducted throughout the region at wetland sites. Call USFWS at (847) 381-2253.

Chicago Wilderness offers materials on teaching biodiversity, including a 148-page Educator's Guide. Contact Michael Pond at (773) 755-5100, extension 5016 or mpond@naturemuseum.org.

Illinois Department of Natural Resources provides posters, puzzles, finger puppets, and other materials for a variety of ages. The Illinois ENTICE (Environment and Nature Training Institute for Conservation Education) program incorporates long-term, standards-based, natural resource education into Illinois classrooms. <http://dnr.state.il.us/lands/education/index.htm>

References

- Bigari, Danielle. "Is the Grass Always Greener Over YOUR Septic Tank?" *Wellspring* 3(4):1 Michigan Technological University Regional GEM (Groundwater Education in Michigan) Center. Autumn 1994.
- Cwikiel, Wilfred. *Living with Michigan's Wetlands: A Landowner's Guide*, Tip of the Mitt Watershed Council, Conway, MI. 1996.
- Dreher, Dennis, and Michael Murphy. *Lake Notes: Shoreline Buffer Strips*. Illinois Environmental Protection Agency and Northeastern Illinois Planning Commission, Springfield, IL. 1996.
- Dresen, Michael D., and Robert M. Korth. *Life on the Edge: Owning Waterfront Property*. University of Wisconsin-Extension. 1994.
- Hudson, Holly, and Michael Murphy. *Lake Notes: Fertilizers and Pesticides*, Illinois Environmental Protection Agency and Northeastern Illinois Planning Commission, Springfield, IL. 1996.
- Hudson, Holly, Michael Murphy, and Bob Kirschner. *Lake Notes: Home and Yard*, Illinois Environmental Protection Agency and Northeastern Illinois Planning Commission, Springfield, IL. 1996.
- Olkowski, William, Sheila Daar, and Helga Olkowski. *Common-Sense Pest Control*. Taunton Press, Newton, CT. 1991.
- New Hampshire Dept. Of Environmental Sciences. *Answers to Common Lake Questions*.
- Pauly, Wayne R. *How to Manage Small Prairie Fires*. Dane County Park Commission, Madison, WI. 1985.
- Stanton, Bob. "Fire as a Natural Areas Management Tool." *Habitat Quarterly* 1(4). February 1997.

Photo Credits

Justine Neslund Runvik: Cover Photo; Duck Potato, page 2; Detention pond, page 5; Closeup of algae, page 6; Dragonfly, page 18; Canada Goose, page 19. Mim Burling: Tall Meadow Rue, New England Aster, page 2; Swamp Milkweed, Burreed, Sneezeweed, Sawtooth Sunflower, Female Redwing, page 3; prairie burn, page 17. Jerry Paulson: Inside cover background; Marsh, Wet Meadow, Forested Wetland, Fen, page 4; Algae Mats, Duckweed, page 6; Wetland and development, page 11; Background wetland photos, pages 20-21, 22-23, 24-25. Michael Jeffords: Great Egret, page 2; Green Heron, page 3; Slider Turtles, Mayfly, page 14. A. Szabados: Yellow-headed Blackbird, page 14. Roger Gustafson, Screech Owl, page 14. Dr. William M. Rosten, Blackstripe Topminnow, page 18.

Studies for Illustrations: Mitigation Illustration, page 5, from plan provided by Hey & Associates. Soil map, page 7, provided by McHenry County Soil & Water Conservation District.



The Wetlands Initiative

53 W. Jackson Blvd. #1015

Chicago, IL 60604

(312) 922-0777

email: twi@wetlands-initiative.org

www.wetlands-initiative.org

The Wetlands Initiative is a not-for-profit corporation dedicated to restoring the wetland resources of the Midwest to provide environmental and economic benefits to both society and the landowner. Through research, education, and large-scale wetland restoration projects, TWI aims to provide cleaner water, reduced flood damages, and increased wildlife habitat.

Acknowledgements

This project was made possible by a grant from the Grand Victoria Foundation.

Additional funding was provided by Chicago Wilderness through a grant program supported by the USDA Forest Service Northeastern Area, State and Private Forestry, and the USDI Fish & Wildlife Service, Chicago Field Office. Chicago Wilderness grants are administered by the Illinois Conservation Foundation.

The concept for this handbook developed during a project to protect wetlands in the Waukegan River watershed. Project partners include watershed homeowners and staff from the Lake County Planning Department, City of Waukegan, Waukegan Park District, Lake County Stormwater Management Commission, Illinois EPA, and The Wetlands Initiative.

Thanks to the following individuals who provided information or expertise:

John Rogner, Cyndi Duda, and Mike Johnson, U.S. Fish and Wildlife Service
Mike Machalek, U.S. Army Corps of Engineers
Kent Sims, Rick Woodford, Keith Eichorst, and Paige Mitchell, USDA Natural Resources Conservation Service
Marvin Hubbell, Illinois Department of Natural Resources, Office of Resource Conservation
David Gorman and Vince Parisi, Illinois Department of Natural Resources, Office of Water Resources
Ray Eisbrener, Illinois Department of Natural Resources, Division of Wildlife Resources
Scott Ristau, Illinois Environmental Protection Agency, Division of Water Pollution Control
Jim Janssen, Illinois EPA, Pollution Prevention Office
Dennis Dreher, Northeastern Illinois Planning Commission
Ward Miller, Susan Vancil, and Patty Weiner, Lake County Stormwater Management Commission
Mark Pfister and Ingrid West, Lake County Health Department
Paula Trigg, City of Waukegan
Mary Ochsenschlager, St. Charles Park District
Katie Green, The Nature Conservancy
Bob Stanton, Prescribed Fire Consulting, Inc.
Mark Baker, Northwest Mosquito Abatement District
Bruce Deason, Home Builders Association of Greater Chicago
Jerry Conrad, Cambridge Homes
Steve Apfelbaum and Mark O'Leary, Applied Ecological Services
David Urban, Christopher B. Burke Engineering, Ltd.
Kevin Kleinjan, Hey & Associates
Betsy Dietel, Liberty Prairie Conservancy
Margaret Marchi, McHenry County Defenders
Carol Saunders, Brookfield Zoo
John Haidian, The Humane Society of the United States
Sandy Cole, homeowner
Steve White, homeowner


This project supported by:



U.S. FISH & WILDLIFE SERVICE
CHICAGO ILLINOIS FIELD OFFICE




USDA FOREST SERVICE
NORTHEASTERN AREA
STATE & PRIVATE FORESTRY



 The Wetlands Initiative

This revised edition made possible by a generous gift from:

 Christopher B. Burke Engineering, Ltd.
9575 W. Higgins Road, Suite 600
Rosemont, IL 60018
TEL (847) 823-0500 FAX (847) 823-0520