

Guide to Plants in the
Charles R. Keith Arboretum

Abelia

April 22, 2012

- Abelia* : FF-1
Abelia (*A. chinensis* hybrid) : FF-1
Abelia chinensis : Front Pond North-1, South of House-1
Abelia 'Edward Goucher' : GG-1, Front Pond North-1
Abelia ×*grandiflora* : GG-2
Abelia ×*grandiflora* 'Francis Mason' : BB-1
Abelia ×*grandiflora* 'Kaleidoscope' : Front Pond North-1
Abelia ×*grandiflora* 'Little Richard' : Front Pond North-1
Abelia ×*grandiflora* 'Mardi Gras' : Front Pond North-1
Abelia ×*grandiflora* 'Rose Creek' : FF-1
Abelia ×*grandiflora* 'Sherwoodii' : AA-1
Abelia mosanensis : L-1
Abelia serrata : E-1, X-1, Log Cabin-1
Abelia (white variegated) : FF-1
Abelia zanderi : Q-1
Abeliophyllum distichum : Q-1
Abies alba 'Pendula' : N-1
Abies balsamea 'Nana' : Back Yard-1
Abies balsamea 'Tree Haven Dwarf' : EE-1
Abies ×*borisii-regis* : M-1
Abies ×*bornmeulleriana* : M-1
Abies cephalonica : N-1
Abies cilicica : N-2
Abies concolor : C-1
Abies fabri : M-1
Abies firma : H-1, R-1, T-1
Abies fraseri : M-2, T-1
Abies georgei : D-1
Abies holophylla : M-1
Abies homolepis : E-1
Abies ×*intermedia* 'Canaan' : E-1
Abies koreana 'Silberperl' : EE-1
Abies mariesii : E-1
Abies marocana : M-1
Abies nordmanniana : E-1
Abies nordmanniana × *A. cephalonica* : N-1
Abies nordmanniana subsp. *equi-trojani* : E-1, M-1
Abies nordmanniana 'Prostrata' : EE-1
Abies numidica : M-1
Abies pindrow : M-1
Abies pinsapo 'Glauca' : E-1
Abies religiosa : E-1
Abies sachalinensis : F-1
Abies vejari : M-2
Acacia constricta : L-1
Acer amplum : BB-1
Acer barbatum : C-1, U-1
Acer barbinerve : N-1
Acer buergerianum : A-1, Y-1
Acer buergerianum 'Mino yatsubusa' : F-1
Acer buergerianum 'Tancho' : East of House-1
Acer buergerianum 'Variegata' : DD-1
Acer caesium : E-1
Acer campbellii subsp. *sinense* : AA-1
Acer campestre : Q-1
Acer capillipes : F-1, T-1
Acer cappadocicum : P-1
Acer cappadocicum subsp. *lobelii* : E-1
Acer carpinifolium : G-1, R-1
Acer caudatifolium : M-1
Acer caudatum ukurunduense : D-1
Acer circinatum : G-1
Acer circinatum 'Monroe' : G-1
Acer cissifolium : A-1
Acer ×*conspicuum* 'Phoenix' : M-1
Acer ×*conspicuum* 'Silver Cardinal' : M-1
Acer coreaceum : A-2, G-1
Acer coriaceifolium : F-1
Acer crataegifolium : E-1, V-1
Acer davidii : M-1, W-1
Acer davidii × *A. tegmentosum* : E-1
Acer diabolicum : M-2
Acer discolor : L-1, N-1, T-1
Acer distylum : R-1

Guide to Plants in the
Charles R. Keith Arboretum

Acer

April 22, 2012

-
- Acer divergens* : G-1
Acer elegantulum : E-1, M-1
Acer fabri : E-1
Acer ×freemanii : Y-1
Acer ×freemanii 'DTR 102' (Autumn Fantasy®) : V-1
Acer glabrum : B-1
Acer grandidentatum : H-1
Acer griseum : F-1, M-1, N-1
Acer grosseri : E-1
Acer heldreichii : G-1
Acer henryi : E-1
Acer japonicum 'Aconitifolium' : J-1, S-1
Acer japonicum 'Green Cascade' : J-1
Acer laevigatum : H-1
Acer leucoderme : Y-2
Acer linganense : E-1
Acer lingangensis : R-1
Acer longipes : M-1, O-1
Acer macrophyllum 'Seattle Sentinel' : I-1
Acer mandschuricum : J-1
Acer maximowiczianum : G-1, T-1
Acer micranthum : A-1, M-1, S-1
Acer miyabei : BB-1
Acer miyabei subsp. *maiotaiense* : M-1
Acer monspessulanum : E-1, G-1
Acer monspessulanum var. *cinerescens* : D-1, P-1
Acer morifolium : M-1
Acer negundo 'Kelly's Gold' : V-1
Acer nigrum : M-1, O-1
Acer nipponicum : F-1
Acer okamotoanum : E-1
Acer olivaceum : E-1
Acer oliverianum : F-1, R-1
Acer opalus : N-1
Acer opalus subsp. *obtusatum* : O-1
Acer orientale : E-1, M-1
Acer palmatum 'Beni komachi' : Front Pond -1
Acer palmatum 'Butterfly' : Front Pond North-1
Acer palmatum 'Koto Hime' : GG-1
Acer palmatum 'Oridono nishiki' : T-1
Acer palmatum 'Sango kaku' : Z-1
Acer palmatum 'Seiryu' : S-1
Acer pensylvanicum 'Erythrocladum' : G-1
Acer pentaphyllum : L-1
Acer pictum : M-1
Acer pictum var. *mono f. ambiguum* : AA-1
Acer pilosum var. *stenolobum* : M-1
Acer platanoides 'Crimson King' : N-1
Acer pseudoplatanus : M-1
Acer pseudosieboldianum : M-1
Acer pseudosieboldianum subsp. *takesimense* : N-1
Acer pubipalmatum : J-1, T-1
Acer robustum : M-1, N-1, S-1, Front Pond North-1
Acer rubrum var. *drummondii* : L-1
Acer rufinerve 'Albolimbatum' : T-1
Acer rufinerve 'Erythrocladum' : M-1
Acer saccharinum 'Born's Gracious' : P-1
Acer saccharum : D-1
Acer saccharum subsp. *floridanum* : U-1
Acer saccharum 'Pendulum' : Y-1
Acer semenovii : C-1
Acer shirasawanum : A-1
Acer shirasawanum 'Aureum' : G-1
Acer sieboldianum : DD-1
Acer sikkemense subsp. *metcalfii* : E-1
Acer skutchii : V-1
Acer stachyophyllum : G-1
Acer sterculiaceum subsp. *franchetii* : L-1
Acer syriacum : G-1
Acer tataricum : M-1, GG-1
Acer tataricum subsp. *aidzuense* : M-1
Acer tataricum subsp. *ginnala* : X-1, DD-1
Acer tataricum subsp. *ginnala* 'Compactum' : DD-1
Acer tetramerum subsp. *betulifolium* : E-1, Q-1

Guide to Plants in the
Charles R. Keith Arboretum

Acer

April 22, 2012

- Acer triflorum* : F-1, Q-1
Acer truncatum : E-1
Acer tschonoskii subsp. *koreanum* : M-1
Actinidia chinensis : Log Cabin-1
Actinidia kolomikta : Front Pond North-1
Actinidia macrocarpa : East of House-1
Adenandra millettii : South of House-1
Adina rubella : East of House-1
Aesculus californica : E-1
Aesculus × *carnea* 'O'Niell Red' : W-1
Aesculus chinensis : D-1, P-1
Aesculus glabra : EE-1
Aesculus glabra var. *arguta* : R-1
Aesculus glabra (shrub form) : EE-1
Aesculus hippocastanum 'Baumannii' : R-1
Aesculus hippocastanum 'Rubrum' : R-1
Aesculus indica : D-1, P-1
Aesculus octandra : EE-1
Aesculus octandra (dwarf) : U-1
Aesculus parviflora : GG-1
Aesculus parviflora f. *serotina* : A-1
Aesculus pavia : S-1
Aesculus pavia 'Humilis' : R-1
Aesculus splendens : R-2
Aesculus sylvatica : R-1
Aesculus turbinata : T-1, U-1
Aesculus wilsonii : D-1, P-1, U-1
Aesculus × *woerlitzensis* : T-1
Agarista populifolia : R-1
Agave montana 'Baccarat' : B-1
Agave ovatifolia : B-1
Agave parryi : BB-1
Agave striata 'Variegata' : BB-1
Agave victoriae-reginae : BB-1
Ailanthus altissima : E-1
Alangium platanifolium : X-1
Alangium platanifolium var. *macrophyllum* : P-1, Log Cabin -1
Albizia julibrissin : EE-1
Albizia julibrissin 'Summer Chocolate' : P-1
Albizia kalkora : AA-1
Aleurites fordii : P-2
Alniphyllum fortunei : Q-1
Alnus glutinosa 'Imperialis' : FF-1
Alnus serrulata : V-1
Alnus × *spaethii* : F-1
Amelanchier alnifolia : E-1
Amelanchier arborea : R-1
Amelanchier canadensis : GG-1
Amelanchier gaspensis : Sand Bed-1
Amelanchier × *grandiflora* : V-1
Amelanchier × *grandiflora* 'Autumn Brilliance' : X-1
Amelanchier laevis : GG-1
Amelanchier lamarckii : Q-1
Amelanchier nantucketensis : R-1
Amelanchier obovalis : R-1
Amelanchier stolonifera : FF-1
Amentotaxus argotaenia : F-2
Amorpha fruticosa : FF-1
Amorpha glabra : FF-1
Amorpha nana : FF-1
Amorpha paniculata : S-1, FF-1
Ampelaster carolinianus : Shade House-1
Ampelopsis brevipedunculata 'Elegans' : FF-1
Andrachne colchica : Back Pond-1
Andromeda glaucophylla : Front Pond -1
Andromeda polifolia 'Blue Ice' : Front Pond -1
Anisacanthus quadrifidus var. *wrightii* : A-1
Aphananthe aspera : M-1, R-1
Aralia chinensis : GG-1
Aralia elata : GG-1
Aralia elata 'Variegata' : Front Pond -1
Aralia spinosa : GG-2

Guide to Plants in the
Charles R. Keith Arboretum

Arbutus

April 22, 2012

| | |
|--|--|
| <i>Arbutus ×andrachnoides</i> : B-1 | <i>Berberis asiatica</i> : DD-1, GG-1 |
| <i>Arbutus menziesii</i> : B-1, K-1 | <i>Berberis calliantha</i> : FF-2 |
| <i>Arbutus unedo</i> : L-1 | <i>Berberis chinensis</i> : K-1 |
| <i>Arctostaphylos canescens</i> : B-1 | <i>Berberis dictyophylla</i> : Z-1 |
| <i>Arctostaphylos densiflorus</i> 'Howard McMinn' : B-1 | <i>Berberis dielsiana</i> : X-1 |
| <i>Arctostaphylos patula</i> : B-1 | <i>Berberis fendleri</i> : G-1 |
| <i>Ardisia japonica</i> 'Chirimen' : Under Willow Oak-1, Back Yard-1 | <i>Berberis francisci-ferdinandii</i> : Y-1 |
| <i>Aristolochia californica</i> : Back Yard-1 | <i>Berberis ×frikartii</i> 'Amstelveen' : A-1 |
| <i>Aristolochia fimbriata</i> : Back Yard-1 | <i>Berberis ×gladwynensis</i> 'William Penn' : DD-1 |
| <i>Aronia arbutifolia</i> : EE-1 | <i>Berberis glaucocarpa</i> : GG-1 |
| <i>Aronia arbutifolia</i> 'Brilliantissima' : Q-1 | <i>Berberis henryana</i> : K-1, Z-1 |
| <i>Aronia melanocarpa</i> 'Autumn Magic' : U-1 | <i>Berberis hookeri</i> : GG-1 |
| <i>Aronia ×prunifolia</i> : J-1 | <i>Berberis jamesiana nummularia</i> : AA-1 |
| <i>Artemisia cana</i> : B-1, E-1 | <i>Berberis julianae</i> : FF-1, GG-1 |
| <i>Arundinaria simonii</i> : Y-1 | <i>Berberis lempergiana</i> : Z-1 |
| <i>Arundinaria viridistriata</i> : Q-1 | <i>Berberis lycium</i> : CC-1, GG-1 |
| <i>Arundo donax</i> 'Versicolor' : S-1 | <i>Berberis manipurana</i> : Z-1 |
| <i>Asimina parviflora</i> : R-1 | <i>Berberis ×media</i> 'Red Jewel' : AA-1 |
| <i>Asimina triloba</i> : R-3 | <i>Berberis mentorensis</i> : FF-1 |
| <i>Athrotaxis cupressoides</i> : Under Willow Oak-1 | <i>Berberis mitifolia</i> : A-1 |
| <i>Atriplex breweri</i> : B-1 | <i>Berberis morrisonensis</i> : FF-1 |
| <i>Atriplex canescens</i> : B-1 | <i>Berberis ×ottawensis purpurea</i> : AA-1 |
| <i>Aucuba chinensis</i> : Back Yard-1 | <i>Berberis parvifolia</i> : East of House-1 |
| <i>Aucuba himalaica</i> : South of House-1 | <i>Berberis pruinosa</i> : S-1 |
| <i>Aucuba japonica</i> 'Borealis Honshu' : Back Yard-1 | <i>Berberis regeliana</i> : FF-1 |
| <i>Aucuba japonica</i> (dwarf) : Back Yard-1 | <i>Berberis replicata</i> : CC-2 |
| <i>Aucuba japonica</i> 'Gold Dust' : Back Yard-1 | <i>Berberis sargentiana</i> : GG-1 |
| <i>Aucuba japonica</i> 'Rotundifolia Nana' : Back Yard-1 | <i>Berberis schensiana</i> : A-1 |
| <i>Auracaria auracana</i> : FF-1 | <i>Berberis sibirica</i> : A-1 |
| <i>Austrocedrus chilensis</i> : J-1, R-1 | <i>Berberis ×stenophylla</i> : GG-1 |
| <i>Azara lanceolata</i> : E-1 | <i>Berberis temolaica</i> : GG-1 |
| <i>Baccharis angustifolia</i> : Z-1 | <i>Berberis thunbergii</i> var. <i>atropurpurea</i> 'Helmond Pillar' : I-1 |
| <i>Baccharis halimifolia</i> : V-1 | <i>Berberis thunbergii</i> var. <i>atropurpurea</i> 'Rose Glow' : GG-1 |
| <i>Baccharis pilularis</i> subsp. <i>consanguinea</i> : C-1 | <i>Berberis thunbergii</i> 'Monlers' (Golden Nugget™) : South of House-1 |
| <i>Baeckea gunniana</i> : Under Willow Oak-1 | <i>Berberis triacanathophora</i> : AA-1 |
| <i>Berberis amoena</i> : A-1 | <i>Berberis triacanthiflora</i> 'Wisleyensis' : GG-1 |

Guide to Plants in the
Charles R. Keith Arboretum

Berberis

April 22, 2012

- Berberis verna*: S-1
Berberis vulgaris: GG-1
Berberis wilsoniae var. *ghutzanica*: GG-1
Berberis wilsoniae var. *guhtzunica*: Q-1
Berchemia racemosa: Q-1
Berchemia scandens: Q-1
Betula albosinensis var. *septentrionalis*: E-1
Betula apoiensis: Front Pond -1
Betula corylifolia: Q-2
Betula 'Crimson Frost': Q-1
Betula ermanii: Q-1
Betula fruticosa: Front Pond -1
Betula glandulifera: Front Pond -1
Betula glandulosa: Front Pond -1
Betula lenta: O-1, Q-1
Betula luminifera: Q-1
Betula lutea: E-1, Q-1
Betula maximowicziana: Q-1
Betula nigra 'Heritage': V-1
Betula nigra 'Little King' (Fox Valley™): CC-1
Betula nigra 'Summer Cascade': V-1
Betula obscura: Q-2
Betula occidentalis: Q-1
Betula papyrifera: U-1
Betula papyrifera 'Renci' (Renaissance Reflection®): Q-1
Betula platyphylla var. *japonica* 'Whitespire': D-1, Q-1
Betula platyphylla var. *szeshuanica*: EE-1
Betula pubescens: Q-1
Betula pumila: Q-1
Betula raddeana: J-1
Betula saposchnikovii: E-1
Betula schmidtii: J-1
Betula tianschanica: J-1
Betula turkestanica: Q-1
Betula uber: E-1, Q-1
Betula utilis: R-1
Betula utilis var. *jacquemontii*: J-1, Q-1
Bischofia polycarpa: K-1
Broussonetia papyrifera: A-1
Buddleja: DD-1
Buddleja alternifolia: B-1, L-1
Buddleja 'Blue Chip': Front Pond -1
Buddleja davidii 'Black Knight': Front Pond North-1
Buddleja davidii 'Dartmoor': Front Pond North-1
Buddleja davidii 'Nanho Blue': V-1
Buddleja davidii 'Pink Beauty': Front Pond North-1
Buddleja davidii 'Silver Frost': V-1
Buddleja farreri: Q-1
Buddleja globosa: L-1
Buddleja hemsleyana: H-1, AA-1
Buddleja japonica: BB-1, DD-1
Buddleja knappii: CC-1
Buddleja lindleyana: Front Pond -1
Buddleja 'Lochinch': East of House-1
Buddleja nivea var. *yunnanensis*: L-1
Buddleja venenifera: L-2
Buddleja ×weyeriana 'Honeycomb': BB-1
Buddleja ×weyeriana 'Sungold': CC-1
Bumelia rufotomentosa: Sand Bed-1
Bupleurum fruticosum: B-2
Butia capitata: F-1
Buxus bodinieri: Q-1
Buxus colchica: Q-1
Buxus 'Green Velvet': Q-1
Buxus microphylla: Q-1, DD-1, EE-1, Front Pond North-1, East of House-1
Buxus microphylla var. *japonica*: Q-2
Buxus sempervirens: Shade House-1
Buxus sempervirens 'Arborea': Q-1
Buxus sempervirens 'Arborescens': Q-1
Buxus sempervirens 'Erecta': Q-1
Buxus sempervirens 'Graham Blandy': Front Pond -1, Shade House-1
Buxus sempervirens 'Hillsboro': Q-1

**Guide to Plants in the
Charles R. Keith Arboretum**

Buxus

April 22, 2012

| | |
|---|---|
| <i>Buxus sempervirens</i> 'Kingsville' : Back Pond-1 | <i>Calycanthus fertilis</i> : H-1 |
| <i>Buxus sempervirens</i> var. <i>myrtifolia</i> : Shade House-1 | <i>Calycanthus floridus</i> 'Athens' : F-1 |
| <i>Buxus sempervirens</i> 'Noblet' : Q-1 | <i>Calycanthus floridus</i> 'Michael Lindsay' : H-1 |
| <i>Buxus sempervirens</i> 'Pyramidalis' : Front Pond North-1 | <i>Calycanthus floridus</i> 'Purpureus' : F-1 |
| <i>Buxus sempervirens</i> 'Rosmarinifolius' : F-1 | <i>Calycanthus occidentalis</i> : F-1, J-1 |
| <i>Buxus sempervirens</i> 'Tall Boy' : Q-1 | <i>Calycanthus</i> 'Venus' : R-1 |
| <i>Buxus sempervirens</i> 'Vardar Valley' : Q-1 | <i>Camellia brevistyla</i> : F-1 |
| <i>Buxus sempervirens</i> (variegated) : Shade House-1 | <i>Camellia brevistyla</i> var. <i>rubriflora</i> : F-1 |
| <i>Buxus sinica</i> : Shade House-1 | <i>Camellia</i> 'Crimson Candle' : G-1 |
| <i>Buxus sinica</i> var. <i>insularis</i> : Q-2 | <i>Camellia cuspidata</i> : I-1 |
| <i>Buxus sinica</i> var. <i>insularis</i> 'Justin Brouwers' : Q-1 | <i>Camellia edithae</i> : F-1 |
| <i>Buxus sinica</i> var. <i>insularis</i> 'Pincushion' : Q-1 | <i>Camellia euryoides</i> : F-1 |
| <i>Buxus wallichiana</i> : Q-2 | <i>Camellia</i> 'Fishermen Lights' : Front Pond North-1 |
| <i>Calia secundiflora</i> : E-1 | <i>Camellia fluviatilis</i> : G-1 |
| <i>Callicarpa acuminata</i> : J-1 | <i>Camellia fraterna</i> : F-1 |
| <i>Callicarpa americana</i> : Q-1, GG-1 | <i>Camellia grijsii</i> : F-2 |
| <i>Callicarpa americana</i> var. <i>lactea</i> : East of House-1 | <i>Camellia japonica</i> : South of House-1 |
| <i>Callicarpa bodinieri</i> : J-1, GG-1 | <i>Camellia japonica</i> 'Hamabo' : G-1 |
| <i>Callicarpa cathayana</i> : R-1, CC-1 | <i>Camellia japonica</i> 'Kujaku tsubaki' : F-1 |
| <i>Callicarpa chejuensis</i> : R-1 | <i>Camellia japonica</i> 'Reverend J.G. Drayton' : A-1 |
| <i>Callicarpa dichotoma</i> : J-1, M-1, S-1 | <i>Camellia japonica</i> 'Spring Awakening' : Front Pond North-1 |
| <i>Callicarpa dichotoma</i> 'Albifructus' : S-1 | <i>Camellia japonica</i> 'Spring's Promise' : I-1 |
| <i>Callicarpa dichotoma</i> 'Issai' : R-1, GG-1 | <i>Camellia japonica</i> 'Turandot' : I-1 |
| <i>Callicarpa formosana</i> : South of House-1 | <i>Camellia longicarpa</i> : F-1 |
| <i>Callicarpa japonica</i> : GG-1 | <i>Camellia lutchuensis</i> : A-1 |
| <i>Callicarpa japonica</i> 'Heavy Berry' : F-1 | <i>Camellia obtusiloba</i> : G-1 |
| <i>Callicarpa japonica</i> var. <i>luxurians</i> : R-1 | <i>Camellia octapetala</i> : G-1 |
| <i>Callicarpa japonica</i> var. <i>luxurians</i> 'Leucocarpa' : R-1 | <i>Camellia oleifera</i> : G-1 |
| <i>Callicarpa kwangtungensis</i> : CC-1 | <i>Camellia oleifera</i> × <i>C. sasanqua</i> : Q-2 |
| <i>Callicarpa mollis</i> : J-1, R-1 | <i>Camellia pitardii</i> : H-1 |
| <i>Callicarpa rubella</i> : J-1 | <i>Camellia ptilophylla</i> : F-1 |
| <i>Callicarpa shikokiana</i> : Q-1 | <i>Camellia rosaeflora</i> 'Cascade' : F-1 |
| <i>Callistemon</i> : Sand Bed-1 | <i>Camellia saluensis</i> : F-1 |
| <i>Callistemon citrinus</i> : B-1 | <i>Camellia sasanqua</i> : H-1, I-1 |
| <i>Callistemon pinifolius</i> : K-1 | <i>Camellia sasanqua</i> 'Narumigata' × <i>C. oleifera</i> 'Survivor' : G-1 |
| <i>Calluna</i> 'Spring Torch' : Back Pond-1 | <i>Camellia sasanqua</i> (161-12) : V-1 |
| <i>Calocedrus decurrens</i> 'Variegata' : AA-1 | |

Guide to Plants in the
Charles R. Keith Arboretum

Camellia

April 22, 2012

| | |
|---|--|
| <i>Camellia sasanqua</i> 'Shoya no Sake' : Front Pond North-1 | <i>Carya cordiformis</i> : T-1, V-1 |
| <i>Camellia sasanqua</i> 'William Lanier Hunt' : H-1 | <i>Carya illinoensis</i> 'Stuart' : Z-1 |
| <i>Camellia sasanqua</i> 'Yuletide' : V-1 | <i>Carya laciniosa</i> : D-1 |
| <i>Camellia sinensis</i> var. <i>assamica</i> : Q-1 | <i>Carya myristicaeformis</i> : U-1 |
| <i>Camellia sinensis</i> (large leaf) : I-1 | <i>Carya ovalis</i> : U-1 |
| <i>Camellia sinensis</i> 'Rosea' : F-1 | <i>Carya ovata</i> : T-1 |
| <i>Camellia sinensis</i> (small leaf) : Q-1 | <i>Caryopteris × clandonensis</i> 'Worcester Gold' : B-1 |
| <i>Camellia transnokoensis</i> : F-1 | <i>Caryopteris incana</i> 'Variegata' : Front Pond -1 |
| <i>Camellia zhejiangoleosa</i> : G-1 | <i>Castanea alnifolia</i> : Sand Bed-1 |
| <i>Campsis grandiflora</i> : BB-1 | <i>Castanea crenata</i> : Z-1 |
| <i>Camptotheca acuminata</i> : J-1 | <i>Castanea dentata</i> × <i>C. mollissima</i> 'Dunstan' : V-1 |
| <i>Campylotropis macrocarpa</i> : Under Willow Oak-1 | <i>Castanea mollissima</i> : East of House-1 |
| <i>Caragana brevispina</i> : B-1 | <i>Castanea mollissima</i> (dwarf) : Z-1 |
| <i>Caragana pekinensis</i> : Sand Bed-1 | <i>Castanea pumila</i> : L-1 |
| <i>Caragana rosea</i> : C-1 | <i>Castanea sequinii</i> : Y-1 |
| <i>Caragana sinica</i> : FF-1 | <i>Castinopsis cuspidata</i> : East of House-1 |
| <i>Carmichaelia</i> : K-1 | <i>Catalpa × Chilopsis</i> (#2) : Z-1 |
| <i>Carpenteria californica</i> : B-1 | <i>Catalpa bignonioides</i> : U-1 |
| <i>Carpinus betulus</i> : U-1 | <i>Catalpa bignonioides</i> 'Aurea' : T-1 |
| <i>Carpinus betulus</i> 'Columnaris Nana' : DD-1 | <i>Catalpa bungei</i> : Z-2 |
| <i>Carpinus betulus</i> 'Fastigiata' : EE-1 | <i>Catalpa × erubescens</i> 'Purpurea' : Z-1 |
| <i>Carpinus betulus</i> 'Pendula' : W-1 | <i>Catalpa fargesii</i> var. <i>duclouxii</i> : S-1 |
| <i>Carpinus betulus</i> 'Vienna Weeping' : W-1 | <i>Catalpa ovata</i> : O-1 |
| <i>Carpinus caroliniana</i> : U-2 | <i>Catalpa speciosa</i> : O-1, T-1 |
| <i>Carpinus cordata</i> : E-1, U-1 | <i>Cathaya argyrophylla</i> : E-1 |
| <i>Carpinus coreana</i> : O-1, U-1 | <i>Ceanothus americanus</i> : C-1 |
| <i>Carpinus fargesiana</i> : Q-1, U-1 | <i>Ceanothus cuneatus</i> : B-1 |
| <i>Carpinus henryana</i> : U-1, V-1 | <i>Ceanothus gloriosus</i> : B-1 |
| <i>Carpinus japonica</i> : Q-1 | <i>Ceanothus × pallidus</i> 'Marie Simon' : B-1 |
| <i>Carpinus laxiflora</i> : T-1 | <i>Ceanothus sanguineus</i> : B-1 |
| <i>Carpinus mollicoma</i> : E-1, U-1 | <i>Cedrela sinensis</i> : Q-1 |
| <i>Carpinus omeiensis</i> : D-1 | <i>Cedrus atlantica</i> 'Aurea' : S-1 |
| <i>Carpinus orientalis</i> : N-1, U-1 | <i>Cedrus atlantica</i> 'Glauca' : FF-1 |
| <i>Carpinus polyneura</i> : N-1, U-1 | <i>Cedrus atlantica</i> 'Glauca Pendula' : AA-1 |
| <i>Carpinus rankanensis</i> : J-1 | <i>Cedrus atlantica</i> 'Horstmann' : K-1 |
| <i>Carpinus turczaninowii</i> : Q-1 | <i>Cedrus brevifolia</i> : CC-1 |
| <i>Carya aquatica</i> : U-1 | <i>Cedrus deodara</i> : GG-1 |

Guide to Plants in the
Charles R. Keith Arboretum

Cedrus

April 22, 2012

-
- Cedrus deodara* 'Aurea Pendula' : Z-1
Cedrus deodara 'Compacta' : AA-1
Cedrus deodara 'Glauca Pendula' : Z-1
Cedrus deodara 'Gold Cascade' : L-1
Cedrus deodara 'Golden Horizon' : BB-1
Cedrus deodara 'Hollandia' : CC-1
Cedrus deodara 'Miles High' : L-1
Cedrus deodara 'Prostrate Beauty' : L-1, FF-1
Cedrus deodara 'Snow Sprite' : R-1
Cedrus deodara 'Well's Golden' : L-1
Cedrus deodara 'White Imp' : L-2
Cedrus deodara 'Glacial Blue' : A-1
Cedrus libani : L-1
Cedrus libani subsp. *brevifolia* : Y-1
Cedrus libani 'Glauca Pendula' : EE-1
Cedrus libani 'Home Park' : FF-1
Cedrus libani Nana Group : L-1
Celastrus angulatus : R-1
Celastrus hypoleucos : Q-1
Celastrus orbiculata : EE-1, East of House-1
Celtis aculeatus : Y-1
Celtis australis : G-1, Y-1
Celtis biondii : N-1, U-1
Celtis bungeana : A-1, U-1
Celtis caucasica : E-1, M-1
Celtis georgiana : Y-2
Celtis glabrata : X-1
Celtis jessoensis : M-1, U-1, W-1
Celtis julianae : O-2
Celtis laevigata : E-1, R-1
Celtis occidentalis : Y-1
Celtis pumila : X-1
Celtis pumila var. *deamii* : K-1
Celtis pumila tenuifolia : A-1
Celtis reticulata : G-1, X-1
Celtis sinensis : X-1, Y-1
Celtis sinensis 'Green Cascade' : Y-1
Celtis spinosa : A-1
Celtis tournefortii : F-1, FF-1
Celtis yunnanensis : G-1
Cephalanthus occidentalis : V-1, FF-1
Cephalotaxus coreana : V-1
Cephalotaxus fortunei : J-1
Cephalotaxus fortunei 'Prostrata' : FF-1
Cephalotaxus harringtonia var. *drupacea* : R-1
Cephalotaxus harringtonia 'Duke Gardens' : GG-1, Shade House-1
Cephalotaxus harringtonia 'Fastigiata' : H-1, GG-1
Cephalotaxus oliveri : G-1, M-1
Cephalotaxus sinensis : F-1, G-1
Cercidiphyllum japonicum : J-1
Cercidiphyllum japonicum var. *magnificum* : T-1
Cercidiphyllum japonicum var. *magnificum* 'Pendulum' : J-1
Cercidiphyllum japonicum 'Morioka' : R-1
Cercidiphyllum japonicum 'Pendulum' : J-1
Cercis canadensis : H-1
Cercis canadensis f. *alba* : W-1, AA-1
Cercis canadensis 'Covey' (Lavender Twist™) : Front Pond North-1
Cercis canadensis 'Forest Pansy' : Y-1
Cercis canadensis 'Little Woody' : L-1
Cercis canadensis 'Pauline Lilly' : W-1
Cercis canadensis 'Silver Cloud' : E-1
Cercis canadensis subsp. *texensis* : Z-1
Cercis canadensis subsp. *texensis* 'Alba' : Z-2
Cercis canadensis subsp. *texensis* 'Oklahoma' : BB-1
Cercis canadensis subsp. *texensis* 'Traveller' : DD-1
Cercis chinensis 'Avondale' : Z-1
Cercis chinensis 'Don Egolf' : V-1
Cercis chingii : Z-2
Cercis gigantea : DD-1
Cercis glabra : J-1, Y-1, AA-1
Cercis glabra 'Celestial Plum' : BB-1
Cercis griffithii : L-1, Z-1

Guide to Plants in the
Charles R. Keith Arboretum

Cercis

April 22, 2012

| | |
|--|--|
| <i>Cercis occidentalis</i> : Z-1 | <i>Chamaecyparis obtusa</i> 'Torulosa' : AA-1 |
| <i>Cercis occidentalis</i> f. <i>alba</i> : L-1 | <i>Chamaecyparis obtusa</i> 'Verdon' : Back Pond-1 |
| <i>Cercis racemosa</i> : AA-1 | <i>Chamaecyparis obtusa</i> 'Well's Delight' : Under Willow Oak-1 |
| <i>Cercis siliquastrum</i> : AA-1 | <i>Chamaecyparis obtusa</i> 'Wyckoff' : EE-1 |
| <i>Cercocarpus ledifolius</i> : B-1 | <i>Chamaecyparis pisifera</i> : S-1, AA-1 |
| <i>Cercocarpus montanus</i> : B-1 | <i>Chamaecyparis pisifera</i> 'Boulevard' : Z-1 |
| <i>Chaenomeles cathayensis</i> : Z-1 | <i>Chamaecyparis pisifera</i> 'Filifera Aurea' : AA-3 |
| <i>Chaenomeles japonica</i> 'Single Cameo' : I-1 | <i>Chamaecyparis pisifera</i> 'Filifera Golden Charm' : Front Pond -1 |
| <i>Chaenomeles japonica</i> 'Toyo Nishiki' : A-1 | <i>Chamaecyparis pisifera</i> 'Filifera Sungold' : Front Pond -1 |
| <i>Chaenomeles</i> (red) : R-1 | <i>Chamaecyparis pisifera</i> 'Golden Charm' : AA-1 |
| <i>Chaenomeles speciosa</i> : GG-1 | <i>Chamaecyparis pisifera</i> 'Golden Mop' : AA-1 |
| <i>Chaenomeles speciosa</i> 'Contorta' : Y-1 | <i>Chamaecyparis pisifera</i> 'Golden Sands' : FF-1 |
| <i>Chaenomeles speciosa</i> 'Toyo Nishiki' : Q-1 | <i>Chamaecyparis pisifera</i> 'Little Pygmy' : EE-1 |
| <i>Chaenomeles</i> × <i>superba</i> 'Cameo' : I-1 | <i>Chamaecyparis pisifera</i> 'Minima' : DD-1 |
| <i>Chamadbataria millefolium</i> : B-1 | <i>Chamaecyparis pisifera</i> 'Plumosa' : AA-1 |
| <i>Chamaecyparis henryi</i> : R-1 | <i>Chamaecyparis pisifera</i> 'Silver Lode' : EE-1 |
| <i>Chamaecyparis obtusa</i> : F-1, S-1 | <i>Chamaecyparis pisifera</i> 'Snow' : X-1 |
| <i>Chamaecyparis obtusa</i> 'Bess' : FF-1 | <i>Chamaecyparis pisifera</i> 'Squarrosa Intermedia Blue Mound' : BB-1 |
| <i>Chamaecyparis obtusa</i> 'Bronze Pygmy' : EE-1 | <i>Chamaecyparis pisifera</i> 'Squarrosa Minima' : Front Pond North-1 |
| <i>Chamaecyparis obtusa</i> 'Chabo Yadori' : F-1 | <i>Chamaecyparis pisifera</i> 'Squarrosa Stricta' : D-1 |
| <i>Chamaecyparis obtusa</i> 'Contorta' : Under Willow Oak-1 | <i>Chamaecyparis pisifera</i> 'Squarrosa Veitchii' : CC-1 |
| <i>Chamaecyparis obtusa</i> 'Crippsii' : GG-1 | <i>Chamaecyparis pisifera</i> 'Sun Gold' : Z-1 |
| <i>Chamaecyparis obtusa</i> 'Dainty Doll' : EE-1 | <i>Chamaecyparis thyoides</i> 'Glauca' : R-1 |
| <i>Chamaecyparis obtusa</i> 'Ericoides' : F-1 | <i>Chamaecyparis thyoides</i> 'Rubicon' : FF-1 |
| <i>Chamaecyparis obtusa</i> 'Filicoides' : Y-1 | <i>Chamaedaphne calyculata</i> 'Verdant' : Front Pond -1 |
| <i>Chamaecyparis obtusa</i> var. <i>formosana</i> : W-1, Z-1 | <i>Chilopsis linearis</i> : Sand Bed-1 |
| <i>Chamaecyparis obtusa</i> 'Gemstone' : EE-1 | <i>Chimonanthus praecox</i> var. <i>grandiflorus</i> : F-1 |
| <i>Chamaecyparis obtusa</i> 'Golden Sprite' : EE-1 | <i>Chimonanthus praecox</i> 'Shady Brook' : East of House-1 |
| <i>Chamaecyparis obtusa</i> 'Jean Iseli' : EE-1 | <i>Chimonanthus zhetangensis</i> : Q-1 |
| <i>Chamaecyparis obtusa</i> 'Kanaamihiba' : Back Pond-1 | <i>Chionanthus retusus</i> : H-1 |
| <i>Chamaecyparis obtusa</i> 'Little Ann' : FF-1 | <i>Chionanthus retusus</i> var. <i>serrulatus</i> : X-1 |
| <i>Chamaecyparis obtusa</i> 'Mariesii' : Front Pond -1 | <i>Chionanthus virginicus</i> : I-1, Front Pond North-1 |
| <i>Chamaecyparis obtusa</i> 'Monstrosa' : AA-1 | <i>Chionanthus virginicus</i> 'April Fleece' : W-1 |
| <i>Chamaecyparis obtusa</i> 'Rigid Dwarf' : EE-1 | <i>Chionanthus virginicus</i> 'Emerald Knight' : A-1 |
| <i>Chamaecyparis obtusa</i> 'Snowkist' : EE-1 | <i>Choisya ternata</i> 'Sundance' : C-1, Front Pond North-1 |
| <i>Chamaecyparis obtusa</i> 'Tetragona Aurea' : GG-1 | |
| <i>Chamaecyparis obtusa</i> 'Thowell' : EE-1 | |

Guide to Plants in the
Charles R. Keith Arboretum

Chrysothamnus

April 22, 2012

| | |
|---|--|
| <i>Chrysothamnus nauseosus</i> : B-1, E-1 | <i>Comptonia peregrina</i> : Sand Bed-1 |
| <i>Cinnamomum camphora</i> : R-1 | <i>Condalia buxifolium</i> : B-1 |
| <i>Cinnamomum chekiangense</i> : D-1, E-1, R-1 | <i>Conradina canescens</i> : A-1, B-1 |
| <i>Cistus ×corbariense</i> : A-1 | <i>Conradina etonia</i> : Sand Bed-2 |
| <i>Citrus</i> 'Junos' : L-1 | <i>Conradina verticillata</i> : Sand Bed-2 |
| <i>Cladrastis kentukea</i> : J-2 | <i>Cornus alba</i> 'Regnzam' (Red Gnome™) : H-1 |
| <i>Cladrastis kentukea</i> 'Perkins Pink' : J-1 | <i>Cornus alternifolia</i> : G-1, S-1 |
| <i>Cladrastis platycarpa</i> : J-1, S-1 | <i>Cornus amomum</i> : J-1, R-1 |
| <i>Clematis armandii</i> : Back Yard-1 | <i>Cornus asperifolia</i> : Q-2 |
| <i>Clematis ochroleuca</i> 'Bald Knob' : Back Yard-1 | <i>Cornus australis</i> : Q-1 |
| <i>Clerodendrum bungei</i> : Front Pond -1 | <i>Cornus capitata</i> : L-2 |
| <i>Clerodendrum trichotomum</i> : South of House-1 | <i>Cornus chinensis</i> : N-1 |
| <i>Clerodendrum trichotomum</i> var. <i>fargesii</i> : South of House-1 | <i>Cornus controversa</i> 'June Snow' : E-1 |
| <i>Clethra acuminata</i> : G-1 | <i>Cornus coreana</i> : V-1 |
| <i>Clethra alnifolia</i> : H-1, DD-1, Front Pond North-1 | <i>Cornus</i> 'Eddie's White Wonder' : G-1 |
| <i>Clethra alnifolia</i> 'Anne Bidwell' : EE-1 | <i>Cornus elliptica</i> : Z-1 |
| <i>Clethra alnifolia</i> 'Hummingbird' : FF-1 | <i>Cornus florida</i> : GG-1 |
| <i>Clethra alnifolia</i> 'Rosea' : GG-1 | <i>Cornus florida</i> 'Cherokee Brave' : A-1 |
| <i>Clethra alnifolia</i> 'Ruby Spice' : FF-1 | <i>Cornus florida</i> 'Daybreak' : D-1 |
| <i>Clethra alnifolia</i> 'September Beauty' : EE-1 | <i>Cornus florida</i> 'Martha Washington' : Y-1 |
| <i>Clethra alnifolia</i> 'Sixteen Candles' : R-1 | <i>Cornus florida</i> 'Pendula' : V-1 |
| <i>Clethra alnifolia</i> var. <i>tomentosa</i> : GG-1 | <i>Cornus florida</i> 'Rutnut' (Red Pygmy™) : E-1 |
| <i>Clethra barbinervis</i> : A-1 | <i>Cornus foemina</i> : FF-1 |
| <i>Clethra fargesii</i> : G-1, FF-1 | <i>Cornus hemsleyi</i> : T-1, U-1, W-1 |
| <i>Clethra monostachya</i> : G-1, R-1 | <i>Cornus iberica</i> : J-1 |
| <i>Cleyera fortunei</i> : J-1, Back Yard-1 | <i>Cornus</i> 'KN30-8' (Venus®) : A-1 |
| <i>Cleyera japonica</i> : J-1, O-1 | <i>Cornus</i> 'KN4-43' (Starlight®) : X-1 |
| <i>Cliftonia monophylla</i> : Sand Bed-1 | <i>Cornus kousa</i> : Front Pond North-1 |
| <i>Clinopodium coccineum</i> : B-1 | <i>Cornus kousa</i> subsp. <i>chinensis</i> : Y-1 |
| <i>Clinopodium coccineum</i> 'Ohoopee Yellow' : B-1 | <i>Cornus kousa</i> 'Gold Star' : Q-1 |
| <i>Clinopodium dentatum</i> : C-1 | <i>Cornus kousa</i> 'Milky Way' : AA-1 |
| <i>Clinopodium georgianum</i> : Sand Bed-1 | <i>Cornus kousa</i> 'Samaritan' : E-1 |
| <i>Cneorum tricoccum</i> : B-1 | <i>Cornus kousa</i> 'Satomi' : Q-1 |
| <i>Cocculus carolinus</i> : Back Yard-1 | <i>Cornus kousa</i> 'Weaver's Weeping' : East of House-1 |
| <i>Cocculus orbiculatus</i> : Back Yard-1 | <i>Cornus macrophylla</i> : Q-1 |
| <i>Colquhounia coccinea mollis</i> : Back Yard-1 | <i>Cornus mas</i> : Z-1, AA-1 |
| <i>Colutea arborescens</i> : B-1 | <i>Cornus mas</i> 'Pyramidalis' : J-1 |

Guide to Plants in the
Charles R. Keith Arboretum

Cornus

April 22, 2012

| | |
|---|---|
| <i>Cornus mas</i> 'Spring Glow' : Z-1, AA-1 | <i>Corylus fargesii</i> : E-1 |
| <i>Cornus mas</i> 'Variegata' : Z-1 | <i>Corylus</i> 'Filazel' : U-1 |
| <i>Cornus obliqua</i> : R-1 | <i>Corylus</i> 'Hazelburt' : U-1 |
| <i>Cornus officinalis</i> : FF-1, South of House-1 | <i>Corylus jacquemontii</i> : F-1 |
| <i>Cornus paucinervis</i> : Q-1 | <i>Corylus maxima</i> 'Purpurea' : Under Silver Maple-1 |
| <i>Cornus purpusii</i> var. <i>obliqua</i> : DD-1 | <i>Corylus sieboldiana</i> : E-1, N-1 |
| <i>Cornus racemosa</i> : A-1, FF-1 | <i>Cotinus coggygia</i> 'Royal Purple' : DD-1 |
| <i>Cornus</i> 'Rutban' (Aurora™) : E-1 | <i>Cotinus</i> 'Grace' : AA-1 |
| <i>Cornus</i> 'Rutgan' (Stellar Pink™) : D-1 | <i>Cotinus obovatus</i> : A-1 |
| <i>Cornus sanguinea</i> : Q-1 | <i>Cotoneaster</i> : S-1, Y-1 |
| <i>Cornus sessilis</i> : D-1, F-1, J-1 | <i>Cotoneaster affinis</i> : BB-1 |
| <i>Cornus stolonifera</i> : H-1 | <i>Cotoneaster apiculatus</i> 'Tom Thumb' : DD-1 |
| <i>Cornus stolonifera</i> 'Flaviramea' : F-1 | <i>Cotoneaster conspicuus</i> : BB-1 |
| <i>Cornus stricta</i> : Q-1 | <i>Cotoneaster cooperi</i> : FF-1 |
| <i>Cornus walteri</i> : Z-1 | <i>Cotoneaster dammeri</i> 'Streib's Findling' : BB-1 |
| <i>Cornus wilsoniana</i> : D-1, M-1 | <i>Cotoneaster diselianus</i> : Y-1 |
| <i>Coronilla valentina</i> subsp. <i>glauca</i> 'Variegata' : B-1 | <i>Cotoneaster divaricatus</i> : Y-2 |
| <i>Cortaderia selloana</i> : S-1 | <i>Cotoneaster falconeri</i> : L-1 |
| <i>Coryloopsis glabrescens</i> : F-1 | <i>Cotoneaster foveolata</i> : BB-1 |
| <i>Coryloopsis glabrescens</i> var. <i>gotoana</i> : H-1 | <i>Cotoneaster franchetii</i> : Z-1 |
| <i>Coryloopsis glabrescens</i> var. <i>gotoana</i> 'March Jewel' : I-1 | <i>Cotoneaster frigidus</i> : K-1 |
| <i>Coryloopsis glandulifera</i> : F-1 | <i>Cotoneaster glabratus</i> : BB-1 |
| <i>Coryloopsis glaucescens</i> : R-1 | <i>Cotoneaster harrovianus</i> : BB-1 |
| <i>Coryloopsis pauciflora</i> : Shade House-1 | <i>Cotoneaster horizontalis</i> 'Variegatus' : FF-1 |
| <i>Coryloopsis platypetala</i> : H-1 | <i>Cotoneaster ignotus</i> : BB-1 |
| <i>Coryloopsis sinensis</i> : Q-1 | <i>Cotoneaster lactus</i> : CC-1 |
| <i>Coryloopsis sinensis</i> var. <i>calvescens</i> f. <i>veitchiana</i> : H-1 | <i>Cotoneaster lucidus</i> : T-1 |
| <i>Coryloopsis spicata</i> : FF-1 | <i>Cotoneaster morrisonensis</i> : K-1 |
| <i>Coryloopsis willmottiae</i> : Under Silver Maple-1 | <i>Cotoneaster nitens</i> : BB-1 |
| <i>Corylus americana</i> : W-1 | <i>Cotoneaster pannosus</i> : Y-1 |
| <i>Corylus avellana</i> : V-1 | <i>Cotoneaster parneyi</i> : BB-1 |
| <i>Corylus avellana</i> 'Contorta' : GG-1 | <i>Cotoneaster permutatus</i> : T-1 |
| <i>Corylus avellana</i> 'Heterophylla' : J-1 | <i>Cotoneaster</i> 'Rothschildianus' : BB-1 |
| <i>Corylus chinensis</i> : J-1 | <i>Cotoneaster salicifolius</i> : K-1 |
| <i>Corylus colurna</i> : E-1 | <i>Cotoneaster salicifolius</i> 'Scarlet Leader' : DD-1 |
| <i>Corylus cornuta</i> : E-1 | <i>Cotoneaster sikangensis</i> : D-1, Y-3 |
| <i>Corylus cornuta</i> var. <i>californica</i> : F-1 | <i>Cotoneaster soongaricus</i> : BB-1 |

Guide to Plants in the
Charles R. Keith Arboretum

Cotoneaster

April 22, 2012

| | |
|--|---|
| <i>Cotoneaster splendens</i> : BB-1 | <i>Crataegus viridis</i> : S-1, Z-1 |
| <i>Cotoneaster tenayudhensis</i> : K-1 | <i>Crataegus viridis</i> 'Winter King' : S-1 |
| <i>Cotoneaster tomentosus</i> : Z-1 | <i>Croton alabamensis</i> : South of House-1 |
| <i>Cotoneaster turbinatus</i> : Z-1, BB-1 | <i>Cryptomeria japonica</i> 'Albospica' : S-1 |
| <i>Cotoneaster zabelii</i> : Y-1, CC-1 | <i>Cryptomeria japonica</i> 'Araucarioides' : Z-1 |
| <i>Craibiodendron yunnanensis</i> : Under Willow Oak-1 | <i>Cryptomeria japonica</i> 'Benjamin Franklin' : AA-1 |
| × <i>Crataegomespilus dardari</i> 'Jules d'Asnières' : S-1 | <i>Cryptomeria japonica</i> 'Black Dragon' : BB-1 |
| <i>Crataegus</i> : R-1 | <i>Cryptomeria japonica</i> 'Compacta' : AA-1 |
| <i>Crataegus ambigua</i> : S-1 | <i>Cryptomeria japonica</i> 'Compressa' : Front Pond -1 |
| <i>Crataegus arnoldiana</i> : S-1, T-1 | <i>Cryptomeria japonica</i> 'Cristata' : S-1 |
| <i>Crataegus brachycarpa</i> : S-1 | <i>Cryptomeria japonica</i> 'Elegans Nana' : AA-1 |
| <i>Crataegus calpodendron</i> : S-1 | <i>Cryptomeria japonica</i> var. <i>fortunei</i> : AA-1 |
| <i>Crataegus coccinea</i> : BB-1 | <i>Cryptomeria japonica</i> 'Giokumo' : BB-1 |
| <i>Crataegus crus-galli</i> : S-1 | <i>Cryptomeria japonica</i> 'Green Grizzly' : Z-1 |
| <i>Crataegus erythropoda</i> : R-1 | <i>Cryptomeria japonica</i> 'Gyokuryu' : BB-1 |
| <i>Crataegus greggii</i> : R-1, S-1 | <i>Cryptomeria japonica</i> 'Jindai Sugi' : S-1 |
| <i>Crataegus</i> × <i>grignonensis</i> : Y-1 | <i>Cryptomeria japonica</i> 'Knaptonensis' : AA-1 |
| <i>Crataegus harbisonii</i> : Y-1 | <i>Cryptomeria japonica</i> 'Koshiyi' : Front Pond -1 |
| <i>Crataegus laevigata</i> 'Hall's Scarlet' : X-1 | <i>Cryptomeria japonica</i> 'Little Diamond' : FF-1 |
| <i>Crataegus macrocarpa</i> : Y-1 | <i>Cryptomeria japonica</i> 'Lobbii' : Y-1, AA-1 |
| <i>Crataegus marshallii</i> : Z-1 | <i>Cryptomeria japonica</i> 'Monstrosa' : AA-1 |
| <i>Crataegus maximowiczii</i> : S-1 | <i>Cryptomeria japonica</i> 'Rasen' : L-1, S-1 |
| <i>Crataegus mexicana</i> : S-1, Y-1 | <i>Cryptomeria japonica</i> 'Sekkan' : BB-1 |
| <i>Crataegus mollis</i> : R-1 | <i>Cryptomeria japonica</i> var. <i>sinensis</i> : AA-1 |
| <i>Crataegus monogyna</i> : S-1 | <i>Cryptomeria japonica</i> 'Tanyosho' : Front Pond -1 |
| <i>Crataegus monogyna</i> 'Compacta' : Y-1 | <i>Cryptomeria japonica</i> 'Tarheel Blue' : Z-1 |
| <i>Crataegus opaca</i> : S-1 | <i>Cryptomeria japonica</i> 'Tony's Blue' : W-1 |
| <i>Crataegus phaenopyrum</i> : R-1, Y-1 | <i>Cryptomeria japonica</i> 'Vilmoriniana' : Back Pond-1 |
| <i>Crataegus pulcherrima</i> : S-3 | <i>Cryptomeria japonica</i> 'Yaku' : W-1 |
| <i>Crataegus pyracanthoides</i> : R-1 | <i>Cryptomeria japonica</i> 'Yellow Twig' : DD-1 |
| <i>Crataegus ravenelii</i> : S-1 | <i>Cryptomeria japonica</i> 'Yoshino' : AA-1 |
| <i>Crataegus rufula</i> : S-1 | <i>Cunninghamia konishii</i> : Q-1 |
| <i>Crataegus spathulata</i> : S-1 | <i>Cunninghamia konishii</i> 'Little Leo' : L-1 |
| <i>Crataegus toxicantha</i> 'Crimson Cloud' : GG-1 | <i>Cunninghamia lanceolata</i> : GG-1 |
| <i>Crataegus triflora</i> : S-1 | <i>Cunninghamia lanceolata</i> 'Glaucua' : X-1 |
| <i>Crataegus uniflora</i> : R-1, S-2 | <i>Cunninghamia lanceolata</i> var. <i>konishii</i> (dwarf) : FF-1 |
| <i>Crataegus viburnifolia</i> : R-1 | <i>Cunninghamia lanceolata</i> var. <i>konishii</i> 'Little Giant' : FF-1 |

Guide to Plants in the
Charles R. Keith Arboretum

Cunninghamia

April 22, 2012

| | |
|--|---|
| <i>Cunninghamia unicanaliculata</i> : K-1, R-1 | <i>Cydonia japonica alba</i> : Front Pond North-1 |
| <i>Cupressus</i> : Y-1 | <i>Cydonia oblonga</i> : FF-1 |
| <i>Cupressus arizonica</i> : Y-2 | <i>Cyrilla arida</i> : EE-1, FF-1 |
| <i>Cupressus arizonica</i> 'Blue Ice' : V-1, Y-1 | <i>Cyrilla parviflora</i> : O-1 |
| <i>Cupressus arizonica</i> 'Blue Pyramid' : Y-1 | <i>Cyrilla parvifolia</i> : FF-1 |
| <i>Cupressus arizonica</i> 'Carolina Sapphire' : Y-1 | <i>Cyrilla parvifolia</i> (medium leaf) : FF-1 |
| <i>Cupressus arizonica</i> subsp. <i>nevadensis</i> : L-1, Y-1 | <i>Cyrilla parvifolia</i> (small leaf) : FF-1 |
| <i>Cupressus arizonica</i> 'Raywood Weeping' : Y-2 | <i>Cytisus scoparius</i> : CC-1 |
| <i>Cupressus bakeri</i> : B-1, Y-1 | <i>Dacrydium dacrydiodes</i> : Front Pond -1 |
| <i>Cupressus benthamii</i> : Y-1, Z-1 | <i>Dahlbergia hupehensis</i> : Z-1 |
| <i>Cupressus cashmeriana</i> : Y-1 | <i>Daphne acutiloba</i> : Sand Bed-1 |
| <i>Cupressus chengiana</i> : Y-2 | <i>Daphne ×burkwoodii</i> 'Carol Mackie' : Sand Bed-1, Front Pond North-1 |
| <i>Cupressus chengiana</i> var. <i>jiangeensis</i> : Y-1 | <i>Daphne caucasica</i> 'Summer Ice' : I-1 |
| <i>Cupressus chengiana</i> var. <i>kansovensis</i> : Y-1 | <i>Daphne circassica</i> '#1 Best' : Sand Bed-1 |
| <i>Cupressus darjeelingensis</i> : B-2 | <i>Daphne cneorum</i> 'Ruby Glow' : Sand Bed-1 |
| <i>Cupressus duclouxiana</i> 'Doughboy' : B-1 | <i>Daphne genkwa</i> : Sand Bed-1, Under Willow Oak-1 |
| <i>Cupressus funebris</i> : Y-1 | <i>Daphne jezoensis</i> : Sand Bed-1 |
| <i>Cupressus jiangeensis</i> : B-1 | <i>Daphne longilobata</i> : Sand Bed-1 |
| <i>Cupressus lusitanica</i> : Y-2 | <i>Daphne mantensiana</i> : I-1 |
| <i>Cupressus macnabiana</i> 'Saligna Aurea' : K-1 | <i>Daphne ×mantensiana</i> 'Manten' : Sand Bed-1 |
| <i>Cupressus macrocarpa</i> : Y-1 | <i>Daphne mezereum</i> : Sand Bed-1 |
| <i>Cupressus montana</i> : Y-1 | <i>Daphne odora</i> 'Aureomarginata' : Sand Bed-1 |
| <i>Cupressus sargentii</i> : Y-1 | <i>Daphne oleoides</i> : Sand Bed-2 |
| <i>Cupressus sempervirens</i> var. <i>dupreziana</i> : B-1 | <i>Daphne retusa</i> : Sand Bed-2 |
| <i>Cupressus sempervirens</i> 'Glauca' : Y-2 | <i>Daphne tangutica</i> : Sand Bed-1 |
| <i>Cupressus sempervirens</i> 'Laredo Candelabra' : L-1 | <i>Daphniphyllum humile</i> : H-1 |
| <i>Cupressus tongmaiensis</i> : B-1 | <i>Daphniphyllum macrocarpum</i> : U-1 |
| <i>Cupressus torulosa</i> : Y-1 | <i>Dasyliirion acrotricher</i> : B-1 |
| × <i>Cuprocyparis leylandii</i> : CC-1 | <i>Dasyliirion berlandieri</i> : B-1, BB-1 |
| × <i>Cuprocyparis leylandii</i> 'Castlewellan' : CC-1 | <i>Dasyliirion berlandieri</i> aff. 'Puert Puri' : B-1 |
| × <i>Cuprocyparis leylandii</i> 'Gold Rider' : AA-1 | <i>Daubentonia drummondii</i> : A-1 |
| × <i>Cuprocyparis leylandii</i> 'Naylor's Blue' : EE-1 | <i>Davidia involucreta</i> : F-1 |
| × <i>Cuprocyparis leylandii</i> 'Silver Dust' : EE-1 | <i>Davidia involucreta</i> 'Sonoma' : E-1 |
| × <i>Cuprocyparis ovensii</i> : X-1, Y-1 | <i>Decaisnea fargesii</i> : E-1, Q-1 |
| <i>Cycas panzhihuaensis</i> : Shade House-1 | <i>Decumaria barbara</i> : F-1 |
| <i>Cyclocarya paliurus</i> : R-1 | <i>Decumaria barbara</i> 'Savannah River' : H-1 |
| <i>Cydonia japonica</i> : Front Pond North-1 | |

Guide to Plants in the
Charles R. Keith Arboretum

Decumaria

April 22, 2012

| | |
|---|---|
| <i>Decumaria sinensis</i> : Back Yard-1 | <i>Disanthus cercidifolius</i> : G-1 |
| <i>Dendropanax dentiger</i> : Back Yard-1 | <i>Disanthus cercidifolius</i> var. <i>longipes</i> : F-1 |
| <i>Dendropanax trifidus</i> : E-1, F-1 | <i>Diselma archeri</i> : G-2 |
| <i>Deutzia compacta</i> : I-1 | <i>Distylium myricoides</i> : East of House-1 |
| <i>Deutzia crenata</i> : A-2, EE-1 | <i>Distylium racemosum</i> : F-1 |
| <i>Deutzia ×elegantissima</i> 'Rosealind' : East of House-1 | <i>Edgeworthia chrysantha</i> : H-1 |
| <i>Deutzia glabrata</i> : O-1 | <i>Edgeworthia chrysantha</i> 'Gold Rush' : Shade House-1 |
| <i>Deutzia glauca</i> : Q-1 | <i>Edgeworthia papyrifera</i> : F-1 |
| <i>Deutzia gracilis</i> : Front Pond North-1 | <i>Ehretia anacua</i> : M-1 |
| <i>Deutzia gracilis</i> 'Nikko' : H-1 | <i>Ehretia dicksonii</i> : M-1, U-1 |
| <i>Deutzia ×hybrida</i> 'Magicien' : AA-1 | <i>Ehretia ovalifolia</i> : E-1 |
| <i>Deutzia ×lemoinei</i> : I-1 | <i>Ehretia ovalifolium</i> : Q-1 |
| <i>Deutzia longifolia</i> 'Veitchii' : Z-1 | <i>Elaeagnus ×ebbingei</i> 'Gilt Edge' : Y-1 |
| <i>Deutzia magnifica</i> : EE-1 | <i>Elaeagnus multiflora</i> : B-1 |
| <i>Deutzia ningpoensis</i> : A-1 | <i>Elaeagnus pungens</i> : Y-2 |
| <i>Deutzia pulchra</i> : A-1 | <i>Elaeagnus pungens</i> 'Glenn Compact' : A-1 |
| <i>Deutzia scabra</i> : AA-1 | <i>Elaeagnus umbellata</i> : BB-1 |
| <i>Deutzia scabra</i> 'Godsall' : Y-1 | <i>Elaeagnus umbellata</i> 'Xanthocarpa' : X-1 |
| <i>Deutzia scabra</i> 'Variegata' : I-1, T-1 | <i>Elaeocarpus sylvestris</i> : J-1, Q-1 |
| <i>Deutzia schneideriana</i> : F-1 | <i>Eleutherococcus gracilistylus</i> : H-1 |
| <i>Deutzia setchuenensis</i> : R-1 | <i>Eleutherococcus senticosus</i> : J-1 |
| <i>Deutzia setchuenensis</i> var. <i>corymbiflora</i> : T-1 | <i>Eleutherococcus sessiliflorus</i> : Shade House-1 |
| <i>Deutzia sieboldii</i> : Shade House-1 | <i>Eleutherococcus sieboldianus</i> : A-1 |
| <i>Deutzia staminea</i> : Z-2 | <i>Eleutherococcus sieboldianus</i> 'Variegatus' : Q-1 |
| <i>Deutzia taiwanensis</i> : E-2 | <i>Elliottia racemosa</i> : G-1 |
| <i>Deutzia vilmorinii</i> : FF-1 | <i>Elsholtzia stauntonii</i> : Under Silver Maple-1 |
| <i>Dichroa febrifuga</i> : Back Yard-1 | <i>Emmenopterys henryi</i> : I-1 |
| <i>Dichroa versicolor</i> : Back Yard-1 | <i>Enkianthus campanulatus</i> : H-1 |
| <i>Diervilla sessilifolia</i> 'Butterfly' : H-1 | <i>Enkianthus cernuus</i> f. <i>rubens</i> : G-2 |
| <i>Diospyros glaucifolia</i> : X-1 | <i>Enkianthus perulatus</i> : I-1 |
| <i>Diospyros kaki</i> 'Eureka' : Q-1 | <i>Enkianthus serrulatus</i> : H-1 |
| <i>Diospyros lotus</i> : Shade House-1 | <i>Ephedra equisetina</i> : B-1 |
| <i>Diospyros rhombifolia</i> : F-1, Q-1, X-1 | <i>Ephedra gerardiana</i> var. <i>sikkimense</i> : E-1 |
| <i>Diospyros texana</i> : Sand Bed-1 | <i>Epimedium froleithin</i> : H-1 |
| <i>Diospyros virginiana</i> : H-1, GG-1 | <i>Epimedium grandiflorum</i> var. <i>higoense</i> : H-1 |
| <i>Dipelta floribunda</i> : J-1 | <i>Epimedium lishihchenii</i> : H-1 |
| <i>Dirca palustris</i> : Front Pond North-1 | <i>Epimedium ×omeiensis</i> : H-1 |

Guide to Plants in the
Charles R. Keith Arboretum

Erica

April 22, 2012

| | |
|---|---|
| <i>Erica ×darleyensis</i> : Log Cabin-1 | <i>Euonymus planipes</i> : S-2 |
| <i>Eriobotrya japonica</i> : Log Cabin-1 | <i>Euonymus sachalinensis</i> : E-1, Z-1 |
| <i>Erythrina crista-galli</i> : B-1 | <i>Euonymus sieboldianus</i> : F-1 |
| <i>Eucalyptus cinerea</i> : A-1 | <i>Euonymus turkestanicus nana</i> : Back Yard-1 |
| <i>Eucalyptus leucoxyton</i> 'Rosea' : K-1 | <i>Euonymus vegetus</i> : M-1 |
| <i>Eucalyptus neglecta</i> : CC-1, FF-1 | <i>Euonymus verrucosa</i> : E-1 |
| <i>Eucommia ulmoides</i> : R-1, X-1 | <i>Euonymus yeddoensis</i> : CC-1 |
| <i>Euonymus alatus</i> : N-1 | <i>Euptelea pleiosperma</i> : L-1 |
| <i>Euonymus alatus</i> f. <i>apterus</i> : Y-1 | <i>Euptelea polyandra</i> : L-1 |
| <i>Euonymus alatus</i> 'Monstrosus' : S-1 | <i>Eurya japonica</i> : F-1, East of House-1 |
| <i>Euonymus alatus</i> 'Nana' : AA-1 | <i>Eurya</i> aff. <i>nitida</i> : South of House-1 |
| <i>Euonymus americanus</i> : Back Yard-1 | <i>Euscaphis japonica</i> : W-1, CC-1 |
| <i>Euonymus atropurpureus</i> : L-1 | <i>Evodia danielii</i> : GG-1 |
| <i>Euonymus bungeanus</i> : Z-1, FF-1 | <i>Evodia velutina</i> : M-1 |
| <i>Euonymus carnosus</i> : F-1 | <i>Exbucklandia populnea</i> : P-1 |
| <i>Euonymus coreana</i> 'Korean' : Z-1 | <i>Exochorda giraldii</i> var. <i>wilsonii</i> : J-1 |
| <i>Euonymus europaeus</i> 'Aldenhamensis' : Q-2 | <i>Exochorda korolkowii</i> : Shade House-1 |
| <i>Euonymus europaeus</i> 'Red Cap' : S-1 | <i>Exochorda ×macrantha</i> 'The Bride' : Shade House-1 |
| <i>Euonymus fortunei</i> 'Kewensis' : Under Willow Oak-1 | <i>Exochorda racemosa</i> : FF-1 |
| <i>Euonymus grandiflorus</i> : Y-1 | <i>Exochorda serratifolia</i> 'Northern Lights' : Shade House-1 |
| <i>Euonymus grandiflora</i> : Q-1 | <i>Exochorda serratifolia</i> 'Northern Pearls' : Q-1 |
| <i>Euonymus hederaceus</i> : Back Yard-1 | <i>Fabiana imbricata</i> : Back Yard-1 |
| <i>Euonymus japonicus</i> 'Bekko Masaki' : Front Pond -1 | <i>Fabiana imbricata</i> f. <i>violaceae</i> : A-1, Sand Bed-1 |
| <i>Euonymus japonicus</i> 'Chollipo' : Z-1 | <i>Fagus crenata</i> : E-1 |
| <i>Euonymus japonicus</i> 'Dr. Rokujo Variegated' : Back Pond-1 | <i>Fagus crenata</i> 'Buna' : P-1 |
| <i>Euonymus japonicus</i> 'Ryokyu' : Back Pond-1 | <i>Fagus orientalis</i> : T-1 |
| <i>Euonymus kiautschovicus</i> 'Manhatten' : GG-1 | <i>Fagus sylvatica</i> : T-1 |
| <i>Euonymus latifolius</i> : F-1, R-1 | <i>Fagus sylvatica</i> 'Aspleniifolia' : T-1 |
| <i>Euonymus macropterus</i> : L-1 | <i>Fagus sylvatica</i> 'Pendula' : I-1 |
| <i>Euonymus morrisonensis</i> : Back Yard-1 | <i>Fagus sylvatica</i> 'Purpurea Interrupta' : S-1 |
| <i>Euonymus myrianthus</i> : F-2 | <i>Fagus sylvatica</i> 'Rotundifolia' : R-1 |
| <i>Euonymus nanus</i> var. <i>turkestanicus</i> : Q-1 | <i>Fallugia paradoxa</i> : E-1 |
| <i>Euonymus nikoensis</i> : E-1 | <i>Fargesia dracocephala</i> : F-1 |
| <i>Euonymus obovatus</i> : Log Cabin-1, Back Yard-1 | <i>Fargesia murielae</i> : Q-1 |
| <i>Euonymus occidentalis</i> : E-1 | <i>Fargesia nitida</i> : T-1 |
| <i>Euonymus oxyphyllus</i> : E-1, S-1 | <i>Fargesia rufa</i> : S-1 |
| <i>Euonymus phellomanus</i> : Y-1 | × <i>Fatshedera lizei</i> : F-1 |

Guide to Plants in the
Charles R. Keith Arboretum

Fatsia

April 22, 2012

| | |
|--|--|
| <i>Fatsia japonica</i> : Back Yard-1 | <i>Fraxinus americana</i> : V-1 |
| <i>Fatsia polycarpa</i> 'Needham's Lace' : Back Yard-1 | <i>Fraxinus angustifolia</i> : Y-1 |
| <i>Feijoa sellowiana</i> : Log Cabin-1 | <i>Fraxinus bungeana</i> : O-1 |
| <i>Ficus afghanistanica</i> : P-1 | <i>Fraxinus caroliniana</i> : V-1 |
| <i>Ficus</i> 'Brown Turkey' : Shade House-1 | <i>Fraxinus chinensis</i> : E-1 |
| <i>Ficus</i> 'Celeste' : Shade House-1 | <i>Fraxinus excelsior</i> : Z-1 |
| <i>Ficus pumila</i> 'Moire's Hardy' : Back Yard-1 | <i>Fraxinus excelsior</i> 'Hessei' : N-1 |
| <i>Firmiana simplex</i> : X-1, Shade House-1 | <i>Fraxinus excelsior</i> 'Pendula' : W-1 |
| <i>Fokienia hodginsii</i> : G-2 | <i>Fraxinus greggii</i> : B-2 |
| <i>Fontanesia phillyreoides</i> : CC-1 | <i>Fraxinus longicuspis</i> : M-1, Y-1 |
| <i>Fontanesia phillyreoides</i> subsp. <i>fortunei</i> : Y-1, FF-1 | <i>Fraxinus mandshurica</i> : U-1 |
| <i>Forestiera acuminata</i> : FF-1 | <i>Fraxinus nigra</i> : S-1 |
| <i>Forestiera angustifolia</i> 'Weeping' : FF-1 | <i>Fraxinus ornus</i> : J-1, U-1 |
| <i>Forestiera godfreyi</i> : FF-1 | <i>Fraxinus oxycarpa</i> : AA-1 |
| <i>Forestiera ligustrina</i> : B-1, FF-1 | <i>Fraxinus pallisae</i> : D-1 |
| <i>Forestiera neo-mexicana</i> : R-1, FF-1 | <i>Fraxinus pennsylvanica</i> var. <i>subintegerimma</i> : X-1 |
| <i>Forestiera pubescens</i> : FF-1 | <i>Fraxinus platypoda</i> : U-1 |
| <i>Forestiera segregata</i> : R-1 | <i>Fraxinus potamophylla</i> : X-1 |
| <i>Forsythia</i> : DD-1 | <i>Fraxinus profunda</i> var. <i>tomentosa</i> : T-1 |
| <i>Forsythia</i> 'Arnold Dwarf' : W-1 | <i>Fraxinus pubinervis</i> : E-1 |
| <i>Forsythia europa</i> : DD-1 | <i>Fraxinus quadrangulata</i> : U-1 |
| <i>Forsythia europea</i> : DD-1 | <i>Fraxinus sieboldiana</i> : N-1, Y-1 |
| <i>Forsythia</i> 'Fiesta' : AA-1 | <i>Fraxinus sogdiana</i> : N-1, X-1 |
| <i>Forsythia</i> 'Goldzauber' : Y-1 | <i>Fraxinus texensis</i> : E-1 |
| <i>Forsythia</i> × <i>intermedia</i> 'Karl Sax' : BB-1 | <i>Fremontodendron californicum</i> : B-1 |
| <i>Forsythia mandshurica</i> : DD-1 | <i>Gardenia augusta</i> : Q-1 |
| <i>Forsythia ovata</i> : DD-1, GG-1 | <i>Gardenia augusta</i> 'Variegata' : F-1 |
| <i>Forsythia ovata</i> 'Tetragold' : AA-1 | <i>Gardenia jasminoides</i> : Sand Bed-1 |
| <i>Forsythia suspensa</i> : BB-1 | <i>Gardenia jasminoides</i> 'Chuck Hayes' : Sand Bed-1 |
| <i>Fortunearia sinensis</i> : R-1, CC-1 | <i>Gardenia jasminoides</i> 'Kleim's Hardy' : Sand Bed-1 |
| <i>Fothergilla gardenii</i> : H-1 | <i>Gardenia jasminoides</i> 'Radicans Variegata' : FF-1 |
| <i>Fothergilla gardenii</i> 'Blue Mist' : Log Cabin-1 | <i>Garrya ovata</i> subsp. <i>lindheimeri</i> : T-1 |
| <i>Fothergilla gardenii</i> 'Harold Epstein' : Log Cabin-1 | <i>Gaultheria shallon</i> : Log Cabin-1 |
| <i>Fothergilla</i> × <i>intermedia</i> : Log Cabin-1 | <i>Gaylussacia baccata</i> : Log Cabin-1 |
| <i>Fothergilla major</i> : Log Cabin-1 | <i>Gaylussacia dumosa</i> : Under Willow Oak-1 |
| <i>Fothergilla major</i> Monticola Group : F-1 | <i>Gelsemium rankinii</i> : FF-1 |
| <i>Franklinia alatamaha</i> : A-1, G-1 | <i>Genista lydia</i> : Front Pond -1 |

Guide to Plants in the
Charles R. Keith Arboretum

Genista

April 22, 2012

| | |
|--|---|
| <i>Genista pilosa</i> 'Vancouver Gold' : B-1 | <i>Hamamelis japonica</i> 'Zuccarinana' : FF-1 |
| <i>Genista radiata</i> : B-1 | <i>Hamamelis mollis</i> 'Imperialis' : FF-1 |
| <i>Ginkgo biloba</i> 'Pendula' : X-1 | <i>Hamamelis vernalis</i> : R-1, EE-1 |
| <i>Ginkgo biloba</i> (upright) : Front Pond -1 | <i>Hamamelis vernalis</i> (purple form) : R-1, FF-1 |
| <i>Ginkgo biloba</i> 'Witch's Broom' : FF-1 | <i>Hamamelis virginiana</i> : DD-1 |
| <i>Gleditsia aquatica</i> : S-1, Y-1 | <i>Hedera canariensis</i> : Back Yard-1 |
| <i>Gleditsia</i> (Betty Bell Bean) : Z-1 | <i>Hedera colchica</i> 'Sulphur Heart' : R-1 |
| <i>Gleditsia caspica</i> : BB-1 | <i>Hedera helix</i> : Front Pond North-1 |
| <i>Gleditsia delavayi</i> : Z-1 | <i>Hedera hibernica</i> 'Aracens' : J-1 |
| <i>Gleditsia japonica</i> : BB-1, CC-1 | <i>Hedera maderensis</i> : E-1 |
| <i>Gleditsia japonica</i> var. <i>koraiensis</i> : X-1, Z-1, CC-1 | <i>Hedera nepalensis</i> : Shade House-1 |
| <i>Gleditsia sinensis</i> : Y-1, Z-1 | <i>Hedera pastuchowii</i> 'Ann Ala' : J-1 |
| <i>Gleditsia triacanthos</i> : Z-1 | <i>Hedera rhizomatifera</i> : F-1 |
| <i>Gleditsia triacanthos</i> f. <i>inermis</i> 'Emerald Cascade' : L-1 | <i>Hedera rhombea</i> : F-1 |
| <i>Gleditsia triacanthos</i> f. <i>inermis</i> 'Purpurea' : W-1 | <i>Heimia myrtifolia</i> : Log Cabin-1 |
| <i>Gleditsia triacanthos</i> f. <i>inermis</i> 'Ruby Lace' : GG-1 | <i>Heimia salicifolia</i> : Log Cabin-1 |
| <i>Gleditsia triacanthos</i> 'Moraine' : FF-1 | <i>Helwingia chinensis</i> : South of House-1 |
| <i>Gleditsia vestita</i> : Y-1 | <i>Helwingia chinensis</i> (broadleaf) : F-1 |
| <i>Glochidion puberum</i> : W-1 | <i>Hemiptelea davidii</i> : T-1 |
| <i>Glyptostrobus lineatus</i> : Shade House-1 | <i>Heptacodium miconioides</i> : Q-1 |
| <i>Glyptostrobus pensilis</i> : V-1 | <i>Hesperaloe parviflora</i> (Texas yellow flower) : A-1 |
| <i>Gordonia lasianthus</i> : G-1, L-1 | <i>Hibiscus syriacus</i> : DD-1 |
| <i>Gordonia lasianthus</i> 'Variegata' : L-1 | <i>Hibiscus syriacus</i> 'Diana' : AA-1 |
| <i>Grevillea victoriae</i> : B-1, K-1 | <i>Hibiscus syriacus</i> 'Oiseau Bleu' : DD-1 |
| <i>Grewia biloba</i> : FF-1 | <i>Hibiscus syriacus</i> 'Peppermint' : I-1 |
| <i>Griselinia racemosa</i> : F-1 | <i>Hibiscus syriacus</i> 'Single Rubie' : Front Pond -1 |
| <i>Gymnocladus chinensis</i> : FF-1 | <i>Hibiscus syriacus</i> (white) : DD-1 |
| <i>Gymnocladus dioica</i> : Y-1, GG-1 | <i>Hippophae rhamnoides</i> 'Spirit' : B-1 |
| <i>Halesia diptera</i> : Z-1 | <i>Holboellia coriacea</i> : South of House-1, Back Yard-1 |
| <i>Halesia diptera</i> var. <i>magniflora</i> : X-1 | <i>Holodiscus discolor</i> : R-1 |
| <i>Halesia parviflora</i> : J-1 | <i>Hovenia acerba</i> : Q-2, CC-1 |
| <i>Halesia tetraptera</i> : R-1 | <i>Hovenia dulcis</i> : Q-1, S-1, T-1 |
| <i>Halesia tetraptera</i> var. <i>monticola</i> : O-1 | <i>Hydrangea angustipetala</i> : Back Yard-1 |
| <i>Halesia tetraptera</i> var. <i>monticola</i> 'Variegata' : U-1 | <i>Hydrangea angustipetala formosana</i> : Back Yard-1 |
| <i>Halimodendron halodendron</i> : B-1 | <i>Hydrangea anomala</i> subsp. <i>petiolaris</i> : East of House-1 |
| <i>Hamamelis</i> × <i>intermedia</i> 'Arnold Promise' : V-1 | <i>Hydrangea arborescens</i> 'Annabelle' : I-1 |
| <i>Hamamelis</i> × <i>intermedia</i> 'Ruby Glow' : R-1 | <i>Hydrangea aspera</i> : I-1 |

Guide to Plants in the
Charles R. Keith Arboretum

Hydrangea

April 22, 2012

| | |
|---|--|
| <i>Hydrangea aspera</i> Kawakamii Group : G-1 | <i>Hypericum frondosum</i> : R-1 |
| <i>Hydrangea aspera</i> 'Macrophylla' : Back Yard-1 | <i>Hypericum galioides</i> 'Brodie' : R-2, FF-1 |
| <i>Hydrangea aspera</i> subsp. <i>sargentiana</i> : I-1 | <i>Hypericum</i> 'Hidcote' : Under Silver Maple-1 |
| <i>Hydrangea chinensis</i> : I-1 | <i>Hypericum hookerianum</i> : J-1 |
| <i>Hydrangea</i> 'Forever Pink' : Back Yard-1 | <i>Hypericum kalmianum</i> : R-1 |
| <i>Hydrangea grandiflorum</i> : Under Willow Oak-1 | <i>Hypericum lissophloeus</i> : FF-1 |
| <i>Hydrangea heteromalla</i> : I-1 | <i>Hypericum moserianum</i> 'Tricolor' : Back Pond-1 |
| <i>Hydrangea integrifolia</i> : Back Yard-1 | <i>Hypericum oblongifolium</i> : L-1 |
| <i>Hydrangea luteovenosa</i> : Back Yard-1 | <i>Hypericum patulum</i> 'Variegata' : Back Pond-1 |
| <i>Hydrangea macrophylla</i> 'Lilacina' : I-1 | <i>Hypericum prolificum</i> : H-1 |
| <i>Hydrangea macrophylla</i> 'Madame Noville' : I-1 | <i>Idesia polycarpa</i> : A-1 |
| <i>Hydrangea macrophylla</i> 'Pia' (Pink Elf®) : Back Yard-1 | <i>Idesia polycarpa</i> (female) : A-1 |
| <i>Hydrangea macrophylla</i> 'Summer Beauty' : H-1 | <i>Ilex</i> : U-1, DD-1 |
| <i>Hydrangea macrophylla</i> 'Variegata' : I-1 | <i>Ilex</i> 'Nellie R. Stevens' × <i>I. integra</i> : Y-1 |
| <i>Hydrangea paniculata</i> : A-1 | <i>Ilex</i> 'Adonis' : Y-1 |
| <i>Hydrangea paniculata</i> 'Dharuma' : Back Yard-1 | <i>Ilex</i> × <i>altaclerensis</i> 'Camelliifolia' : R-1, Y-1 |
| <i>Hydrangea paniculata</i> 'Grandiflora' : A-1 | <i>Ilex ambigua</i> : J-1, N-1, Q-1 |
| <i>Hydrangea paniculata</i> 'Tardiva' : Y-1 | <i>Ilex amelanchier</i> : Q-1 |
| <i>Hydrangea paniculata</i> 'Unique' : E-2 | <i>Ilex aquifolium</i> 'Angustifolia' : Y-1 |
| <i>Hydrangea paniculata</i> 'White Moth' : I-1 | <i>Ilex aquifolium</i> 'Argentea Marginata' : Y-1 |
| <i>Hydrangea</i> 'Preziosa' : Shade House-1 | <i>Ilex aquifolium</i> 'Aureomarginata' : Y-1 |
| <i>Hydrangea quelpartensis</i> : Front Pond North-1 | <i>Ilex aquifolium</i> 'Balkan' : Z-1 |
| <i>Hydrangea quercifolia</i> : East of House-1 | <i>Ilex aquifolium</i> 'Ciliata Major' : Z-1 |
| <i>Hydrangea quercifolia</i> 'Alice' : DD-1 | <i>Ilex aquifolium</i> 'Recurva' : Y-1 |
| <i>Hydrangea quercifolia</i> 'Flemygea' (Snow Queen™) : GG-1 | <i>Ilex aquifolium</i> 'Silver Milkmaid' : Y-1 |
| <i>Hydrangea quercifolia</i> 'Pee Wee' : Front Pond -1 | <i>Ilex aquifolium</i> 'Sparkler' : Y-1 |
| <i>Hydrangea scandens</i> 'Fragrant Splash' : Back Yard-1 | <i>Ilex aquifolium</i> (yellow berried) : Y-1 |
| <i>Hydrangea seemannii</i> : Back Yard-1 | <i>Ilex</i> × <i>aquipernyi</i> 'San Jose' : Y-1 |
| <i>Hydrangea serrata</i> : Back Yard-1 | <i>Ilex</i> × <i>attenuata</i> 'Alagold' : Y-1 |
| <i>Hydrangea serrata</i> var. <i>chinensis</i> : I-1 | <i>Ilex</i> × <i>attenuata</i> 'Annie Armstrong' : U-1 |
| <i>Hydrangea serrata</i> 'Grayswood' : I-1 | <i>Ilex</i> × <i>attenuata</i> 'Dixie Dream' : X-1 |
| <i>Hydrangea umbellata</i> : Back Yard-2 | <i>Ilex</i> × <i>attenuata</i> 'East Palatka' : Front Pond North-1 |
| <i>Hydrangea villosa</i> : I-1 | <i>Ilex</i> × <i>attenuata</i> 'Foster's #2' : Y-1 |
| <i>Hymenanchera crassifolium</i> : B-1 | <i>Ilex</i> × <i>attenuata</i> 'Greenleaf' : Y-1 |
| <i>Hypericum acmosepalum</i> : Shade House-1 | <i>Ilex</i> × <i>attenuata</i> 'Hume' : Y-1 |
| <i>Hypericum</i> 'Cfflpc-1' (Blue Velvet™) : Front Pond North-1 | <i>Ilex</i> × <i>attenuata</i> 'Huo Yen' (Dixie Flame™) : Y-1 |
| <i>Hypericum chinensis</i> : Shade House-1 | <i>Ilex</i> × <i>attenuata</i> 'Savannah' : DD-1 |

Guide to Plants in the
Charles R. Keith Arboretum

Ilex

April 22, 2012

- Ilex* × *attenuata* 'Sunny Foster' : Y-1, Z-1
Ilex buergeri : A-1, Y-1
Ilex 'Calina' : Y-1
Ilex 'Carolina Sentinel' : Y-1
Ilex cassine : DD-1
Ilex cassine var. *angustifolia* : Y-1
Ilex cassine var. *angustifolia* 'Loweii' : Z-1
Ilex cassine 'Loweii' : S-1
Ilex chinensis : AA-1
Ilex ciliospinosa : A-1
Ilex 'Clusterberry' : DD-1
Ilex colchica : A-1, DD-1
Ilex 'Conal' (Cardinal™) : Y-1
Ilex 'Coned' (Little Red™) : Y-1
Ilex 'Conive' (Festive™) : Y-1
Ilex 'Conot' (Patriot™) : Y-1
Ilex coriacea : S-1
Ilex cornuta × *I. pernyi* : DD-1
Ilex cornuta 'Burfordii' : South of House-1
Ilex cornuta 'Carissa' : W-1
Ilex cornuta 'Dwarf Burford' : Y-1
Ilex cornuta 'Gay Blades' : DD-1
Ilex cornuta 'Greer' (Berries Jubilee™) : X-1
Ilex cornuta 'Needlepoint' : X-1
Ilex cornuta 'O. Spring' : AA-1
Ilex cornuta 'Rotunda' : DD-1, GG-1
Ilex cornuta 'Shangri La' : X-1
Ilex cornuta 'Willowwood' : Z-1, CC-1
Ilex crenata : T-1
Ilex crenata 'Beehive' : DD-1
Ilex crenata 'Billy Hunt' : DD-1
Ilex crenata 'Chesapeake' : T-1, DD-1
Ilex crenata 'Convexa' : DD-1
Ilex crenata 'Dewerth' : Y-1
Ilex crenata 'Dwarf Pagoda' : Shade House-1
Ilex crenata 'Geisha' : S-1
Ilex crenata 'Helleri' : DD-1
Ilex crenata 'Hetzii' : DD-1
Ilex crenata 'Hoogendorp' : EE-1
Ilex crenata 'Jersey Pinnacle' : DD-1
Ilex crenata (large leaf) : DD-1
Ilex crenata 'Leucocarpa' : DD-1
Ilex crenata 'Microphylla' : DD-1
Ilex crenata 'Paludosa' : Y-1
Ilex crenata 'Piccolo' : Back Pond-1
Ilex crenata 'Rocky Creek' : U-1
Ilex crenata 'Rotundifolia' : DD-1
Ilex crenata 'Sky Pencil' : FF-1
Ilex crenata 'Snowflake' : DD-1
Ilex crenata 'Steed's Upright' : DD-1
Ilex crenata f. *watanabeana* : BB-1
Ilex cumulicola : Q-1
Ilex cumulicola × *I. cassine* '580 Lady' : S-1
Ilex curtissii : BB-1
Ilex decidua : W-1, Back Yard-1
Ilex decidua 'Centro' : W-1
Ilex decidua 'Council Fire' : W-1
Ilex decidua 'Finch's Golden' : W-1
Ilex decidua 'Pendula' : X-1
Ilex decidua 'Red Cascade' : W-1
Ilex decidua 'Sentinel' : DD-1
Ilex dipyrena : A-1
Ilex 'Dr. Kassab' : DD-1, GG-1
Ilex 'Ebony Magic' : Y-1
Ilex 'Edward Goucher' : Y-1
Ilex 'Emily Bruner' : Y-1, EE-1
Ilex 'Ginny Bruner' : T-1, U-1
Ilex glabra : DD-1
Ilex glabra 'Leucocarpa' : DD-1
Ilex glabra 'Shamrock' : DD-1
Ilex glabra 'Stead's' : DD-1
Ilex goshiensis : DD-1
Ilex 'Harry Gunning' : DD-1
Ilex 'Hodgensii' : X-1

Guide to Plants in the
Charles R. Keith Arboretum

Ilex

April 22, 2012

- Ilex integra* : S-1
Ilex integra × *I. rugosa* : A-1
Ilex integra 'Chollipo' : T-1
Ilex intermedia : Q-1, BB-1
Ilex × *koehneana* 'Agena' : Y-2
Ilex × *koehneana* 'Ajax' : Y-1
Ilex × *koehneana* 'Hohman' : Y-1
Ilex × *koehneana* 'San Jose' : Y-1
Ilex laevigata : J-1, Q-1
Ilex latifolia : Y-1, BB-1, DD-1
Ilex latifolia (female) : Y-1
Ilex latifolia 'Purple Power' : Y-1
Ilex 'Little Red' : Y-1
Ilex longipes : U-1
Ilex 'Lydia Morris' : GG-1
Ilex 'Mary Nell' : X-1
Ilex 'Merry Berry' : E-1
Ilex 'Mesdob' (China Boy®) : Y-1
Ilex × *meserveae* 'Blue Boy' : E-1
Ilex × *meserveae* 'Blue Girl' : E-1, Y-2
Ilex × *meserveae* 'Gretchen' : E-1
Ilex 'Miniature' : Y-1
Ilex mutchigara : DD-1
Ilex mutchigara (female) : DD-1
Ilex myrtifolia × *I. opaca* 'Tanager' : BB-1
Ilex (NA 28231) : Y-1
Ilex (NA28217) : Y-1
Ilex 'Nellie R. Stevens' : Y-1, DD-1
Ilex 'Oakleaf' : X-1
Ilex opaca : GG-1
Ilex opaca 'Canary' : U-1
Ilex opaca 'Dan Fenton' : Y-1
Ilex opaca 'Heavy Berry' : Z-1
Ilex opaca 'Hedgeholly' : Y-1
Ilex opaca 'Jersey Princess' : X-1
Ilex opaca 'Klein No. 1' : X-1
Ilex opaca 'Lake City' : U-1
Ilex opaca (male) : A-1
Ilex opaca 'Maryland Dwarf' : AA-1
Ilex opaca 'Miss Helen' : X-1
Ilex opaca 'Northwind' : Y-1
Ilex opaca 'Princeton Gold' : X-1
Ilex opaca 'Red Flush' : Y-1
Ilex opaca 'Satyr Hill' : Y-1
Ilex opaca 'St. Mary' : Y-1
Ilex opaca 'Tinga' : A-1
Ilex opaca 'Torchbearer' : Y-1
Ilex opaca 'Yellow Berry' : X-1
Ilex × *oscari* : East of House-1
Ilex pedunculosa : E-1
Ilex pedunculosa (male) : E-2
Ilex pernyi : Y-1
Ilex pernyi × *I. integra* (NA28214) : Y-1
Ilex poneantha : E-1, G-2
Ilex purpurea 'Compacta' : AA-1
Ilex 'Rock Garden' : Front Pond -1, Back Pond-1
Ilex rotunda : S-1, U-1
Ilex rubra : EE-1
Ilex 'September Gem' : DD-1
Ilex serrata : DD-1, GG-1
Ilex serrata 'Bonfire' : AA-1
Ilex 'Sparkleberry' : GG-1
Ilex spinigera (female) : L-1
Ilex spinigera (male) : L-1
Ilex 'Unique' : X-1
Ilex (variegated unknown) : Z-1
Ilex 'Venus' : Y-2
Ilex verticillata × *I. 'Sparkleberry'* : GG-1
Ilex verticillata 'Earlibright' : DD-1
Ilex verticillata 'Fairfax' : DD-1
Ilex verticillata 'Jolly Red' : AA-1
Ilex verticillata (male) : GG-1
Ilex verticillata 'Winter Red' : GG-1
Ilex vomitoria : DD-1

Guide to Plants in the
Charles R. Keith Arboretum

Ilex

April 22, 2012

- Ilex vomitoria* 'Lowrey's Big Leaf' : U-1
Ilex vomitoria 'Nana' : DD-1
Ilex vomitoria 'Pendula' : DD-1
Ilex vomitoria 'Stokes Dwarf' : DD-1
Ilex vomitoria 'Virginia Dare' : DD-1
Ilex vomitoria 'Will Fleming' : AA-1
Ilex vomitoria 'Xanthocarpa' : DD-1
Ilex xwandoensis : X-1
Ilex wenchowens : X-1
Ilex 'Wetumpka' : Y-1
Ilex 'William Cowgill' : Y-1
Ilex 'Witumpka' : X-1
Illicium anisatum : H-1
Illicium floridanum : H-1
Illicium floridanum f. *album* : A-1
Illicium floridanum f. *album* 'Semmes' : J-1
Illicium floridanum 'Halley's Comet' : W-1
Illicium floridanum 'Pebblebrook' : W-1
Illicium floridanum 'Shady Lady' : H-1
Illicium lanceolatum : F-1, J-1
Illicium mexicanum : H-1
Illicium olegandrum : W-1
Illicium oligandrum : W-1
Illicium parviflorum : H-1
Illicium parviflorum 'Forest Green' : U-1
Illicium 'Woodland Ruby' : F-1, H-1
Indigofera amblyantha : I-1, Front Pond -2
Indigofera decora : FF-1, Log Cabin-1
Indigofera dielsiana : Front Pond -1
Indigofera gerardiana : BB-1
Indigofera heterantha : FF-1
Indigofera kirilowii : FF-1, Shade House-1
Indigofera pseudotinctoria : FF-1
Indigofera pseudotinctoria 'Rose Carpet' : Back Pond-1
Indocalamus longiauritus : Q-1
Itea chinensis : Back Yard-1
Itea ilicifolia : FF-1
Itea virginica 'Beppu' : FF-1
Itea virginica 'Henry's Garnet' : I-1
Itea virginica 'Sarah Eve' : I-1
Itea virginica 'Saturnalia' : I-1
Itea virginica 'Shirley's Compact' : Back Pond-1
Itea virginica 'Sprich' (Little Henry™) : I-1
Itea yunnanensis : A-1, Back Yard-1
Iva frutescens : Shade House-1
Jasminum beesianum : Sand Bed-1
Jasminum floridum : South of House-1
Jasminum humile 'Revolutum' : Back Yard-1
Jasminum nudiflorum : GG-1
Jasminum officinale 'Aureoariiegata' : South of House-1
Jasminum parkeri : Sand Bed-1
Juglans ailanthifolia : AA-1
Juglans cinerea : Z-1, CC-1
Juglans mandshurica : Y-1
Juglans nigra : S-1
Juglans regia 'Carpathian' : P-1
Juniperus : DD-1
Juniperus ashei : Y-1
Juniperus chinensis : Y-1
Juniperus chinensis 'Angelica Blue' : Y-1
Juniperus chinensis 'Aurea' : BB-1, DD-1
Juniperus chinensis 'Blue Alps' : W-2
Juniperus chinensis 'Blue Point Variegata' : W-1
Juniperus chinensis 'Hetzii Columnaris' : X-1
Juniperus chinensis [Japonica Group] 'Japonica' : W-1
Juniperus chinensis 'Kaizuka' : AA-1
Juniperus chinensis 'Mac's Golden' : X-1
Juniperus chinensis 'Parsonii' : W-1
Juniperus chinensis 'Plumosa Aurea' : W-2
Juniperus chinensis 'Robusta Green' : W-1
Juniperus chinensis 'Variegated Kaizuka' : Y-1
Juniperus communis 'Berkshire' : EE-1
Juniperus communis 'Gold Cone' : W-1
Juniperus communis 'Haverbeck' : AA-1

Guide to Plants in the
Charles R. Keith Arboretum

Juniperus

April 22, 2012

-
- Juniperus communis* 'Hornibrookii' : EE-1
Juniperus communis 'Horstmann's Pendula' : DD-1
Juniperus communis 'Oblonga Pendula' : DD-1
Juniperus communis 'Sentinel' : W-1
Juniperus communis 'Sueica Nana' : FF-1
Juniperus communis 'Tage Lindell' : W-1
Juniperus conferta 'Blue Mist' : W-1
Juniperus conferta 'Blue Pacific' : L-1
Juniperus conferta 'Silver Mist' : L-1
Juniperus conferta 'Sunsplash' : Front Pond -1
Juniperus davurica : W-1
Juniperus deppeana 'McPhetter' : K-1
Juniperus flaccida : Z-1
Juniperus formosana : W-1, X-1
Juniperus 'Grey Owl' : W-1
Juniperus horizontalis 'Andorra' : W-1
Juniperus horizontalis 'Gold Strike' : L-1
Juniperus ×media 'Golden Joy' : L-1
Juniperus ×media 'Saybrook Gold' : W-1
Juniperus monosperma : A-1
Juniperus occidentalis : W-1
Juniperus oxycedrus : A-1, W-1, X-1
Juniperus pinchotii : A-2, B-1, W-1
Juniperus pingii : K-1, EE-1
Juniperus pingii var. *wilsonii* 'Loderi' : Z-1
Juniperus pingii 'Yoderi' : W-1
Juniperus procumbens : Log Cabin-1
Juniperus procumbens Nana Group : DD-1, EE-1
Juniperus recurva var. *coxii* : K-1
Juniperus rigida : W-1, DD-1
Juniperus rigida 'Hikari' : V-1
Juniperus rigida 'Pendula' : W-1
Juniperus sargentii : W-1
Juniperus scopulorum 'Pathfinder' : W-1
Juniperus scopulorum 'Spartan' : DD-1
Juniperus scopulorum 'Tolleson's Blue Weeping' : L-1
Juniperus squamata : W-1
Juniperus squamata 'Blue Star' : L-1, Front Pond -1
Juniperus virginiana : C-1
Juniperus virginiana 'Glauca' : X-1
Juniperus virginiana (Laurenceville, Va) : X-1
Juniperus virginiana 'Lemon Hill' : L-1
Juniperus virginiana 'Pendula' : L-1, DD-1, Front Pond -1
Juniperus virginiana 'Poyo' : X-1
Juniperus virginiana var. *silicicola* : W-1
Juniperus virginiana var. *silicicola* 'Brodie' : L-1
Juniperus virginiana 'Silver Spreader' : W-1
Juniperus virginiana 'Stover' : L-1
Juniperus virginiana var. *virginiana* : Y-2
Kadsura japonica 'Fukurin' : Back Yard-1
Kalmia angustifolia var. *caroliniana* : Shade House-1
Kalmia angustifolia 'Royal Dwarf' : Front Pond -1
Kalmia latifolia : Log Cabin-1
Kalmia latifolia 'Nipmunk' : G-1
Kalmia 'Minuet' : Under Silver Maple-1
Kalopanax pictus : X-1
Kalopanax septemlobus : P-1
Kerria japonica 'Pleniflora' : Front Pond -1
Keteleeria davidiana : K-1, R-1
Keteleeria evelyniana : K-1, R-1
Keteleeria fortunei : K-2
Koelreuteria bipinnata var. *integrifolia* : G-1
Koelreuteria formosana : A-2
Koelreuteria paniculata : A-1
Kolkwitzia amabilis : R-1, W-1
Kolkwitzia amabilis 'Pink Cloud' : Y-1
Laburnum alpinum : FF-1
Laburnum anagyroides : Shade House-1
Laburnum ×watereri 'Vossii' : FF-1
Lagarostrobus franklinii : G-2
Lagerstroemia : W-1, East of House-1
Lagerstroemia 'Buzzard' : Front Pond North-1
Lagerstroemia 'Chickasaw' : Front Pond -1
Lagerstroemia costata : Z-1

Guide to Plants in the
Charles R. Keith Arboretum

Lagerstroemia

April 22, 2012

| | |
|--|--|
| <i>Lagerstroemia fauriei</i> : CC-1 | <i>Ligustrum delavayanum</i> : Z-2 |
| <i>Lagerstroemia indica</i> : W-1 | <i>Ligustrum foliosum</i> : S-3 |
| <i>Lagerstroemia indica</i> 'Near East' : GG-1 | <i>Ligustrum ibolium</i> : S-1 |
| <i>Lagerstroemia indica</i> 'Velma's Royal Delight' : DD-2 | <i>Ligustrum ibolium</i> 'Variegatum' : S-1 |
| <i>Lagerstroemia indica</i> 'Victor' : Front Pond North-1 | <i>Ligustrum ibota</i> : S-1 |
| <i>Lagerstroemia indica</i> 'Weeping Dwarf' : Front Pond -1 | <i>Ligustrum japonicum</i> : A-1 |
| <i>Lagerstroemia</i> 'Lafayette' : L-1 | <i>Ligustrum japonicum</i> 'Aurea' : CC-1 |
| <i>Lagerstroemia limii</i> : Z-1, BB-1, DD-1 | <i>Ligustrum japonicum</i> 'Jack Frost' : S-1 |
| <i>Lagerstroemia</i> 'Natchez' : L-1 | <i>Ligustrum japonicum</i> 'Rotundifolium' : South of House-1 |
| <i>Lagerstroemia</i> 'Pink Parfait' : Front Pond North-1 | <i>Ligustrum lucidum</i> : S-1 |
| <i>Lagerstroemia</i> 'Red Imp' : Front Pond -1 | <i>Ligustrum lucidum</i> 'East Bay' : W-1 |
| <i>Lagerstroemia</i> 'Tuscarora' : DD-1 | <i>Ligustrum lucidum</i> var. <i>recurvifolium</i> : X-1 |
| <i>Lagerstroemia</i> 'Watermelon' : Front Pond North-1 | <i>Ligustrum lucidum repandum</i> : W-1 |
| <i>Lantana camara</i> 'Miss Huff' : B-1 | <i>Ligustrum microcarpum</i> : S-1 |
| <i>Laurus nobilis</i> : Sand Bed-1 | <i>Ligustrum obtusifolium</i> var. <i>regelianum</i> : GG-1 |
| <i>Lavandula stoechas</i> 'Madrid Blue' : Front Pond -1 | <i>Ligustrum ovalifolium</i> : S-1 |
| <i>Ledum groenlandicum</i> : Front Pond -1 | <i>Ligustrum quihoui</i> : S-1, Z-1 |
| <i>Leitneria floridana</i> : Shade House-1 | <i>Ligustrum salicifolium</i> : S-2 |
| <i>Leptodermis oblonga</i> : Front Pond North-1, Back Pond-1 | <i>Ligustrum salicinum</i> : S-2, Y-1 |
| <i>Leptospermum lanigerum</i> : B-1 | <i>Ligustrum sinense</i> 'Variegatum' : X-1 |
| <i>Lespedeza bicolor</i> 'Lil' Buddy' : Y-1 | <i>Ligustrum sinense</i> 'Wimbish' : T-1 |
| <i>Leucophyllum frutescens</i> : Sand Bed-1 | <i>Ligustrum vulgare chlorocarpa</i> : CC-1 |
| <i>Leucothoe axillaris</i> 'Dodd's Variegated' : Under Willow Oak -1 | <i>Ligustrum vulgare</i> 'Densiflorum' : S-1 |
| <i>Leucothoe axillaris</i> var. <i>editorum</i> : Front Pond North-1 | <i>Ligustrum yunnanense</i> : Z-1 |
| <i>Leucothoe davisiae</i> : Under Silver Maple-1 | <i>Lindera aggregata</i> : E-1, J-1 |
| <i>Leucothoe fontanesiana</i> : R-1, Under Silver Maple-1 | <i>Lindera angustifolia</i> : O-1 |
| <i>Leucothoe fontanesiana</i> 'Rainbow' : Log Cabin-1 | <i>Lindera benzoin</i> : H-1, GG-1 |
| <i>Leucothoe fontanesiana</i> 'Zeblid' (Scarletta®) : Under Silver Maple-1 | <i>Lindera chienii</i> : J-2, Q-1 |
| <i>Leucothoe keiskei</i> : Log Cabin-1 | <i>Lindera erythrocarpa</i> : H-1, J-1 |
| <i>Leucothoe racemosa</i> : R-1 | <i>Lindera glauca</i> : H-2 |
| <i>Leucothoe recurva</i> : R-1 | <i>Lindera megaphylla</i> : F-1 |
| <i>Leycesteria formosa</i> : G-1 | <i>Lindera melissifolia</i> : Under Willow Oak-1, South of House-1 |
| <i>Libocedrus decurrens</i> : Z-1 | <i>Lindera obtusiloba</i> : J-2, K-1 |
| <i>Licania michauxii</i> : Sand Bed-1 | <i>Lindera praecox</i> : Q-1 |
| <i>Ligustrum amurense</i> : S-1 | <i>Lindera reflexa</i> : J-2 |
| | <i>Lindera rubinervis</i> : N-1 |
| | <i>Lindera rubrinerva</i> : F-1 |

Guide to Plants in the
Charles R. Keith Arboretum

Lindera

April 22, 2012

-
- Lindera salicifolia* : D-1
Lindera strychnifolia : J-1
Lindera subcoriacea : H-1
Lindera triloba : H-1
Lindera umbellata : H-1, J-1
Liquidambar acalycina : W-1
Liquidambar acalycina 'Burgundy Flush' : U-1
Liquidambar formosana : T-1, Y-1
Liquidambar orientalis : D-1
Liquidambar styraciflua 'Gum Ball' : Q-2
Liquidambar styraciflua 'Rotundiloba' : N-1
Liquidambar styraciflua 'Silver King' : K-1
Liquidambar styraciflua 'Slender Silhouette' : S-1
Liriodendron chinense : U-1
Liriodendron chinense × *L. tulipifera* : T-1
Liriodendron tulipifera 'Fastigiatum' : T-1
Lithocarpus chinensis : E-1
Lithocarpus densiflorus : C-1
Lithocarpus densiflorus var. *echinoides* : C-1
Lithocarpus edulis : E-1
Lithocarpus glaber : J-1
Lithocarpus henryi : L-3
Litsea aestivalis : Sand Bed-1, South of House-1
Litsea cubeba : F-1, H-1
Lomatia myricoides : G-1
Lonicera acuminata : FF-1
Lonicera crassifolia : Back Yard-1
Lonicera demissa : K-1
Lonicera etrusca : Q-1
Lonicera etrusca 'Donald Waterer' : F-1
Lonicera ferdinandii : K-1
Lonicera fernandii : O-1
Lonicera fragrantissima : BB-1, DD-1, FF-1, Shade House-1
Lonicera × *heckrottii* 'Gold Flame' : R-1
Lonicera henryi : Shade House-1
Lonicera interrupta : B-1
Lonicera involucrata : E-1
Lonicera japonica : Front Pond North-1
Lonicera japonica var. *chinensis* : Front Pond North-1
Lonicera kamchatika : G-1
Lonicera maackii : S-1, Z-2
Lonicera maackii f. *podocarpa* : Z-1
Lonicera maximowiczii var. *sachalanensis* : L-1
Lonicera modesta var. *lushanensis* : AA-1
Lonicera nitida : Shade House-1
Lonicera nitida 'Baggesen's Gold' : Q-1
Lonicera nitida 'Graziosa' : CC-1
Lonicera pileata : Front Pond North-1
Lonicera praeflorens : L-1, X-1
Lonicera × *purpusii* : Z-1, CC-1
Lonicera × *purpusii* 'Winter Beauty' : BB-1
Lonicera ruprechtiana : X-1, DD-1
Lonicera sempervirens : A-1
Lonicera sempervirens 'Blanche Sandman' : H-1
Lonicera sempervirens 'John Clayton' : Front Pond North-1
Lonicera standishii : DD-1
Lonicera × *tellmanniana* : South of House-1
Lonicera tomentella : K-1
Lonicera tragophylla : H-1
Lonicera xylosteum : DD-1
Lonicera xylosteum 'Claveyi' : E-1
Loropetalum chinense var. *chinense* : DD-1
Loropetalum chinense 'Green Elf' : DD-1
Loropetalum chinense var. *rubrum* 'Daruma' : W-1
Loropetalum chinense var. *rubrum* 'Zhuzhou Fuchsia' : W-1
Luma apiculata : Back Yard-1
Luma apiculata (Nahuelhuapi form) : Back Yard-1
Lycium berlanderi : Sand Bed-1
Lycium carolinianum : Sand Bed-1
Lyonia ferruginea : Sand Bed-2
Lyonia lucida : Back Yard-2
Lyonia mariana : Back Yard-1
Maackia amurensis : DD-1
Maackia amurensis subsp. *buengeri* : T-1

Guide to Plants in the
Charles R. Keith Arboretum

Maackia

April 22, 2012

| | |
|--|---|
| <i>Maackia chinensis</i> : T-1 | <i>Magnolia grandiflora</i> 'Hasse' : U-1 |
| <i>Maackia fauriei</i> : T-1 | <i>Magnolia grandiflora</i> 'Kay Parris' : W-1 |
| <i>Maclura pomifera</i> : S-1, X-1 | <i>Magnolia grandiflora</i> 'Little Gem' : Q-1 |
| <i>Maesa chisia</i> : Back Yard-1 | <i>Magnolia grandiflora</i> 'Mystery' : X-1 |
| <i>Maesa japonica</i> : Back Yard-1 | <i>Magnolia grandiflora</i> 'Susquehana' : U-1 |
| <i>Magnolia acuminata</i> : U-1 | <i>Magnolia grandiflora</i> 'Teddy Bear' : U-1 |
| <i>Magnolia acuminata</i> var. <i>cordata</i> : I-1 | <i>Magnolia grandiflora</i> 'TMGH' (Alta®) : W-1 |
| <i>Magnolia amoena</i> : J-1 | <i>Magnolia insignis</i> : F-1, J-1 |
| <i>Magnolia ashei</i> : A-1 | <i>Magnolia</i> 'Jane' : S-1 |
| <i>Magnolia ashei</i> × <i>M. macrophylla</i> : S-1 | <i>Magnolia</i> × <i>kewensis</i> 'Wada's Memory' : F-1 |
| <i>Magnolia biloba</i> : F-1, N-1 | <i>Magnolia kobus</i> : I-1 |
| <i>Magnolia biondii</i> : N-1, Q-1 | <i>Magnolia laevigata</i> 'Willowleaf' : D-1 |
| <i>Magnolia</i> 'Caerhays Belle' : Q-1 | <i>Magnolia</i> 'Leslie Jane' : DD-1 |
| <i>Magnolia campbelli</i> subsp. <i>mollicomata</i> : F-1 | <i>Magnolia liliiflora</i> : Y-1 |
| <i>Magnolia campbelli</i> var. <i>molle</i> 'Lanarth' × <i>M. liliiflora</i> 'Vulcan' : X-1 | <i>Magnolia liliiflora</i> × <i>M. stellata</i> : Q-1 |
| <i>Magnolia campbellii</i> : V-1 | <i>Magnolia liliiflora</i> 'O'Neill' : Y-1 |
| <i>Magnolia campbellii</i> × <i>M. liliiflora</i> : U-1 | <i>Magnolia</i> × <i>loebneri</i> 'Leonard Messel' : GG-1 |
| <i>Magnolia chapensis</i> : E-1 | <i>Magnolia</i> × <i>loebneri</i> 'Merrill' : Q-1 |
| <i>Magnolia cylindrica</i> : F-1, T-1 | <i>Magnolia macrophylla</i> : A-1, S-1 |
| <i>Magnolia dawsoniana</i> 'Clarke' : Q-1 | <i>Magnolia martinii</i> : D-1 |
| <i>Magnolia</i> 'Daybreak' : X-1 | <i>Magnolia</i> 'Maryland' : CC-1 |
| <i>Magnolia dealbata</i> : J-1, Q-1 | <i>Magnolia maudiae</i> : G-1 |
| <i>Magnolia denudata</i> : V-1, Z-1 | <i>Magnolia moto</i> : Q-1 |
| <i>Magnolia figo</i> : F-1 | <i>Magnolia</i> 'Nimbus' : EE-1 |
| <i>Magnolia figo</i> var. <i>skinneriana</i> : R-1 | <i>Magnolia obovata</i> : Q-1 |
| <i>Magnolia</i> × <i>foggii</i> 'Variegata' : E-1 | <i>Magnolia officinalis</i> : AA-1 |
| <i>Magnolia fordiana</i> : D-1 | <i>Magnolia platypetala</i> : F-1 |
| <i>Magnolia foveolata</i> : N-1 | <i>Magnolia salicifolia</i> 'lufei' : S-1 |
| <i>Magnolia fraseri</i> : I-1 | <i>Magnolia salicifolia</i> 'W.B. Clarke' : I-1 |
| <i>Magnolia fraseri</i> var. <i>pyramidata</i> : F-1 | <i>Magnolia sieboldii</i> : G-1 |
| <i>Magnolia</i> 'Galaxy' : I-1 | <i>Magnolia sieboldii</i> × <i>M. macrophylla</i> : Q-1 |
| <i>Magnolia grandiflora</i> : Shade House-1 | <i>Magnolia sinsensis</i> : G-1 |
| <i>Magnolia grandiflora</i> 'Blanchard' (Brown Velvet™) : U-1 | <i>Magnolia soulangiana</i> : East of House-1 |
| <i>Magnolia grandiflora</i> 'Charles Dickens' : U-1 | <i>Magnolia</i> 'Southern Belle' : U-1 |
| <i>Magnolia grandiflora</i> 'Claude Wannamaker' : U-1 | <i>Magnolia sprengeri</i> : Q-1 |
| <i>Magnolia grandiflora</i> 'Edith Bogue' : U-1 | <i>Magnolia sprengeri</i> var. <i>diva</i> : G-1 |
| | <i>Magnolia stellata</i> 'Royal Star' : East of House-1 |

Guide to Plants in the
Charles R. Keith Arboretum

Magnolia

April 22, 2012

| | |
|--|---|
| <i>Magnolia</i> 'Sunburst' : U-1 | <i>Mahonia swaseyi</i> : I-1 |
| <i>Magnolia</i> 'Sunspire' : X-1 | <i>Mahonia</i> × <i>wagneri</i> 'King's Ransom' : G-1 |
| <i>Magnolia</i> 'Susan' : Z-1 | <i>Mallotus japonicus</i> : J-1 |
| <i>Magnolia tamaulipana</i> : R-1 | <i>Malus angustifolia</i> : S-1 |
| <i>Magnolia tamaulipana</i> 'Bronze Sentinel' : Q-2 | <i>Malus baccata</i> var. <i>mandshurica</i> : S-1 |
| <i>Magnolia</i> 'Todd Gresham' : V-1 | <i>Malus coronaria</i> : S-1, Y-1 |
| <i>Magnolia</i> 'Tranquility' : X-1 | <i>Malus floribunda</i> : X-1 |
| <i>Magnolia tripetela</i> : Q-1, S-1 | <i>Malus halliana</i> : Z-1 |
| <i>Magnolia virginiana</i> : EE-1 | <i>Malus</i> 'Jewelberry' : Y-1 |
| <i>Magnolia virginiana</i> × <i>M. sieboldii</i> : U-1 | <i>Malus kansuensis</i> : R-1 |
| <i>Magnolia virginiana</i> var. <i>australis</i> : FF-1 | <i>Malus</i> × <i>micromalus</i> : T-1 |
| <i>Magnolia virginiana</i> var. <i>ludoviciana</i> : Z-1 | <i>Malus prattii</i> : T-1 |
| <i>Magnolia virginiana</i> var. <i>pumila</i> : FF-1 | <i>Malus</i> 'Red Jade' : X-1 |
| <i>Magnolia virginiana</i> 'Tensaw' : S-1 | <i>Malus rockii</i> : B-1, T-1 |
| <i>Magnolia</i> × <i>watsonii</i> : G-1 | <i>Malus sargentii</i> : AA-1 |
| <i>Magnolia</i> × <i>wieseneri</i> : Q-1 | <i>Malus sieboldii</i> : W-1 |
| <i>Magnolia wilsonii</i> : N-1 | <i>Malus sikkimensis</i> : X-1 |
| <i>Magnolia</i> 'Yellow Bird' : Q-1 | <i>Malus sublobata</i> × <i>M. prunifolia</i> 'Sieboldii' : X-1 |
| <i>Magnolia yunnanensis</i> : R-1 | <i>Malus sylvestris</i> 'Hysops' : Z-1 |
| <i>Magnolia zenii</i> : G-1 | <i>Malus transitoria</i> : X-1 |
| × <i>Mahoberberis miethkeana</i> : Sand Bed-1 | <i>Malus tschonoskii</i> : X-1 |
| × <i>Mahoberberis neubertii</i> : Sand Bed-1 | <i>Malus</i> × <i>zumi</i> : DD-1 |
| <i>Mahonia confusa</i> 'Narihara' : G-1 | <i>Manihot grahami</i> : Shade House-1 |
| <i>Mahonia</i> aff. <i>dictyota</i> : B-1 | <i>Marsdenia erecta</i> : South of House-1 |
| <i>Mahonia eurybracteata</i> : G-1 | <i>Melia azedarach</i> : A-1, T-1, U-1 |
| <i>Mahonia fortunei</i> : G-1 | <i>Melia azedarach</i> 'Jade Snowflake' : T-1 |
| <i>Mahonia gracilis</i> : I-1 | <i>Meliodendron xylocarpum</i> : M-1, T-1 |
| <i>Mahonia haematocarpa</i> : B-1 | <i>Meliosma tenuis</i> : CC-1 |
| <i>Mahonia japonica</i> : G-1 | <i>Menisperma dauricum</i> : FF-1 |
| <i>Mahonia japonica</i> Bealei Group : G-1, Front Pond North-2 | <i>Menispermum canadensis</i> : Shade House-1 |
| <i>Mahonia mairei</i> : I-1 | <i>Menziesia ferruginea</i> : Log Cabin-1 |
| <i>Mahonia</i> × <i>media</i> 'Charity' : G-1 | <i>Menziesia pilosa</i> : Log Cabin-1 |
| <i>Mahonia</i> × <i>media</i> 'Winter Sun' : I-1 | <i>Mespilus germanica</i> : N-1, P-1, S-1 |
| <i>Mahonia napaulensis</i> 'Maharajah' : I-1 | <i>Metapanax delavayi</i> : Back Yard-1 |
| <i>Mahonia pinnata</i> : Under Silver Maple-2 | <i>Metasequoia glyptostroboides</i> : AA-1 |
| <i>Mahonia pinnata</i> subsp. <i>insularis</i> 'Schnilemoon' : B-1 | <i>Metasequoia glyptostroboides</i> (dwarf) : W-1 |
| <i>Mahonia repens</i> : Sand Bed-1 | <i>Metasequoia glyptostroboides</i> 'Miss Grace' : J-1 |

Guide to Plants in the
Charles R. Keith Arboretum

Metasequoia

April 22, 2012

| | |
|--|---|
| <i>Metasequoia glyptostroboides</i> 'Ogon' : V-1, X-1 | <i>Nandina domestica</i> 'Tama shishi' : Back Pond-1 |
| <i>Metasequoia glyptostroboides</i> 'Sheridan Spire' : Q-1 | <i>Nandina domestica</i> 'Umpqua Chief' : I-1 |
| <i>Microbiota decussata</i> : I-1 | <i>Nandina domestica</i> 'Wood's Dwarf' : FF-1 |
| <i>Microstrobilus fitzgeraldii</i> : G-1 | <i>Neillia thibetica</i> : F-1 |
| <i>Millettia japonica</i> 'Hime Fuji' : FF-1 | <i>Neolitsea sericea</i> : J-1 |
| <i>Millettia reticulata</i> : Log Cabin-1 | <i>Nerium oleander</i> : FF-1 |
| <i>Millettia taiwaniana</i> : I-1, FF-1 | <i>Nerium oleander</i> 'Hardy Red' : B-2 |
| <i>Mimosa borealis</i> : Sand Bed-1 | <i>Neviusia alabamensis</i> : H-1 |
| <i>Miscanthus transmorrisonensis</i> : CC-1 | <i>Nolina texana</i> : B-1 |
| <i>Morus alba</i> : CC-1 | <i>Nyssa aquatica</i> : N-1 |
| <i>Morus alba</i> 'Chaparral' : U-1 | <i>Nyssa biflora</i> : Q-1, U-1 |
| <i>Morus alba</i> 'Itoguwa' : FF-1 | <i>Nyssa ogeche</i> : U-1 |
| <i>Morus alba</i> 'Pendula' : Y-1 | <i>Nyssa ogeche</i> var. <i>acuminata</i> : T-1 |
| <i>Morus alba</i> 'Unryu' : S-1 | <i>Nyssa sinensis</i> : CC-1 |
| <i>Morus australis</i> : R-1 | <i>Nyssa sylvatica</i> 'Lakeside Weeper' : L-1 |
| <i>Morus cathayana</i> : CC-1 | <i>Nyssa sylvatica</i> 'Wildfire' : K-1 |
| <i>Morus nigra</i> : Q-1 | <i>Nyssa sylvatica</i> 'Zydeco Twist' : K-1 |
| <i>Morus rubra</i> : S-2 | <i>Nyssa ursina</i> : U-1 |
| <i>Muehlenbeckia complexa</i> : Back Pond-1 | <i>Oemleria cerasiformis</i> : R-2 |
| <i>Muehlenbeckia complexa</i> 'Nana' : Back Yard-1 | <i>Olearia solandri</i> : E-1 |
| <i>Myrica californica</i> : A-1 | <i>Opuntia</i> : BB-2 |
| <i>Myrica cerifera</i> : U-1 | <i>Opuntia basilaris</i> × <i>O. polycanth</i> : BB-1 |
| <i>Myrica cerifera</i> 'Don's Dwarf' : T-1 | <i>Opuntia cacanapa</i> 'Ellisiana' : W-1 |
| <i>Myrica cerifera</i> 'Nana' : FF-1 | <i>Opuntia compressa</i> : W-1 |
| <i>Myrica cerifera</i> 'Pat McCracken Yellow' : V-1 | <i>Opuntia vibricari</i> : BB-1 |
| <i>Myrica cerifera</i> var. <i>pumila</i> : FF-1 | <i>Orixa japonica</i> : A-1, V-1 |
| <i>Myrica gale</i> : Shade House-1 | <i>Osmanthus americanus</i> : R-1 |
| <i>Myrica heterophylla</i> : FF-1 | <i>Osmanthus armatus</i> : Q-1, CC-1 |
| <i>Myrica inodora</i> : Sand Bed-1 | <i>Osmanthus</i> × <i>burkwoodii</i> : F-1 |
| <i>Myrica pennsylvanica</i> : R-1 | <i>Osmanthus decorus</i> : Z-1 |
| <i>Myrsine africana</i> : Back Yard-1 | <i>Osmanthus delavayi</i> : Back Yard-1 |
| <i>Nandina domestica</i> : Front Pond North-1 | <i>Osmanthus</i> × <i>fortunei</i> : V-1, East of House-1 |
| <i>Nandina domestica</i> 'Firepower' : Front Pond -2 | <i>Osmanthus</i> × <i>fortunei</i> 'San Jose' : FF-1 |
| <i>Nandina domestica</i> 'Leucocarpa' : FF-1 | <i>Osmanthus fragrans</i> : East of House-1, Back Yard-1 |
| <i>Nandina domestica</i> 'Royal Princess' : FF-1 | <i>Osmanthus fragrans</i> f. <i>aurantiacus</i> : Log Cabin-1 |
| <i>Nandina domestica</i> 'San Jose' : FF-1 | <i>Osmanthus fragrans</i> 'Fudingzhu' : Y-1, EE-1 |
| <i>Nandina domestica</i> 'Senbazuru' : Back Pond-1 | <i>Osmanthus fragrans</i> var. <i>thunbergii</i> : R-1 |

Guide to Plants in the
Charles R. Keith Arboretum

Osmanthus

April 22, 2012

| | |
|--|--|
| <i>Osmanthus heterophylla</i> 'Variegata' : X-1 | <i>Peraphyllum ramosissimum</i> : E-1 |
| <i>Osmanthus heterophyllus</i> : GG-1 | <i>Periploca graeca</i> : E-1, Log Cabin-1 |
| <i>Osmanthus heterophyllus</i> 'Goshiki' : T-1 | <i>Periploca sepium</i> : F-1 |
| <i>Osmanthus heterophyllus</i> 'Gulf tide' : DD-1, FF-1 | <i>Pernettya mucronata</i> 'Alba' : Front Pond -1 |
| <i>Osmanthus heterophyllus</i> 'Purpureus' : CC-1 | <i>Perovskia atriplicifolia</i> : B-1 |
| <i>Osmanthus heterophyllus</i> 'Rotundifolius' : East of House-1 | <i>Persea borbonia</i> : S-1, FF-1 |
| <i>Osmanthus heterophyllus</i> 'Sasaba' : P-1, U-1 | <i>Persea borbonia</i> var. <i>pubescens</i> : Q-1 |
| <i>Osmanthus latifolius</i> var. <i>media</i> : Z-1 | <i>Persea palustris</i> : S-1, EE-1 |
| <i>Osmanthus megacarpa</i> : R-1 | <i>Persea podadenia</i> : S-1 |
| <i>Osmanthus suavis</i> : Q-1, EE-1 | <i>Persea thunbergii</i> : H-1 |
| <i>Osteomeles yunnanensis</i> : B-1 | <i>Petteria rametacaea</i> : A-1 |
| <i>Ostomeles subrotunda</i> : Shade House-1 | <i>Phellodendron amurense</i> : X-1 |
| <i>Ostrya carpinifolia</i> : L-1 | <i>Phellodendron amurense</i> var. <i>sachalinense</i> : O-1, X-1 |
| <i>Ostrya japonica</i> : Q-1 | <i>Phellodendron chinensis</i> : E-1 |
| <i>Ostrya knowltonii</i> : E-1, U-1 | <i>Phellodendron insulare</i> : L-1, O-1 |
| <i>Ostrya virginiana</i> : X-1, AA-1 | <i>Phellodendron lavalleyi</i> : M-1 |
| <i>Paederia scandens</i> : H-1 | <i>Philadelphus coronarius</i> : AA-1 |
| <i>Paeonia ostii</i> 'Phoenix White' : South of House-1 | <i>Philadelphus hirsutus</i> : GG-1 |
| <i>Paeonia suffruticosa</i> : Front Pond -1 | <i>Philadelphus 'Innocence'</i> : FF-1 |
| <i>Paliurus spina-christi</i> : GG-1 | <i>Philadelphus inodorus</i> : AA-1 |
| <i>Parakmeria lotungensis</i> : G-1 | <i>Philadelphus inodorus</i> 'Grandiflorus' : AA-1 |
| <i>Parrotia persica</i> : FF-1 | <i>Philadelphus lewisii</i> 'Cheyenne' : B-1 |
| <i>Parrotia persica</i> 'Pendula' : W-1 | <i>Philadelphus microphyllus</i> : R-1 |
| <i>Parrotia persica</i> 'Vanessa' : Y-1 | <i>Philadelphus pekinensis brachybotris</i> : AA-1 |
| <i>Parrotiopsis jacquemontiana</i> : R-1, T-1 | <i>Philadelphus pubescens</i> : FF-1 |
| <i>Parthenocissus tricuspidata</i> 'Fenway Park' : Shade House-1 | <i>Philadelphus pubescens</i> var. <i>compacta</i> : R-1, South of House-1 |
| <i>Paulownia catalpifolia</i> : O-1 | <i>Philadelphus purpurascens</i> : CC-1 |
| <i>Paulownia elongata</i> : E-1 | <i>Philadelphus scaber</i> : S-1 |
| <i>Paulownia fargesii</i> : Y-1 | <i>Philadelphus schrenkii</i> var. <i>jackii</i> : E-1 |
| <i>Paulownia fortunei</i> : O-1 | <i>Philadelphus ×virginialis</i> : W-1 |
| <i>Paulownia kawakamii</i> : E-1 | <i>Philadelphus ×virginialis</i> 'Natchez' : A-1 |
| <i>Paulownia ×taiwaniana</i> : E-1 | <i>Phillyrea angustifolia</i> : E-1 |
| <i>Paulownia tomentosa</i> : E-1 | <i>Phillyrea ilicoides</i> : E-1 |
| <i>Paulownia tomentosa</i> var. <i>coreana</i> : E-1 | <i>Phillyrea media</i> : A-1, C-1 |
| <i>Paulownia tomentosa</i> var. <i>tsinlingensis</i> : E-1 | <i>Phlomis fruticosa</i> : Front Pond -1 |
| <i>Paxistima canbyi</i> 'Nana' : Under Willow Oak-1 | <i>Phlomis russeliana</i> : Front Pond -1 |
| <i>Peraphyllum ramosissimum</i> : B-1 | |

Guide to Plants in the
Charles R. Keith Arboretum

Phoebe

April 22, 2012

| | |
|---|---|
| <i>Phoebe chekiangensis</i> : M-1 | <i>Picea abies</i> 'Nidiformis' : R-1, Under Willow Oak-1 |
| <i>Photinia amphidoxa</i> : Z-1 | <i>Picea abies</i> 'Pendula' : BB-1 |
| <i>Photinia beauverdiana</i> : CC-1, FF-1 | <i>Picea abies</i> 'Sherwood Compact' : L-1 |
| <i>Photinia davidiana</i> : G-1, Z-1 | <i>Picea abies</i> 'Thumbelina' : EE-1 |
| <i>Photinia davidsoniae</i> : BB-1 | <i>Picea abies</i> 'Virgata' : BB-1 |
| <i>Photinia ×fraseri</i> 'Red Robin' : EE-1 | <i>Picea abies</i> 'Weiss' : R-1 |
| <i>Photinia glabra</i> : CC-1 | <i>Picea abies</i> 'Wingle's Weeping' : BB-1 |
| <i>Photinia parvifolia</i> : BB-1 | <i>Picea asperata</i> : E-1, F-1, N-1 |
| <i>Photinia serrulata</i> : Y-1, EE-1 | <i>Picea asperata</i> 'China Blue' : CC-1 |
| <i>Photinia serrulata</i> 'Pointe Du Raz' : Y-1 | <i>Picea asperata</i> 'Pendula' : M-1, T-1 |
| <i>Photinia villosa</i> : FF-2 | <i>Picea bicolor</i> : FF-1 |
| <i>Phyllocladus alpinus</i> : Under Willow Oak-2 | <i>Picea bicolor</i> (dwarf) : FF-1 |
| <i>Phyllostachys aurea</i> : Y-1 | <i>Picea bicolor</i> 'Prostrata' : L-1 |
| <i>Phyllostachys aureosulcata</i> : Y-1 | <i>Picea brachytyla</i> : CC-1 |
| <i>Phyllostachys flexuosa</i> : U-1 | <i>Picea chihuahuana</i> : F-1, J-1 |
| <i>Phyllostachys nigra</i> : X-2 | <i>Picea crassifolia</i> : M-1 |
| <i>Physocarpus bracteatus</i> : Log Cabin-1 | <i>Picea engelmannii</i> 'Bush's Lace' : K-1, East of House-1 |
| <i>Physocarpus capitatus</i> : Under Silver Maple-1 | <i>Picea engelmannii</i> 'Compacta' : EE-1 |
| <i>Physocarpus opulifolius</i> : Shade House-1 | <i>Picea gemmata</i> : F-1 |
| <i>Physocarpus opulifolius</i> 'Nanus' : I-1 | <i>Picea glauca</i> : I-2 |
| <i>Picea abies</i> : AA-1 | <i>Picea glauca</i> var. <i>albertiana</i> 'Albertiana Conica' : Front Pond North-1 |
| <i>Picea abies</i> 'Acrocona' : M-1 | <i>Picea glauca</i> var. <i>albertiana</i> 'Rainbow's End' : GG-1 |
| <i>Picea abies</i> 'Acrocona Pusch' : EE-1 | <i>Picea glauca</i> 'Butterball' : Front Pond North-1 |
| <i>Picea abies</i> 'Aurea' : T-1 | <i>Picea glauca</i> 'Densata' : CC-1 |
| <i>Picea abies</i> 'Bant' : EE-1 | <i>Picea glauca</i> 'Dixie' : EE-1 |
| <i>Picea abies</i> 'Clanbrassiliana Stricta' : A-1 | <i>Picea glauca</i> 'Pendula' : BB-1 |
| <i>Picea abies cupressina</i> : FF-1 | <i>Picea glauca</i> 'Sander's Blue' : EE-1, FF-1, Shade House-1 |
| <i>Picea abies</i> 'Diffusa' : BB-1 | <i>Picea glehnii</i> : A-1 |
| <i>Picea abies</i> 'Farnsburg' : H-1 | <i>Picea glehnii</i> 'Yatsubatsu' : Under Willow Oak-1 |
| <i>Picea abies</i> 'Fritsche' : EE-1 | <i>Picea jezoensis</i> var. <i>hondoensis</i> : H-1 |
| <i>Picea abies</i> 'Gem' : EE-1 | <i>Picea jezoensis</i> 'Landis' : S-1 |
| <i>Picea abies</i> 'Glauca Pendula' : BB-1 | <i>Picea koraiensis</i> : X-1 |
| <i>Picea abies</i> 'Goblin' : FF-1 | <i>Picea koraiensis</i> × <i>P. koyamae</i> : X-1 |
| <i>Picea abies</i> 'Horace Wilson' : EE-3 | <i>Picea koreana</i> : D-1 |
| <i>Picea abies</i> 'Instar' : T-1 | <i>Picea koyamai</i> : E-1, M-1, Q-1, Z-1 |
| <i>Picea abies</i> 'Little Gem' : EE-1 | <i>Picea likiangensis</i> : M-1 |
| <i>Picea abies</i> 'Mikulasovice' : EE-2 | |

Guide to Plants in the
Charles R. Keith Arboretum

Picea

April 22, 2012

| | |
|---|--|
| <i>Picea mariana</i> : Shade House-1 | <i>Picea rubens</i> : E-1 |
| <i>Picea mariana</i> 'Aurea' : T-1 | <i>Picea schrenkiana</i> : M-2 |
| <i>Picea mariana</i> 'Golden' : Z-1 | <i>Picea sitchensis</i> : E-1, CC-1 |
| <i>Picea meyeri</i> : E-1, G-2 | <i>Picea smithiana</i> : E-1, F-1, M-1 |
| <i>Picea montigena</i> : E-1, F-1 | <i>Picea torano</i> : E-1 |
| <i>Picea morrisonicola</i> : E-2 | <i>Picea wilsonii</i> : F-1, M-2, CC-1 |
| <i>Picea obovata</i> : Z-1 | <i>Picrasma quassioides</i> : D-1 |
| <i>Picea omorika</i> : B-1, E-1 | <i>Pieris floribunda</i> : Under Willow Oak-3 |
| <i>Picea omorika</i> 'Kamenz' : FF-1 | <i>Pieris japonica</i> : I-1 |
| <i>Picea omorika</i> 'Kuschen' : EE-1 | <i>Pieris japonica</i> 'Bisbee Dwarf' : Shade House-1 |
| <i>Picea omorika</i> 'Omaston #1' : EE-1 | <i>Pieris japonica</i> 'Karemona' : Under Willow Oak-1 |
| <i>Picea omorika</i> 'Pimoko' : EE-1 | <i>Pieris japonica</i> 'Little Heath' : Shade House-1 |
| <i>Picea omorika</i> 'Tremonia' : EE-1 | <i>Pieris japonica</i> 'Mountain Fire' : Log Cabin-1 |
| <i>Picea orientalis</i> : E-1, G-1 | <i>Pieris japonica</i> 'Pygmaea' : Under Willow Oak-1 |
| <i>Picea orientalis</i> 'Aureospicata' : Front Pond North-1 | <i>Pieris japonica</i> 'Temple Bells' : Under Willow Oak-1 |
| <i>Picea orientalis</i> 'Gracilis' : R-1 | <i>Pieris japonica</i> 'Valley Valentine' : Front Pond North-1 |
| <i>Picea orientalis</i> 'Nana' : L-1 | <i>Pieris japonica</i> 'Variegata' : Under Willow Oak-1 |
| <i>Picea orientalis</i> 'Nutans' : E-1 | <i>Pieris japonica</i> var. <i>yakushimensis</i> : East of House-1 |
| <i>Picea orientalis</i> 'Skylands' : N-1 | <i>Pieris phillyreifolia</i> : FF-1 |
| <i>Picea orientalis</i> 'Spring Frost' : EE-1 | <i>Pieris taiwanensis</i> 'Snow Drift' : H-1 |
| <i>Picea orientalis</i> 'Tom Thumb' : EE-1 | <i>Pilgerodendron uviferum</i> : Under Willow Oak-1 |
| <i>Picea polita</i> : K-1 | <i>Pinckneya pubens</i> : V-1 |
| <i>Picea pseudowilsonii</i> : M-1 | <i>Pinus albicaulis</i> : K-1 |
| <i>Picea pungens</i> 'Blue Pearl' : L-1 | <i>Pinus aristata</i> : C-1, K-1 |
| <i>Picea pungens</i> 'Fat Albert' : Y-1 | <i>Pinus armandii</i> : EE-1, FF-1 |
| <i>Picea pungens</i> f. <i>glauca</i> : R-1 | <i>Pinus attenuata</i> : K-1 |
| <i>Picea pungens</i> 'Globosa' : H-1, L-1 | <i>Pinus ×attenuradiata</i> : K-2 |
| <i>Picea pungens</i> 'Gold Strike' : E-1 | <i>Pinus ayacahuite</i> 'Forest Sky' : K-1 |
| <i>Picea pungens</i> 'Iseli Fastigiata' : EE-1 | <i>Pinus banksiana</i> : BB-1 |
| <i>Picea pungens</i> 'Kluis' : L-1 | <i>Pinus banksiana</i> 'Al Johnson' : EE-1 |
| <i>Picea pungens</i> 'Montgomery' : L-1 | <i>Pinus banksiana</i> 'Manonet' : FF-1 |
| <i>Picea pungens</i> 'Pendula' : BB-1 | <i>Pinus banksiana</i> 'Pendula' : L-1 |
| <i>Picea pungens</i> 'Sester Dwarf' : FF-1 | <i>Pinus banksiana</i> 'Uncle Foggy' : EE-1 |
| <i>Picea pungens</i> 'St. Mary's Broom' : EE-1 | <i>Pinus brutia eldarica</i> : B-1 |
| <i>Picea pungens</i> 'Walnut Glen' : Y-1 | <i>Pinus brutia</i> var. <i>stankewiczii</i> : C-1 |
| <i>Picea pungens</i> 'Wood's #2' : L-1 | <i>Pinus bungeana</i> : A-1, L-1 |
| <i>Picea retroflexa</i> : J-1, M-1 | <i>Pinus bungeana</i> 'Silver Ghost' : C-1 |

Guide to Plants in the
Charles R. Keith Arboretum

Pinus

April 22, 2012

-
- Pinus bungeana* 'Temple Gem' : L-1
Pinus cembra : DD-1
Pinus cembra 'Fastigiata' : FF-1
Pinus cembra 'Glauca Fastigiata' : EE-1
Pinus cembra 'Pygmaea' : EE-1
Pinus clausa : K-1, GG-1
Pinus contorta : K-1
Pinus contorta var. *latifolia* : A-1, B-1
Pinus coulteri : B-2
Pinus densiflora : EE-1
Pinus densiflora 'Jane Kluis' : A-1
Pinus densiflora 'Oculus-draconis' : K-1
Pinus densiflora 'Pendula' : DD-1
Pinus densiflora 'Umbraculifera' : BB-1
Pinus edulis : B-1, L-1
Pinus eldarica : L-1
Pinus elliotii : X-1, Z-1
Pinus elliotii : BB-1
Pinus englemannii : A-1
Pinus flexilis × *P. aristata* : L-1
Pinus flexilis 'Pendula' : K-1, Z-1
Pinus flexilis 'Vanderwolf's Pyramid' : L-1, Y-1, Z-1
Pinus glabra : GG-1, Sand Bed-1
Pinus greggii : BB-1, CC-1
Pinus griffithii : G-1
Pinus × *hakkodensis* : K-1, CC-1
Pinus 'Jane Kluis' : EE-1
Pinus jeffreyi : K-1, BB-1
Pinus johannis : K-1, L-1
Pinus koraiensis 'Glauca' : FF-1
Pinus koraiensis 'Jack Korbit' : BB-1
Pinus koraiensis 'Variegata' : C-1
Pinus kwangshanensis : W-1
Pinus lambertiana : K-2
Pinus leucodermis : K-1
Pinus leucodermis 'Satellite' : L-1
Pinus massoniana : A-1
Pinus monophylla : A-1, B-1, K-1
Pinus monticola : C-1, E-1
Pinus monticola 'Crawford' : L-1
Pinus monticola 'Rigby's Weeping' : L-1
Pinus mugo 'Echiniformis WB' : FF-1
Pinus mugo Pumilio Group : K-1
Pinus muricata : C-1, K-1
Pinus nigra : Y-2
Pinus nigra var. *maritima* : Y-1
Pinus nigra 'Monstrosa' : DD-1
Pinus nigra subsp. *salzmannii* var. *corsicana* : Z-1
Pinus nigra 'Skyrocket' : DD-1
Pinus nigra 'Strypemonde' : FF-1
Pinus omorika 'Pendula' : EE-1
Pinus palustris : Z-1, BB-1
Pinus parviflora 'Ara Kawa' : Z-1
Pinus parviflora 'Brevifolia' : AA-1
Pinus parviflora 'Fukai' : AA-1
Pinus parviflora 'Gimborn's Ideal' : L-1
Pinus parviflora 'Glauca' : BB-1
Pinus parviflora 'Glauca Nana' : BB-1
Pinus parviflora 'Goldilocks' : L-1
Pinus parviflora 'Jyuman Goku' : L-1
Pinus parviflora 'Pentaphylla Azuma' : L-1
Pinus parviflora 'Petersen' : BB-1
Pinus patula : B-1, K-1
Pinus patula 'Jezecote' : B-1
Pinus peuce 'Glauca' : B-1, C-1, L-1
Pinus peuce 'Mrs. Cesserini' : L-1
Pinus peuce 'Nana' : FF-1
Pinus pinaster : C-1
Pinus pinea : W-1, BB-1
Pinus ponderosa : K-2
Pinus pumila : K-1, L-1
Pinus pumila 'Glauca' : K-1
Pinus pumila 'Jeddaloh' : L-1
Pinus pumila 'Jeddaloh' : EE-1

Guide to Plants in the
Charles R. Keith Arboretum

Pinus

April 22, 2012

- Pinus pungens* : K-1, CC-1
Pinus pungens 'Montgomery' : Under Willow Oak-1
Pinus radiata : B-1
Pinus remota : Sand Bed-1
Pinus resinosa 'Don Smith' : K-1
Pinus resinosa 'Fastigiata' : L-1
Pinus rigida : DD-2
Pinus sabineana : B-1, Y-1
Pinus serotina : DD-1, FF-1
Pinus serotina (dwarf) : R-1
Pinus shenkanensis : CC-1
Pinus sibirica : Z-1
Pinus stobus 'Pendula' : CC-1
Pinus strobiformis : W-1
Pinus strobiformis 'Densata' : B-2
Pinus strobus : X-1
Pinus strobus 'Bennet Clumpleaf' : B-1
Pinus strobus 'Bennett Clumleaf' : K-1
Pinus strobus 'Bennett Contorted' : CC-1
Pinus strobus 'Beran' : FF-1
Pinus strobus 'Bergman Variegated' : L-1
Pinus strobus 'Brevifolia' : L-1
Pinus strobus 'Fastigiata' : I-1, BB-1
Pinus strobus 'Hillside Winter Gold' : W-1
Pinus strobus 'Horsford' : EE-1
Pinus strobus 'Merrimack' : L-1
Pinus strobus 'Nana' : CC-1
Pinus strobus 'Ontario' : L-1
Pinus strobus 'Sea Urchin' : L-1, EE-1
Pinus strobus 'Torulosa' : FF-1
Pinus strobus 'Verkaede's Broom' : L-1
Pinus strobus 'Xayacuihite' : DD-1
Pinus sylvestris : A-1
Pinus sylvestris 'Burgfield' : L-1
Pinus sylvestris 'Fastigiata' : A-1
Pinus sylvestris 'Globosa Viridis' : A-1
Pinus sylvestris 'Mitch's Weeping' : AA-1
Pinus sylvestris 'Watereri' : BB-1
Pinus tabulaeformis : A-1, W-1
Pinus taeda (Bastrop County, TX) : P-1
Pinus taeda NCSU Dwarf Group : BB-1
Pinus taiwanensis : L-1, AA-1, DD-1
Pinus thunbergii : GG-1
Pinus thunbergii 'Kotobuki' : DD-1
Pinus thunbergii 'Oculus Draconis' : S-1
Pinus thunbergii 'Ogon' : GG-1
Pinus thunbergii 'Thunderhead' : DD-1
Pinus torreyana : B-1, K-1, L-1
Pinus uncinata 'Hackman' : EE-1
Pinus uncinata 'Hnijdo' : EE-1
Pinus uncinata var. *rotundata* 'La Cabanase' : L-1
Pinus uncinata var. *rotundata* 'Loucky' : L-1
Pinus uncinata var. *rotundata* 'Novak' : L-1
Pinus uncinata 'Rusalka #18 WB' : FF-1
Pinus uncinata 'Silver Candles' : K-1
Pinus virginiana 'Wate's Golden' : R-1
Pinus wallichiana : A-1
Pinus wallichiana 'Nana' : L-1
Pinus wallichiana 'Zebrina' : AA-1
Pinus washoensis : L-1, W-1
Pinus yunnanensis : L-1
Pistacia chinensis : CC-1
Pittosporum heterophyllum : L-1
Pittosporum parvilibum : Back Yard-1
Pittosporum tobira : CC-1
Planera aquatica : I-1
Platanus acerifolius × *P. orientalis* × *P. occidentalis* : W-1
Platanus mexicana : Z-1
Platanus occidentalis : FF-1
Platanus orientalis : W-1
Platanus racemosa : K-1
Platanus racemosa 'Wright II' : X-1
Platycarya strobilacea : M-1, Q-1
Platyclusus orientalis : S-1

Guide to Plants in the
Charles R. Keith Arboretum

Platycladus

April 22, 2012

| | |
|--|--|
| <i>Platycladus orientalis</i> 'Franky Boy' : DD-1 | <i>Populus tremuloides</i> : J-1 |
| <i>Platycladus orientalis</i> 'Juniperoides' : Front Pond -1 | <i>Populus trichocarpa</i> : Q-1 |
| <i>Platycladus orientalis</i> 'Van Hoey Smith' : T-1 | <i>Populus tristis</i> : Q-1 |
| <i>Platycrater arguta</i> : Back Yard-1 | <i>Potentilla fruticosa</i> 'Goldfinger' : I-1 |
| <i>Pleioblastus argenteostriatus</i> : Q-2 | <i>Premna japonica</i> : W-1 |
| <i>Podocarpus acutifolius</i> : R-1 | <i>Prosopis glandulosa</i> : A-1, B-1 |
| <i>Podocarpus alpinus</i> : Q-1, Under Willow Oak-1 | <i>Prosopis glandulosum</i> : Sand Bed-1 |
| <i>Podocarpus chinensis</i> : S-1 | <i>Prunus americana</i> : FF-1 |
| <i>Podocarpus lawrencei</i> : F-1 | <i>Prunus angustifolia</i> : H-1 |
| <i>Podocarpus lawrencei</i> 'Purple King' : Sand Bed-1 | <i>Prunus besseyi</i> : C-1, Sand Bed-1 |
| <i>Podocarpus macrophyllus</i> var. <i>maki</i> : Back Yard-1 | <i>Prunus ×blireana</i> : X-1 |
| <i>Podocarpus nivalis</i> 'Pink Tip' : Under Willow Oak-1 | <i>Prunus caroliniana</i> (Bright 'N Tight™) : X-1 |
| <i>Podocarpus salignus</i> : F-1, H-1 | <i>Prunus cerasifera</i> 'Thundercloud' : X-1 |
| <i>Podocarpus sinensis</i> : F-1 | <i>Prunus cistena</i> : DD-1 |
| <i>Podocarpus totara</i> : P-1 | <i>Prunus cyclamina</i> : X-1 |
| <i>Poliothyrsis sinensis</i> : H-1, GG-1 | <i>Prunus</i> 'Dreamcatcher' : X-1 |
| <i>Poncirus trifoliata</i> : BB-1 | <i>Prunus emarginata</i> : B-1 |
| <i>Poncirus trifoliata</i> 'Flying Dragon' : CC-1 | <i>Prunus</i> 'First Lady' : L-1 |
| <i>Populus alba</i> : GG-1 | <i>Prunus glandulosa</i> 'Rosea' : South of House-1 |
| <i>Populus alba</i> 'Pyramidalis' : W-1 | <i>Prunus</i> 'Hally Jolivette' : Under Willow Oak-1 |
| <i>Populus alba</i> 'Richardii' : Q-1 | <i>Prunus ilicifolia</i> : B-1 |
| <i>Populus angustifolia</i> : W-1 | <i>Prunus incisa</i> : V-1, Y-1 |
| <i>Populus balsamifera</i> : Q-1 | <i>Prunus japonica</i> : South of House-1 |
| <i>Populus ×canadensis</i> 'Prairie Sky' : Q-1 | <i>Prunus laurocerasus</i> 'Marbled Dragon' : Y-1 |
| <i>Populus canescens</i> : Q-1, CC-1 | <i>Prunus laurocerasus</i> 'Otto Luyken' : I-1 |
| <i>Populus cathayana</i> : W-1 | <i>Prunus laurocerasus</i> 'Schipkaensis' : Z-1 |
| <i>Populus fremontii</i> : S-1 | <i>Prunus lusitanica</i> : A-1, X-1 |
| <i>Populus grandidentata</i> : Q-1 | <i>Prunus lusitanica</i> 'Variegata' : K-1 |
| <i>Populus heterophylla</i> : V-1 | <i>Prunus maackii</i> : B-1 |
| <i>Populus koreana</i> : R-1 | <i>Prunus maritima</i> : GG-1 |
| <i>Populus maximowiczii</i> : Q-1 | <i>Prunus mexicana</i> : B-1 |
| <i>Populus nigra</i> var. <i>charkowiensis</i> × <i>P. incassata</i> : Q-1 | <i>Prunus mume</i> : I-1, W-1 |
| <i>Populus sargentii</i> : W-1 | <i>Prunus mume</i> 'Dawn' : V-1 |
| <i>Populus simonii</i> : BB-1 | <i>Prunus mume</i> 'Kobai' : I-1 |
| <i>Populus szechuanica</i> : CC-1 | <i>Prunus mume</i> 'Peggy Clarke' : I-1 |
| <i>Populus tomentosa</i> : Q-1 | <i>Prunus munsoniana</i> : R-1 |
| <i>Populus tremula</i> : FF-1 | <i>Prunus nigra</i> : C-1 |

Guide to Plants in the
Charles R. Keith Arboretum

Prunus

April 22, 2012

| | |
|--|--|
| <i>Prunus</i> 'Okame' : I-1 | <i>Punica granatum</i> var. <i>nana</i> : Front Pond North-1 |
| <i>Prunus padus</i> : AA-1 | <i>Punica granatum</i> 'Plena' : GG-1 |
| <i>Prunus persica</i> : GG-1 | <i>Purshia tridentata</i> : C-1 |
| <i>Prunus persica</i> 'Corinthian Mauve' : D-1 | <i>Pyracantha angustifolia</i> : FF-1 |
| <i>Prunus prunifolium</i> : Under Willow Oak-1 | <i>Pyracantha atalantoides</i> 'Gnome' : CC-1 |
| <i>Prunus sargentii</i> : Y-1 | <i>Pyracantha coccinea</i> : CC-1 |
| <i>Prunus serotina</i> : Y-1 | <i>Pyracantha crenatoserrata</i> : Z-1 |
| <i>Prunus serrulata</i> 'Kwanzan' : AA-1 | <i>Pyracantha</i> 'Mohave' : FF-1 |
| <i>Prunus subcordata</i> : T-1 | <i>Pyracantha</i> 'Navajo' : W-1 |
| <i>Prunus subhirtella</i> : X-1 | <i>Pyracantha</i> 'Teton' : FF-1 |
| <i>Prunus triloba</i> 'Multiplex' : I-1 | <i>Pyracantha</i> 'Tricolor' : CC-1 |
| <i>Prunus umbellata</i> : T-1 | × <i>Pyracomeles vilmorinii</i> : S-1 |
| <i>Prunus virginiana</i> : FF-1 | <i>Pyrus betulifolia</i> : Y-1 |
| <i>Prunus</i> × <i>yedoensis</i> : X-1 | <i>Pyrus calleryana</i> 'Capitol' : X-1 |
| <i>Pseudocdonia sinensis</i> : F-1, CC-1 | <i>Pyrus calleryana</i> var. <i>fauriei</i> : AA-1 |
| <i>Pseudolarix amabilis</i> : Shade House-1 | <i>Pyrus elaeagnifolia</i> : X-1 |
| <i>Pseudosasa japonica</i> : X-1 | <i>Pyrus fauriei</i> : X-1, Y-1 |
| <i>Pseudosasa japonica</i> var. <i>tsutsumiana</i> : T-1 | <i>Pyrus ioensis</i> var. <i>texana</i> : Z-1 |
| <i>Pseudotaxus chienii</i> : G-1 | <i>Pyrus</i> 'Keifer' : H-1 |
| <i>Pseudotsuga gaussenii</i> : M-1, P-1 | <i>Pyrus pashia</i> : Y-1 |
| <i>Pseudotsuga menziesii</i> 'Glauca' : E-1 | <i>Pyrus pyrifolia</i> 'Kikusui' : Q-1 |
| <i>Pseudotsuga menziesii</i> 'Hillside Yellow' : L-1 | <i>Pyrus salicifolia</i> 'Pendula' : Y-1 |
| <i>Pseudotsuga sinensis</i> : L-1 | <i>Quercus</i> : O-1 |
| <i>Pseudotsuga sinensis</i> var. <i>wilsoniana</i> : M-1 | <i>Quercus acuta</i> : D-1 |
| <i>Ptelea lutescens</i> : Shade House-1 | <i>Quercus acutissima</i> : V-1, Y-1 |
| <i>Ptelea polyadenia</i> : T-1 | <i>Quercus agrifolia</i> : B-1 |
| <i>Ptelea trifoliata</i> : O-2, Q-1 | <i>Quercus alba</i> : R-1 |
| <i>Ptelea trifoliata</i> subsp. <i>polyadenia</i> : R-1 | <i>Quercus aliena</i> : Y-1 |
| <i>Pterocarya fraxinifolia</i> : Q-1 | <i>Quercus arkansana</i> : A-1 |
| <i>Pterocarya hupehensis</i> : R-1 | <i>Quercus austrina</i> : B-1 |
| <i>Pterocarya rehderiana</i> : Q-1 | <i>Quercus berberidifolia</i> : B-1 |
| <i>Pterocarya stenoptera</i> : Q-1 | <i>Quercus bicolor</i> : U-1 |
| <i>Pteroceltis tatarinowii</i> : O-1, Q-1 | <i>Quercus boyntonii</i> : N-1 |
| <i>Pterostyrax corymbosa</i> : Q-2 | <i>Quercus brandeegii</i> : A-1 |
| <i>Pterostyrax hispida</i> : Q-1 | <i>Quercus calliprinos</i> : C-1 |
| <i>Pterostyrax psilophylla</i> : Q-1 | <i>Quercus canariensis</i> : C-1, E-1 |
| <i>Punica granatum</i> (dwarf) : Front Pond -1 | <i>Quercus canbyi</i> : Y-1 |

Guide to Plants in the
Charles R. Keith Arboretum

Quercus

April 22, 2012

| | |
|--|--|
| <i>Quercus castaneifolia</i> : L-2 | <i>Quercus ilicifolia</i> : E-2 |
| <i>Quercus cerris</i> : N-1, O-1 | <i>Quercus imbricaria</i> : P-1, U-1 |
| <i>Quercus chapmanii</i> : G-1 | <i>Quercus incana</i> : A-1 |
| <i>Quercus chenii</i> : Z-1 | <i>Quercus kelloggii</i> : B-1 |
| <i>Quercus chrysolepsis</i> : B-1 | <i>Quercus laceyi</i> : Q-1, R-1 |
| <i>Quercus coccifera</i> : B-1 | <i>Quercus laceyii</i> : B-1 |
| <i>Quercus crassipes</i> : N-1 | <i>Quercus laeta</i> : O-1 |
| <i>Quercus dentata</i> : O-1 | <i>Quercus laevis</i> : B-1 |
| <i>Quercus douglasii</i> : C-1 | <i>Quercus laurifolia</i> : U-1, V-1 |
| <i>Quercus dumosa</i> : B-1 | <i>Quercus liaotungensis</i> : M-1 |
| <i>Quercus durandii</i> : A-1, U-1 | <i>Quercus libani</i> : U-1 |
| <i>Quercus durifolia</i> : L-1 | <i>Quercus lobata</i> : G-1 |
| <i>Quercus ellipsoidalis</i> : D-1, T-1 | <i>Quercus lusitanica</i> : A-1 |
| <i>Quercus emoryi</i> : P-1 | <i>Quercus lyrata</i> : T-1 |
| <i>Quercus englemanni</i> : K-1 | <i>Quercus macedonica</i> : E-1 |
| <i>Quercus fabri</i> : N-1 | <i>Quercus macranthera</i> : A-1 |
| <i>Quercus faginea</i> : E-1 | <i>Quercus macrocarpa</i> : U-1 |
| <i>Quercus falcata</i> var. <i>pagodifolia</i> : A-1 | <i>Quercus margaretta</i> : A-1 |
| <i>Quercus fusiformis</i> : O-1 | <i>Quercus marilandica</i> : A-1 |
| <i>Quercus gambelii</i> : B-1 | <i>Quercus mexicana</i> : V-1 |
| <i>Quercus garryana</i> : K-1 | <i>Quercus michauxii</i> : U-1 |
| <i>Quercus geminata</i> : P-1 | <i>Quercus mongolica</i> : P-1 |
| <i>Quercus georgiana</i> : B-1 | <i>Quercus mongolica</i> var. <i>grosseserrata</i> : Y-1 |
| <i>Quercus germanica</i> : O-1 | <i>Quercus muehlenbergii</i> : A-1, T-1 |
| <i>Quercus gilva</i> : O-1 | <i>Quercus myrsinifolia</i> : M-1 |
| <i>Quercus glandulifera</i> : -1 | <i>Quercus myrtifolia</i> : A-1 |
| <i>Quercus glauca</i> : Q-1 | <i>Quercus nigra</i> : U-1 |
| <i>Quercus graciliformis</i> : A-1, D-1 | <i>Quercus nuttallii</i> : U-1 |
| <i>Quercus gravesii</i> : O-2 | <i>Quercus oblongifolia</i> : C-1 |
| <i>Quercus greggii</i> : C-1 | <i>Quercus obtusata</i> : C-1 |
| <i>Quercus grisea</i> : C-1 | <i>Quercus oglethorpensis</i> : G-1 |
| <i>Quercus hemisphaerica</i> : P-1 | <i>Quercus palechampii</i> : N-1 |
| <i>Quercus</i> × <i>heterophylla</i> 'Bartram's Oak' : U-1 | <i>Quercus palustris</i> : CC-1 |
| <i>Quercus hinckleyii</i> : A-1 | <i>Quercus palustris</i> 'Pringreen' (Green Pillar®) : L-1 |
| <i>Quercus hypoleuroides</i> : U-1 | <i>Quercus parvula</i> var. <i>parvula</i> : C-1 |
| <i>Quercus iberica</i> : N-1, O-1 | <i>Quercus pedunculiflora</i> : D-1, S-1 |
| <i>Quercus ilex</i> : E-1, K-1 | <i>Quercus petraea</i> : O-1 |

Guide to Plants in the
Charles R. Keith Arboretum

Quercus

April 22, 2012

| | |
|--|---|
| <i>Quercus phillyreoides</i> : A-1, Q-1 | <i>Rhamnus delicophylla</i> : F-1 |
| <i>Quercus polymorpha</i> : A-1, M-1, T-1 | <i>Rhamnus diamantica</i> : Y-1 |
| <i>Quercus prinoides</i> : G-1 | <i>Rhamnus frangula</i> 'Aspleniifolia' : M-1 |
| <i>Quercus pumila</i> : AA-1 | <i>Rhamnus hupehensis</i> : T-1 |
| <i>Quercus</i> aff. <i>pungens</i> : E-2 | <i>Rhamnus koraiensis</i> : Y-1 |
| <i>Quercus pungens</i> : U-1 | <i>Rhamnus pallasii</i> : T-1 |
| <i>Quercus pyrenaica</i> : P-1 | <i>Rhamnus purshiana</i> : F-1, T-1, Y-1 |
| <i>Quercus reticulata</i> : O-1 | <i>Rhamnus delicophylla</i> : Y-1 |
| <i>Quercus rhizophylla</i> : O-1 | <i>Rhaphiolepis hybridus</i> : South of House-1 |
| <i>Quercus robur</i> : AA-1 | <i>Rhaphiolepis indica</i> 'Acra' : Back Yard-1 |
| <i>Quercus robur</i> 'Argenteo Marginata' : X-1 | <i>Rhaphiolepis umbellata</i> 'Blueberry Muffin' : FF-1 |
| <i>Quercus robur</i> 'Cristata' : S-1 | <i>Rhapidophyllum hystrix</i> : Q-1 |
| <i>Quercus robur</i> f. <i>fastigiata</i> : U-1, Y-1 | <i>Rhederodendron macrocarpon</i> : O-1 |
| <i>Quercus robur</i> 'Pectinata' : T-1 | <i>Rhododendron</i> : GG-1 |
| <i>Quercus rubra</i> : T-1 | <i>Rhododendron</i> (51-28) : H-1 |
| <i>Quercus rugosa</i> : C-1 | <i>Rhododendron</i> (56-28) : H-1 |
| <i>Quercus salicina</i> : F-1 | <i>Rhododendron</i> 'Aglo' : Front Pond North-1 |
| <i>Quercus</i> × <i>saulii</i> : R-1 | <i>Rhododendron alabamense</i> : Under Silver Maple-1 |
| <i>Quercus serrata</i> : T-1, U-1, Y-1 | <i>Rhododendron</i> 'Anne Whitney' : East of House-1 |
| <i>Quercus shumardii</i> : S-1 | <i>Rhododendron arborescens</i> : H-1 |
| <i>Quercus sinuata</i> : B-1, T-1 | <i>Rhododendron</i> 'Aromi Sunrise' : H-1 |
| <i>Quercus suber</i> : L-1, Y-1 | <i>Rhododendron atlanticum</i> : Under Silver Maple-1 |
| <i>Quercus texana</i> : A-1 | <i>Rhododendron atlanticum</i> × <i>R. austrinum</i> : A-1 |
| <i>Quercus trojana</i> : N-1 | <i>Rhododendron atlanticum</i> × <i>R. japonicum</i> : Under Silver Maple-1 |
| <i>Quercus</i> × <i>turneri</i> 'Pseudoturneri' : Z-1 | <i>Rhododendron austrinum</i> : Under Silver Maple-1 |
| <i>Quercus undulata</i> : A-1 | <i>Rhododendron austrinum</i> × <i>atlanticum</i> 'Choice Cream' : H-1 |
| <i>Quercus vacciniifolia</i> : B-1, Sand Bed-1 | <i>Rhododendron austrinum</i> 'Harrison's Red' : W-1 |
| <i>Quercus variabilis</i> : E-1 | <i>Rhododendron bakeri</i> : Under Willow Oak-1 |
| <i>Quercus virginiana</i> : Y-1 | <i>Rhododendron</i> 'Ben Morrison' : GG-1 |
| <i>Quercus wislizeni</i> : B-1 | <i>Rhododendron calendulaceum</i> : G-1 |
| <i>Rhederodendron macrocarpum</i> : G-1 | <i>Rhododendron canescens</i> : H-1 |
| <i>Rhamnella franguloides</i> : M-1 | <i>Rhododendron carolinianum</i> : H-1 |
| <i>Rhamnus alaternus</i> : R-1 | <i>Rhododendron catawbiense</i> : H-1 |
| <i>Rhamnus alnifolia</i> : FF-1 | <i>Rhododendron chapmanii</i> : Log Cabin-1 |
| <i>Rhamnus californicus</i> subsp. <i>tomentella</i> : B-1 | <i>Rhododendron</i> 'Chesapeake' : Front Pond North-1 |
| <i>Rhamnus caroliniana</i> : FF-1 | <i>Rhododendron</i> 'Chinsei' : Log Cabin-1 |
| <i>Rhamnus cathartica</i> : T-1 | |

**Guide to Plants in the
Charles R. Keith Arboretum**

Rhododendron

April 22, 2012

-
- Rhododendron* 'Chionoides' : Front Pond North-1
Rhododendron 'Clarice' : A-1
Rhododendron 'Clyo Red' : Z-1
Rhododendron colemanii : H-1
Rhododendron 'Coral Bells' : Under Willow Oak-1
Rhododendron coryii : Under Willow Oak-1
Rhododendron 'Delaware Valley' : Front Pond North-1
Rhododendron diversipilosum 'Milky Way' : Front Pond North-1
Rhododendron 'Double Beauty' : Under Willow Oak-1
Rhododendron eastmanii : F-1
Rhododendron 'Elsmere' : Under Willow Oak-1
Rhododendron (Exbury hybrid) : GG-1
Rhododendron fastigiatum × *R. minus* : Under Silver Maple -1
Rhododendron fortunei 'Lushan' : South of House-1
Rhododendron 'George Tabor' : V-1, Front Pond North-1
Rhododendron 'Getsutoku' : Front Pond -1
Rhododendron 'Glamour Compacta' : Front Pond -1
Rhododendron [Glen Dale Group] 'Ben Morrison' : A-1, I-1
Rhododendron 'Hallelujah' : GG-1
Rhododendron hyperythrum : G-1
Rhododendron 'John Le?' : DD-1
Rhododendron 'Jolie Madame' : Under Silver Maple-1
Rhododendron kiusianum 'Rare Find' : Under Willow Oak-1
Rhododendron 'Klondyke' : I-1
Rhododendron macrosepalum 'Linearifolium' : Under Willow Oak-1, East of House-1
Rhododendron makinoi : H-1
Rhododendron 'Martha Hitchcock' : A-1, H-1
Rhododendron 'Mary Fleming' : Back Yard-1
Rhododendron maximum : H-1
Rhododendron minus : Under Silver Maple-1
Rhododendron mollis : Under Willow Oak-1, Front Pond North-1
Rhododendron 'Nacoochee' : Under Silver Maple-1
Rhododendron 'Nakahara' : Front Pond North-1, East of House-1
Rhododendron nakaharai 'Wintergreen' : Under Willow Oak -1
Rhododendron nudiflorum : Under Silver Maple-1
Rhododendron obtusum var. *amoenum* : East of House-1
Rhododendron occidentale : F-1
Rhododendron oldhamii : G-1
Rhododendron 'Olga Meizitt' : Front Pond North-1
Rhododendron 'Pancake' : Back Pond-1
Rhododendron periclymenoides : T-1
Rhododendron ponticum 'Variegatum' : F-1
Rhododendron 'Pride of Dorking' : V-1
Rhododendron prinophyllum : H-2
Rhododendron prunifolium 'Jesters' : Under Willow Oak-1
Rhododendron 'Purple Splendor Compacta' : Under Willow Oak-1
Rhododendron racemosum 'Split Rock' : Under Willow Oak -1
Rhododendron 'Red Wing' : Front Pond North-1
Rhododendron reticulatum : H-1
Rhododendron ripense : GG-1
Rhododendron 'Rosebud' : Front Pond -2
Rhododendron roseum : Under Silver Maple-1
Rhododendron 'Ruki' : Under Silver Maple-2
Rhododendron schlippenbachii : H-1
Rhododendron serpyllifolium : Front Pond -1
Rhododendron serrulatum : F-1, H-1
Rhododendron 'Silver Sword' : I-1
Rhododendron simsii : F-1
Rhododendron smirnowii : G-1
Rhododendron 'Snow' : DD-1, GG-1
Rhododendron 'Snowbird' : H-1
Rhododendron 'Sunrise' : AA-1, GG-1
Rhododendron vaseyi : Log Cabin-1
Rhododendron viscosum var. *aemulans* : Under Silver Maple-1
Rhododendron weyrichii : I-1
Rhododendron williamsianum : Log Cabin-1
Rhododendron williamsii 'Fluted Orchid' : I-1

Guide to Plants in the
Charles R. Keith Arboretum

Rhododendron

April 22, 2012

| | |
|--|--|
| <i>Rhododendron yakusaminum</i> : Under Willow Oak-1 | <i>Rubus formosensis</i> : Back Yard-1 |
| <i>Rhododendron yunnanense</i> : F-1 | <i>Rubus irenaeus</i> : Back Yard-1 |
| <i>Rhodotypos kerroides</i> : GG-1 | <i>Ruscus aculeatus</i> : R-1 |
| <i>Rhus</i> : Y-1 | <i>Ruscus aculeatus</i> 'Wheeler's Variety' : H-1 |
| <i>Rhus aromatica</i> : AA-1 | <i>Sabal etonia</i> : Log Cabin-1 |
| <i>Rhus chinensis</i> : E-1 | <i>Sabal minor</i> : Log Cabin-1 |
| <i>Rhus chinensis</i> 'September Beauty' : L-1 | <i>Sabal minor</i> var. <i>louisiana</i> : J-1 |
| <i>Rhus copallina</i> : DD-1 | <i>Sabal minor</i> (Oklahoma form) : J-1 |
| <i>Rhus glabra</i> : K-1 | <i>Sabal texensis</i> : Log Cabin-1 |
| <i>Rhus potaninii</i> : L-1, P-1 | <i>Sageretia theezans</i> : A-1 |
| <i>Rhus punjabensis</i> var. <i>sinica</i> : K-1 | <i>Salix alba</i> var. <i>sericea</i> : EE-1 |
| <i>Rhus succedania</i> : P-1 | <i>Salix apoda</i> : Front Pond -1 |
| <i>Rhus trilobata</i> : B-2 | <i>Salix arbuscula</i> : Front Pond -1 |
| <i>Rhus trilobata</i> 'Autumn Amber' : B-1 | <i>Salix babylonica</i> 'Crispa' : V-1 |
| <i>Ribes alpinus</i> : Front Pond North-1 | <i>Salix caprea</i> : S-1 |
| <i>Ribes echinellum</i> : East of House-1 | <i>Salix caprea</i> 'Pendula' : Front Pond -1 |
| <i>Ribes fasciculatum</i> : East of House-1 | <i>Salix cinerea</i> 'Tricolor' : CC-1 |
| <i>Robinia ×ambigua</i> 'Bella Rosea' : EE-1 | <i>Salix daphnoides</i> : S-1 |
| <i>Robinia ×ambigua</i> 'Decaisneana' : DD-1 | <i>Salix elaeagnos rosmarinifolia</i> : GG-1 |
| <i>Robinia hartwegii</i> : EE-2 | <i>Salix exigua</i> : Shade House-1 |
| <i>Robinia holdtii</i> : DD-1 | <i>Salix fragilis</i> 'Bullata' : Q-1 |
| <i>Robinia pseudoacacia</i> : AA-1 | <i>Salix integra</i> 'Albo-maculata' : Q-1 |
| <i>Robinia pseudoacacia</i> 'Frisia' : GG-1 | <i>Salix irrovata</i> : Q-1 |
| <i>Robinia pseudoacacia</i> 'Lace Lady' (Twisty Baby®) : S-1 | <i>Salix ×pendulina</i> : V-1 |
| <i>Robinia pseudoacacia</i> 'Umbraculifera' : Z-1 | <i>Salix polaris</i> : Front Pond -1 |
| <i>Robinia pseudoacacia</i> 'Unifolia' : EE-1 | <i>Salix retusa</i> : Front Pond -1 |
| <i>Robinia ×slavinii</i> : EE-1 | <i>Salix</i> 'Scarcuzam' (Scarlet Curls®) : S-1 |
| <i>Robinia viscosa</i> : DD-1 | <i>Salix sitchensis</i> : S-1 |
| <i>Romneya coulteri</i> : C-1 | <i>Salix yezoalpina</i> : Front Pond -1 |
| <i>Rosa</i> : I-1 | <i>Salvia officinalis</i> 'Berggarten' : Front Pond -1 |
| <i>Rosa banksiae</i> : W-1 | <i>Sambucus nigra</i> 'Gerda' (Black Beauty™) : L-1 |
| <i>Rosa carolina</i> : Q-1, Shade House-1 | <i>Sambucus pubens</i> : Back Yard-1 |
| <i>Rosa</i> 'Fairy Queen' : Sand Bed-1 | <i>Santolina chamaecyparissus</i> 'Nana' : Front Pond -1 |
| <i>Rosa nitida</i> : Shade House-1 | <i>Sapindus marginatus</i> : A-2, T-1 |
| <i>Rosa</i> 'Radrazz' (Knock Out®) : South of House-1 | <i>Sapindus mukorossi</i> : A-1 |
| <i>Rosmarinus officinalis</i> : Front Pond -1 | <i>Sapindus saponaria</i> var. <i>drummondii</i> : G-1 |
| <i>Rostrinucula dependens</i> : E-1, Front Pond North-1 | <i>Sapium japonicum</i> : Q-1 |

Guide to Plants in the
Charles R. Keith Arboretum

Sapium

April 22, 2012

| | |
|---|---|
| <i>Sapium sebiferum</i> : EE-1 | <i>Sideroxylon lanuginosum</i> : A-1 |
| <i>Sarcococca confusa</i> : Log Cabin-1, East of House-1 | <i>Sideroxylon lycioides</i> : A-1 |
| <i>Sarcococca hookeriana</i> : Under Willow Oak-1 | <i>Sideroxylon macrocarpum</i> : Sand Bed-1 |
| <i>Sarcococca hookeriana</i> var. <i>digyna</i> : East of House-1 | <i>Sideroxylon reclinata</i> : A-1 |
| <i>Sarcococca hookeriana</i> var. <i>humilis</i> : Front Pond North-1 | <i>Sideroxylon tenax</i> : A-1 |
| <i>Sarcococca orientalis</i> : East of House-1 | <i>Sideroxylon tenax</i> (Florida) : A-1 |
| <i>Sarcococca ruscifolia</i> : Back Yard-1 | <i>Sideroxylon tenax</i> (South Carolina) : A-1 |
| <i>Sarcococca saligna</i> : Under Willow Oak-1 | <i>Sideroxylon thornii</i> : A-1 |
| <i>Sasa palmata</i> : W-2 | <i>Simmondsia chimensis</i> : B-1 |
| <i>Sasa tessellata</i> : Q-1 | <i>Sinofranchetia chinensis</i> : H-1 |
| <i>Sasa veitchii</i> : H-1 | <i>Sinojackia rehderiana</i> : Q-1 |
| <i>Sasaella glabra</i> 'Shiroshiiya' : Q-1 | <i>Sinojackia xylocarpa</i> : FF-1 |
| <i>Sassafras albidum</i> : D-1 | <i>Sinowilsonia henryi</i> : R-1 |
| <i>Sassafras tzumu</i> : L-1, M-1 | <i>Skimmia japonica</i> (female) : Log Cabin-1 |
| <i>Saxegothea conspicua</i> : E-1 | <i>Skimmia japonica</i> (male) : Log Cabin-1 |
| <i>Schefflera delavayi</i> : Back Yard-1 | <i>Skimmia reevesiana</i> : Front Pond North-1 |
| <i>Schima argentea</i> : L-1 | <i>Smilax nana</i> : Under Silver Maple-1 |
| <i>Schima remoto-serrata</i> : L-2 | <i>Sophora</i> : CC-1 |
| <i>Schima wallichii</i> : L-1 | <i>Sophora davidii</i> : Y-2 |
| <i>Schinus gracilipes</i> : R-1 | <i>Sophora japonica pendula</i> : Shade House-1 |
| <i>Schisandra chinensis</i> : Shade House-1 | <i>Sophora koreensis</i> : Under Willow Oak-1 |
| <i>Schisandra propinqua</i> : Log Cabin-1 | <i>Sophora secundiflora</i> : B-2 |
| <i>Schizophragma corylifolium</i> : F-1 | <i>Sorbaria aitchisonia</i> : Shade House-1 |
| <i>Schizophragma hydrangeoides</i> : Front Pond North-1 | <i>Sorbaria arborea</i> : Shade House-1 |
| <i>Schizophragma integrifolium</i> var. <i>denticulatum</i> : F-1 | <i>Sorbaria sorbifolia</i> 'Sem' : Under Willow Oak-1 |
| <i>Schizophragma integrifolium</i> var. <i>fauriei</i> : F-1 | <i>Sorbaria tomentosa</i> : Shade House-1 |
| <i>Schizophragma integrifolium</i> var. <i>molle</i> : F-1 | <i>Sorbus alnifolia</i> : E-1, Q-1, X-1 |
| <i>Sciadopitys verticillata</i> : G-1 | <i>Sorbus americana</i> : M-1 |
| <i>Securinega suffruticosa</i> : Q-1, S-1 | <i>Sorbus americana</i> 'Red Cascade' : O-1 |
| <i>Semiarundinaria fastuosa</i> : T-1, Y-1 | <i>Sorbus angelica</i> : R-1 |
| <i>Sequoia sempervirens</i> 'Adpressa' : R-1 | <i>Sorbus aucuparia</i> 'Black Hawk' : I-1 |
| <i>Sequoia sempervirens</i> 'Chapel Hill' : J-1 | <i>Sorbus austriaca</i> : T-1 |
| <i>Sequoia sempervirens</i> 'Henderson Blue' : Y-1 | <i>Sorbus decora</i> : S-1 |
| <i>Sequoiadendron giganteum</i> : K-1 | <i>Sorbus degenii</i> : J-1, R-1 |
| <i>Serissa japonica</i> 'Variegata' : Back Yard-1 | <i>Sorbus hybrida</i> : T-1 |
| <i>Shepherdia argentea</i> : B-1 | <i>Sorbus latifolia</i> : Q-1 |
| <i>Shibataea kumasaca</i> : Q-2 | <i>Sorbus meliosmafolia</i> : E-1 |

**Guide to Plants in the
Charles R. Keith Arboretum**

Sorbus

April 22, 2012

| | |
|--|--|
| <i>Sorbus mougeotii</i> : R-1 | <i>Stachyurus praecox</i> : South of House-1 |
| <i>Sorbus rufoferruginea</i> 'Longwood Sunset' : X-1 | <i>Stachyurus salicifolius</i> : Back Yard-1 |
| <i>Sorbus scopulina</i> : E-1 | <i>Staphylea colchica</i> : F-1, R-1 |
| <i>Sorbus thibetica</i> : E-1 | <i>Staphylea pinnata</i> : G-1 |
| <i>Sorbus thuringiaca</i> 'Fastigiata' : T-1, Shade House-1 | <i>Staphylea triloba</i> : F-1 |
| <i>Sorbus torminalis</i> : R-1 | <i>Stauntonia hexaphylla</i> : Back Yard-1 |
| <i>Spiraea ×macrothyrsa</i> × <i>S. ×billiardii</i> : I-1 | <i>Stephanandra incisa</i> 'Crispa' : F-1 |
| <i>Spiraea alba</i> : FF-1 | <i>Stephanandra tanakae</i> : F-1, Under Willow Oak-1 |
| <i>Spiraea albiflora</i> : Shade House-1 | <i>Stewartia gemmata</i> : G-1 |
| <i>Spiraea arguta</i> 'Compacta' : FF-1 | <i>Stewartia kwangtungensis</i> : I-1 |
| <i>Spiraea betulifolia</i> 'Tor' : Front Pond North-1 | <i>Stewartia malacodendron</i> : I-1 |
| <i>Spiraea ×bumalda</i> : Front Pond North-1 | <i>Stewartia monadelphica</i> : DD-1 |
| <i>Spiraea ×bumalda</i> 'Anthony Waterer' : I-1 | <i>Stewartia monodelpha</i> : G-1 |
| <i>Spiraea ×bumalda</i> 'Red Ace' : I-1 | <i>Stewartia ovata</i> var. <i>grandiflora</i> : G-1 |
| <i>Spiraea canescens</i> : Shade House-1 | <i>Stewartia pseudocamellia</i> : I-2, R-1 |
| <i>Spiraea cantoniensis</i> : GG-1 | <i>Stewartia pseudocamellia</i> 'Cascade' : H-1 |
| <i>Spiraea ×cinerea</i> 'Grefsheim' : I-1, CC-1 | <i>Stewartia pseudocamellia</i> (hybrid) : G-1 |
| <i>Spiraea douglasii</i> var. <i>menziesii</i> : Front Pond -2 | <i>Stewartia pseudocamellia</i> Koreana Group : I-1 |
| <i>Spiraea fritschiana</i> : Shade House-1 | <i>Stewartia rostrata</i> : I-1, R-1 |
| <i>Spiraea japonica</i> : Shade House-1 | <i>Stewartia serrata</i> : G-1, R-2 |
| <i>Spiraea japonica</i> 'Dolchica' : I-1 | <i>Stewartia sinensis</i> : G-1 |
| <i>Spiraea japonica</i> 'Fortunei' : Front Pond North-1 | <i>Styphnolobium japonicum</i> : East of House-1 |
| <i>Spiraea lemoni</i> 'Alpestris' : South of House-1 | <i>Styrax americanus</i> : I-1, U-1, FF-1 |
| <i>Spiraea lucida</i> : K-1 | <i>Styrax americanus</i> var. <i>pulverulentus</i> : Q-1 |
| <i>Spiraea macrothyra</i> : FF-1 | <i>Styrax californica rediviva</i> : C-1 |
| <i>Spiraea media</i> 'Darsnorm' (Snow Storm™) : Front Pond -1 | <i>Styrax confusus</i> : R-1 |
| <i>Spiraea miyabei</i> : Shade House-1 | <i>Styrax dasyanthus</i> : I-1 |
| <i>Spiraea nipponica</i> : Q-1, GG-1 | <i>Styrax formosanus</i> : G-1 |
| <i>Spiraea prunifolia</i> : East of House-1 | <i>Styrax grandifolius</i> : R-2, X-1 |
| <i>Spiraea salicifolia</i> : H-1 | <i>Styrax hemsleyanus</i> : G-1 |
| <i>Spiraea thunbergii</i> : FF-1, Front Pond North-1 | <i>Styrax japonicus</i> : U-1 |
| <i>Spiraea tomentosa</i> : Front Pond -1 | <i>Styrax japonicus</i> 'Carillon' : H-1 |
| <i>Spiraea trilobata</i> 'Fairy Queen' : Front Pond North-1 | <i>Styrax japonicus</i> 'Emerald Pagoda' : E-1 |
| <i>Spiraea ×vanhouttei</i> : Front Pond North-1 | <i>Styrax japonicus</i> 'Pink Chimes' : Back Pond-1 |
| <i>Spiraea virginiana</i> : GG-1 | <i>Styrax obassia</i> : G-1 |
| <i>Spiraea wilsonii</i> : I-1 | <i>Styrax wilsonii</i> : Q-1, R-1 |
| <i>Stachyurus chinensis</i> : R-1 | × <i>Sycoparrotia semidecidua</i> : R-1 |

Guide to Plants in the
Charles R. Keith Arboretum

Sycopsis

April 22, 2012

- Sycopsis sinensis* : R-1
Sycopsis tutcheri : R-1
Symphoricarpos alba : B-1
Symphoricarpos ×chenaultii : GG-1
Symphoricarpos occidentalis : B-1
Symphoricarpos vaccinoides : L-1
Symplocos tinctoria : R-1, EE-2
Syringa meyeri var. *spontanea* 'Palibin' : I-1, GG-1
Syringa oblata Alba Group : E-1
Syringa patula 'Miss Kim' : GG-1
Syringa persica : Log Cabin-1
Syringa pubescens subsp. *microphylla* : I-1
Syringa reticulata subsp. *amurensis* : GG-1
Syringa reticulata var. *mandshurica* : GG-1
Syringa vulgaris 'Monore' (Blue Skies™) : EE-1
Taiwania cryptomerioides : R-2
Taiwania cryptomerioides Flousiana Group : FF-1
Tamarix chinensis 'Pink Cascade' : CC-1
Tamarix parviflora : CC-1
Taxodium distichum : A-1, EE-1
Taxodium distichum 'Cascade Falls' : W-1
Taxodium distichum var. *imbricatum* : W-1, FF-1
Taxodium distichum var. *imbricatum* 'Prairie Sentinel' : Q-1
Taxodium distichum var. *imbricatum* 'Sherwinii' : W-1
Taxodium distichum 'Pendens' : S-1
Taxodium distichum 'Peve Minaret' : W-1
Taxodium distichum 'Schloss Herten' : R-1
Taxodium distichum 'Wooster Broom' : R-1
Taxodium mucronatum : CC-1
Taxodium 'Nanjing Beauty' : W-1
Taxus baccata : A-1
Taxus baccata 'Watnong Gold' : Front Pond -1
Taxus brevifolia : Shade House-1
Taxus canadensis : Under Willow Oak-1, Front Pond North -1
Taxus chinensis : F-1, Y-1
Taxus cuspidata : G-1
Taxus cuspidata 'Dwarf Bright Gold' : FF-1
Taxus cuspidata 'Monloo' (Emerald Spreader®) : BB-1
Taxus cuspidata 'Nana' : F-1
Taxus floridana : G-1
Taxus ×media 'Andersonii' : Y-1
Taxus ×media 'Hicksii' : FF-1
Taxus sumatrana : G-1
Taxus wallichiana : G-1, J-1
Taxus wallichiana var. *mairei* : J-1, Q-1, R-1, X-1
Ternstroemia gymnanthera : DD-1
Ternstroemia gymnanthera 'Conthery' (Bronze Beauty™) : T -1
Ternstroemia gymnanthera 'Variegata' : T-1
Tetracentron sinense : G-1, J-1
Tetradium daniellii : M-1
Tetradium rutaecarpa : E-1
Tetradium rutaecarpa var. *bodiniera* : E-1
Tetrapanax papyrifer 'Steroidal Giant' : Front Pond -1
Teucrium : Sand Bed-1
Teucrium flavum : B-1
Teucrium fruticans : B-1
Teucrium marum : B-1
Teucrium massiliense : B-1
Thuja : S-1
Thuja 'Green Giant' : Y-1
Thuja koraiensis : X-1
Thuja koraiensis 'Glauca Prostrata' : S-1
Thuja occidentalis : R-1
Thuja occidentalis 'Degroot's Spire' : Shade House-1
Thuja occidentalis 'Elegantissima' : U-1, Y-1
Thuja occidentalis 'Filiformis' : AA-1
Thuja occidentalis 'Holmstrup' : S-1
Thuja occidentalis 'Little Giant' : AA-1
Thuja occidentalis 'Lutea' : S-1
Thuja occidentalis 'Minima' : S-1
Thuja occidentalis (NCSU golden) : Y-1
Thuja occidentalis 'Nigra' : R-1

Guide to Plants in the
Charles R. Keith Arboretum

Thuja

April 22, 2012

- Thuja occidentalis* 'Ohlendorffii' : S-1
Thuja occidentalis 'Pendula' : T-1
Thuja occidentalis 'Rheingold' : AA-1
Thuja occidentalis 'Smaragd' : AA-1
Thuja occidentalis 'Spiralis' : T-1
Thuja occidentalis 'Sudworth' : AA-1
Thuja occidentalis 'Sudworth Gold' : S-1, AA-2
Thuja occidentalis 'Umbraculifera' : FF-1
Thuja occidentalis 'Wansdyke Silver' : S-1
Thuja occidentalis 'Woodwardii' : W-1
Thuja plicata : J-1, S-1
Thuja plicata 'Canadian Gold' : T-1
Thuja plicata 'Holly Turner' : S-1
Thuja plicata 'Rogersii' : Under Willow Oak-1
Thuja plicata 'Wakehurst' : W-1
Thuja plicata 'Zebrina' : S-1
Thuja standishii : R-1, S-1
Thujopsis dolabrata : Under Willow Oak-1
Thujopsis dolabrata 'Nana' : J-1
Thujopsis dolabrata 'Variegata' : J-1
Tilia : Z-1
Tilia americana : X-1
Tilia amurensis : R-1
Tilia caucasica : M-1
Tilia chinensis : N-1, O-1
Tilia cordata : N-1
Tilia dasystyla : O-1
Tilia dasystyla subsp. *caucasica* : X-1
Tilia ×europea : U-1
Tilia henryana : U-1
Tilia heterophylla : S-1
Tilia insularis : R-1
Tilia japonica : S-1
Tilia kiusiana : O-1
Tilia miqueliana : S-1
Tilia mongolica : S-1
Tilia oliveri : U-1
Tilia pallida : S-1
Tilia petiolaris : T-1
Tilia platyphyllos : S-1
Tilia siberica : E-1
Tilia tomentosa : U-1
Toona serrata : S-1
Toona sinensis : T-1
Torreya californica 'Spread Eagle' : G-1
Torreya grandis : M-2, R-1
Torreya nucifera : N-1, South of House-1
Torreya taxifolia : E-1, G-1
Torreya yunnanensis : Shade House-1
Trachelospermum asiaticum 'Texas Long Leaf' : A-1
Trachelospermum asiaticum 'Variegatum' : Back Yard-1
Trachelospermum jasminoides : Log Cabin-1
Trachycarpus fortunei : Q-1
Trachycarpus takil : Q-1
Trachycarpus wagnerianus : Q-1
Tripterygium regelii : G-1
Tripterygium wilfordii : I-1
Trochodendron aralioides : F-1
Tsuga canadensis : R-1
Tsuga canadensis 'Cole's Prostrate' : Under Willow Oak-1
Tsuga canadensis 'Dawsoniana' : EE-1
Tsuga canadensis 'Gracilis' : GG-1
Tsuga canadensis 'Hornbeck' : EE-1
Tsuga canadensis 'Horsford' : EE-1
Tsuga canadensis 'Horsford Contorted' : Log Cabin-1
Tsuga canadensis 'Jacqueline Verkade' : Under Willow Oak-1
Tsuga canadensis 'Jeddeloh' : EE-1
Tsuga canadensis 'Jervis' : Front Pond -1
Tsuga canadensis 'Pendula' : R-1
Tsuga canadensis (reverted 'Gentch's White') : H-1
Tsuga canadensis 'Sargentii' : F-1
Tsuga canadensis 'Stewart's Pygmy' : EE-1

Guide to Plants in the
Charles R. Keith Arboretum

Tsuga

April 22, 2012

| | |
|---|--|
| <i>Tsuga canadensis</i> 'Vermuellen's Winter Gold' : Under Willow Oak-1 | <i>Ulmus parvifolia</i> 'Yatsubasu' : Back Pond-1 |
| <i>Tsuga caroliniana</i> : G-1 | <i>Ulmus procera</i> 'Louis Van Houtii' : X-1 |
| <i>Tsuga caroliniana</i> 'LaBar Weeping' : G-1 | <i>Ulmus propinqua</i> : T-1, U-1 |
| <i>Tsuga caroliniana</i> 'Mountain Mist' : EE-1 | <i>Ulmus pumila</i> : U-1 |
| <i>Tsuga chinensis</i> : F-1, R-1 | <i>Ulmus rubra</i> : V-1 |
| <i>Tsuga diversifolia</i> : Under Willow Oak-1 | <i>Ulmus serotina</i> : R-1 |
| <i>Tsuga diversifolia</i> 'Loowit' : EE-1 | <i>Ulmus sukaczewii</i> : W-1 |
| <i>Tsuga heterophylla</i> : G-1 | <i>Ulmus szechuanica</i> : E-1 |
| <i>Tsuga mertensiana</i> : Under Willow Oak-2 | <i>Ulmus thomasii</i> : X-1 |
| <i>Tsuga mertensiana</i> 'Bump's Blue' : EE-1, Under Willow Oak-1 | <i>Ulmus wallichiana</i> : T-1, U-1 |
| <i>Tsuga sieboldii</i> : D-1, R-2 | <i>Umbellularia californica</i> : Shade House-1 |
| <i>Tsuga yunnanensis</i> : R-1 | <i>Umbellularia californica</i> (dwarf) : B-1 |
| <i>Ulex minor</i> : Sand Bed-1 | <i>Ungnadia speciosa</i> : T-1 |
| <i>Ulmus alata</i> 'Lace Parasol' : R-1, FF-1 | <i>unknown</i> : EE-1 |
| <i>Ulmus americana</i> : N-1 | <i>Vaccinium</i> : W-1 |
| <i>Ulmus bergmanniana</i> : D-1 | <i>Vaccinium angustifolia</i> : Log Cabin-1 |
| <i>Ulmus carpiniifolia</i> 'Pendula' : U-1 | <i>Vaccinium arboreum</i> : F-1 |
| <i>Ulmus carpiniifolia</i> 'Variegata' : U-1 | <i>Vaccinium ashei</i> : F-3 |
| <i>Ulmus chenmoui</i> : O-1 | <i>Vaccinium bracteatum</i> : East of House-1 |
| <i>Ulmus crassifolia</i> 'Brazos Rim' : V-1, Y-1 | <i>Vaccinium corymbosum</i> : J-1 |
| <i>Ulmus davidiana</i> var. <i>mandshurica</i> : T-1 | <i>Vaccinium corymbosum</i> 'Cape Fear' : Front Pond North-1 |
| <i>Ulmus elliptica</i> : X-1 | <i>Vaccinium darrowii</i> : Sand Bed-1 |
| <i>Ulmus floridana</i> : T-1 | <i>Vaccinium elliotii</i> : F-1, J-1 |
| <i>Ulmus</i> 'Frontier' : D-1 | <i>Vaccinium erythrynum</i> : Back Yard-1 |
| <i>Ulmus glabra</i> 'Camperdownii' : W-1 | <i>Vaccinium fragile</i> : A-1 |
| <i>Ulmus ×hollandica</i> 'Jacqueline Hillier' : S-1 | <i>Vaccinium glaucoalbum</i> : A-1 |
| <i>Ulmus laciniata</i> : X-1 | <i>Vaccinium macrocarpon</i> : Back Yard-1 |
| <i>Ulmus laciniata</i> var. <i>nikkoensis</i> : U-1 | <i>Vaccinium myrsinites</i> : Sand Bed-1 |
| <i>Ulmus lamellosa</i> : W-1 | <i>Vaccinium myrsintes</i> : Sand Bed-1 |
| <i>Ulmus parvifolia</i> : C-1 | <i>Vaccinium stamineum</i> : R-1 |
| <i>Ulmus parvifolia</i> 'Catlin' : V-1 | <i>Viburnum</i> : I-1 |
| <i>Ulmus parvifolia</i> 'Cortcosa' : X-1 | <i>Viburnum acerifolium</i> : Under Willow Oak-1 |
| <i>Ulmus parvifolia</i> 'Feiju' : South of House-1 | <i>Viburnum acuminatum</i> : J-1 |
| <i>Ulmus parvifolia</i> 'Golden Rey' : T-1 | <i>Viburnum alnifolium</i> : Log Cabin-1 |
| <i>Ulmus parvifolia</i> 'Jack Frost' : X-1 | <i>Viburnum atrocyaneum</i> : Log Cabin-1 |
| | <i>Viburnum awabuki</i> : CC-1, GG-1 |
| | <i>Viburnum bitchiuense</i> : O-1 |

Guide to Plants in the
Charles R. Keith Arboretum

Viburnum

April 22, 2012

| | |
|---|---|
| <i>Viburnum</i> × <i>bodnantense</i> 'Pink Dawn' : AA-1 | <i>Viburnum</i> × <i>hillieri</i> 'Winton' : E-1, CC-1 |
| <i>Viburnum bracteatum</i> : Q-1, GG-1 | <i>Viburnum hirsutum</i> : O-1 |
| <i>Viburnum buddleifolium</i> : Q-1 | <i>Viburnum hupehense</i> : O-1, EE-1 |
| <i>Viburnum burejaeticum</i> : GG-1 | <i>Viburnum</i> 'Huron' : E-2 |
| <i>Viburnum</i> × <i>burkwoodii</i> : R-1 | <i>Viburnum japonicum</i> : F-1 |
| <i>Viburnum</i> × <i>burkwoodii</i> 'Chenaultii' : GG-1 | <i>Viburnum</i> × <i>juddii</i> : GG-1 |
| <i>Viburnum</i> × <i>burkwoodii</i> 'Conoy' : R-1 | <i>Viburnum lentago</i> : F-1 |
| <i>Viburnum</i> × <i>burkwoodii</i> 'Mohawk' : Q-2, Z-1, CC-1 | <i>Viburnum macrocephalum</i> f. <i>keteleeri</i> : A-1, Q-1 |
| <i>Viburnum</i> × <i>carlcephalum</i> : Back Yard-1 | <i>Viburnum macrocephalum</i> 'Sterile' : GG-1 |
| <i>Viburnum</i> × <i>carlcephalum</i> 'Cayuga' : J-1, Q-1 | <i>Viburnum mollis</i> : FF-1 |
| <i>Viburnum carlesii</i> : Log Cabin-1 | <i>Viburnum mullaha</i> : Shade House-1 |
| <i>Viburnum</i> 'Chesapeake' : GG-1 | <i>Viburnum nervosum</i> : S-1 |
| <i>Viburnum cinnamomifolium</i> : F-1, FF-1 | <i>Viburnum nudum</i> : EE-1 |
| <i>Viburnum corylifolium</i> : GG-1 | <i>Viburnum nudum</i> 'Angustifolium' : F-1 |
| <i>Viburnum cotinifolium</i> : FF-1 | <i>Viburnum nudum</i> 'Moonshine' : J-1, Q-1 |
| <i>Viburnum cylindricum</i> : F-1 | <i>Viburnum nudum</i> 'Winterthur' : J-1, Q-1 |
| <i>Viburnum davidii</i> : Back Pond-1 | <i>Viburnum obovatum</i> : S-1, EE-1, FF-1 |
| <i>Viburnum dentatum</i> : W-1 | <i>Viburnum obovatum</i> 'Densa' : CC-1 |
| <i>Viburnum dentatum</i> var. <i>deamii</i> : I-1 | <i>Viburnum obovatum</i> (dwarf form) : Q-1 |
| <i>Viburnum dentatum</i> 'Morton' (Northern Burgundy®) : CC-1 | <i>Viburnum obovatum</i> 'Reifler's Dwarf' : S-1 |
| <i>Viburnum dilatatum</i> : S-1, GG-2 | <i>Viburnum</i> 'Oneida' : GG-1 |
| <i>Viburnum dilatatum</i> 'Asian Beauty' : DD-1 | <i>Viburnum opulus</i> : GG-1 |
| <i>Viburnum dilatatum</i> 'Catskill' : CC-1 | <i>Viburnum opulus</i> var. <i>americanum</i> 'Wentworth' : F-1 |
| <i>Viburnum dilatatum</i> 'Erie' : Q-1 | <i>Viburnum opulus</i> 'Leonard's Dwarf' : J-1 |
| <i>Viburnum dilatatum</i> 'Iroquois' : Q-1 | <i>Viburnum plicatum</i> : DD-1 |
| <i>Viburnum dilatatum</i> 'Michael Dodge' : Q-1 | <i>Viburnum plicatum</i> 'Fugisanensis' : AA-1 |
| <i>Viburnum dilatatum</i> var. <i>pilosum</i> : CC-1 | <i>Viburnum plicatum</i> 'Lanarth' : CC-1, FF-1 |
| <i>Viburnum edule</i> : F-3 | <i>Viburnum plicatum</i> 'Popcorn' : O-1 |
| <i>Viburnum ellipticum</i> : G-1 | <i>Viburnum plicatum</i> f. <i>tomentosum</i> : DD-1 |
| <i>Viburnum erosum</i> : S-1 | <i>Viburnum plicatum</i> f. <i>tomentosum</i> 'Mariesii' : Front Pond North-1 |
| <i>Viburnum erubescens</i> : GG-1 | <i>Viburnum plicatum</i> f. <i>tomentosum</i> 'Nanum Semperflorens' : CC-1 |
| <i>Viburnum farreri</i> : G-1, FF-1 | <i>Viburnum plicatum</i> f. <i>tomentosum</i> 'Newport' : H-1 |
| <i>Viburnum foetidum</i> : A-1 | <i>Viburnum plicatum</i> f. <i>tomentosum</i> 'Shasta' : A-1 |
| <i>Viburnum foetidum</i> var. <i>ceanothoides</i> : G-1 | <i>Viburnum plicatum</i> f. <i>tomentosum</i> 'Shoshoni' : CC-1 |
| <i>Viburnum</i> × <i>globosum</i> 'Jermyn's Globe' : A-1 | <i>Viburnum plicatum</i> f. <i>tomentosum</i> 'Summer Snowflake' : W-1, X-1 |
| <i>Viburnum harryanum</i> : R-1 | |
| <i>Viburnum henryi</i> : E-1 | |

Guide to Plants in the
Charles R. Keith Arboretum

Viburnum

April 22, 2012

| | |
|---|--|
| <i>Viburnum plicatum</i> f. <i>tomentosum</i> 'Triumph' : Q-1 | <i>Wisteria venusta</i> : BB-1 |
| <i>Viburnum plicatum</i> 'Triumph' : Q-1 | <i>Xanthocyparis nootkatensis</i> 'Aureovariegata' : S-1 |
| <i>Viburnum ×pragense</i> : GG-1 | <i>Xanthocyparis nootkatensis</i> 'Pendula' : EE-1, GG-1 |
| <i>Viburnum propinquum</i> : FF-1, East of House-1 | <i>Xanthocyparis nootkatensis</i> 'Strict Pendula' : H-1 |
| <i>Viburnum prunifolium</i> : W-2 | <i>Xanthocyparis nootkatensis</i> 'Stricta Pendula' : Front Pond North-1 |
| <i>Viburnum rafinesquianum</i> : J-1 | <i>Xanthorrhoea simplicissima</i> : Back Yard-1 |
| <i>Viburnum ×rhytidocarpum</i> : Q-1 | <i>Yucca</i> : BB-1 |
| <i>Viburnum ×rhytidophylloides</i> : Q-1, GG-1 | <i>Yucca constricta</i> : A-1 |
| <i>Viburnum ×rhytidophylloides</i> 'Alleghany' : Z-1 | <i>Yucca filamentosa</i> subsp. <i>smalliana</i> : BB-1 |
| <i>Viburnum rhytidophyllum</i> : X-1 | <i>Yucca filamentosa</i> subsp. <i>smalliana</i> 'Ivory Tower' : BB-1 |
| <i>Viburnum rufidulum</i> : S-1 | <i>Yucca filamentosa</i> 'Variegata' : BB-1 |
| <i>Viburnum</i> 'Sarcoxie' : CC-1 | <i>Yucca glauca</i> : BB-1 |
| <i>Viburnum sargentii</i> : FF-1 | <i>Yucca gloriosa</i> : BB-1 |
| <i>Viburnum schensianum</i> : O-1 | <i>Yucca gloriosa</i> 'Variegata' : BB-1 |
| <i>Viburnum semitomentosum</i> : GG-1 | <i>Yucca grandiflora</i> : B-1 |
| <i>Viburnum setigerum</i> : I-2 | <i>Yucca harrimaniae</i> subsp. <i>harrimaniae</i> : A-1 |
| <i>Viburnum sieboldii</i> 'Seneca' : EE-2 | <i>Yucca prostrata</i> : B-1 |
| <i>Viburnum tinus</i> 'Robustum' : F-1 | <i>Yucca rupicola</i> : B-1 |
| <i>Viburnum veitchii</i> : H-1, J-1 | <i>Yucca thompsoniana</i> : A-1, B-1 |
| <i>Viburnum wrightii</i> : H-1 | <i>Yucca torreyi</i> : B-1 |
| <i>Vitex agnus-castus</i> : A-1, Z-1 | <i>Yucca treculeana</i> : B-1 |
| <i>Vitex agnus-castus</i> 'Blushing Spires' : CC-1 | <i>Zanthoxylum ailanthoides</i> : FF-1 |
| <i>Vitex incisa</i> : Z-1 | <i>Zanthoxylum americanum</i> : FF-1 |
| <i>Vitex negundo</i> : GG-1 | <i>Zanthoxylum clava-herculis</i> : CC-1 |
| <i>Vitex negundo</i> var. <i>cannabifolia</i> : Q-1, CC-1 | <i>Zanthoxylum coreana</i> : FF-1 |
| <i>Vitex rotundifolia</i> : Sand Bed-1 | <i>Zanthoxylum piperitum</i> : Z-1, FF-1 |
| <i>Weigela floribunda</i> : BB-1 | <i>Zanthoxylum planaspinum</i> : FF-1 |
| <i>Weigela floribunda</i> : A-1 | <i>Zanthoxylum schinifolium</i> : FF-1 |
| <i>Weigela florida</i> 'Variegata' : GG-1 | <i>Zanthoxylum simulans</i> : R-1, T-1, BB-1, FF-1 |
| <i>Weigela praecox</i> : A-1 | <i>Zanthoxylum stenophelum</i> : FF-1 |
| <i>Weigela subsessilis</i> : Q-1, FF-1 | <i>Zelkova carpinifolia</i> : X-1 |
| <i>Wikstroemia gemmata</i> : Sand Bed-1 | <i>Zelkova schneideriana</i> : M-1, U-1 |
| <i>Wisteria floribunda</i> 'Macrobotrys' : X-1 | <i>Zelkova serrata</i> : Z-1 |
| <i>Wisteria ×formosa</i> : DD-1 | <i>Zelkova serrata</i> 'Goblin' : Y-1 |
| <i>Wisteria frutescens</i> 'Alba' : GG-2 | <i>Zelkova serrata</i> 'Goshiki' : U-1 |
| <i>Wisteria frutescens</i> (dwarf) : Z-1 | <i>Zelkova sinica</i> : M-1, V-1 |
| <i>Wisteria macrostachya</i> 'Blue Moon' : Shade House-1 | |

**Guide to Plants in the
Charles R. Keith Arboretum**

Zelkova

April 22, 2012

Zelkova ×verschaffeltii : V-1

Zenobia pulverulenta : GG-1

Zenobia pulverulenta 'Blue Sky' : FF-1

Ziziphus jujuba 'Lang' : FF-1

Ziziphus jujuba 'Li' : FF- 1