

Boldface = breeding Bird/ + = Scattered reports throughout the winter/ * = Rare and/or Local Breeder/ ** = Erratic or Infrequent Breeder/ P.R. = Permanent Resident

Species		First Date	Town	No.	Last Date	Town	No.	Extra-Normal
Greater White-fronted Goose	Spring							
9C-11B	Fall							
Snow Goose	Spring							
3C-4D, 10A-11B	Fall							
Brant	Spring							
3D-5D, 10A-11D	Fall							
Cackling Goose	Spring							
3C-5D, 10A-11D	Fall							
Canada Goose	Spring							
P.R.	Fall							
Mute Swan +	Spring							
3B-11D	Fall							
Wood Duck +	Spring							
3A-11D	Fall							
Gadwall +	Spring							
3C-4D, 8B-11B	Fall							
American Wigeon +	Spring							
3A-5B, 8C-12D	Fall							
American Black Duck *	Spring							
P.R.	Fall							
Mallard	Spring							
P.R.	Fall							
Blue-winged Teal **	Spring							
3D-5D, 8A-10D	Fall							
Northern Shoveler +	Spring							
3C-5D, 8A-12D	Fall							

Boldface = breeding Bird/ + = Scattered reports throughout the winter/ * = Rare and/or Local Breeder/ ** = Erratic or Infrequent Breeder/ P.R. = Permanent Resident

Species		First Date	Town	No.	Last Date	Town	No.	Extra-Normal
Northern Pintail +	Spring							
3A-4D, 8D-11D	Fall							
Green-winged Teal * +	Spring							
3A-5D, 8A-11D	Fall							
Canvasback	Spring							
3A-4D, 10B-12D	Fall							
Redhead	Spring							
3B-4B, 10B-11D	Fall							
Ring-necked Duck +	Spring							
3A-5B, 9D-12A	Fall							
Greater Scaup +	Spring							
3C-4D, 10A-12D	Fall							
Lesser Scaup +	Spring							
3A-4D, 9D-11D	Fall							
Surf Scoter	Spring							
4C-5B, 9B-11D	Fall							
White-winged Scoter	Spring							
4C-5B, 9B-11D	Fall							
Black Scoter	Spring							
4C-5B, 9B-11D	Fall							
Long-tailed Duck	Spring							
4A-5C, 10C-12C	Fall							
Bufflehead +	Spring							
3C-5B, 10C-12C	Fall							
Common Goldeneye +	Spring							
2D-5A, 10C-12D	Fall							

Boldface = breeding Bird/ + = Scattered reports throughout the winter/ * = Rare and/or Local Breeder/ ** = Erratic or Infrequent Breeder/ P.R. = Permanent Resident

Species		First Date	Town	No.	Last Date	Town	No.	Extra-Normal
Barrow's Goldeneye	Spring							
3C-5D, 10A-11D	Fall							
Hooded Merganser *	Spring							
P. R.	Fall							
Common Merganser * +	Spring							
4A-5C, 9D-12D	Fall							
Red-breasted Merganser	Spring							
3C-5B, 10B-12A	Fall							
Ruddy Duck +	Spring							
9D-12A	Fall							
Ring-necked Pheasant	Spring							
	Fall							
Ruffed Grouse	Spring							
P.R.	Fall							
Wild Turkey	Spring							
P.R.	Fall							
Northern Bobwhite	Spring							
	Fall							
Red-throated Loon	Spring							
4B-5C, 10A-12B	Fall							
Common Loon * +	Spring							
4A-5D, 9A-12D	Fall							
Pied-billed Grebe * +	Spring							
3B-5B, 8C-12B	Fall							
Horned Grebe	Spring							
3D-5C, 9D-12D	Fall							

Boldface = breeding Bird/ + = Scattered reports throughout the winter/ * = Rare and/or Local Breeder/ ** = Erratic or Infrequent Breeder/ P.R. = Permanent Resident

Species		First Date	Town	No.	Last Date	Town	No.	Extra-Normal
Red-necked Grebe	Spring							
3D-4D, 10A-11D	Fall							
Double-crested Cormorant	Spring							
4A-11C	Fall							
Great Cormorant	Spring							
10A-5A	Fall							
American Bittern *	Spring							
4B-11B	Fall							
Least Bittern *	Spring							
5D-8B	Fall							
Great Blue Heron +	Spring							
3B-11D	Fall							
Great Egret	Spring							
4D-5C, 7B-9C	Fall							
Snowy Egret	Spring							
4D-5D, 7D-9C	Fall							
Little Blue Heron	Spring							
5A-5D, 8A-9D	Fall							
Cattle Egret	Spring							
4B-5C	Fall							
Green Heron	Spring							
4D-10B	Fall							
Black-crowned Night Heron	Spring							
3D-10B	Fall							
Glossy Ibis	Spring							
4B-5C	Fall							

Boldface = breeding Bird/ + = Scattered reports throughout the winter/ * = Rare and/or Local Breeder/ ** = Erratic or Infrequent Breeder/ P.R. = Permanent Resident

Species		First Date	Town	No.	Last Date	Town	No.	Extra-Normal
Black Vulture	Spring							
4A-6A, 8A-10-D	Fall							
Turkey Vulture * +	Spring							
2D-11B	Fall							
Osprey *	Spring							
4A-5B, 8D-11B	Fall							
Bald Eagle *	Spring							
P.R.	Fall							
Northern Harrier +	Spring							
3B-5C, 8C-11B	Fall							
Sharp-shinned Hawk * +	Spring							
4A-11D	Fall							
Cooper's Hawk +	Spring							
4A-11D	Fall							
Northern Goshawk *	Spring							
P.R.	Fall							
Red-shouldered Hawk +	Spring							
3A-11D	Fall							
Broad-winged Hawk	Spring							
4B-10A	Fall							
Red-tailed Hawk	Spring							
P.R.	Fall							
Rough-legged Hawk	Spring							
10B-4D	Fall							
Golden Eagle	Spring							
9B-9C, 10D-4B	Fall							

Boldface = breeding Bird/ + = Scattered reports throughout the winter/ * = Rare and/or Local Breeder/ ** = Erratic or Infrequent Breeder/ P.R. = Permanent Resident

Species		First Date	Town	No.	Last Date	Town	No.	Extra-Normal
American Kestrel +	Spring							
3A-11B	Fall							
Merlin +	Spring							
4A-5D, 9A-11B	Fall							
Peregrine Falcon * +	Spring							
4B-5C, 9B-10D	Fall							
Virginia Rail +	Spring							
4C-10C	Fall							
Sora *	Spring							
4C-10C	Fall							
Common Moorhen	Spring							
4B-10B	Fall							
American Coot +	Spring							
5C-5D, 10B-12A	Fall							
Sandhill Crane	Spring							
4A-5B, 10A-11A	Fall							
Black-bellied Plover	Spring							
5A-5D, 7D-12A	Fall							
American Golden Plover	Spring							
8D-10C	Fall							
Semipalmated Plover	Spring							
5B-6A, 7D-10A	Fall							
Killdeer +	Spring							
3B-11B	Fall							
Spotted Sandpiper	Spring							
4D-10D	Fall							

Boldface = breeding Bird/ + = Scattered reports throughout the winter/ * = Rare and/or Local Breeder/ ** = Erratic or Infrequent Breeder/ P.R. = Permanent Resident

Species		First Date	Town	No.	Last Date	Town	No.	Extra-Normal
Solitary Sandpiper	Spring							
4D-5C, 7A-10A	Fall							
Greater Yellowlegs	Spring							
4A-6A, 7C-11B	Fall							
Lesser Yellowlegs	Spring							
4C-5C, 7A-10B	Fall							
Upland Sandpiper *	Spring							
4D-9A	Fall							
Ruddy Turnstone	Spring							
5B-6A, 7B-9D	Fall							
Sanderling	Spring							
7C-11B	Fall							
Semipalmated Sandpiper	Spring							
5B-5D, 7B-9C	Fall							
Least Sandpiper	Spring							
5A-6A, 7A-10A	Fall							
White-rumped Sandpiper	Spring							
5B-6B, 7C-11B	Fall							
Baird's Sandpiper	Spring							
8A-9C	Fall							
Pectoral Sandpiper	Spring							
4B-5C, 7C-11B	Fall							
Dunlin	Spring							
5A-5D, 9B-11B	Fall							
Buff-breasted Sandpiper	Spring							
8C-9C	Fall							

Boldface = breeding Bird/ + = Scattered reports throughout the winter/ * = Rare and/or Local Breeder/ ** = Erratic or Infrequent Breeder/ P.R. = Permanent Resident

Species		First Date	Town	No.	Last Date	Town	No.	Extra-Normal
Short-billed Dowitcher	Spring							
5A-6B, 7A-9D	Fall							
Wilson's Snipe ** +	Spring							
3D-5C, 8D-11D	Fall							
American Woodcock +	Spring							
3A-11B	Fall							
Bonaparte's Gull	Spring							
4A-6B,7B-11D	Fall							
Ring-billed Gull	Spring							
P. R.	Fall							
Herring Gull	Spring							
P.R.	Fall							
Iceland Gull	Spring							
11C-5C	Fall							
Lesser Black-backed Gull	Spring							
11C-5C	Fall							
Glaucous Gull	Spring							
12A-4D	Fall							
Great Black-backed Gull	Spring							
P.R.	Fall							
Black Tern	Spring							
5C-6A, 8B-9B	Fall							
Common Tern	Spring							
5C-6A	Fall							
Rock Pigeon	Spring							
P.R.	Fall							

Boldface = breeding Bird/ + = Scattered reports throughout the winter/ * = Rare and/or Local Breeder/ ** = Erratic or Infrequent Breeder/ P.R. = Permanent Resident

Species		First Date	Town	No.	Last Date	Town	No.	Extra-Normal
Mourning Dove	Spring							
P.R.	Fall							
Yellow-billed Cuckoo	Spring							
5C-10B	Fall							
Black-billed Cuckoo	Spring							
5C-10B	Fall							
Eastern Screech Owl	Spring							
P.R.	Fall							
Great Horned Owl	Spring							
P.R.	Fall							
Snowy Owl	Spring							
11A-4A	Fall							
Barred Owl	Spring							
P.R.	Fall							
Long-eared Owl *	Spring							
P.R.	Fall							
Short-eared Owl	Spring							
10A-4D	Fall							
Northern Saw-whet Owl *	Spring							
P.R.	Fall							
Common Nighthawk	Spring							
5C-9C	Fall							
Whip-poor-will *	Spring							
4D-9D	Fall							
Chimney Swift	Spring							
4D-10A	Fall							

Boldface = breeding Bird/ + = Scattered reports throughout the winter/ * = Rare and/or Local Breeder/ ** = Erratic or Infrequent Breeder/ P.R. = Permanent Resident

Species		First Date	Town	No.	Last Date	Town	No.	Extra-Normal
Ruby-throated Hummingbird	Spring							
5A-9C	Fall							
Belted Kingfisher +	Spring							
3C-11D	Fall							
Red-headed Woodpecker	Spring							
	Fall							
Red-bellied Woodpecker	Spring							
P.R.	Fall							
Yellow-bellied Sapsucker +	Spring							
4B-10B	Fall							
Downy Woodpecker	Spring							
P.R.	Fall							
Hairy Woodpecker	Spring							
P.R.	Fall							
Northern Flicker +	Spring							
3A-11A	Fall							
Pileated Woodpecker	Spring							
P.R.	Fall							
Olive-sided Flycatcher	Spring							
5C-6B, 8C-9C	Fall							
Eastern Wood-Pewee	Spring							
5C-10A	Fall							
Yellow-bellied Flycatcher	Spring							
5C-6B, 8C-9C	Fall							
Acadian Flycatcher	Spring							
5C-8C	Fall							

Boldface = breeding Bird/ + = Scattered reports throughout the winter/ * = Rare and/or Local Breeder/ ** = Erratic or Infrequent Breeder/ P.R. = Permanent Resident

Species		First Date	Town	No.	Last Date	Town	No.	Extra-Normal
Alder Flycatcher	Spring							
5C-9B	Fall							
Willow Flycatcher	Spring							
5C-9B	Fall							
Least Flycatcher	Spring							
4D-9C	Fall							
Eastern Phoebe	Spring							
3A-10C	Fall							
Great-crested Flycatcher	Spring							
4D-9C	Fall							
Western Kingbird	Spring							
9A-11B	Fall							
Eastern Kingbird	Spring							
4D-9A	Fall							
Loggerhead Shrike	Spring							
3C-4D, 8B-10A	Fall							
Northern Shrike	Spring							
10A-4A	Fall							
White-eyed Vireo	Spring							
5A-9D	Fall							
Yellow-throated Vireo	Spring							
5B-9C	Fall							
Blue-headed Vireo	Spring							
4B-10B	Fall							
Warbling Vireo	Spring							
5A-9B	Fall							

Boldface = breeding Bird/ + = Scattered reports throughout the winter/ * = Rare and/or Local Breeder/ ** = Erratic or Infrequent Breeder/ P.R. = Permanent Resident

Species		First Date	Town	No.	Last Date	Town	No.	Extra-Normal
Philadelphia Vireo	Spring							
5C-5D, 8D-10A	Fall							
Red-eyed Vireo	Spring							
5C-10A	Fall							
Blue Jay	Spring							
P.R.	Fall							
American Crow	Spring							
P.R.	Fall							
Fish Crow +	Spring							
	Fall							
Common Raven *	Spring							
P.R.	Fall							
Horned Lark *	Spring							
P.R.	Fall							
Purple Martin	Spring							
4B-9A	Fall							
Tree Swallow	Spring							
3C-10D	Fall							
N. Rough-winged Swallow	Spring							
4C-8B	Fall							
Bank Swallow	Spring							
4C-9B	Fall							
Cliff Swallow	Spring							
4D-9A	Fall							
Barn Swallow	Spring							
4B-10C	Fall							

Boldface = breeding Bird/ + = Scattered reports throughout the winter/ * = Rare and/or Local Breeder/ ** = Erratic or Infrequent Breeder/ P.R. = Permanent Resident

Species		First Date	Town	No.	Last Date	Town	No.	Extra-Normal
Black-capped Chickadee	Spring							
P.R.	Fall							
Boreal Chickadee	Spring							
10C-5A	Fall							
Tufted Titmouse	Spring							
P.R.	Fall							
Red-breasted Nuthatch	Spring							
P.R.	Fall							
White-breasted Nuthatch	Spring							
P.R.	Fall							
Brown Creeper	Spring							
P.R.	Fall							
Carolina Wren	Spring							
P.R.	Fall							
House Wren	Spring							
4C-10D	Fall							
Winter Wren +	Spring							
4B-11B	Fall							
Sedge Wren **	Spring							
4C-10D	Fall							
Marsh Wren *	Spring							
4C-10D	Fall							
Golden-crowned Kinglet *	Spring							
9B-5B	Fall							
Ruby-crowned Kinglet	Spring							
5C-5C, 9B-11A	Fall							

Boldface = breeding Bird/ + = Scattered reports throughout the winter/ * = Rare and/or Local Breeder/ ** = Erratic or Infrequent Breeder/ P.R. = Permanent Resident

Species		First Date	Town	No.	Last Date	Town	No.	Extra-Normal
Blue-gray Gnatcatcher	Spring							
4C-9C	Fall							
Eastern Bluebird +	Spring							
3C-11B	Fall							
Veery	Spring							
5A-9C	Fall							
Gray-cheeked/Bicknell's Thrush	Spring							
5C-5D, 9B-10A	Fall							
Swainson's Thrush	Spring							
5B-5D, 8D-10A	Fall							
Hermit Thrush +	Spring							
4B-11A	Fall							
Wood Thrush	Spring							
4D-9D	Fall							
American Robin	Spring							
P.R.	Fall							
Gray Catbird	Spring							
4D-10C	Fall							
Northern Mockingbird	Spring							
P.R.	Fall							
Brown Thrasher	Spring							
4C-10C	Fall							
European Starling	Spring							
P.R.	Fall							
American Pipit	Spring							
3D-5C, 9B-11B	Fall							

Boldface = breeding Bird/ + = Scattered reports throughout the winter/ * = Rare and/or Local Breeder/ ** = Erratic or Infrequent Breeder/ P.R. = Permanent Resident

Species		First Date	Town	No.	Last Date	Town	No.	Extra-Normal
Bohemian Waxwing	Spring							
11C-3C	Fall							
Cedar Waxwing	Spring							
P.R.	Fall							
Blue-winged Warbler	Spring							
5A-9C	Fall							
Golden-winged Warbler	Spring							
5B-8A	Fall							
Tennessee Warbler	Spring							
5A-6A, 8D-10A	Fall							
Orange-crowned Warbler	Spring							
9B-11D	Fall							
Nashville Warbler	Spring							
5A-10B	Fall							
Northern Parula	Spring							
4D-6A, 8D-10B	Fall							
Yellow Warbler	Spring							
4D-10A	Fall							
Chestnut-sided Warbler	Spring							
5A-9C	Fall							
Magnolia Warbler	Spring							
5A-10B	Fall							
Cape May Warbler	Spring							
5B-5D, 8C-10B	Fall							
Black-throated Blue Warbler	Spring							
5A-10B	Fall							

Boldface = breeding Bird/ + = Scattered reports throughout the winter/ * = Rare and/or Local Breeder/ ** = Erratic or Infrequent Breeder/ P.R. = Permanent Resident

Species		First Date	Town	No.	Last Date	Town	No.	Extra-Normal
Yellow-rumped Warbler +	Spring							
4B-11D	Fall							
Black-throated Green Warbler	Spring							
4D-10B	Fall							
Blackburnian Warbler	Spring							
4D-9D	Fall							
Pine Warbler	Spring							
4B-10D	Fall							
Prairie Warbler	Spring							
5A-10A	Fall							
Palm Warbler	Spring							
4A-5B, 9A-11A	Fall							
Bay-breasted Warbler	Spring							
5B-5D, 8C-9B	Fall							
Blackpoll Warbler	Spring							
5B-6A, 8D-10C	Fall							
Cerulean Warbler	Spring							
5B-9B	Fall							
Black-and-white Warbler	Spring							
4D-9D	Fall							
American Redstart	Spring							
5A-10B	Fall							
Worm-eating Warbler *	Spring							
5B-9C	Fall							
Ovenbird	Spring							
5A-10A	Fall							

Boldface = breeding Bird/ + = Scattered reports throughout the winter/ * = Rare and/or Local Breeder/ ** = Erratic or Infrequent Breeder/ P.R. = Permanent Resident

Species		First Date	Town	No.	Last Date	Town	No.	Extra-Normal
Northern Waterthrush	Spring							
4D-9D	Fall							
Louisiana Waterthrush	Spring							
4C-8B	Fall							
Kentucky Warbler	Spring							
5C-6A	Fall							
Connecticut Warbler	Spring							
9A-10A	Fall							
Mourning Warbler	Spring							
5C-6A, 8D-9D	Fall							
Common Yellowthroat	Spring							
5A-10D	Fall							
Hooded Warbler	Spring							
5B-5D, 8C-9D	Fall							
Wilson's Warbler	Spring							
5B-5D	Fall							
Canada Warbler	Spring							
5B-9C	Fall							
Yellow-breasted Chat	Spring							
5C-6A, 8D-9D	Fall							
Scarlet Tanager	Spring							
5B-10B	Fall							
Eastern Towhee	Spring							
4D-10D	Fall							
American Tree Sparrow	Spring							
10C-4D	Fall							

Boldface = breeding Bird/ + = Scattered reports throughout the winter/ * = Rare and/or Local Breeder/ ** = Erratic or Infrequent Breeder/ P.R. = Permanent Resident

Species		First Date	Town	No.	Last Date	Town	No.	Extra-Normal
Chipping Sparrow	Spring							
4B-10D	Fall							
Clay-colored Sparrow	Spring							
9C-10D	Fall							
Field Sparrow +	Spring							
3C-11A	Fall							
Vesper Sparrow *	Spring							
4A-11A	Fall							
Savannah Sparrow	Spring							
4B-10D	Fall							
Grasshopper Sparrow *	Spring							
5B-11A	Fall							
Henslow's Sparrow	Spring							
9B-10D	Fall							
Nelson's Sharp-tailed sparrow	Spring							
5C-5D, 9B-10A	Fall							
Fox Sparrow +	Spring							
3A-4D, 10B-11D	Fall							
Song Sparrow	Spring							
P.R.	Fall							
Lincoln's Sparrow	Spring							
5B-5D, 9B-10D	Fall							
Swamp Sparrow +	Spring							
4A-11B	Fall							
White-throated Sparrow	Spring							
P.R.	Fall							

Boldface = breeding Bird/ + = Scattered reports throughout the winter/ * = Rare and/or Local Breeder/ ** = Erratic or Infrequent Breeder/ P.R. = Permanent Resident

Species		First Date	Town	No.	Last Date	Town	No.	Extra-Normal
White-crowned Sparrow	Spring							
5A-5C, 9B-11A	Fall							
Dark-eyed Junco	Spring							
P.R.	Fall							
Lapland Longspur	Spring							
10B-4A	Fall							
Snow Bunting	Spring							
10C-4A	Fall							
Northern Cardinal	Spring							
P.R.	Fall							
Rose-breasted Grosbeak	Spring							
5A-10D	Fall							
Indigo Bunting	Spring							
5C-10B	Fall							
Dickcissel	Spring							
8B-12D	Fall							
Bobolink	Spring							
5A-10A	Fall							
Red-winged Blackbird +	Spring							
3A-11B	Fall							
Eastern Meadowlark +	Spring							
3B-10D	Fall							
Rusty Blackbird +	Spring							
3B-5A, 9C-11A	Fall							
Common Grackle +	Spring							
3A-11B	Fall							

Boldface = breeding Bird/ + = Scattered reports throughout the winter/ * = Rare and/or Local Breeder/ ** = Erratic or Infrequent Breeder/ P.R. = Permanent Resident

Species		First Date	Town	No.	Last Date	Town	No.	Extra-Normal
Brown-headed Cowbird +	Spring							
3B-11D	Fall							
Orchard Oriole	Spring							
5A-7C	Fall							
Baltimore Oriole +	Spring							
5A-10D	Fall							
Pine Grosbeak	Spring							
11A-3C	Fall							
Purple Finch +	Spring							
2D-11B	Fall							
House Finch	Spring							
P.R.	Fall							
Red Crossbill **	Spring							
10D-4C	Fall							
White-winged Crossbill	Spring							
10C-3D	Fall							
Common Redpoll	Spring							
11D-4C	Fall							
Pine Siskin **	Spring							
10A-6B	Fall							
American Goldfinch	Spring							
P.R.	Fall							
Evening Grosbeak * +	Spring							
10B-5D	Fall							
House Sparrow	Spring							
P.R.	Fall							

