



Insight Report



# Comparative Summary of 2017-2018 National Survey on Drug Use and Health Results for Idaho

## Series Publication



**Oregon – Idaho High Intensity Drug Trafficking Area**

**4190 Aumsville Hwy, Salem, OR 97317**

## Table of Contents

<b>Section I: Report Purpose and Scope</b>	<b>Pg. 3</b>
<b>Section II: Oregon Summary</b>	<b>Pg. 4</b>
<b>Section III: Oregon Infographics</b>	<b>Pg. 5</b>
Illicit Drug Use in the Past Month	Pg. 5
Marijuana Use in the Past Year	Pg. 6
Marijuana Use in the Past Month	Pg. 7
Perceptions of Great Risk from Smoking Marijuana Once a Month	Pg. 8
First Use of Marijuana	Pg. 9
Illicit Drug Use Other than Marijuana in the Past Month	Pg. 10
Cocaine Use in the Past Year	Pg. 11
Perceptions of Great Risk from Using Cocaine Once a Month	Pg. 12
Heroin Use in the Past Year	Pg. 13
Perceptions of Great Risk from Trying Heroin Once or Twice	Pg. 14
Methamphetamine Use in the Past Year	Pg. 15
Pain Reliever Misuse in the Past Year	Pg. 16
Alcohol Use in the Past Month	Pg. 17
Binge Alcohol Use in the Past Month	Pg. 18
Perceptions of Risk from Having Five or More Drinks Once or Twice a Week	Pg. 19
Alcohol Use and Binge Alcohol Use in the Past Month	Pg. 20
Tobacco Product Use in the Past Month	Pg. 21
Cigarette Use in the Past Month	Pg. 22
Perceptions of Great Risk from Smoking One or More Packs per Day	Pg. 23
Illicit Drug Use Disorder in the Past Year	Pg. 24
Pain Reliever Use Disorder in the Past Year	Pg. 25
Alcohol Use Disorder in the Past Year	Pg. 26
Substance Use Disorder in the Past Year	Pg. 27
Needing but Not Recv. Treatment at a Spec. Facility for Illicit Drug Use in the Past Year	Pg. 28
Needing but Not Recv. Treatment at Spec. Facility for Alcohol Use in the Past Year	Pg. 29
Needing but Not Recv. Treatment at a Spec. Facility for Substance Use in Past Year	Pg. 30
Serious Mental Illness in the Past Year	Pg. 31
Received Mental Health Services in the Past Year	Pg. 32
Any Mental Illness in the Past Year	Pg. 33
Had Serious Thoughts of Suicide in the Past Year	Pg. 34
Major Depressive Episode in the Past Year	Pg. 35

## Report Purpose and Scope

This publication provides a series of comparative infographics on state-level data for Idaho. The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) series. The information herein is a high-level summary and readers are encouraged to read the individual state reports from NSDUH for greater detail including the significance of incremental changes within any individual category. The NSDUH has been conducted in all states since 1971 for the purpose of supporting prevention and treatment program planning, and monitoring substance use trends. Participants are selected at random by household. The survey is taken by people in their homes, with some questions asked by an interviewer and some read and answered by the participant using a computer. More information about the survey is available at <https://nsduhweb.rti.org/respweb/homepage.cfm>

This report displays two indicators per page, organized by state. First, population percentages for the state and U.S. for ages 12+, 18+ and 26+ (when available) are shown, with a comparison of 2016–2017 and 2017–2018 NSDUH surveys to identify increases or decreases. Second, the national ranking for the state over the past three survey years and how the state compares to the current national average.

In total, this information can be incorporated into analysis of the threat environment facing the Oregon-Idaho HIDTA when it comes to substance use disorders, drug use trends, and public-health outcomes.

**Idaho** averages were consistently lower than Oregon and remained close to national averages in most reported use categories reported in 2018. In terms of illicit drug use, Idaho averages were lower than the national averages in *Illicit Drug Use in Past Month* and *Illicit Drug Use other than Marijuana in Past Month*, with the latter showing a notable decrease. Idaho's average for *Methamphetamine Use in the Past Year* decreased in 2018, dropping from 9th to 22nd nationally, but remains higher than the national average. The average for Idaho nearly matched the national average for *Heroin Use in the Past Year* and ranked 49th nationally in *Cocaine Use in the Past Year*. The category *First Use of Marijuana* among ages 12+ showed a slight decrease in the state in 2018 but an increase in *Marijuana Use in the Past Year* for all age groups. Lastly, the state's average increased for *Pain Reliever Misuse in the Past Year* and rose to 8th nationally -- higher than national trends for all age categories.

### ***Idaho Perception of Risk***

Idaho's perception percentage decreased across all surveyed age populations for *Perceptions of Great Risk from Smoking Marijuana Once a Month*. *Perceptions of Great Risk from Trying Heroin Once or Twice* and *Perceptions of Great Risk from Using Cocaine Once a Month* increased for most age categories, with a slight decrease reported among the age 12+ surveyed population regarding cocaine use. All perception categories remained below the national average.

### ***Idaho Health Outcomes***

The average for *Substance Use Disorder in the Past Year* showed a notable decrease among reported age populations in Idaho in 2018, in line with continued national declines. The state averages decreased for *Serious Mental Illness, Any Mental Illness in the Past Year* and *Had Serious Thoughts of Suicide in the Past Year* but remain in the top ten ranked states and above the national average.



# Illicit Drug Use in the Past Month

Idaho Relative to the National Annual Average by Age Group  
2016-2017 and 2017-2018 NSDUHs



Idaho

National

Ages 12+

2016-2017	2017-2018	2016-2017	2017-2018
9.02%	9.44% ↑	10.90%	11.43% ↑

Ages 18+

2016-2017	2017-2018	2016-2017	2017-2018
9.19%	9.68% ↑	11.21%	11.78% ↑

Ages 26+

2016-2017	2017-2018	2016-2017	2017-2018
7.79%	8.38% ↑	9.18%	9.82% ↑

## Idaho National Ranking 2015-2018

Surveyed Ages 12+ all 50 states and District of Columbia

2015-2016	2016-2017	2017-2018
33	38	40

BELOW  
National Average

2017-2018: Lower national rank with increase in use reported.

### Key

↑

↓

=



The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) 2018 series.



# Marijuana Use in the Past Year

Idaho Relative to the National Annual Average by Age Group  
2016-2017 and 2017-2018 NSDUHs



Idaho

National

Ages 12+

2016-2017	2017-2018	2016-2017	2017-2018
12.62%	13.78% ↑	14.50%	15.47% ↑

Ages 18+

2016-2017	2017-2018	2016-2017	2017-2018
12.70%	13.96% ↑	14.73%	15.77% ↑

Ages 26+

2016-2017	2017-2018	2016-2017	2017-2018
10.09%	11.58% ↑	11.61%	12.73% ↑

## Idaho National Ranking 2015-2018

Surveyed Ages 12+ all 50 states and District of Columbia

2015-2016	2016-2017	2017-2018
36	34	29

BELOW  
National Average

2017-2018: Higher national rank with increase in use reported.

### Key

↑



↓



=



The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) 2018 series.



# Marijuana Use in the Past Month

Idaho Relative to the National Annual Average by Age Group  
2016-2017 and 2017-2018 NSDUHs



Idaho

National

Ages 12+

2016-2017	2017-2018	2016-2017	2017-2018
7.62%	8.21% ↑	9.23%	9.83% ↑

Ages 18+

2016-2017	2017-2018	2016-2017	2017-2018
7.78%	8.45% ↑	9.51%	10.16% ↑

Ages 26+

2016-2017	2017-2018	2016-2017	2017-2018
6.40%	7.11% ↑	7.56%	8.25% ↑

## Key

↑



↓



=



## Idaho National Ranking 2015-2018

Surveyed Ages 12+ all 50 states and District of Columbia

2015-2016	2016-2017	2017-2018
37	36	36

BELOW  
National Average

2017-2018: No change in national rank with increase in use reported.

The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) 2018 series.

# Perceptions of Great Risk from Smoking Marijuana Once a Month

Idaho Relative to the National Annual Average by Age Group  
2016-2017 and 2017-2018 NSDUHs



Idaho

National

Ages 12+

2016-2017	2017-2018		2016-2017	2017-2018	
26.60%	25.23%	↓	26.91%	25.41%	↓

Ages 18+

2016-2017	2017-2018		2016-2017	2017-2018	
26.30%	25.27%	↓	27.03%	25.73%	↓

Ages 26+

2016-2017	2017-2018		2016-2017	2017-2018	
28.49%	27.41%	↓	29.35%	27.92%	↓

## Idaho National Ranking 2015-2018

Surveyed Ages 12+ all 50 states and District of Columbia

2015-2016	2016-2017	2017-2018
21	20	18

BELOW  
National Average

2017-2018: Higher national rank with decrease of perception reported.

### Key

↑



↓



=



The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) 2018 series.



# First Use of Marijuana

Idaho Relative to the National Annual Average by Age Group  
2016-2017 and 2017-2018 NSDUHs



Idaho

National

Ages 12+

2016-2017	2017-2018	2016-2017	2017-2018
2.01%	1.99% ↓	2.03%	2.17% ↑

Ages 18+

2016-2017	2017-2018	2016-2017	2017-2018
1.46%	1.27% ↓	1.48%	1.6% ↑

Ages 26+

2016-2017	2017-2018	2016-2017	2017-2018
0.42%	0.32% ↓	0.45%	0.53% ↑

## Idaho National Ranking 2015-2018

Surveyed Ages 12+ all 50 states and District of Columbia

2015-2016	2016-2017	2017-2018
38	29	28

BELOW  
National Average

2017-2018: Higher national rank with decrease of first time use reported.

### Key

↑



↓



=



The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) 2018 series.



# Illicit Drug Use Other than Marijuana in the Past Month

Idaho Relative to the National Annual Average by Age Group  
2016-2017 and 2017-2018 NSDUHs



Idaho

National

Ages 12+

2016-2017	2017-2018		2016-2017	2017-2018
2.99%	2.64%	↓	3.38%	3.30%

Ages 18+

2016-2017	2017-2018		2016-2017	2017-2018
3.04%	2.67%	↓	3.47%	3.39%

Ages 26+

2016-2017	2017-2018		2016-2017	2017-2018
2.55%	2.30%	↓	2.88%	2.88%

Key

↑



↓



=



## Idaho National Ranking 2015-2018

Surveyed Ages 12+ all 50 states and District of Columbia

2015-2016	2016-2017	2017-2018
27	42	49

BELOW  
National Average

2017-2018: Lower national rank with decrease in use reported.

The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) 2018 series.



# Cocaine Use in the Past Year

Idaho Relative to the National Annual Average by Age Group  
2016-2017 and 2017-2018 NSDUHs



Idaho

National

Ages 12+

2016-2017	2017-2018		2016-2017	2017-2018
1.37%	1.37%	=	2.03%	2.10% ↑

Ages 18+

2016-2017	2017-2018		2016-2017	2017-2018
1.45%	1.46%	↑	2.19%	2.26% ↑

Ages 26+

2016-2017	2017-2018		2016-2017	2017-2018
0.99%	1.05%	↑	1.59%	1.67% ↑

## Key

↑



↓



=



## Idaho National Ranking 2015-2018

Surveyed Ages 12+ all 50 states and District of Columbia

2015-2016	2016-2017	2017-2018
45	50	49

BELOW  
National Average

2017-2018: Higher national rank with same use rate reported.

The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) 2018 series.



# Perceptions of Great Risk from Using Cocaine Once a Month

Idaho Relative to the National Annual Average by Age Group  
2016-2017 and 2017-2018 NSDUHs



Idaho

National

Ages 12+

2016-2017	2017-2018	2016-2017	2017-2018
71.25%	71.22% ↓	71.55%	71.27% ↓

Ages 18+

2016-2017	2017-2018	2016-2017	2017-2018
73.10%	73.24% ↑	73.11%	72.89% ↓

Ages 26+

2016-2017	2017-2018	2016-2017	2017-2018
74.42%	74.60% ↑	74.62%	74.50% ↓

Key

↑



↓



=



## Idaho National Ranking 2015–2018

Surveyed Ages 12+ all 50 states and District of Columbia

2015-2016	2016-2017	2017-2018
31	51	22

BELOW  
National Average

2017-2018: Higher national rank with decrease of perception reported.

The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) 2018 series.

# Heroin Use in the Past Year

Idaho Relative to the National Annual Average by Age Group  
2016-2017 and 2017-2018 NSDUHs



Idaho

National

Ages 12+

2016-2017	2017-2018	2016-2017	2017-2018
0.33%	0.32% ↓	0.34%	0.31% ↓

Ages 18+

2016-2017	2017-2018	2016-2017	2017-2018
0.36%	0.35% ↓	0.37%	0.34% ↓

Ages 26+

2016-2017	2017-2018	2016-2017	2017-2018
0.32%	0.32% =	0.32%	0.30% ↓

## Key

↑



↓



=



## Idaho National Ranking 2015-2018

Surveyed Ages 12+ all 50 states and District of Columbia

2015-2016	2016-2017	2017-2018
28	27	26

**ABOVE  
National Average**

2017-2018: Higher national rank with decrease in use reported.

The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) 2018 series.

# Perceptions of Great Risk from Trying Heroin Once or Twice

Idaho Relative to the National Annual Average by Age Group  
2016-2017 and 2017-2018 NSDUHs



Idaho

National

Ages 12+

2016-2017	2017-2018	2016-2017	2017-2018
85.00%	85.82% ↑	86.00%	86.29% ↑

Ages 18+

2016-2017	2017-2018	2016-2017	2017-2018
87.15%	88.18% ↑	88.00%	88.35% ↑

Ages 26+

2016-2017	2017-2018	2016-2017	2017-2018
88.34%	89.26% ↑	88.85%	89.29% ↑

Key

↑



↓



=



## Idaho National Ranking 2015-2018

Surveyed Ages 12+ all 50 states and District of Columbia

2015-2016	2016-2017	2017-2018
42	34	28

BELOW  
National Average

2017-2018: Higher national rank with increase of perception reported.

The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) 2018 series.



# Methamphetamine Use in the Past Year

Idaho Relative to the National Annual Average by Age Group  
2016-2017 and 2017-2018 NSDUHs



Idaho

National

Ages 12+

2016-2017	2017-2018	2016-2017	2017-2018
0.87%	0.79% ↓	0.56%	0.64% ↑

Ages 18+

2016-2017	2017-2018	2016-2017	2017-2018
0.94%	0.86% ↓	0.60%	0.69% ↑

Ages 26+

2016-2017	2017-2018	2016-2017	2017-2018
0.83%	0.79% ↓	0.55%	0.65% ↑

Key

↑



↓



=



## Idaho National Ranking 2015-2018

Surveyed Ages 12+ all 50 states and District of Columbia

2015-2016	2016-2017	2017-2018
15	9	22

ABOVE  
National Average

2017-2018: Lower national rank with decrease in use reported

The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) 2018 series.



# Pain Reliever Misuse in the Past Year

Idaho Relative to the National Annual Average by Age Group  
2016-2017 and 2017-2018 NSDUHs



Idaho

National

Ages 12+

2016-2017	2017-2018		2016-2017	2017-2018	
4.25%	4.47%	↑	4.17%	3.85%	↓

Ages 18+

2016-2017	2017-2018		2016-2017	2017-2018	
4.34%	4.58%	↑	4.26%	3.94%	↓

Ages 26+

2016-2017	2017-2018		2016-2017	2017-2018	
3.87%	4.41%	↑	3.79%	3.56%	↓

## Key

↑



↓



=



## Idaho National Ranking 2015-2018

Surveyed Ages 12+ all 50 states and District of Columbia

2015-2016	2016-2017	2017-2018
5	24	8

**ABOVE  
National Average**

2017-2018: Higher national rank with increase in misuse reported.

The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) 2018 series.





# Alcohol Use in the Past Month

Idaho Relative to the National Annual Average by Age Group  
2016-2017 and 2017-2018 NSDUHs



Idaho

National

Ages 12+

2016-2017	2017-2018	2016-2017	2017-2018
46.47%	45.23% ↓	51.21%	51.37% ↑

Ages 18+

2016-2017	2017-2018	2016-2017	2017-2018
50.99%	49.73% ↓	55.43%	55.59% ↑

Ages 26+

2016-2017	2017-2018	2016-2017	2017-2018
51.25%	50.17% ↓	55.22%	55.57% ↑

## Key

↑



↓



=



## Idaho National Ranking 2015-2018

Surveyed Ages 12+ all 50 states and District of Columbia

2015-2016	2016-2017	2017-2018
41	40	44

BELOW  
National Average

2017-2018: Lower national rank with decrease in use reported.

The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) 2018 series.



## Binge Alcohol Use in the Past Month

Idaho Relative to the National Annual Average  
2016-2017 and 2017-2018 NSDUHs



Idaho

National

Ages 12+

2016-2017	2017-2018		2016-2017	2017-2018	
21.70%	21.67%	↓	24.37%	24.49%	↑

Ages 18+

2016-2017	2017-2018		2016-2017	2017-2018	
23.71%	23.69%	↓	26.33%	26.45%	↑

Ages 26+

2016-2017	2017-2018		2016-2017	2017-2018	
22.20%	22.62%	↑	24.49%	24.95%	↑

### Key

↑



↓



=



### Idaho National Ranking 2015-2018

Surveyed Ages 12+ all 50 states and District of Columbia

2015-2016	2016-2017	2017-2018
46	43	43

BELOW  
National Average

2017-2018: No change in national rank with decrease in binge use reported.

The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) 2018 series.



# Perceptions of Great Risk from Having $\geq 5$ Drinks of an Alcoholic Beverage Once or Twice a Week

Idaho Relative to the National Annual Average by Age Group  
2016-2017 and 2017-2018 NSDUHs



Idaho

National

Ages 12+

2016-2017	2017-2018	2016-2017	2017-2018
42.66%	43.76% ↑	44.50%	44.78% ↑

Ages 18+

2016-2017	2017-2018	2016-2017	2017-2018
42.71%	44.10% ↑	44.57%	44.92% ↑

Ages 26+

2016-2017	2017-2018	2016-2017	2017-2018
43.81%	45.64% ↑	45.72%	46.08% ↑

Key

↑



↓



=



## Idaho National Ranking 2015-2018

Surveyed Ages 12+ all 50 states and District of Columbia

2015-2016	2016-2017	2017-2018
21	30	21

BELOW  
National Average

2017-2018: Higher national rank with increase in perception reported.

The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) 2018 series.



# Alcohol Use and Binge Alcohol Use in the Past Month

Idaho Relative to the National Annual Average by Ages 12 to 20  
2016-2017 and 2017-2018 NSDUHs




Idaho



National

Ages 12 to 20



Usage Type	Idaho		Total U.S.	
Alcohol Use in the Past Month	2016-2017	2017-2018	2016-2017	2017-2018
	16.94%	<b>14.27%</b> ↓	19.50%	<b>19.25%</b> ↓
Binge Alcohol Use in the Past Month	2016-2017	2017-2018	2016-2017	2017-2018
	10.42%	<b>9.09%</b> ↓	12.00%	<b>11.66%</b> ↓

## Idaho National Ranking 2015-2018

Surveyed Ages 12-20 all 50 states and District of Columbia

2015-2016	2016-2017	2017-2018
46	46	46

**BELOW  
National Average**

2017-2018: No change in national rank with decrease in use reported.

### Key

↑



↓



=



The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) 2018 series.



# Tobacco Product Use in Past Month

Idaho Relative to the National Annual Average by Age Group  
2016-2017 and 2017-2018 NSDUHs



Idaho

National

Ages 12+

2016-2017	2017-2018		2016-2017	2017-2018	
22.65%	<b>21.68%</b>	↓	22.99%	<b>21.96%</b>	↓

Ages 18+

2016-2017	2017-2018		2016-2017	2017-2018	
24.67%	<b>23.69%</b>	↓	24.80%	<b>23.70%</b>	↓

Ages 26+

2016-2017	2017-2018		2016-2017	2017-2018	
23.29%	<b>22.95%</b>	↓	24.04%	<b>23.11%</b>	↓

## Key

↑



↓



=



## Idaho National Ranking 2015-2018

Surveyed Ages 12+ all 50 states and District of Columbia

2015-2016	2016-2017	2017-2018
44	34	33

**BELOW  
National Average**

2017-2018: Higher national rank with decrease in use reported.

The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) 2018 series.

# Cigarette Use in Past Month

Idaho Relative to the National Annual Average by Age Group  
2016-2017 and 2017-2018 NSDUHs



Idaho

National

Ages 12+

2016-2017	2017-2018	2016-2017	2017-2018
18.24%	17.18% ↓	18.47%	17.52% ↓

Ages 18+

2016-2017	2017-2018	2016-2017	2017-2018
19.92%	18.80% ↓	20.01%	18.99% ↓

Ages 26+

2016-2017	2017-2018	2016-2017	2017-2018
18.72%	18.11% ↓	19.54%	18.71% ↓

Key

↑



↓



=



## Idaho National Ranking 2015-2018

Surveyed Ages 12+ all 50 states and District of Columbia

2015-2016	2016-2017	2017-2018
43	36	34

BELOW  
National Average

2017-2018: Higher national rank with decrease in use reported.

The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) 2018 series.



# Perceptions of Great Risk from Smoking $\geq 1$ Packs of Cigarettes per Day

Idaho Relative to the National Annual Average by Age Group  
2016-2017 and 2017-2018 NSDUHs



Idaho

National

Ages 12+

2016-2017	2017-2018	2016-2017	2017-2018
71.52%	70.74% ↓	72.21%	71.73% ↓

Ages 18+

2016-2017	2017-2018	2016-2017	2017-2018
71.91%	71.15% ↓	72.61%	72.27% ↓

Ages 26+

2016-2017	2017-2018	2016-2017	2017-2018
73.21%	72.69% ↓	74.04%	73.44% ↓

Key

↑



↓



=



## Idaho National Ranking 2015-2018

Surveyed Ages 12+ all 50 states and District of Columbia

2015-2016	2016-2017	2017-2018
22	21	23

BELOW  
National Average

2017-2018: Lower national rank with decrease in perception reported.

The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) 2018 series.



# Illicit Drug Use Disorder in the Past Year

Idaho Relative to the National Annual Average by Age Group  
2016-2017 and 2017-2018 NSDUHs



Idaho

National

Ages 12+

2016-2017	2017-2018	2016-2017	2017-2018
2.63%	2.45% ↓	2.76%	2.86% ↑

Ages 18+

2016-2017	2017-2018	2016-2017	2017-2018
2.57%	2.41% ↓	2.72%	2.87% ↑

Ages 26+

2016-2017	2017-2018	2016-2017	2017-2018
2.01%	1.92% ↓	2.00%	2.13% ↑

## Key

↑



↓



=



## Idaho National Ranking 2015-2018

Surveyed Ages 12+ all 50 states and District of Columbia

2015-2016	2016-2017	2017-2018
25	37	48

BELOW  
National Average

2017-2018: Lower national rank with decrease in disorder reported.

The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) 2018 series.





# Pain Reliever Use Disorder in the Past Year

Idaho Relative to the National Annual Average by Age Group  
2016-2017 and 2017-2018 NSDUHs



Idaho

National

Ages 12+

2016-2017	2017-2018	2016-2017	2017-2018
0.76%	0.81% ↑	0.63%	0.62% ↓

Ages 18+

2016-2017	2017-2018	2016-2017	2017-2018
0.79%	0.85% ↑	0.65%	0.64% ↓

Ages 26+

2016-2017	2017-2018	2016-2017	2017-2018
0.74%	0.83% ↑	0.60%	0.60% =

Key

↑



↓



=



## Idaho National Ranking 2015-2018

Surveyed Ages 12+ - all 50 states and District of Columbia

2015-2016	2016-2017	2017-2018
8	7	5

ABOVE  
National Average

2017-2018: Higher national rank with increase in disorder reported.

The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) 2018 series.



# Alcohol Use Disorder in the Past Year

Idaho Relative to the National Annual Average by Age Group  
2016-2017 and 2017-2018 NSDUHs



Idaho

National

Ages 12+

2016-2017	2017-2018	2016-2017	2017-2018
5.90%	5.46% ↓	5.46%	5.37% ↓

Ages 18+

2016-2017	2017-2018	2016-2017	2017-2018
6.33%	5.91% ↓	5.82%	5.74% ↓

Ages 26+

2016-2017	2017-2018	2016-2017	2017-2018
5.65%	5.24% ↓	5.09%	5.05% ↓

Key

↑



↓



=



## Idaho National Ranking 2015-2018

Surveyed Ages 12+ - all 50 states and District of Columbia

2015-2016	2016-2017	2017-2018
34	21	26

ABOVE  
National Average

2017-2018: Lower national rank with decrease in disorder reported.

The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) 2018 series.



# Substance Use Disorder in the Past Year

Idaho Relative to the National Annual Average by Age Group  
2016-2017 and 2017-2018 NSDUHs



Idaho

National

Ages 12+

2016-2017	2017-2018	2016-2017	2017-2018
7.79%	7.35% ↓	7.35%	7.32% ↓

Ages 18+

2016-2017	2017-2018	2016-2017	2017-2018
8.18%	7.76% ↓	7.68%	7.67% ↓

Ages 26+

2016-2017	2017-2018	2016-2017	2017-2018
7.34%	6.91% ↓	6.49%	6.51% ↑

## Key

↑



↓



=



## Idaho National Ranking 2015-2018

Surveyed Ages 12+ - all 50 states and District of Columbia

2015-2016	2016-2017	2017-2018
30	23	25

**ABOVE  
National Average**

2017-2018: Lower national rank with decrease in disorder reported.

The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) 2018 series.



# Needing but Not Receiving Treatment at a Specialty Facility for Illicit Drug Use in the Past Year

Idaho Relative to the National Annual Average by Age Group  
2016-2017 and 2017-2018 NSDUHs



Idaho

National

Ages 12+

2016-2017	2017-2018	2016-2017	2017-2018
2.09%	1.99% ↓	2.45%	2.55% ↑

Ages 18+

2016-2017	2017-2018	2016-2017	2017-2018
2.00%	1.91% ↓	2.40%	2.54% ↑

Ages 26+

2016-2017	2017-2018	2016-2017	2017-2018
1.45%	1.42% ↓	1.72%	1.83% ↑

## Idaho National Ranking 2015-2018

Surveyed Ages 12+ - all 50 states and District of Columbia

2015-2016	2016-2017	2017-2018
20	45	50

BELOW  
National Average

2017-2018: Lower national rank with decrease in treatment need reporting.

### Key

↑



↓



=



The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) 2018 series.



# Needing but Not Receiving Treatment at a Specialty Facility for Alcohol Use in the Past Year

Idaho Relative to the National Annual Average by Age Group  
2016-2017 and 2017-2018 NSDUHs



Idaho

National

Ages 12+

2016-2017	2017-2018	2016-2017	2017-2018
5.41%	5.27% ↓	5.22%	5.13% ↓

Ages 18+

2016-2017	2017-2018	2016-2017	2017-2018
5.81%	5.70% ↓	5.57%	5.48% ↓

Ages 26+

2016-2017	2017-2018	2016-2017	2017-2018
5.23%	5.04% ↓	4.85%	4.81% ↓

## Key

↑



↓



=



## Idaho National Ranking 2015-2018

Surveyed Ages 12+ - all 50 states and District of Columbia

2015-2016	2016-2017	2017-2018
34	24	24

**ABOVE  
National Average**

2017-2018: No change in national rank with decrease in treatment need reported.

The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) 2018 series.



# Needing but Not Receiving Treatment at a Specialty Facility for Substance Use in the Past Year

Idaho Relative to the National Annual Average by Age Group  
2016-2017 and 2017-2018 NSDUHs



Idaho

National

Ages 12+

2016-2017	2017-2018	2016-2017	2017-2018
6.98%	6.65% ↓	6.82%	6.79% ↓

Ages 18+

2016-2017	2017-2018	2016-2017	2017-2018
7.33%	6.99% ↓	7.11%	7.11% =

Ages 26+

2016-2017	2017-2018	2016-2017	2017-2018
6.49%	6.15% ↓	5.98%	6.00% ↑

Key

↑



↓



=



## Idaho National Ranking 2015-2018

Surveyed Ages 12+ - all 50 states and District of Columbia

2015-2016	2016-2017	2017-2018
29	28	28

BELOW  
National Average

2017-2018: No change in national rank with decrease in treatment need reported.

The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) 2018 series.

# Serious Mental Illness in the Past Year

Idaho Relative to the National Annual Average by Age Group  
2016-2017 and 2017-2018 NSDUHs



Idaho



National

Ages 18+



Ages 26+



Key

↑



↓



=



## Idaho National Ranking 2015-2018

Surveyed Ages 18+ - all 50 states and District of Columbia

2015-2016	2016-2017	2017-2018
10	2	8

**ABOVE  
National Average**

2017-2018: Lower national rank with decrease in serious illness reported.

The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) 2018 series.

# Received Mental Health Services in the Past Year

Idaho Relative to the National Annual Average by Age Group  
2016-2017 and 2017-2018 NSDUHs



Idaho



National

Ages 18+



Ages 26+



## Idaho National Ranking 2015-2018

Surveyed Ages 18+ - all 50 states and District of Columbia

2015-2016	2016-2017	2017-2018
12	13	4

**ABOVE  
National Average**

2017-2018: Higher national rank with increase in mental health services received.

### Key

↑



↓



=



The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) 2018 series.



# Any Mental Illness in the Past Year

Idaho Relative to the National Annual Average by Age Group  
2016-2017 and 2017-2018 NSDUHs



Idaho



National

Ages 18+

2016-2017	2017-2018	2016-2017	2017-2018
25.03%	<b>24.46%</b> ↓	18.57%	<b>19.00%</b> ↑

Ages 26+

2016-2017	2017-2018	2016-2017	2017-2018
24.57%	<b>23.46%</b> ↓	17.69%	<b>17.88%</b> ↑

## Idaho National Ranking 2015-2018

Surveyed Ages 18+ - all 50 states and District of Columbia

2015-2016	2016-2017	2017-2018
4	1	2

**ABOVE  
National Average**

2017-2018: Lower national rank with decrease in mental illness reported.

### Key

↑



↓



=



The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) 2018 series.



# Had Serious Thoughts of Suicide in the Past Year

Idaho Relative to the National Annual Average by Age Group  
2016-2017 and 2017-2018 NSDUHs



Idaho



National

Ages 18+



Ages 26+



Key

↑



↓



=



## Idaho National Ranking 2015-2018

Surveyed Ages 18+-all 50 states and District of Columbia

2015-2016	2016-2017	2017-2018
9	2	4

ABOVE  
National Average

2017-2018: Lower national rank with decrease in suicidal thoughts reported.

The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) 2018 series.

# Major Depressive Episode in the Past Year

Idaho Relative to the National Annual Average by Age Group  
2016-2017 and 2017-2018 NSDUHs



Idaho



National

Ages 18+



Ages 26+



Key

↑



↓



=



## Idaho National Ranking 2015-2018

Surveyed Ages 18+ - all 50 states and District of Columbia

2015-2016	2016-2017	2017-2018
12	5	9

ABOVE  
National Average

2017-2018: Lower national rank with increase in major depression reported.

The data was derived from the Substance Abuse and Mental Health Services Administration Center for Behavioral Health Statistics and Quality's National Survey on Drug Use and Health (NSDUH) 2018 series.



# Oregon-Idaho HIDTA Customer Feedback Form

Product Title:

All survey responses are completely anonymous. No personally identifying information is maintained unless you voluntarily offer personal or contact information in any of the comment fields. Additionally, your responses are combined with others received to further protect your anonymity.

Please select partner type:

Your assigned job duty:

How did you obtain this product?

Please answer the following questions:

How effective was the strategic intelligence document in describing the situation or threat it addressed?

Very  
Effective

Effective

Somewhat  
Effective

Not  
Effective

N/A

How useful was the strategic intelligence document?

Very  
Useful

Useful

Somewhat  
Useful

Not  
Useful

N/A

What other topics would you like to see in the future?

Additional feedback regarding this document

Would you like contact regarding your feedback? Yes ☐ No ☐

If yes, please provide your name and preferred method of contact (phone/email)