

Bibliographic Sources

- [AVMA] American Veterinary Medical Association. 2002. U.S. Pet Ownership and Demographics Source Book. Schaumburg, Ill. Center for Information Management, American Veterinary Medical Association.
- Baird, C., M. Jennings, D. Ockerman, and T. Dybala. 1996. Characterization of nonpoint sources and loadings to the Corpus Christi Bay National Estuary Program study area. Texas Natural Resource Conservation Commission CCBNEP-05. Austin, TX.
- Barlow, P. and Leake, S. 2012. Streamflow Depletion by Wells – Understanding and Managing the Effects of Groundwater Pumping on Streamflow. United States Geologic Survey – Groundwater Resources Program. Circular 1376.
- Berg, M., M. McFarland, and N. Dictson. 2008. The Plum Creek watershed protection plan. Prepared for the Plum Creek Watershed Partnership by Texas AgriLife Extension Service, College Station, Texas. February, 2008.
- Bomar, G.W. 1983. Texas weather. University of Texas Press, Austin, Texas, USA.
- Broun, A. 2004. A Geologic Framework for Western Hays County and its Application to Groundwater Management. Proceedings of the Austin Geological Society April 2, 2007. University of Texas Bureau of Economic Geology, J.J. Pickle Research Campus, Building 130, 10100 Burnet Road in Austin.
- Brown, H. P. 1976. Aquatic dryopoid beetles (*Coleoptera*) of the United States. U. S. EPA. Cincinnati, Ohio.
- Browne, F. X. 1989. Stormwater management. In Corbit, R. A., 1990, Standard handbook of environmental engineering, McGraw-Hill, New York, NY. Pp. 7.1-7.121.
- Carter, L., 2008. Cypress Creek land use change study. Prepared for the Cypress Creek Project, May 2008.
- Chaudhary, K., Scanlon, B., Scheffer, N., Walden, S., 2009. Review of the State of Art: Ground Water Under Direct Influence of Surface Water Programs. Bureau of Economic Geology, University of Texas at Austin, TX.
- Citydata 2010. Available online at <http://www.city-data.com/city/Wimberley-Texas.html>.



Conyers, M.M. and M.A. Fonstad. 2005. The unusual channel resistance of the Texas Hill Country and its effect on flood flow predictions. *Physical Geography* 26(5): 379-395.

Dedden, J.E. 2008. The hydrology and biology of Cypress Creek (Hays County), a subtropical karstic stream in south central Texas. Thesis, Texas State University-San Marcos, Department of Biology, 51 p.

Cuffney, T.F., Brightbill, R.A., May, J.T., and Waite, I.R., 2010, Responses of benthic macroinvertebrates to environmental changes associated with urbanization in nine metropolitan areas. *Ecological Applications*, 20(5): 1384–1401.

City of Woodcreek 2010. Available online at <http://www.cityofwoodcreek.com/>.

Dedden, J.E. 2008. The hydrology and biology of Cypress Creek (Hays County), a subtropical karstic stream in south central Texas. M.S. Thesis. Texas State University, San Marcos, Texas.

France, R.L. 2006. Introduction to watershed development: understanding and managing the impacts of sprawl. Rowman and Littlefield Publishers, Inc. Lanham, MD.

[GBRA] Guadalupe Blanco River Authority. 2008. Basin summary report. Guadalupe Blanco River Authority, Seguin, Texas.

Grenskow, K. and Prokopy, L. 2011. The Social Indicator Planning & Evaluation System (SIPES) for Nonpoint Source Management. Ed. 3. Available from: <http://greatlakeswater.uwex.edu/social-indicators>. Last Accessed November, 2013.

Gunn, J. 2004. Encyclopedia of Caves and Karst Science. New York: Fitzroy Dearborn, 902p.

Hays County. 2011. Hays County Development Regulations. Conservation Development Rules.

[HTGCD] Hays-Trinity Groundwater Conservation District. 2008. Cypress Creek/Jacob's Well Hydrogeologic Report. Prepared for River Systems Institute, Texas State University-San Marcos, the Way Family Foundation, and the Meadows Foundation, November 2008. 31 p.

[HTGCD] Hays-Trinity Groundwater Conservation District. 2010. Hydrogeologic Atlas of the Hill Country Trinity Aquifer: Blanco, Hays and Travis Counties, Central Texas. Editors: Douglas A. Wierman, P.G., Alex S. Broun, P.G., and Brian B. Hunt, P.G. Prepared for the Hays-Trinity Groundwater Conservation District, July 2010

Kacaroglu, F. 1999. Review of groundwater pollution and protection in karst areas. *Water, Air, and Soil Pollution* 113(1-4): 337-356.

- Linam, G.W. and L.J. Kleinsasser. 1998. Classification of Texas freshwater fishes into trophic and tolerance groups. River Studies Report No. 14. Texas Parks and Wildlife Department, Austin, Texas.
- Linam, G.W., L.J. Kleinsasser, and K.B. Mayes. 2002. Regionalization of the index of biotic integrity for Texas streams. River Studies Report No. 17. Texas Parks and Wildlife Department, Austin, Texas.
- Longley, G. 1986. Biota of the Edwards Aquifer and the implications for paleozoogeography. In: The Balcones Escarpment, central Texas. Abbott, P. and C.M. Woodruff, eds. Geological Society of America, pp. 51-54.
- Mace, R.E., Chowdhury, A.H., Anaya, R., and S.-C. Way. 2000. Groundwater Availability of the Trinity Aquifer, Hill Country Area, Texas: Numerical Simulations through 2050. Texas Water Development Board Report 353.
- Miller, S., Semmens, D., Goodrich, D., Hernandez, M., Miller, R., Kepner, W., and Guertin, D. P. 2007. The automated geospatial watershed assessment tool. *Environmental Modeling & Software* 22 (2007) 365-377.
- Nataluk, D.M. and R. Dooley. 2003. The practice of low impact development. U.S. Department of Housing and Urban Development. NAHB Research Center, Inc. Marlboro, MD.
- [NRCS] National Resources Conservation Service. 2008. Soil survey staff, NRCSS, U.S. Department of Agriculture soil survey geographic (SSURGO) database for Cypress Creek watershed, Texas. Available online at <http://soils.usda.gov/survey/geography/ssurgo/>.
- [NDEP] Nevada Division of Environmental Protection. 2003. Load duration curve methodology for assessment and TMDL development. April 2003.
- Novotny, V. and H. Olem. 1994. Water quality: prevention, identification and management of diffuse pollution. Van Nostrand Reinhold. New York, NY.
- Ourso, R.T. and S.A. Franzel. 2003. Identification of linear and threshold responses in streams along a gradient of urbanization in Anchorage, Alaska. *Hydrobiologia* 501: 117-131.
- Paul, M.J. and J.L. Meyer. 2001. Streams in the urban landscape. *Annual Review of Ecology and Systematics* 32(2001): 333-365.
- Reed, Stowe, and Yanke. 2001. Study to Determine the Magnitude of, and Reasons for, Chronically Malfunctioning On-Site Sewage Facility Systems in Texas, Prepared in Cooperation with the Texas On-Site Wastewater Treatment Council.

- Resource Media. No Date. Beautiful, Hard Working Rain Gardens – An Outreach & Communication How-to Guide. Available from <http://www.resource-media.org/wp-content/uploads/2013/09/Rain-Garden-Outreach-and-Communications-How-To-Guide.pdf>. Last Accessed November, 2013.
- Riskind, D.H. and D.D. Diamond. 1986. Plant communities of the Edwards Plateau, Texas. In: The Balcones Escarpment, central Texas. Abbott, P. and C.M. Woodruff, eds. Geological Society of America, pp. 21-32.
- Sadler, J.P., E.C. Small, H. Fispan, M.G. Telfer, and J. Niemels. 2006. Investigating environmental variation and landscape characteristics of an urban-rural gradient using woodland carabid assemblages. *Journal of Biogeography* 33(6): 1126-1138.
- Schueler, T.R. 1994. The Importance of imperviousness. In: The practice of watershed protection. T.R. Schueler and H.K. Holland, eds. Center for Watershed Protection, Ellicott.
- Snyder, C.D., J.A. Young, R. Villella, and D.P. Lemarie. 2003. Influences of upland and riparian land use patterns on stream biotic integrity. *Landscape Ecology* 18(7): 647-664.
- [SWAT 2000] Neitsch, S.L., Arnold, J.G., Kiniry, J.R., Srinivasan, R., Williams, J.R. 2002. Soil and Water Assessment Tool user's Manual, Version 2000. Grassland, Soil and Water Research Laboratory. Agriculture Research Service. <http://swat.tamu.edu/documentation/>
- Texas Cooperative Extension. 2004. Feral hogs in Texas. Available online at <http://icwdm.org/publications/pdf/feral%20pig/txferalhogs.pdf>.
- [TSDC] Texas State Data Center. 2009. Projections of the population of Texas and counties in Texas by age, sex and race/ethnicity for 2000-2040. Population Estimates and Projections Program, Texas State Data Center, Office of the State Demographer, February 2009. Accessed online May 2010 at <http://txsdc.utsa.edu/tpepp/2008projections/>.
- [TSDC] Texas State Data Center. 2010. 2008 Total Population Estimates for Texas Places: Estimates of the Total Populations of Counties and Places in Texas for July 1, 2008 and January 1, 2009. Population Estimates and Projections Program, Texas State Data Center, Office of the State Demographer; Institute for Demographic and Socioeconomic Research; The University of Texas at San Antonio, January 2010
- [TCEQ] Texas Commission on Environmental Quality. 2008. Atlas of Texas surface waters. Austin, TX, U.S.A. Accessed online February, 2008 at: <http://tceq.state.tx.us>.

- [TCEQ] Texas Commission on Environmental Quality. 1997Chapter 210- Uses of Reclaimed Water. Subchapter C: Quality Criteria and Specific Uses for Reclaimed Water. §§210.31 - 210.36.
- [TPWD] Texas Parks and Wildlife Department. 2013. Ecologically Significant Stream Segments. Texas Parks and Wildlife Department. Accessed online November, 2013 at: http://www.tpwd.state.tx.us/landwater/water/environconcerns/water_quality/sigsegs/
- [TPWD] Texas Parks and Wildlife Department. 2008. Endangered species in the Texas Hill Country. Texas Parks and Wildlife Department. Accessed online February, 2008 at: <http://www.tpwd.state.tx.us>.
- [TPWD] Texas Parks and Wildlife Department. 2000. White-tailed deer management in the Texas Hill Country. Available online at http://www.tpwd.state.tx.us/publications/pwdpubs/media/pwd_rp_w7000_0828.pdf.
- [TWDB] Texas Water Development Board. 2007. Water for Texas 2007, volume II. TWDB document number GP-8-1, January 2007.
- [TWRI] Texas Water Resource Institute. 2012. Bacteria Source Tracking – 2012 Conference Proceedings. State of the Science Conference. Technical Report No. 427. June, 2012.
- Tinker, S., Scanlon, B., Tachovsky, J., Reedy R., Nicot, J., Keese, K., Merwade, V., Howard, M., Wells, G., Mullins, G., Ortiz, D. 2005. Groundwater-Surface Water Interactions in Texas. Bureau of Economic Geology. University of Texas at Austin, TX.
- [USEPA] U.S. Environmental Protection Agency. 2008. Handbook for developing watershed plans to restore and protect our waters. Office of Water, Nonpoint Source Control Branch, March 2008.
- [USEPA] U.S. Environmental Protection Agency. 2009. Aquatic life ambient water quality criteria for ammonia-freshwater. Draft 2009 update. EPA-822-D-09-001. December 2009.
- [USGS] U.S. Geological Survey. USGS's National Map Seamless Server, available at <http://seamless.usgs.gov>.
- Veni, G. 1999. A geomorphological strategy for conducting environmental impact assessments in karst areas. *Geomorphology* 31: 151–180.

- Walther, J. and V. Palma. 2005. Impairment verification monitoring-volume 2: biological and habitat components segment 1815, Cypress Creek (Hays Co.). Ecological Communications Corporation under Texas Engineering Experiment Station Project No. 32525-60880 CC, Texas Commission on Environmental Quality Contract No.582-4-58897, Amendment 1.
- Wissmar, R.C. and R.K. Timm. 2004. Effects of changing forest and impervious land covers on discharge characteristics of watersheds. *Environmental Management* 34(1): 91-98.
- Young, E.L. and W.E. Armstrong. 2000. White-tailed Deer Management in the Texas Hill Country. Texas Parks and Wildlife.
- Zara Environmental. 2008. Karst sensitivity map for Hays County. Prepared for Loomis Austin, Inc. Austin, Texas, August 2008.
- Zara Environmental. 2010. 2009 Annual report: Biological inventory and monitoring at Jacob's Well. Prepared for River Systems Institute, Texas State University-San Marcos, January 2010, 15 p.
- Zeckoski, R. W., B. L. Benham, et al. 2005. BLSC: a tool for bacteria source characterization for waters management. *Applied Engineering in Agriculture* 21(5):879-889.

