

Causes of Indonesia's Forest Fires

Ryan B. Edwards, Walter P. Falcon,
Matt M. Higgins, and Rosamond L. Naylor*

October 2, 2019

Abstract

The economic costs of Indonesia's 2015 forest fires are estimated to exceed US \$16 billion, with more than 100,000 premature deaths. On several days the fires emitted more carbon dioxide than the entire United States economy. Here, we combine detailed geospatial data on fire and local climatic conditions with rich administrative data to assess the underlying causes of Indonesia's forest fires at district and village scales. We find that El Niño events explain most of the year-on-year variation in fire. The creation of new districts increases fire and exacerbates the El Niño impacts on fire. We also find that regional economic growth has gone hand-in-hand with the use of fire in rural districts. We proceed with a 30,000-village case study of the catastrophic 2015 fire season on Sumatra and Kalimantan and ask which villages, for a given level of spatial fire risk, are more likely to have fire. Villages more likely to burn tend to be more remote, to be considerably less developed, and to have a history of using fire for agriculture. Although central and district level policies and regional economic development have generally contributed to voracious environmental degradation, the close link between poverty and fire at the village level suggests that the current policy push for village development might offer some opportunities to reverse this trend.

Keywords: forest fire, El Nino, decentralization, economic growth, rural development, poverty, Indonesia

*Contact email: ryan.edwards@anu.edu.au. Affiliations: Edwards (Australian National University); Falcon, Higgins, and Naylor (Stanford University). We are grateful for helpful comments received at the 2018 Sustainability and Development Conference at the University of Michigan, and from the editor Arun Agrawal, Jonah Busch, and two excellent reviewers. Robert Castle provided excellent research assistance under the Dartmouth College Presidential Scholars program.

1 Introduction

Deforestation accounts for over ten percent of global carbon emissions: more than the entire European Union (IPCC, 2018). Reducing tropical deforestation is one of the most cost effective ways to address climate change. Halting deforestation while allowing damaged forests to recover could reduce global net emissions by as much as 30 percent (Busch and Seymour, 2017). An increasingly prominent yet understudied mechanism to clear tropical forests is fire (Abood et al., 2014). Whether spontaneous or deliberately lit by humans, wildfires are becoming increasingly common, intense, and costly in the face of drying landscapes and rising temperatures in many countries (Tasker and Arima, 2016). One of the world’s largest contributors to deforestation and land related emissions in recent years is Indonesia, where fire is commonly used to clear forest, manage semi-forested landscapes, and prepare land for agriculture.¹ The third most populous and third largest developing economy in the world and the largest in the equatorial tropics, Indonesia provides the ideal setting to study the anthropogenic drivers of tropical forest fires. Indonesia’s experience also offers important insights for other countries at risk of deforestation (Ordway et al., 2017), where fires are increasing in prevalence and intensity.

Indonesia’s 2015 fire season burned more than 2.6 million hectares, an area larger than the entire U.S. state of Vermont. Much of this land was rich in biodiversity and endangered species like the orangutan, tiger, rhino, and elephant (World Bank, 2016). Though the 2015 fire season was extreme, it was not unique. 163,000 hectares burned in 2013 (Gaveau et al., 2014). and between 2 and 5 million hectares (forest and non-forest) are estimated to have burned in 1997–98 (Dennis, 1999). Impacts span environmental, economic, and social dimensions. Fires release extreme amounts of carbon into the atmosphere and are a major contributor to air pollution and climate change (Page et al., 2002; Bowman et al., 2009;

¹The U.S., Canada, and Russia also have large area of forest loss and forest fires, and Brazil surpasses Indonesia in cumulative forest loss over the past decades. See Alisjahbana and Busch (2017) for a helpful review on recent developments in Indonesia.

Reddington, 2014; Pribadi and Kurata, 2017). The 1997 fire season released the carbon equivalent to 15% of global fossil fuel emissions that year. On more than one occasion, a single day of burning in the 2015 fire season emitted more carbon than the entire United States economy (Harris et al., 2015; World Bank, 2016).

Fire can destroy homes, crops, and forest resources, cause work and school closures, damage human health, reduce hours worked, increase the caregiving burden, and create significant firefighting and rebuilding expenses (Kim et al., 2017). The economic costs of Indonesia’s fires are estimated to exceed, in current prices, US \$4.5 billion in 1997–98 and \$16 billion in 2015 (Dennis, 1999; World Bank, 2016). Pollution from the 1997 fires is estimated to have caused 15,600 child, fetal, and infant deaths, with early mortality costs of over \$15 billion (Frankenburg et al., 2005; Jayachandran, 2009). The 2015 fire season caused more than half a million respiratory infections, in both Indonesia and Singapore, and is estimated to have caused more than 100,000 premature deaths (Kopplitz et al., 2016; Sheldon and Sankaran, 2016). A Pollution Standard Index reading of 350 is considered hazardous, yet regularly exceeds 2,000 during fires. Although greater in number and ferocity during El Niño-induced dry seasons, Indonesia’s fires are also a human phenomenon. Spontaneous ignitions are rare. Despite their political, economic, social, and environmental importance, and their growing prominence as a low-cost yet traditional way to clear land, relatively little is known about what causes the deliberate ignition of fires, how much of their variation and intensity is explained by human versus natural activity, or what constitutes effective fire prevention and management policy (Carmenta et al., 2017; Costafreda-Aumedes et al. 2017).

Our objective in this study is to analyze the anthropogenic causes of forest fires systematically in Indonesian jurisdictions at district and village scales and over different time horizons. We first assess the short-run impacts of El Niño events, government decentralization, and regional economic growth. Combining a new geospatial panel dataset

on district forest fires and climatic conditions with administrative data on government decentralization and district economic growth, we use panel data techniques to disentangle time-varying common factors (e.g., national policies, commodity prices, and seasonality) and fixed spatial determinants (e.g., regional climate, culture, and geography) from key political and economic changes of interest. To identify causal effects, we exploit exogenous variation in sea surface temperature anomalies (SSTAs) associated with El Niño-Southern Oscillation (ENSO) events², the timing of administrative reforms, and the longitudinal features of the data (i.e., fixed effects and unit-specific trends).

Our first key finding is that El Niño events explain most of the annual variation in fires within districts. Although the influence of El Niño on rice production in Indonesia has been well documented (Naylor et al., 2001; Naylor et al., 2002; Naylor et al., 2007), its impacts on fire for agricultural expansion of palm oil and other crops has received less attention. Here, we find that a one-degree Celcius increase in SSTA in the central Pacific, relative to the long run trend, corresponds to over a 50 percent increase in average annual hotspot detections per rural district. The mean number of hotspots from 2001—2015 is 286 and the SSTA was over 2 degrees in the 2015 and 1998 fires seasons. Negative district rainfall shocks (i.e., dry years) are particularly important in explaining year-on-year variation, while local temperature shocks appear less important.

Our second key finding is that political decentralization has caused more fire.³ The proliferation of local district governments—which enjoy considerably more funding, autonomy, and power in relative terms—is associated with increased fires in split

²In our analysis, we use the Nino 3.4 SSTA, recorded in the central Pacific Ocean (5N–5S, 120–170W), to measure El Nino-Southern Oscillation (ENSO) effects on fire risk in Indonesia. We average monthly SSTA data from May to December on a calendar-year basis, corresponding to the natural development of the ENSO cycle. An SSTA measure exceeding +0.7 degrees Celcius relative to the long-run average represent El Nino (warm-mode) events. (The “long-run average” represents a 30-year based period updated by NOAA every five years.) El Nino events correspond with a delayed monsoon onset (Naylor et al., 2001, 2007) and drier conditions during Indonesia’s typical fire season (July–December). La Nina (cold-mode) events, reflected in negative SSTAs, have little effect on fire risk relative to neutral conditions. SSTA data are from [NOAA](#).

³For more details on the decentralization process in Indonesia and its relationship to forest fires, see Naylor et al. (2019).

jurisdictions, with an almost 60 percent increase relative to pre-split years. Local government proliferation has also exacerbated the impacts of positive SSTAs on fires, a critical climate-politics interaction receiving little attention to date. More recent decentralization, which similarly has increased autonomy, resources, and administrative institutions at the village level, could potentially present a similar fire threat.

The third key finding is that regional economic development has gone hand-in-hand with the use of fire in rural districts over the 2000s. There tends to be more fires in periods of stronger than average economic growth. Specifically, a year with a district economic growth rate one percent higher than its sample (2001–13) average has around 50 percent more fire. Economic-environmental trade-offs have long characterized large-scale agricultural expansion in the Indonesian countryside, and rural economic development and environmental degradation does not yet appear to have decoupled, at least not at the regional scale. Districts appear to use fires to create economic opportunity, which in turn may increase the capacity of residents and firms to move, acquire land, and burn more.

Districts mask considerable variation within them. We next shift our focus to longer-term determinants and the village level, with a case study of the 2015 fire season—the largest fire catastrophe since collection of satellite-based fire records began at the start of this century. We create a new cross-sectional dataset linking geospatial and administrative information for over 30,000 villages on the large, fire-prone islands of Sumatra and Kalimantan and ask the following simple question: what types of villages were more likely to set fire? To this end, we use a spatial fixed effects approach to compare villages against their neighbors facing similar climate variability, geography, history, institutions, and any other spatially-correlated unobservable characteristics. Our focus on the village is also important. Like district-level decentralization before it, the Village Law of 2014 (and earlier decrees) devolved significant fiscal, administrative, and policy responsibilities to rural villages and placed them at the heart of Indonesia’s development policy agenda (Antlov et al., 2016;

Naylor et al., 2019). Emergent fire prevention and response efforts are often centered around the village as an autonomous administrative unit.

We find that villages more likely to burn tend to be more remote, be involved in secondary crops (e.g., corn, beans, roots) or plantation crops, have a history of burning for agriculture, and be less developed according to a wide variety of multi-dimensional poverty indicators. A one-percentage point increase in the village poverty rate corresponds to a staggering 20 percent increase in the probability of having a fire detected, after accounting for district-level spatial fire risk. Based on our estimated impacts of district-level decentralization funding windfalls, further village-level fiscal decentralization may present an imminent fire threat. On the other hand, the village proliferation rate is far lower than districts' and the close links between poverty, underdevelopment, and fire at the village level suggest that rural development could potentially offer counter-veiling positive effects. While central and district level policies in the post-decentralization era have contributed to voracious resource extraction and environmental degradation, the strengthening of the village as an administrative and developmental unit might thus offer opportunities to potentially reverse this trend (Naylor et al., 2019).

Our central contribution here is providing new systematic quantitative evidence on the human drivers of tropical forest fires. A large body of scientific work documents the incidence, extent, and costs of fire, including in Indonesia (see, e.g., Page et al., 2002; Bowman et al., 2009; Cattau et al., 2016; Pribadi and Kurata, 2017; Dennis, 1999; Dennis et al., 2005; Gaveau et al., 2014; Rosales-Rueda and Triyana, 2018; Marlier et al., 2015; Tan-Soo and Pattanayak, 2019). This antecedent work, mostly in the natural and remote-sensing sciences, tends to focus on a single time period, event, or area, and is often descriptive in nature (See, e.g., Stolle and Lambin (2003) and Souza de Silva et al., (2018)). For example, in a study closely related to ours, Bowman et al., (2019) use various climate and spatial datasets to study the 2017 Chilean fires, finding that recent plantation developments played an important

role. Studies at the nexus of social and environmental science also tend to be geographically and temporally focused, usually relying on secondary and interview data. Remotely-sensed (i.e., satellite) information on fire is infrequently linked to quantitative socioeconomic data for more integrated analysis, as has occasionally been done for deforestation (see, e.g., Burgess et al., 2012; Wheeler et al., 2013). At least one important exception is Arima et al. (2007), developing a spatially explicit model to study the determinants (mostly economic) of fire in Brazil. We build on this prior work by linking thermal hotspot detections to a wide range of Indonesian subnational administrative, socioeconomic, and climate data. Guided by four of the most salient issues at the nexus of environment and development (SSTAs, decentralization, economic growth, and village development) and the two most important subnational policy-making units (districts and villages), we use modern social science statistical techniques to identify the key human drivers of ignitions.

Our multi-scalar analysis responds to growing academic and public interest in jurisdiction-based approaches to complex sustainability challenges and provides important new evidence to assist different actors, at different scales, to better target and design effective fire prevention and response activities (Angelsen et al., 2018). Our spatial and temporal extent is the whole archipelago since 2000 for our district analysis, and the entire islands of Sumatra and Kalimantan in 2015 for our village analysis, extending in scope recent analysis by Sze et al. (2019). By using the world’s largest tropical developing country and one of the largest contributors to land-related emissions as a case study, the findings are of global significance and may be informative for other countries facing similar challenges.

The remainder of the paper is structured as follows. The next section introduces the satellite-based fire data and explains how we create our two main datasets. Section 3 presents the district-level analysis estimating the short-run impacts of El Niño events, government decentralization, and local economic growth. Section 4 presents our village-level case study of the 2015–16 fire season. Section 5 concludes with the implications of our results.

2 Data

2.1 Jurisdiction-based fire data

Thermal hotspot detections are taken from the National Aeronautics and Space Administration’s (NASA) Moderate Resolution Imaging Spectroradiometer (MODIS) Active Fire Product (MCD14ML). For each fire detected by the Terra or Aqua MODIS sensor, the MODIS Active Fire Product includes fire location at a 1 km spatial resolution, date, and time of detection. MODIS hotspots are the most accurate and complete method for detecting fires and highly correlated with the area burned on the ground ($R^2=0.75$), including on peat soil (Langner and Siegert, 2009; Cattau et al, 2016; Tansey et al., 2008). MODIS is generally believed to underestimate fire on Kalimantan and Sumatra—even in light of any confidence-related false alarms—because it can miss fast-burning fires due to a discrepancy between the satellite overpass time and the common timing of fires, those in dense canopy that do not produce enough heat, and those under dense cloud cover or smoke (Ballhorn et al., 2009; Tansey et al., 2008; Miettinen et al., 2007; Langner et al., 2009). Hence, measurement error is likely to understate rather than overstate our estimates in this paper.

All hotspots detected over the lifetime of MODIS’s hotspot acquisition period (2001–present) are combined with Indonesia’s 2010 Population Census administrative boundaries to calculate the total number of hotspots detected in each jurisdiction-year, where jurisdictions are districts (i.e., *kabupaten*) or villages. Indonesia’s fire season is typically from July–November, including in El Niño years, so suitable for year-on-year or single calendar year analysis. Other studies have utilized raw MODIS data but approaches vary. Ardiansyah et al. (2017) assume any grid cell with a hotspot was 75% burned to avoid using burned area pixel data. Cattau et al. (2016) use hotspot “spreading” to estimate the expansion of individual fires, with adjacent pixels that burn simultaneously or sequentially assumed to be one fire. Our jurisdiction-year hotspot count complements these approaches and effectively

captures fire duration, scale, and intensity by increasing with (a) the times a given fire is observed in the same space, and (b) multiple detections of single or related fires across pixels.⁴

Figure 1 illustrates the spatial distribution of fire, mapping the total number of hotspots detected since 2001 in each 2000-definition district. Fractured districts are overlaid with finer black lines. Fire is concentrated on the forested islands of Kalimantan (particularly Central Kalimantan province), Sumatra (particularly Riau province), and southern Papua. Several districts with the most fire have also fractured into smaller, new districts since 2000.

[Figure 1 approximately here]

2.2 Linking fire to climate and socioeconomic data

We link fires to two new datasets: a district-by-year longitudinal panel and a 2015 village cross-section. For the district panel, a redistricting variable is constructed by coding district-year observations with a dichotomous district split treatment indicator for when the new district becomes operational—i.e., when it begins receiving its general purpose grant from central government. This is usually one year, sometimes two, after the law creating it is promulgated. Separate treatment variables are created for the year of the split and post-split years, the former capturing the “shock” and the latter the permanent “regime shift”. SSTA anomalies, measured in the Nino 3.4 region in the central Pacific, are taken from the National Oceanic and Atmospheric Administration (NOAA). Average district precipitation is calculated from Funk et al. (2015) and average district temperature is calculated from Legates and Willmott (1990). Regional gross domestic product (RGDP) data are official subnational accounts for every district, for every year, from Badan Pusat

⁴Our two main reasons for not preprocessing the hotspot data, for example with confidence levels or border buffers, are firstly that using the raw data seemed more transparent and straightforward, and secondly that our companion experimental study in West Kalimantan finds that the distribution of fire is generally similar at different confidence levels.

Statistik (BPS). Indonesian districts proliferated from 292 in 1998 to over 500 today. 2000 district boundaries are applied to obtain an uninterrupted, nationally-exhaustive panel of 286 constant-area geographic units from 2000. Urban districts (i.e., cities in 2000) are excluded.

The cross-sectional dataset covers over 30,000 rural villages on the two large, forested, and fire-prone islands of Sumatra and Kalimantan. 2015 MODIS hotspots per village are merged, exactly on village names and codes, to palm oil mills from the World Resource Institute’s Global Forest Watch database (the distance from each village to the nearest mill is calculated in geographic information systems; Global Forest Watch, 2017), village poverty estimates from the SMERU Research Institute (combining census and survey data in standard poverty mapping techniques), and the complete 2014 census of village heads (*Potensi Desa*, or PODES), which contains a host of administrative, geographic, and other characteristics. All spatial joins and calculations rely on 2010 village definitions and administrative boundaries as defined in the 2010 Population Census.

3 Regional analysis

3.1 Empirical framework

Our district-level empirical approach compares the number of fires in a district when a variable of interest shifts relative to its average level. Annual hotspot detections are related to time-varying district characteristics with the general panel data model:

$$y_{d,t} = \alpha + \beta T_{d,t} + \delta_d + \tau_{i,t} \gamma_t t * d + \epsilon_{d,t} \tag{1}$$

where $y_{d,t}$ is the natural log of the total number of hotspot detections in district d in year t . Hotspots detections are approximated to a continuous variable because almost all districts have hotspots. The average is around 300 per year. $T_{d,t}$ is a dichotomous indicator for

redistricting, district annual economic growth rates, SSTAs anomalies (from the long term average) in the 3.4 region of the Pacific, total annual district precipitation, or average annual district temperature. District fixed effects (δ_d) absorb fixed spatial confounders (e.g., district size, initial forest stock, geography, culture, history, and, long-run climatic and fire risk conditions) and allow for level differences across districts. Island-by-year fixed ($\tau_{i,t}$) effects ensure that the estimated relationships are identified from local idiosyncrasies by absorbing common trends to each region, removing the influence of any time-varying common confounders across regions (e.g., global and regional economic and climatic conditions, world commodity prices, and national policy changes and political shocks). District-specific trends capture secular trends specific to every spatial unit (e.g., population growth and longer-term development and land use trajectories), exploiting only deviations around these trends. $\epsilon_{d,t}$ is a robust error term, clustered to allow arbitrary serial correlation within districts.

β is the semi-elasticity of hotspot detections (the percentage change) in response to a one unit change in the explanatory variable of interest (an elasticity for logged variables). β offers a causal interpretation if there are no problematic omitted variables (a) correlated with $y_{d,t}$ and $T_{d,t}$ that vary over time within districts, and (b) influential enough to systematically affect district fire incidence. An example of such a time- and district-varying confounder might be district-level environmental and fire policies, but if and only if districts enact these selectively in dry years, when redistricting, or in periods of differential economic growth. Local fire policies tend to be concerned with fire response and management, rather than prevention, and most general laws and regulations about land use and burning tend to be national and thus captured by time fixed effects. Active prevention efforts are more recent (i.e., following the 2015 fire season) and still in just a few regions, so unlikely to be a major concern for causal identification here. Ultimately, the credibility of the identification assumption depends on the explanatory variable used.

The main advantage of using panel data is our ability to neutralize confounders across the data’s spatial and temporal dimensions. Since the model includes unit and period fixed effects, we rely on variation across time within each spatial unit as the source of identifying variation (rather than variation across spatial units). The underlying identification thus relates time series (i.e., year-on-year) deviations from location-specific means in explanatory variables to deviations in hotspot detection, providing short-run effects. ENSO (Hsiang and Meng, 2015), weather shocks (Dell and Olken, 2012; Dell et al., 2014; Hsiang, 2016), and the arbitrary timing of district splits (due to administrative lags and a moratorium, see, e.g., Alesina et al., 2019; Burgess et al., 2012; Bazzi and Gudgeon, 2019) all offer plausibly exogenous variation well-suited to identify causal effects. Local economic growth, by contrast, is deeply endogenous. Time- and district-varying factors affecting economic growth may also affect fire, and fire response efforts could temporarily increase economic output. Thus, when analyzing the empirical relationship between fire and regional economic growth, our estimates do not have a strictly causal interpretation.⁵

3.2 Results—climate and decentralization

The first key finding is that ENSO cycles—and particularly El Niño events—explain much of the annual variation in fire within Indonesian districts. Figure 2 illustrates this visually with the raw aggregate time series data, plotting monthly hotspot detections at the national scale and SSTAs. Fire is extremely seasonal and persistent. Peaks coincide with the largest positive SSTAs, which reflect El Niño events. La Niña events (SSTAs below -0.5) do not appear to have any significant impact of fire incidence relative to neutral conditions.

[Figure 2 approximately here]

⁵We refrain from introducing instrumental variables as the plausibly exogenous instruments which come to mind (e.g., related to commodity price shocks or agricultural suitability) have a narrow local average treatment effect and excludability concerns, beyond our scope here.

Since SSTAs vary across years but not districts, we follow Hsiang and Meng (2015) and include district-specific linear trends and fixed effects. This allows us identify the contemporaneous annual ENSO effect beyond district fixed characteristics and any local secular trends. We opt for the parsimonious contemporaneous specification because the fire season in Indonesia is typically from July–December.⁶ Column 1 of Table 1 quantifies the impact of El Nino cycles, as measured by SSTAs, on hotspot detections within districts: important aggregate seasonality we sweep away in subsequent estimates with island-by-year fixed effects. A one-degree increase in SSTA, relative to the long run average, corresponds to over a 50 percent increase in annual district hotspot detections (mean=286).

[Table 1 approximately here]

To put these magnitudes in perspective, consider that the SSTA was over positive 2 degrees Celcius in the 2015 and 1998 fires seasons, around +1.5 degrees in 2002–3 and 2009–10, and under +1.0 in other years with minor anomalies. The greater magnitudes of this common pattern of inter-annual variation (relative to local differences) is important context for the multiplicative ENSO-governance effects we proceed to document. Column 2 of Table 1 replaces SSTAs, which are the same across districts, with log district annual average precipitation and temperature, to proxy local impacts of El Niño events. Island-by-year fixed effects capture regional climatic differences and ensure we only exploit weather fluctuations among districts within islands. We find that less rain leads to more fire, relative to sample district averages. This result is thus consistent with Sloan et al. (2017), who find that fire frequency increases suddenly at low levels of precipitation. By contrast, temperature, with limited variation in the tropics, is statistically insignificant at conventional levels. The average year-on-year impacts of ENSO cycles on fire thus appear to be coming mostly through negative rainfall shocks, with El Nino causing a delay in monsoon onset and drier conditions from September–December, when monsoons typically begin (Naylor et al., 2001; 2007). Although our results contrast with Ferndandes et al’s (2017) finding that temperature

⁶Estimates are virtually identical including lagged SSTA, as in Hsiang and Meng (2015).

change is increasing fire even in non-dry years, our two sets of results are not necessarily incompatible. Our results merely suggest that dryness may just be more important on a year-on-year basis within districts.

The second key finding from our district-level analysis is that political decentralization caused more fire. Specifically, the proliferation of local government units—which enjoy considerably more funding, autonomy, and power in relative terms—is associated with more fire in split jurisdictions. Column 3 of Table 1 finds that hotspot detections increase by 40 percent as new districts become operational. Column 4 finds that in the years following a split there is an almost 60 percent increase relative to pre-split years. Results are similar with less demanding panel specifications, for example dropping the linear trends or relaxing the island-by-year FEs to only year FEs (omitted for brevity). Since the timing of district splits is plausibly exogenous (Burgess et al, 2012; Bazzi and Gudgeon, 2019), these estimates can be interpreted as causal. We thus offer a quantitative backbone to the qualitative arguments offered in Purnomo et al. (2017) and complement Burgess et al.’s (2012) finding that redistricting has reduced tree cover, exploiting the same identifying variation. More specifically, our results suggest that fire is likely to be an important mechanism underpinning any observed tree cover change and a crucial part of Indonesia’s modern resource governance story. More recent village-level decentralization efforts— which also coincide with more administrative units, greater autonomy, and more fiscal resources—may too present a fire threat.

Column 5 of Table 1 unifies our decentralization and El Niño findings by switching our time (i.e., island-by-year) fixed effects back out for SSTAs and including an additional interaction term for post-split district-years and SSTAs. The SSTA coefficient is almost identical to Column 1. The post-split treatment effect is considerably larger than those in Columns 3 and 4, unsurprising since island-by-year fixed effects constitute a much richer control vector than year dummies. The interaction coefficient in the final row reveals a

multiplicative impact of administrative decentralization on fire in El Niño years. Indonesia’s seismic shift in governance from Jakarta down to the regions appears to have intensified the impacts of El Niño on fire, a key climate-governance interaction that—to the best of our knowledge—has not received any attention to date.

3.3 Results—regional economic growth

We now turn our attention to regional economic development dynamics, finding that district economic growth has generally gone hand-in-hand with the use of fire in the Indonesian countryside this century. Table 2 reports estimates regressing fire on the natural log of district per capita regional gross domestic product or, for a growth interpretation, its first difference. Districts tend to set more fires in years with higher economic growth. A year where the local economy is growing one percent higher than the district decadal mean has, on average, over 50 percent more fire (Column 2). Magnitudes are qualitatively similar with only district and island-by-year fixed effects (Column 1), with these plus district-by-district trends (Column 2), and excluding oil and gas GDP (Column 3). We stress that it is unclear from this exercise whether fires lead to higher local economic returns and economic growth, or whether local economic growth creates greater incentives to clear land by fire. Nonetheless, the two appear tightly coupled. Disaggregating economic growth by sector, this effect appears mostly driven by manufacturing growth (omitted for brevity). In the rural districts with persistent fire, recent manufacturing growth is mostly agricultural processing, particularly for palm oil. We find no evidence that differential rates of economic growth exacerbate the effect of El Niño on fires, nor any robust relationship between district-level poverty or household consumption (omitted for brevity), which often improve with economic development in palm expansion regions (Edwards, 2019; Purnomo et al., 2018).

[Table 2 approximately here]

4 Village analysis—the 2015 fire season

4.1 Empirical framework

The objective of our 2015 case study is to identify what types of villages are more likely to set fires. Village characteristics are observed in administrative data at most every three years with little variation across years. An interest in variation across villages and longer-term drivers motivates a classic “between” design. By exploiting the equilibrium differences between villages, we obtain a natural long-run interpretation, retain cross-village variation of interest, and make no ad-hoc timing assumptions about the relationship between fire and village characteristics (Baltagi and Griffin, 1984; Burke and Nishitatenno, 2015; Edwards, 2016; Stern, 2010). We estimate the following equation:

$$y_v = \alpha + \gamma R_v + \beta X_v + \delta_d + \epsilon_v \quad (2)$$

y_v is a dummy variable set to one if village v in district d had any fire in 2015. R_v is a village characteristic of interest. Since we are interested in the probability a village has any fire, Equation 2 is estimated with a linear probability model—that is, we shift our focus from the intensive margin in our district analysis to the extensive margin here. Spatial fixed effects (δ_d) capture district-specific confounding, for example related to overall fire risk, geography, history, culture, and district government environmental and land use policies. These district fixed effects also fix comparisons against neighboring villages in the same district. X_i is a vector of potential control variables. Village area and a complete polynomial in latitude and longitude (i.e., the latitude and longitude of each village’s centroid and their squared terms) are included as controls throughout, to scale the probability of fire by district size and help purge other geographically-distributed unobservable confounding. ϵ_v a heteroskedasticity-adjusted error term.

If R_v increases by one unit, the probability of fire increases by γ percentage points relative to observably similar villages in the same district. γ has a causal interpretation if there are no problematic omitted variables (a) varying across villages within districts, and (b) systematically correlated with the village characteristics of interest and 2015 fire events. Even though most candidate confounders are captured by the spatial fixed effects, this possibility cannot be ruled out since we do not randomly assign R_v .

To provide the reader with additional confidence in our estimates and interpretations, we also present results (a) including a host of geographic controls in the linear model (i.e., village area, latitude, longitude, and their squared terms in the baseline model and for examining geographic determinants slope, whether the village is in the forest or on its edge, on a plain, on the coast, on a river, on a dam or lake, accessible all year round, mapped to district regulations, and whether the village is above or below the median distance to the nearest administrative center), and (b) dramatically increasing the number of fixed effect groups by exactly matching villages according to district, terrain, coast, river access, forest proximity, accessibility, and administrative remoteness (i.e., using the same covariates as just listed to create a large number of groups, rather than only using district group indicators).

4.2 Results—geography

District-level analysis masks considerable heterogeneity within districts. Figures 3 and 4 present village hotspot detections in 2015 on Sumatra and Kalimantan. Black lines represent district boundaries. Notice that some villages had no hotspots detected in 2015, while neighbors within the same district had hundreds. We explore these within-district differences, where villages otherwise face similar aggregate geographic, political, and economic fire risk. Results are presented in coefficient plots thematically, by village (a) geographic and factors, (b) agricultural activities, and (c) by socioeconomic development indicators, including man-made infrastructure and multi-dimensional poverty.

[Figures 3 and 4 approximately here]

Figure 5 reveals a nuanced picture of the underlying geography of fire. Dots represent point estimates. Lines are 95% confidence intervals. All estimates include district fixed effects, village area, and a complete polynomial in latitude and longitude as controls. Panel A estimates Equation 2 separately for each explanatory variable of interest, since there is some collinearity—that is, villages sometimes exhibit multiple characteristics. The sample size is generous at over 30,000 villages. Since explanatory variables are binary, they can be interpreted as conditional differences in means—that is, conditional on being in a given district and holding district size and other locational factors constant with latitude and longitude controls. Forest margin and proximity seem important, as villages in and near forests are around 10 percent more likely to set fire. The terrain in burning villages also tends to be less flat. Coastal villages are slightly less likely to set fire than their neighbors, but fire is much more likely along villages with river access. Rivers are crucial transport corridors in remote, forested parts of Kalimantan and Sumatra with limited physical infrastructure. Villages on rivers are 6 percent more likely to set fire than their neighbors in the same district. Relatedly, villages that are accessible all year by vehicle are 5 percent less likely to set fire. The magnitude is similar but in the opposite direction for those above the median distance to the district capital city, pointing to remoteness as an important factor. The final row looks at whether villages that have agreed on their boundary maps with district governments in regulation—a helpful proxy for environmental governance—have more fire. We find that villages mapped to the district governments are less likely to have fires, but the magnitude is small. This result suggests that recent initiatives to improve spatial planning (e.g., synchronizing overlapping maps across Indonesia’s different levels of government) may help reduce fire but alone are unlikely to be a panacea.

[Figure 5 approximately here]

Panel B of Figure presents results including all the geographic variables from Panel A in the one regression model, rather than one-by-one as the explanatory variable of interest. This approach effectively “knocks out” those less important, in relative terms. Here, the magnitudes on being in or near a forest, in less rugged terrain, on a river, and able to access the village by road all year are virtually unchanged. Forest proximity and river access appear to be, quantitatively, the most important geographic factors.

4.3 Results—agriculture and development

Figure 6 turns to human factors, grouped by agricultural and development variables. The geographic variables in Figure 5 are used as (a) exogenous controls, and (b) exact matching criteria (to impose slightly more demanding counterfactuals). Panels A, B, and C consider agriculture. The first six rows look at the primary source of income in the village (relative to all other sources of income), across six key agricultural sub-sectors. Villages involved in forestry, secondary crops (e.g., corn, beans, and roots), and plantation agriculture are much more likely to set fire. Rice farming villages appear less likely to burn.⁷ The probability of fire varies considerably across crops. Forestry villages around 12 percent more likely to set fire and plantation villages 2 percent more likely, thus broadly consistent with the findings in Sloan et al. (2017). Several plantation crops (e.g., oil palm) are perennials which only require land clearing at planting. For example, oil palms usually stay planted for around 25 years. Thus, farmers using fire to clear land in plantation villages are likely to be in the establishment stage, and villages transitioning to plantation crops may report their primary income as being in another sub-sector (e.g., forestry or secondary crops). These agriculture-fire patterns are robust to including additional geographic controls, but point

⁷An alternative explanation here is that slash-and-burn fires for rice production in traditional systems are short and controlled burns, missed by MODIS satellite detection methods. This is consistent with what we observed in the field in follow-up work.

estimates are significantly attenuated when exactly matched. This may reflect the fact that agricultural practices are a function of underlying geography (i.e., crop-specific suitability in terms of growing conditions and terrain), with exact matching removing variation of interest and statistical power.

[Figure 6 approximately here]

Given the centrality of palm oil in many Indonesian fire-prone landscapes, the bottom half of Panel A in Figure 6 looks more directly at exposure to palm oil supply chains. Using a dichotomous treatment indicator for whether a village is within 5, 10, 25, and 50 kilometers of a palm oil mill, we find that villages near mills are not much more likely to have set fire than other villages in the same district. Coefficients are small, and move around based on estimation technique. Specifically, we find that palm-exposed villages are less likely to burn in our baseline model, but slightly more likely using a more demanding geographic matching estimator. Two points bear mentioning here. First, the distance across a district is often smaller than a supply shed. Second, although the palm oil mill data used here are the best publicly available at the time of writing, they are incomplete. It may be the case that the mills we can observe select into the public sample because they do not mind being observed, and that villages in the supply sheds of the missing mills are burning. The final two rows of Panels A, B, and C look at the probability of fire in villages that rely on firewood for cooking, and in villages with a tradition of burning for agriculture. Villages that rely on firewood for cooking are around 7 percent more likely to have hotspots detected (likely picking up poverty conditions, described below), and those with a history of burning are more than 12 percent more likely. Magnitudes are similar under alternative specifications. Underlying traditional practices involving fire thus remain an important risk. Cultural and behavioral change around these practices is likely to form an important part of any sustainable fire reduction strategy.

Panels D, E, and F of Table 6 explore socioeconomic determinants. Here, magnitudes are robust across models, although matching estimates are the least precise. We focus our in-text discussion on Panel D, which uses the parsimonious specification with only district fixed effects, village area, and a polynomial in latitude and longitude as controls. Consistent with Figure 5 highlighting the importance of remoteness and forest proximity, villages with above-median population density are 25 percent less likely to have hotspots detected. Villages with improved roads are also less likely to burn, as are those with street lighting and cell phone reception (omitted for brevity). Similarly, villages with agricultural kiosks (input dealers) and cooperatives—which we take as a crude proxy for more effective agricultural organization—were around 3 percent less likely to have fire. However, villages with physical marketplaces are slightly more likely to burn than their neighbors without markets.

The most striking result in Figure 6 relates to poverty and underdevelopment. After accounting for district-level spatial fire risk, a one percentage point higher village poverty rate corresponds to a staggering 20 percent increase in the probability of burning. A similar pattern is observed using a poverty line of twice the domestic line and including additional geographic controls. Non-monetary poverty variables, like those which feed into multidimensional poverty indicators, paint a similar picture. Villages (a) with fewer households with access to electricity, (b) without clean cooking fuel, and (c) with poor sanitation, are considerably more likely to have fires detected. Thus, across a wide range of welfare indicators, villages more likely to have hotspots detected are systematically less developed. These results are consistent with those in the final rows of Panels A, B, and C, as poorer villages tend to cook with firewood and are less likely to have modernized agricultural practices.

The relationship between poverty and fire is consistent with two important patterns observed in the countryside. First, traditional, semi-subsistence agriculture often characterizes poorer villages, where fire is used for other traditional purposes, cooking, and clearing trash. Second, poorer villages face more pressure to expand their agricultural area, and this is principally done through slash-and-burn techniques. Even though poorer households tend to face lower opportunity costs from deforestation (see, e.g., Ickowitz et al., 2017), poverty appears to be an important correlate of land-clearing fire in the Indonesian context. In the bottom rows of Figure 6 we show that there is little correlation between fire and village conflict within districts, at least as reported by the district head in the 2014 village census.

5 Discussion and concluding remarks

In this article we took a multi-scalar approach to shine light on the underlying anthropogenic causes of forest fires in Indonesia. At the district level, we identified important changes over time which coincide with heightened fire activity. Although SSTAs explain a great deal of the year-on-year variation in fire, there is systematically more fire in periods of stronger local than average economic growth. We also find that administrative decentralization—specifically the creation of new jurisdictions—has increased fire in splitting jurisdictions, and exacerbated impacts of El Niño on fire in those jurisdictions. At the village level, we found that remoteness, river access, underdevelopment, and traditional fire practices are important in predicting fire across villages within a given locality. Poverty is particularly important in driving the use of fire for agricultural development. Villages engaged in certain types of agriculture are also much more likely to have fires, specifically plantation crops, secondary food crops, and forestry.

Our results offer several insights for policy makers, international organizations, and non-government organizations interested in reducing forest fire. First, the importance of El Niño events and intensified dry seasons means that preparing for and mitigating the impacts for extreme seasons is and will remain a crucial ingredient for overall policy settings. In this sense, there is a reasonably large predictable element, at least over time. Second, there is likely scope to better integrate economic, social, and overall governance policies to temper the rising environmental and human costs of fire. Our district level results highlight how certain institutional reforms have the potential to compound the already significant fire-related consequences of El Niño events. Decentralization reforms have played an important role in shaping fire patterns over space. More fire in response to decentralization funding windfalls—as new districts experience a dramatic increase in per capita funding—raises concerns as Indonesia implements its next wave of decentralization reform, through the 2014 Village Law. The important flip-side here is that if increased opportunities for resource and rent extraction with redistricting increase fire, improving governance with economic development and enacting reforms to align local economic and political incentives could potentially reduce it.

Our district results also highlight the close link between environmental degradation and economic growth in the Indonesian countryside. In other words, the economic-environmental trade-offs that have long characterized large scale agricultural and forestry expansion in the Indonesian countryside remain today, with scant evidence of decoupling (Edwards, 2019). There are two plausible and related explanations for this finding: (a) districts use fire to create economic opportunity and grow the local economy, and (b) economic growth increases residents' and local firms capacity to move, acquire land, and burn further. We stress that we do not distinguish between these two potential explanations in our empirical analysis but rather document the robust correlation. A third explanation, that fire prevention is costly and thus may be temporarily propping up the local economy, appears unlikely since fire prevention activities have only ramped up in recent years. These environmental-economic

findings also relate to a broader literature on the environmental Kuznets curve, which posits that environmental degradation is strongest at earlier stages of development, tapering off and declining as incomes rise (Burke 2010; Stern 2004; Stern 2017; Burke et al., 2015). Firmly placed as a lower-middle income country, a non-trivial part of Indonesia’s economic growth still appears to be coming at the cost of the environment.

Our most policy-relevant results are likely those from our village case study. Rural development policy in Indonesia is today characterized by the 2014 Village Law: the dramatic scale-up of nationwide community-driven development programs initiatives in the early 2000s, increasing and sustaining large and unconditional cash grants to villages while providing greater policy and administrative autonomy. Our case study of the 2015 fire season identifies precisely what types of villages were more likely to have fire, assisting decision makers to target prevention and response policies in the future. Our contrasting district and village results collectively suggest that poverty reduction need not go hand in hand with local environmental degradation, at least at the village level. That within-district disparities in remoteness, underdevelopment, and poverty still characterize the local geography of fire also suggests that the current policy push for village development—if successful—could potentially reduce the demand for fire among rural villagers in Indonesia. Rural development and poverty reduction are likely to remain important for affecting sustainable behavioral change in economically- and environmentally-fragile tropical landscapes, where the drivers of environmental degradation appear mostly opportunistic.

References

- Abood, S. A., Lee, J.S.H., Burivalova, Z., Garcia-Ulloa, J., and Koh, L.P. (2014) “Relative contributions of the logging, fire, oil palm, and mining industries to forest loss in Indonesia”, *Conservation Letters*, 8:1
- Alesina, A., Gennaioli, C., Lovo, S., (2019) “Public goods and ethnic diversity: evidence from deforestation in Indonesia”, *Economica*, 86; 341
- Alisjahbana, A.S., and Busch, J.B. (2017) “Forestry, Forest Fires, and Climate Change in Indonesia”, *Bulletin of Indonesian Economic Studies*, 53:2.
- Angelsen, A., de Sy, V., Duchelle, A.E., Larson, A.M., and Pham, T.T., (eds.) (2018) “Transforming REDD+: Lessons and new directions”, Bogor, Indonesia: CIFOR
- Ardiansyah M, Boer R, Situmorang AP (2017). “Typology of land and forest fires in South Sumatra, Indonesia based on assessment of MODIS data.” *IOP Conference Series: Earth and Environmental Science* 54. DOI: 10.1088/1755-1315/54/1/012058.
- Antlov, H., Wetterberg, A., and Dharmawan, L. (2016), “Village Governance, Community Life, and the 2014 Village Law in Indonesia”, *Bulletin of Indonesian Economic Studies*, 52: 2, pp. 161–183.
- Baltagi, B. H. and Griffin, J. M. (1984), “Short and Long Run Effects in Pooled Models”, *International Economic Review*, 25(3), pp. 631–645.
- Bazzi, S., and Gudgeon, M. (2019), “The Political Boundaries of Ethnic Divisions”, working paper
- Bowman, M.J.S. et al. (2009). “Fire in the earth system”, *Science*, 324: 5926, pp. 481–4
- 6) Bowman, D., Moreira-Munoz, A., Kolden, C., Chavez, R., Munoz, A., Salinas, F., Gonzalez-Reyes, A., Rocco, R., de la Barrera, F., Williamson, G., Borchers, N., Cifuentes, L., Abatzoglou, J., and Johnston, F. (2018) “Human-environmental drivers and impacts of

the globally extreme Chilean fires”, *Ambio*, <https://doi.org/10.1007/s13280-018-1084-1>

Burgess, R., Hansen, M., Olken, B. A., Potapov, P., and Sieber, S. (2012), “The Political Economy of Deforestation in the Tropics“, *Quarterly Journal of Economics*, 122:1, pp. 73–117.

Burke, P. J. (2010) “Income, resources, and electricity mix”, *Energy Economics* 32(3), pp. 616–626.

Burke, P. and Nishitatenno, S. (2015) “Gasoline prices and road fatalities: international evidence”, *Economic Inquiry*, 53(3), pp. 1437–1450.

Busch, J. and Seymour, F. (2016), “Why Forests? Why Now?: The Science, Economics, and Politics of Tropical Forests and Climate Change,” Center for Global Development, Washington, D.C.

Carmenta, R., Zabala, A., Daeli, W., and Phelps, J. (2017) “Perceptions across scales of governance and the Indonesian peatland fires”, *Global Environmental Change*, pp. 5057

Cattau ME, Harrison ME, Shinyo I, Tungau S, Uriarte M, DeFries R (2016) “Sources of anthropogenic fire ignitions on the peat-swamp landscape in Kalimantan, Indonesia”, *Global Environmental Change*, 39, pp. 205–19.

Cattau, M. E., Marlier, M. E., and DeFries, R. (2016), “Effectiveness of Roundtable on Sustainable Palm Oil (RSPO) for reducing fires on oil palm concessions in Indonesia from 2012 to 2015”, *Environmental Research Letters*, 11: 105007.

Costafreda-Aumedes, S., Comas, C., and Vegas-Garcia, C. (2017) “Human causes fire occurrence modelling in perspective: a review”, *International Journal of Wildland Fire*, 26:12, pp. 983–998

Dell, M., Jones, B.F., and Olken B. A. (2012), “Temperature Shocks and Economic Growth: Evidence from the Last Half Century”, *American Economic Journal: Macroeconomics*, 4:3,

pp. 66–95.

Dell, M., Jones, B.F., and Olken B. A. (2014), “What do We Learn from the Weather? The New Climate-Economy Literature”, *Journal of Economic Literature*, 52: 3, pp. 740–98.

Dennis, R.A. (1999), “A review of fire projects in Indonesia, 1982–1998”, CIFOR. 105p.

Dennis, R.A., Mayer, J., and Applegate, G. (2005) “Fire, people, and pixels: Linking social science and remote sensing to understand underlying causes and impacts of fires in Indonesia”, *Human Ecology*, 33: 4, pp. 465–504.

Edwards, R.B. (2016) “Mining away the Preston Curve”, *World Development*, 78, pp. 22–36.

Edwards, R.B (2019) “Export agriculture and rural poverty: evidence from Indonesian palm oil”, working paper.

Fernandes, K., Verchot, L., Baethgen, W., Gutierrez-Velez, V., Pinedo-Vasquez, M., and Martius, C. (2017), “Heightened fire probability in Indonesia in non-drought conditions: the effect of increasing temperatures”, *Environmental Research Letters*, 12, 054002.

Frankenberg, E., McKee, D., and Thomas, D. (2005), “Health Consequences of Forest Fires in Indonesia”, *Demography*, 52:1, pp. 109–29.

Funk, C., Peterson, P., Lansfeld, M., Pedreros, D., Verdin, J., Shukla, S., Husak, G., Rowland, J., Harrison, L., Hoell, A., and Michaelsen, J. (2015), “The climate hazards infrared precipitation with stations: a new environmental record for monitoring extremes”, *Nature Scientific Data*, 2: 150066.

Gaveau DLA, Salim MA, Hergoualch K, et al. (2014) “Major atmospheric emissions from peat fires in Southeast Asia during non-drought years: evidence from the 2013 Sumatran fires”, *Scientific Reports* 4(6112).

Harris, N., Minnemeyer, S., Stolle, F., and Payne, O., (2015), “Indonesia’s Fire Outbreaks Producing More Daily Emissions than Entire US Economy”, World Resources Institute,

<https://www.wri.org/blog/2015/10/indonesia-s-fire-outbreaks-producing-more-daily-emissions-entire-us-e>

Hsiang, S. M. (2016), “Climate Econometrics”, *Annual Reviews of Resource Economics*, 8: 43–75.

Hsiang, S., and Meng, K. (2015), “Tropical economics”, *American Economic Review: Papers and Proceedings 2015*, 105:5, pp. 257–261.

Ickowitz, A., Sills, E., and De Sassi (2017) “Estimate smallholder opportunity costs of REDD+ : A pantropical analysis from households to carbon and back”, *World Development*, 95, pp. 15–26.

Jayachandran, S. (2009), “Air Quality and Early-Life Mortality Evidence from Indonesia’s Wildfires”, *Journal of Human Resources*, 44: 4, pp. 916–54.

Kim, Y., Manley, J., and Radoias, V. (2017) “Medium and long term consequences of pollution on labor supply: evidence from Indonesia”, *IZA journal of Labor Economics*, 6:5

Kopplitz, S., Mickley, L., Marlier, M., Buonocore, J., Kim, P., Liu., T., Sulprizio, M., Defries, R., and Jacob, D. (2016), “Public health impacts of the severe haze in Equatorial Asia in September–October 2015: demonstration of a new framework for informing management strategies to reduce downwind smoke exposure”, *Environmental Research Letters*, 11: 0984923.

Langner, A., and Siegert, F., (2009), ”Spatiotemporal fire occurrence in Borneo over a period of 10 years”, *Global Change Biology*, 15, pp. 48–62.

Langner, A., Miettinen, J. and Siegert, F., (2007), “Land cover change 2005–2005 in Borneo and the role of fire derived from MODIS imagery”, *Global Change Biology*, 13, pp. 2329–40.

Legates, D. R., and C. J. Willmott (1990) “Mean Seasonal and Spatial Variability in Gauge-Corrected, Global Precipitation”, *International Journal of Climatology*, 10: 111–127.

Legates, D. R., and Willmott, C.J. (1990) “Mean Seasonal and Spatial Variability Global

Surface Air Temperature”, *Theoretical and Applied Climatology*, 41: 11–21.

Marlier, M., DeFries, R., Kim, P., Koplitz, S., Jacob, D., Mickley, L., and Myers, S. (2015) “Fire emissions and regional air quality impacts from fires in oil palm, timber, and logging concessions in Indonesia, *Environmental Research Letters*

Miettinen, J., Andreas, L., and Siegert, F. (2007), “Burnt area estimation for the year 2005 in Borneo using multi-resolution satellite imagery”, *International Journal of Wildland Fire*, 16, pp. 44–53

Naylor, R., Higgins, M., Edwards, R.B, and Falcon, W.P. (2019) “Decentralization and the environment: Assessing Smallholder Oil Palm Development in Indonesia”, *Ambio*, 48: 10, pp. 1195–1208.

Naylor R.L , Falcon W.P., Wada, N., and Rochberg, D. (2002) “Using El Nino-Souther Oscillation climate data to improve food policy planning in Indonesia, *Bulletin of Indonesian Economic Studies*, 38:1, pp. 75-91.

Naylor, R.L, Falcon, W.P, Rochberg, D., and Wada, N. (2001), “Using El Nino/Southern Oscillation climate data to predict rice production in Indonesia, *Climatic Change*, 50, pp. 255-265

Naylor, R.L., Battisti, D.S., Vimont, D.J., Falcon, W.P., and Burke, M.B. (2007) “Assessing risks of climate variability and climate change or Indonesian rice agriculture, *PNAS*, 104:19, pp. 7752–7757.

Ordway, E.M., Asner, G.P., and Lambin, E.F. (2017), “Deforestation risk due to commodity crop expansion in sub-Saharan Africa”, *Environmental Research Letters*, 12:4.

Page SE, Siegert F, Rieley J.O., et al. (2002). “The amount of carbon released from peat and forest fires in Indonesia during 1997”. *Nature*, 420, pp. 61–5.

Pribadi A, Kurata G (2017) “Greenhouse gas and air pollutant emissions from land and

forest fire in Indonesia during 2015 based on satellite data.” IOP Conference Series: Earth and Environmental Science 54. DOI: 10.1088/1755-1315/54/012060.

Purnomo H., Shantiko, B., Sitorus, S., Gunawan, H., Achdiawan, R., Kartodihardjo, H., and Dewayani, A. (2017) “Fire economy and actor network of forest and land fires in Indonesia”, *Forest Policy and Economics* 78: 21–31.

Purnomo, H., Okarda, B., Dewayani, A., Ali, M., Achdiawan, R., Kartodihardjo, H., Pacheco, P., and Juniwati, K. (2018) “Reducing forest and land fires through good palm oil value chain governance, *Forest Policy and Economics*, pp. 93–106.

Reddington, C.L. (2014) “Contribution of vegetation and peat fires to particulate air pollution in Southeast Asia”, *Environmental Research Letters*,

Rosales-Rueda, M., and Triyana, M. (2018), “The Persistent Effects of Early-Life Exposure to Air Pollution: Evidence from the Indonesian Forest Fires”, *Journal of Human Resources*, forthcoming

Sheldon, T., and Sankaran, C. (2017), “The Impact of Indonesian Forest Fires on Singaporean Pollution and Health”, *American Economic Review: Papers and Proceedings*, 107:5, pp. 526–529.

Sloan, S., Locatelli, B., Wooster, M.J., and Gaveau, D., (2017) “Fire activity in Borneo driven by industrial land conversion and drought during El Nino periods, 1982–2010”, *Global Environmental Change*, 47, pp. 95–109.

Stern D. I. (2004) “The rise and fall of the environmental Kuznets curve”, *World Development* 32(8), pp. 1419–1439.

Stern, D.I. (2010), “Between Estimates of the Emissions-Income Elasticity”, *Ecological Economics*, 69, 2173–2182.

Stern, D. I., Gerlagh, R., and Burke, P. J (2017), “Modeling the emissions-income

relationship using long-run growth rates”, *Environment and Development Economics* 22(6), pp. 699–724.

Stern D. I. (2017) “The environmental Kuznets curve after 25 years”, *Journal of Bioeconomics*, 19, pp 7–28.

Sze, J., Jefferson, and Lee, J.S.H. (2019) “Evaluating the social and environmental factors behind the 2015 extreme fire event in Sumatra, Indonesia”, *Environmental Research Letters*

Tan-Soo and Pattanayak, S.K. (2019) “Seeking natural capital projects: forest fires, haze, and early-life exposure in Indonesia”, *PNAS*

Tansey, K., J. Beston, A. Hoscilo, S. E. Page, and C. U. Paredes Hernandez (2008), “Relationship between MODIS fire hot spot count and burned area in a degraded tropical peat swamp forest in Central Kalimantan, Indonesia”, *J. Geophys. Res.*, 113, D23112,

Tasker, K., and Arima, E. (2016) “Fire regimes in Amazonia: the relative roles of policy and precipitation”, *Anthropocene*, 14, pp.46–57

Wheeler, D., Hammer, D., Kraft, R., Dasgupta, S., and Blankespoor, B. (2013), “Economic dynamics and forest clearing: a spatial econometric analysis”, *Ecological Economics*, 85, pp. 85–96.

World Bank (2016) “The cost of fire: An economic analysis of the 2015 fire crisis”, *Indonesia Sustainable Landscapes Knowledge Note 1*. World Bank , Jakarta.

Tables and Figures

TABLE 1: DISTRICT-LEVEL RESULTS—FIRES, CLIMATE, AND DECENTRALIZATION

Dependent variable Column	Log hotspot detections				
	1	2	3	4	5
Sea surface temperature anomaly (SSTA)	0.575*** (0.032)				0.563*** (0.033)
Log rain		-1.282*** (0.188)			
Log temperature		1.823 (1.531)			
District split (=1)			0.394*** (0.071)		
Post district split (=1)				0.583*** (0.112)	1.174*** (0.134)
Post district split * SSTA					0.138** (0.070)
District fixed effects	Y	Y	Y	Y	Y
District-by-district trends	Y	Y	Y	Y	Y
Year-island fixed effects	N	Y	Y	Y	N
Districts	266	266	266	266	266
Observations	3728	3458	3728	3728	3728


Notes: Sample is a balanced panel of all rural districts at 2000 district boundaries. Any changes in samples size due to data availability. Robust standard errors are in parentheses, clustered at the district level. Stars represent statistical significance at the one, five, and ten percent levels. Island groups are defined as Java, Kalimantan, Sumatra, and Sulawesi, with remaining islands grouped together as eastern Indonesia.

TABLE 2: DISTRICT-LEVEL RESULTS—FIRES AND LOCAL ECONOMIC GROWTH

Dependent variable Estimation approach Column	Log annual district hotspot detections					
	Levels			First differences		
	(1)	(2)	(3)	(4)	(5)	(6)
Levels						
Log GDPPC	0.43*** (0.15)	0.56*** (0.12)		0.29*** (0.10)	0.40*** (0.10)	
Log GDPPC excl. oil & gas			0.63*** (0.13)			0.40*** (0.108)
District fixed effects	Y	Y	Y	Y	Y	Y
Island-by-year fixed effects	Y	Y	Y	Y	Y	Y
District-by-district trends		Y	Y		Y	Y
Districts	266	266	266	266	266	266
Observations	2967	2967	2719	2742	2742	2240


Notes: Sample is a balanced panel of all rural districts at 2000 district boundaries. Any changes in samples size due to data availability. Robust standard errors are in parentheses, clustered at the district level. Stars represent statistical significance at the one, five, and ten percent levels. Island groups are defined as Java, Kalimantan, Sumatra, and Sulawesi, with remaining islands grouped together as eastern Indonesia.

FIGURE 1: DISTRICT HOTSPOT DETECTIONS, 2000–15




Notes: The figure illustrates the spatial distribution of fire across districts, mapping the total number of hotspots detected in each district since 2000. Fire data are raw MODIS detections. District boundaries from the 2000 and 2010 censuses, with the original 2000 boundaries thicker. Thin boundaries represent proliferated districts, and district fire counts are calculated based on the original district definitions.

FIGURE 2: FIRE AND SEA SURFACE TEMPERATURE ANOMALIES




Notes: This set of figures reflects a close relationship between the number of fires in a given month at the national scale in Indonesia and the presence of El Nino events, as indicated by sea surface temperature anomalies (SSTAs) above +0.7 relative to the long-term average of sea surface temperatures. SSTA data are taken from the NOAA (Nino 3.4 SSTA index) and fires are raw MODIS hotspot detections by month.

FIGURE 3: VILLAGE HOTSPOT DETECTIONS ON SUMATRA, 2015



Notes: The figure maps village hotspots on Sumatra in 2015. Fire data are taken from MODIS. Village and district boundaries follow 2010 definitions. District boundaries are black.


FIGURE 4: VILLAGE HOTSPOT DETECTIONS ON KALIMANTAN, 2015




Notes: The figure maps village hotspots on Kalimantan in 2015. Fire data are taken from MODIS. Village and district boundaries follow 2010 definitions. District boundaries are black.

FIGURE 5: VILLAGE-LEVEL RESULTS—FIRE AND GEOGRAPHY

(A) ONE-BY-ONE




(B) TOGETHER



Notes: This figure plots the coefficients from estimating Equation 2. All estimates include district fixed effects, village area, and a polynomial in latitude and longitude. Lines represent 95% confidence intervals. Panel A iteratively estimates the coefficients of interest one by one in separate models, while Panel B estimates the one model including all the explanatory variables together.

FIGURE 6: VILLAGE-LEVEL RESULTS—FIRE, AGRICULTURE, AND DEVELOPMENT



Notes: This figure plots the coefficients from estimating Equation 2. All estimates include district fixed effects, village area, and a polynomial in latitude and longitude. Lines represent 95 percent confidence intervals. Extra controls includes plain, coast, forest, river, accessibility, and administrative remoteness as covariates matched exactly matches on these variables.