



ENTRY DOOR

SIZE TABLES₁

Single, Double Doors and Sidelights



Single Doors

| | | | | | |
|-------------------|-------------------|------------------|-------------------|--------------------|---------------|
| | Masonry | 3' 0 3/4" (933) | 3' 4 3/4" (1 035) | 3' 10 3/4" (1 187) | |
| | Opening | 2' 10 1/2" (876) | 3' 2 1/2" (978) | 3' 8 1/2" (1 130) | |
| | Frame | 2' 9 3/4" (857) | 3' 1 3/4" (959) | 3' 7 3/4" (1 111) | |
| 7' 0 1/4" (2 140) | | 2' 8" x 6' 8" | 3' 0" x 6' 8" | 3' 6" x 6' 8" | |
| | | 2' 8" x 8' 0" | 3' 0" x 8' 0" | 3' 6" x 8' 0" | |
| | | 2' 8" x 8' 0" | 3' 0" x 8' 0" | 3' 6" x 8' 0" | |
| | 8' 4 1/4" (2 546) | | 2' 8" x 6' 8" | 3' 0" x 6' 8" | 3' 6" x 6' 8" |
| | | | 2' 8" x 8' 0" | 3' 0" x 8' 0" | 3' 6" x 8' 0" |
| | | | 2' 8" x 8' 0" | 3' 0" x 8' 0" | 3' 6" x 8' 0" |

Sidelights₂

| | | | | | |
|-------------------|-------------------|------------------|-------------------|-------------------|-------------|
| | Masonry | 1' 4 9/16" (421) | 1' 5 3/4" (438) | 1' 6 9/16" (471) | |
| | Opening | 1' 2 5/16" (364) | 1' 3" (381) | 1' 4 5/16" (414) | |
| | Frame | 1' 1 9/16" (344) | 1' 2 1/4" (362) | 1' 3 9/16" (395) | |
| 7' 0 1/4" (2 140) | | 12" x 6' 8" | 12 - 5/8" x 6' 8" | 14" x 6' 8" | |
| | | 12" x 8' 0" | 12 - 5/8" x 8' 0" | 14" x 8' 0" | |
| | | 12" x 8' 0" | 12 - 5/8" x 8' 0" | 14" x 8' 0" | |
| | 8' 4 1/4" (2 546) | | 12" x 6' 8" | 12 - 5/8" x 6' 8" | 14" x 6' 8" |
| | | | 12" x 8' 0" | 12 - 5/8" x 8' 0" | 14" x 8' 0" |
| | | | 12" x 8' 0" | 12 - 5/8" x 8' 0" | 14" x 8' 0" |

Double Doors

| | | | | | |
|-------------------|-------------------|-------------------|-------------------|-------------------|---------------|
| | Masonry | 5' 9 1/2" (1 765) | 6' 5 1/2" (1 969) | 7' 5 1/2" (2 273) | |
| | Opening | 5' 7 1/4" (1 708) | 6' 3 1/4" (1 911) | 7' 3 1/4" (2 216) | |
| | Frame | 5' 6 1/2" (1 689) | 6' 2 1/2" (1 892) | 7' 2 1/2" (2 197) | |
| 7' 0 1/4" (2 140) | | 5' 4" x 6' 8" | 6' 0" x 6' 8" | 7' 0" x 6' 8" | |
| | | 5' 4" x 8' 0" | 6' 0" x 8' 0" | 7' 0" x 8' 0" | |
| | | 5' 4" x 8' 0" | 6' 0" x 8' 0" | 7' 0" x 8' 0" | |
| | 8' 4 1/4" (2 546) | | 5' 4" x 6' 8" | 6' 0" x 6' 8" | 7' 0" x 6' 8" |
| | | | 5' 4" x 8' 0" | 6' 0" x 8' 0" | 7' 0" x 8' 0" |
| | | | 5' 4" x 8' 0" | 6' 0" x 8' 0" | 7' 0" x 8' 0" |

Not to scale.
 (1) Heights shown are for In-swing doors with standard sill. For Out-swing doors with standard sill, subtract 1-3/8" from the heights shown. For In-swing and Out-swing doors with ADA sill, subtract 1" from the heights shown.
 (2) For units without standard inswing sill, sidelites do not get sill at the base. Sidelites are boxed in wood frames on all 4 sidelites. Add 1.5" to sash height to get framed height.



ENTRY DOOR

SIZE TABLES₁

Single Doors with Sidelights

MAI

Single Doors with 12" Sidelights

| | | | |
|---------|---------------------|--------------------|---------------------|
| Masonry | 4' 2 5/16" (1 278) | 4' 6 5/16" (1 380) | 5' 0 5/16" (1 532) |
| Opening | 4' 0 1/16" (1 221) | 4' 4 1/16" (1 322) | 4' 10 1/16" (1 475) |
| Frame | 3' 11 5/16" (1 202) | 4' 3 5/16" (1 303) | 4' 9 5/16" (1 456) |

| | | | |
|--------------------|-----------------------------|-----------------------------|-----------------------------|
| 7' 0 1/4" (2 140) | | | |
| 6' 11 1/4" (2 115) | 2' 8" x 6' 8" 12" SIDELIGHT | 3' 0" x 6' 8" 12" SIDELIGHT | 3' 6" x 6' 8" 12" SIDELIGHT |
| 6' 10 3/4" (2 102) | | | |
| 8' 4 1/4" (2 546) | 2' 8" x 8' 0" 12" SIDELIGHT | 3' 0" x 8' 0" 12" SIDELIGHT | 3' 6" x 8' 0" 12" SIDELIGHT |
| 8' 3 1/4" (2 521) | | | |
| 8' 2 3/4" (2 508) | | | |

Single Doors with Two 12" Sidelights

| | | | |
|---------|-------------------|-------------------|--------------------|
| Masonry | 5' 3 7/8" (1 622) | 5' 7 7/8" (1 724) | 6' 1 7/8" (1 876) |
| Opening | 5' 1 5/8" (1 565) | 5' 5 5/8" (1 667) | 5' 11 5/8" (1 819) |
| Frame | 5' 0 7/8" (1 546) | 5' 4 7/8" (1 648) | 5' 10 7/8" (1 800) |

| | | | |
|--------------------|----------------------------------|----------------------------------|----------------------------------|
| 7' 0 1/4" (2 140) | | | |
| 6' 11 1/4" (2 115) | 2' 8" x 6' 8" (2) 12" SIDELIGHTS | 3' 0" x 6' 8" (2) 12" SIDELIGHTS | 3' 6" x 6' 8" (2) 12" SIDELIGHTS |
| 6' 10 3/4" (2 102) | | | |
| 8' 4 1/4" (2 546) | 2' 8" x 8' 0" (2) 12" SIDELIGHTS | 3' 0" x 8' 0" (2) 12" SIDELIGHTS | 3' 6" x 8' 0" (2) 12" SIDELIGHTS |
| 8' 3 1/4" (2 521) | | | |
| 8' 2 3/4" (2 508) | | | |

Single Doors with 12-5/8" Sidelights

| | | | |
|---------|-------------------|-------------------|--------------------|
| Masonry | 4' 3" (1 295) | 4' 7" (1 397) | 5' 1" (1 549) |
| Opening | 4' 0 3/4" (1 238) | 4' 4 3/4" (1 340) | 4' 10 3/4" (1 492) |
| Frame | 4' 0" (1 219) | 4' 4" (1 321) | 4' 10" (1 473) |

| | | | |
|--------------------|---------------------------------|---------------------------------|---------------------------------|
| 7' 0 1/4" (2 140) | | | |
| 6' 11 1/4" (2 115) | 2' 8" x 6' 8" 12-5/8" SIDELIGHT | 3' 0" x 6' 8" 12-5/8" SIDELIGHT | |
| 6' 10 3/4" (2 102) | | | |
| 8' 4 1/4" (2 546) | 2' 8" x 8' 0" 12-5/8" SIDELIGHT | 3' 0" x 8' 0" 12-5/8" SIDELIGHT | 3' 6" x 8' 0" 12-5/8" SIDELIGHT |
| 8' 3 1/4" (2 521) | | | |
| 8' 2 3/4" (2 508) | | | |

Single Doors with Two 12-5/8" Sidelights

| | | | |
|---------|-------------------|-------------------|-------------------|
| Masonry | 5' 5 1/4" (1 657) | 5' 9 1/4" (1 759) | 6' 3 1/4" (1 911) |
| Opening | 5' 3" (1 600) | 5' 7" (1 702) | 6' 1" (1 854) |
| Frame | 5' 2 1/4" (1 581) | 5' 6 1/4" (1 683) | 6' 0 1/4" (1 835) |

| | | | |
|--------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| 7' 0 1/4" (2 140) | | | |
| 6' 11 1/4" (2 115) | 2' 8" x 6' 8" (2) 12-5/8" SIDELIGHTS | 3' 0" x 6' 8" (2) 12-5/8" SIDELIGHTS | |
| 6' 10 3/4" (2 102) | | | |
| 8' 4 1/4" (2 546) | 2' 8" x 8' 0" (2) 12-5/8" SIDELIGHTS | 3' 0" x 8' 0" (2) 12-5/8" SIDELIGHTS | 3' 6" x 8' 0" (2) 12-5/8" SIDELIGHTS |
| 8' 3 1/4" (2 521) | | | |
| 8' 2 3/4" (2 508) | | | |

Single Doors with 14" Sidelights

| | | | |
|---------|--------------------|--------------------|---------------------|
| Masonry | 4' 4 5/16" (1 329) | 4' 8 5/16" (1 430) | 5' 2 5/16" (1 583) |
| Opening | 4' 2 1/16" (1 272) | 4' 6 1/16" (1 373) | 5' 0 1/16" (1 526) |
| Frame | 4' 1 5/16" (1 253) | 4' 5 5/16" (1 354) | 4' 11 5/16" (1 507) |

| | | | |
|--------------------|-----------------------------|-----------------------------|-----------------------------|
| 7' 0 1/4" (2 140) | | | |
| 6' 11 1/4" (2 115) | 2' 8" x 6' 8" 14" SIDELIGHT | 3' 0" x 6' 8" 14" SIDELIGHT | 3' 6" x 6' 8" 14" SIDELIGHT |
| 6' 10 3/4" (2 102) | | | |
| 8' 4 1/4" (2 546) | 2' 8" x 8' 0" 14" SIDELIGHT | 3' 0" x 8' 0" 14" SIDELIGHT | 3' 6" x 8' 0" 14" SIDELIGHT |
| 8' 3 1/4" (2 521) | | | |
| 8' 2 3/4" (2 508) | | | |

Single Doors with Two 14" Sidelights

| | | | |
|---------|-------------------|--------------------|-------------------|
| Masonry | 5' 7 7/8" (1 724) | 5' 11 7/8" (1 826) | 6' 5 7/8" (1 978) |
| Opening | 5' 5 5/8" (1 667) | 5' 9 5/8" (1 768) | 6' 3 5/8" (1 921) |
| Frame | 5' 4 7/8" (1 648) | 5' 8 7/8" (1 749) | 6' 2 7/8" (1 902) |

| | | | |
|--------------------|----------------------------------|----------------------------------|----------------------------------|
| 7' 0 1/4" (2 140) | | | |
| 6' 11 1/4" (2 115) | 2' 8" x 6' 8" (2) 14" SIDELIGHTS | 3' 0" x 6' 8" (2) 14" SIDELIGHTS | 3' 6" x 6' 8" (2) 14" SIDELIGHTS |
| 6' 10 3/4" (2 102) | | | |
| 8' 4 1/4" (2 546) | 2' 8" x 8' 0" (2) 14" SIDELIGHTS | 3' 0" x 8' 0" (2) 14" SIDELIGHTS | 3' 6" x 8' 0" (2) 14" SIDELIGHTS |
| 8' 3 1/4" (2 521) | | | |
| 8' 2 3/4" (2 508) | | | |

Not to scale.

(1) Heights shown are for In-swing doors with standard sill. For Out-swing doors with standard sill, subtract 1-3/8" from the heights shown. For In-swing and Out-swing doors with ADA sill, subtract 1" from the heights shown.



ENTRY DOOR

SIZE TABLES₁

Double Doors with Two Sidelights

MAI

Double Doors with Two 12" Sidelights

| Masonry | 8' 0 5/8" (2 454) | 8' 8 5/8" (2 657) | 9' 8 5/8" (2 962) |
|---------|--------------------|-------------------|-------------------|
| Opening | 7' 10 3/8" (2 397) | 8' 6 3/8" (2 600) | 9' 6 3/8" (2 905) |
| Frame | 7' 9 5/8" (2 378) | 8' 5 5/8" (2 581) | 9' 5 5/8" (2 886) |

| | | | | | |
|-------------------|--------------------|--------------------|----------------------------------|----------------------------------|----------------------------------|
| 7' 0 1/4" (2 140) | 6' 11 1/4" (2 115) | 6' 10 3/4" (2 102) | | | |
| | | | 5' 4" x 6' 8" (2) 12" SIDELIGHTS | 6' 0" x 6' 8" (2) 12" SIDELIGHTS | 7' 0" x 6' 8" (2) 12" SIDELIGHTS |
| 8' 4 1/4" (2 546) | 8' 3 1/4" (2 521) | 8' 2 3/4" (2 508) | | | |
| | | | 5' 4" x 8' 0" (2) 12" SIDELIGHTS | 6' 0" x 8' 0" (2) 12" SIDELIGHTS | 7' 0" x 8' 0" (2) 12" SIDELIGHTS |

Double Doors with Two 12-5/8" Sidelights

| Masonry | 8' 2" (2 489) | 8' 10" (2 692) | 9' 10" (2 997) |
|---------|--------------------|-------------------|-------------------|
| Opening | 7' 11 3/4" (2 432) | 8' 7 3/4" (2 635) | 9' 7 3/4" (2 940) |
| Frame | 7' 11" (2 413) | 8' 7" (2 616) | 9' 7" (2 921) |

| | | | | | |
|-------------------|--------------------|--------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| 7' 0 1/4" (2 140) | 6' 11 1/4" (2 115) | 6' 10 3/4" (2 102) | | | |
| | | | 5' 4" x 6' 8" (2) 12-5/8" SIDELIGHTS | 6' 0" x 6' 8" (2) 12-5/8" SIDELIGHTS | |
| 8' 4 1/4" (2 546) | 8' 3 1/4" (2 521) | 8' 2 3/4" (2 508) | | | |
| | | | 5' 4" x 8' 0" (2) 12-5/8" SIDELIGHTS | 6' 0" x 8' 0" (2) 12-5/8" SIDELIGHTS | 7' 0" x 8' 0" (2) 12-5/8" SIDELIGHTS |

Double Doors with Two 14" Sidelights

| Masonry | 8' 4 5/8" (2 556) | 9' 0 5/8" (2 759) | 10' 0 5/8" (3 064) |
|---------|-------------------|--------------------|--------------------|
| Opening | 8' 2 3/8" (2 499) | 8' 10 3/8" (2 702) | 9' 10 3/8" (3 007) |
| Frame | 8' 1 5/8" (2 480) | 8' 9 5/8" (2 683) | 9' 9 5/8" (2 988) |

| | | | | | |
|-------------------|--------------------|--------------------|----------------------------------|----------------------------------|----------------------------------|
| 7' 0 1/4" (2 140) | 6' 11 1/4" (2 115) | 6' 10 3/4" (2 102) | | | |
| | | | 5' 4" x 6' 8" (2) 14" SIDELIGHTS | 6' 0" x 6' 8" (2) 14" SIDELIGHTS | 7' 0" x 6' 8" (2) 14" SIDELIGHTS |
| 8' 4 1/4" (2 546) | 8' 3 1/4" (2 521) | 8' 2 3/4" (2 508) | | | |
| | | | 5' 4" x 8' 0" (2) 14" SIDELIGHTS | 6' 0" x 8' 0" (2) 14" SIDELIGHTS | 7' 0" x 8' 0" (2) 14" SIDELIGHTS |

Not to scale.

(1) Heights shown are for In-swing doors with standard sill. For Out-swing doors with standard sill, subtract 1-3/8" from the heights shown. For In-swing and Out-swing doors with ADA sill, subtract 1" from the heights shown.



ENTRY DOOR

SIZE TABLES₁

Doors with Transoms



Single Doors with Two 12" Sidelights and 14" Transom

| | | |
|---------|-------------------|--------------------|
| Masonry | 5' 7 7/8" (1 724) | 6' 1 7/8" (1 880) |
| Opening | 5' 5 5/8" (1 667) | 5' 11 5/8" (1 822) |
| Frame | 5' 4 7/8" (1 648) | 5' 10 7/8" (1 803) |

| | | |
|-------------------|--------------------|--------------------|
| 8' 3 3/4" (2 534) | | |
| 8' 2 3/4" (2 508) | (2) 12" SIDELIGHTS | (2) 12" SIDELIGHTS |
| 8' 2 1/4" (2 496) | | |
| 9' 7 3/4" (2 953) | | |
| 9' 6 3/4" (2 927) | (2) 12" SIDELIGHTS | (2) 12" SIDELIGHTS |
| 9' 6 1/4" (2 902) | | |

Single Doors with Two 12-5/8" Sidelights and 14" Transom

| | | |
|---------|-------------------|-------------------|
| Masonry | 5' 9 1/4" (1 759) | 6' 3 1/4" (1 911) |
| Opening | 5' 7" (1 702) | 6' 1" (1 854) |
| Frame | 5' 6 1/4" (1 683) | 6' 0 1/4" (1 835) |

| | | |
|-------------------|------------------------|------------------------|
| 8' 3 3/4" (2 534) | | |
| 8' 2 3/4" (2 508) | (2) 12-5/8" SIDELIGHTS | |
| 8' 2 1/4" (2 496) | | |
| 9' 7 3/4" (2 953) | | |
| 9' 6 3/4" (2 927) | (2) 12-5/8" SIDELIGHTS | (2) 12-5/8" SIDELIGHTS |
| 9' 6 1/4" (2 902) | | |

Single Doors with Two 14" Sidelights and 14" Transom

| | | | |
|---------|-------------------|--------------------|-------------------|
| Masonry | 5' 7 7/8" (1 724) | 5' 11 7/8" (1 826) | 6' 5 7/8" (1 978) |
| Opening | 5' 5 5/8" (1 667) | 5' 9 5/8" (1 768) | 6' 3 5/8" (1 921) |
| Frame | 5' 4 7/8" (1 648) | 5' 8 7/8" (1 749) | 6' 2 7/8" (1 902) |

| | | | |
|-------------------|--------------------|--------------------|--------------------|
| 8' 3 3/4" (2 534) | | | |
| 8' 2 3/4" (2 508) | (2) 14" SIDELIGHTS | (2) 14" SIDELIGHTS | (2) 14" SIDELIGHTS |
| 8' 2 1/4" (2 496) | | | |
| 9' 7 3/4" (2 953) | | | |
| 9' 6 3/4" (2 927) | (2) 14" SIDELIGHTS | (2) 14" SIDELIGHTS | (2) 14" SIDELIGHTS |
| 9' 6 1/4" (2 902) | | | |

Double Door with 14" Transom

| | |
|---------|-------------------|
| Masonry | 6' 5 1/2" (1 969) |
| Opening | 6' 3 1/4" (1 911) |
| Frame | 6' 2 1/2" (1 892) |

| | |
|-------------------|--|
| 8' 3 3/4" (2 534) | |
| 8' 2 3/4" (2 508) | |
| 8' 2 1/4" (2 496) | |
| 9' 7 3/4" (2 953) | |
| 9' 6 3/4" (2 927) | |
| 9' 6 1/4" (2 902) | |

Not to scale.

(1) Heights shown are for In-swing doors with standard sill. For Out-swing doors with standard sill, subtract 1-3/8" from the heights shown. For In-swing and Out-swing doors with ADA sill, subtract 1" from the heights shown.



ENTRY DOOR

SIZE TABLES

Curved-Top Wood Entry Doors

MAI

Mahogany Single Round Top Doors

| | | |
|--------------------|-------------------------------|--------------------|
| Masonry | 3' 4 3/4" (1 035) | 3' 10 3/4" (1 187) |
| Opening | 3' 2 1/2" (978) | 3' 8 1/2" (1 130) |
| Frame | 3' 1 3/4" (959) | 3' 7 3/4" (1 111) |
| | Radius 18-7/8" 21-7/8" | |
| 7' 0 1/4" (2 140) | | |
| 6' 11 1/4" (2 115) | 3' 0" x 6' 8" | |
| 6' 10 3/4" (2 102) | | |
| 8' 4 1/4" (2 515) | | |
| 8' 3 1/4" (2 489) | 3' 0" x 8' 0" | |
| 8' 2 3/4" (2 477) | | |
| | 3' 6" x 8' 0" | |

Mahogany Single Arch Top Doors

| | | |
|--------------------|----------------------------------|--------------------|
| Masonry | 3' 4 3/4" (1 035) | 3' 10 3/4" (1 187) |
| Opening | 3' 2 1/2" (978) | 3' 8 1/2" (1 130) |
| Frame | 3' 1 3/4" (959) | 3' 7 3/4" (1 111) |
| | Radius 25 9/16" 32-5/16" | |
| 7' 0 1/4" (2 140) | | |
| 6' 11 1/4" (2 115) | 3' 0" x 6' 8" SHORT SIDE 74-1/2" | |
| 6' 10 3/4" (2 102) | | |
| 8' 4 1/4" (2 515) | | |
| 8' 3 1/4" (2 489) | 3' 0" x 8' 0" SHORT SIDE 90-1/2" | |
| 8' 2 3/4" (2 477) | | |
| | 3' 6" x 8' 0" SHORT SIDE 90 1/4" | |

Mahogany Double Arched Top Doors (MARFL)

| | | | |
|-------------------|---|-------------------|-------------------|
| Masonry | 5' 5 1/2" (1 657) | 5' 9 1/2" (1 765) | 6' 5 1/2" (1 969) |
| Opening | 5' 3 1/4" (1 600) | 5' 7 1/4" (1 708) | 6' 3 1/4" (1 911) |
| Frame | 5' 2 1/2" (1 581) | 5' 6 1/2" (1 689) | 6' 2 1/2" (1 892) |
| | Radius 80-1/2" 80-1/2" 80-1/2" | | |
| 8' 4 1/4" (2 515) | | | |
| 8' 3 1/4" (2 489) | Eyebrow Top 5' 0" x 8' 0" SHORT SIDE 92-5/8" | | |
| 8' 2 3/4" (2 477) | | | |
| | Eyebrow Top 5' 4" x 8' 0" SHORT SIDE 91-9/16" | | |
| | | | |
| | Eyebrow Top 6' 0" x 8' 0" SHORT SIDE 89-5/8" | | |

Mahogany Radius Top Doors with 14" Surround

| | | |
|-------------------|---------------------------------|-------------------|
| Masonry | 5' 11 7/8" (1 848) | 6' 5 7/8" (1 873) |
| Opening | 5' 9 5/8" (1 769) | 6' 3 5/8" (1 823) |
| Frame | 5' 8 7/8" (1 750) | 6' 2 7/8" (1 902) |
| | Radius 34-7/16" 37-7/16" | |
| 9' 7 3/4" (2 940) | | |
| 9' 6 3/4" (2 915) | Radius Top 3' 0" x 8' 0" | |
| 9' 6 1/4" (2 902) | | |
| | Radius Top 3' 6" x 8' 0" | |

Not to scale.

(1) Heights shown are for In-swing doors with standard sill. For Out-swing doors with standard sill, subtract 1-3/8" from the heights shown. For In-swing and Out-swing doors with ADA sill, subtract 1" from the heights shown.



ENTRY DOOR

SIZE TABLES

Curved-Top Wood Entry Doors

MAI

Andean Walnut Single and Double Round Top Doors

| | | | |
|--------------------|---|--------------------|---------------------------------|
| Masonry | 3' 4 3/4" (1 035) | 3' 10 3/4" (1 187) | 6' 5 1/2" (1 969) |
| Opening | 3' 2 1/2" (978) | 3' 8 1/2" (1 130) | 6' 3 1/4" (1 911) |
| Frame | 3' 1 3/4" (959) | 3' 7 3/4" (1 111) | 6' 2 1/2" (1 892) |
| | Radius 18-7/8" 21-7/8" 37-1/4" | | |
| 7' 0 1/4" (2 140) | | | |
| 6' 11 1/4" (2 115) | | | |
| 6' 10 3/4" (2 102) | | | |
| 8' 4 1/4" (2 515) | | | |
| 8' 3 1/4" (2 489) | | | |
| 8' 2 3/4" (2 477) | | | |
| | 3' 0" x 6' 8" | 3' 6" x 6' 8" | 6' 0" x 8' 0" RADIUS 37-1/4" |

Andean Walnut & Westport Mahogany Arched Top Doors³

| | | | |
|--------------------|--|--|---|
| Masonry | 3' 4 3/4" (1 035) | 3' 10 3/4" (1 187) | 6' 5 1/2" (1 969) |
| Opening | 3' 2 1/2" (978) | 3' 8 1/2" (1 130) | 6' 3 1/4" (1 911) |
| Frame | 3' 1 3/4" (959) | 3' 7 3/4" (1 111) | 6' 2 1/2" (1 892) |
| | Radius 45-3/4" 50-15/16" 166-13/16" | | |
| 7' 0 1/4" (2 140) | | | |
| 6' 11 1/4" (2 115) | | | |
| 6' 10 3/4" (2 102) | | | |
| 8' 4 1/4" (2 515) | | | |
| 8' 3 1/4" (2 489) | | | |
| 8' 2 3/4" (2 477) | | | |
| | 3' 0" x 6' 8" SHORT SIDE 78-3/4" | 3' 6" x 6' 8" SHORT SIDE 77-3/4" | 6' 0" x 8' 0" SHORT SIDE 94-9/16" |
| | 3' 0" x 8' 0" SHORT SIDE 94-3/4" | 3' 6" x 8' 0" SHORT SIDE 93-3/4" | |

Andean Walnut Single Curve Top Doors with Two 14" Sidelights

| | | |
|-------------------|---|---|
| Masonry | 5' 11 7/8" (1 826) | 6' 5 7/8" (1 978) |
| Opening | 5' 9 5/8" (1 768) | 6' 3 5/8" (1 921) |
| Frame | 5' 8 7/8" (1 749) | 6' 2 7/8" (1 902) |
| | Radius 45-3/4" 50-15/16" | |
| 8' 4 1/4" (2 515) | | |
| 8' 3 1/4" (2 489) | | |
| 8' 2 3/4" (2 477) | | |
| | Eyebrow Top 3' 0" x 8' 0" SHORT SIDE 83-1/8" | Eyebrow Top 3' 6" x 8' 0" SHORT SIDE 82-3/8" |

Not to scale.

(1) Heights shown are for In-swing doors with standard sill. For Out-swing doors with standard sill, subtract 1-3/8" from the heights shown. For In-swing and Out-swing doors with ADA sill, subtract 1" from the heights shown.

(3) West Port Mahogany doors available as singles only and in 36" width. 42" width is custom



ENTRY DOOR

SIZE TABLES

Rectangle, Segment Arch, Elliptical and Circlehead Transoms

MAI

Rectangular 14" Transom

| | | | | |
|---------|--|--|---|---|
| Masonry | 5' 7 ⁷ / ₈ " (1 724) | 5' 9 ¹ / ₄ " (1 759) | 5' 11 ⁷ / ₈ " (1 826) | 6' 1 ⁷ / ₈ " (1 876) |
| Opening | 5' 5 ⁵ / ₈ " (1 667) | 5' 7" (1 702) | 5' 9 ⁵ / ₈ " (1 768) | 5' 11 ⁵ / ₈ " (1 819) |
| Frame | 5' 4 ⁷ / ₈ " (1 648) | 5' 6 ¹ / ₄ " (1 683) | 5' 8 ⁷ / ₈ " (1 749) | 5' 10 ⁷ / ₈ " (1 800) |

Segment Arch Transom

| | | | |
|---------|--|--|--|
| Masonry | 6' 3 ¹ / ₄ " (1 911) | 6' 5 ¹ / ₂ " (1 969) | 6' 9 ⁷ / ₈ " (2 080) |
| Opening | 6' 1" (1 854) | 6' 3 ¹ / ₄ " (1 911) | 6' 7 ⁵ / ₈ " (2 022) |
| Frame | 6' 0 ¹ / ₄ " (1 835) | 6' 2 ¹ / ₂ " (1 892) | 6' 6 ⁷ / ₈ " (2 003) |

| | | | |
|---------|--|---|--|
| Masonry | 5' 7 ⁷ / ₈ " (1 723) | 5' 11 ⁷ / ₈ " (1 826) | 6' 5 ¹ / ₂ " (1 969) |
| Opening | 5' 5 ⁵ / ₈ " (1 667) | 5' 9 ⁵ / ₈ " (1 768) | 6' 3 ¹ / ₄ " (1 911) |
| Frame | 5' 4 ⁷ / ₈ " (1 648) | 5' 8 ⁷ / ₈ " (1 749) | 6' 2 ¹ / ₂ " (1 892) |

Radius 80 1/2" 80 1/2" 80 1/2"

Circle Head Transoms

| | | | | |
|---------|--|--|---|--|
| Masonry | 5' 7 ⁷ / ₈ " (1 724) | 5' 9 ¹ / ₄ " (1 759) | 5' 11 ⁷ / ₈ " (1 826) | 6' 5 ¹ / ₄ " (1 962) |
| Opening | 5' 5 ⁵ / ₈ " (1 657) | 5' 7" (1 702) | 5' 9 ⁵ / ₈ " (1 769) | 6' 3" (1 905) |
| Frame | 5' 4 ⁷ / ₈ " (1 648) | 5' 6 ¹ / ₄ " (1 683) | 5' 8 ⁷ / ₈ " (1 750) | 6' 2 ¹ / ₄ " (1 886) |