



ENTRY DOOR

# SIZE TABLES<sub>1</sub>

Single, Double Doors and Sidelights



## Single Doors

Masonry	3' 0 3/4" (933)	3' 4 3/4" (1 035)	3' 10 3/4" (1 187)
Opening	2' 10 1/2" (876)	3' 2 1/2" (978)	3' 8 1/2" (1 130)
Frame	2' 9 3/4" (857)	3' 1 3/4" (959)	3' 7 3/4" (1 111)

  

7' 0 1/4" (2 140)			
	2' 8" x 6' 8"	3' 0" x 6' 8"	3' 6" x 6' 8"
8' 4 1/4" (2 546)			
	2' 8" x 8' 0"	3' 0" x 8' 0"	3' 6" x 8' 0"

## Sidelights<sub>2</sub>

Masonry	1' 4 9/16" (421)	1' 5 3/4" (438)	1' 6 9/16" (471)
Opening	1' 2 5/16" (364)	1' 3" (381)	1' 4 5/16" (414)
Frame	1' 1 9/16" (344)	1' 2 1/4" (362)	1' 3 9/16" (395)

  

7' 0 1/4" (2 140)			
	12" x 6' 8"	12 - 5/8" x 6' 8"	14" x 6' 8"
8' 4 1/4" (2 546)			
	12" x 8' 0"	12 - 5/8" x 8' 0"	14" x 8' 0"

## Double Doors

Masonry	5' 9 1/2" (1 765)	6' 5 1/2" (1 969)	7' 5 1/2" (2 273)
Opening	5' 7 1/4" (1 708)	6' 3 1/4" (1 911)	7' 3 1/4" (2 216)
Frame	5' 6 1/2" (1 689)	6' 2 1/2" (1 892)	7' 2 1/2" (2 197)

  

7' 0 1/4" (2 140)			
	5' 4" x 6' 8"	6' 0" x 6' 8"	7' 0" x 6' 8"
8' 4 1/4" (2 546)			
	5' 4" x 8' 0"	6' 0" x 8' 0"	7' 0" x 8' 0"

Not to scale.  
 (1) Heights shown are for In-swing doors with standard sill. For Out-swing doors with standard sill, subtract 1-3/8" from the heights shown. For In-swing and Out-swing doors with ADA sill, subtract 1" from the heights shown.  
 (2) For units without standard inswing sill, sidelites do not get sill at the base. Sidelites are boxed in wood frames on all 4 sidelites. Add 1.5" to sash height to get framed height.



ENTRY DOOR

# SIZE TABLES<sub>1</sub>

## Single Doors with Sidelights

# MAI

### Single Doors with 12" Sidelights

Masonry	4' 2 5/16" (1 278)	4' 6 5/16" (1 380)	5' 0 5/16" (1 532)
Opening	4' 0 1/16" (1 221)	4' 4 1/16" (1 322)	4' 10 1/16" (1 475)
Frame	3' 11 5/16" (1 202)	4' 3 5/16" (1 303)	4' 9 5/16" (1 456)

  

7' 0 1/4" (2 140)			
6' 11 1/4" (2 115)	2' 8" x 6' 8" 12" SIDELIGHT	3' 0" x 6' 8" 12" SIDELIGHT	3' 6" x 6' 8" 12" SIDELIGHT
6' 10 3/4" (2 102)			
8' 4 1/4" (2 546)	2' 8" x 8' 0" 12" SIDELIGHT	3' 0" x 8' 0" 12" SIDELIGHT	3' 6" x 8' 0" 12" SIDELIGHT
8' 3 1/4" (2 521)			
8' 2 3/4" (2 508)			

### Single Doors with Two 12" Sidelights

Masonry	5' 3 7/8" (1 622)	5' 7 7/8" (1 724)	6' 1 7/8" (1 876)
Opening	5' 1 5/8" (1 565)	5' 5 5/8" (1 667)	5' 11 5/8" (1 819)
Frame	5' 0 7/8" (1 546)	5' 4 7/8" (1 648)	5' 10 7/8" (1 800)

  

7' 0 1/4" (2 140)			
6' 11 1/4" (2 115)	2' 8" x 6' 8" (2) 12" SIDELIGHTS	3' 0" x 6' 8" (2) 12" SIDELIGHTS	3' 6" x 6' 8" (2) 12" SIDELIGHTS
6' 10 3/4" (2 102)			
8' 4 1/4" (2 546)	2' 8" x 8' 0" (2) 12" SIDELIGHTS	3' 0" x 8' 0" (2) 12" SIDELIGHTS	3' 6" x 8' 0" (2) 12" SIDELIGHTS
8' 3 1/4" (2 521)			
8' 2 3/4" (2 508)			

### Single Doors with 12-5/8" Sidelights

Masonry	4' 3" (1 295)	4' 7" (1 397)	5' 1" (1 549)
Opening	4' 0 3/4" (1 238)	4' 4 3/4" (1 340)	4' 10 3/4" (1 492)
Frame	4' 0" (1 219)	4' 4" (1 321)	4' 10" (1 473)

  

7' 0 1/4" (2 140)			
6' 11 1/4" (2 115)	2' 8" x 6' 8" 12-5/8" SIDELIGHT	3' 0" x 6' 8" 12-5/8" SIDELIGHT	
6' 10 3/4" (2 102)			
8' 4 1/4" (2 546)	2' 8" x 8' 0" 12-5/8" SIDELIGHT	3' 0" x 8' 0" 12-5/8" SIDELIGHT	3' 6" x 8' 0" 12-5/8" SIDELIGHT
8' 3 1/4" (2 521)			
8' 2 3/4" (2 508)			

### Single Doors with Two 12-5/8" Sidelights

Masonry	5' 5 1/4" (1 657)	5' 9 1/4" (1 759)	6' 3 1/4" (1 911)
Opening	5' 3" (1 600)	5' 7" (1 702)	6' 1" (1 854)
Frame	5' 2 1/4" (1 581)	5' 6 1/4" (1 683)	6' 0 1/4" (1 835)

  

7' 0 1/4" (2 140)			
6' 11 1/4" (2 115)	2' 8" x 6' 8" (2) 12-5/8" SIDELIGHTS	3' 0" x 6' 8" (2) 12-5/8" SIDELIGHTS	
6' 10 3/4" (2 102)			
8' 4 1/4" (2 546)	2' 8" x 8' 0" (2) 12-5/8" SIDELIGHTS	3' 0" x 8' 0" (2) 12-5/8" SIDELIGHTS	3' 6" x 8' 0" (2) 12-5/8" SIDELIGHTS
8' 3 1/4" (2 521)			
8' 2 3/4" (2 508)			

### Single Doors with 14" Sidelights

Masonry	4' 4 5/16" (1 329)	4' 8 5/16" (1 430)	5' 2 5/16" (1 583)
Opening	4' 2 1/16" (1 272)	4' 6 1/16" (1 373)	5' 0 1/16" (1 526)
Frame	4' 1 5/16" (1 253)	4' 5 5/16" (1 354)	4' 11 5/16" (1 507)

  

7' 0 1/4" (2 140)			
6' 11 1/4" (2 115)	2' 8" x 6' 8" 14" SIDELIGHT	3' 0" x 6' 8" 14" SIDELIGHT	3' 6" x 6' 8" 14" SIDELIGHT
6' 10 3/4" (2 102)			
8' 4 1/4" (2 546)	2' 8" x 8' 0" 14" SIDELIGHT	3' 0" x 8' 0" 14" SIDELIGHT	3' 6" x 8' 0" 14" SIDELIGHT
8' 3 1/4" (2 521)			
8' 2 3/4" (2 508)			

### Single Doors with Two 14" Sidelights

Masonry	5' 7 7/8" (1 724)	5' 11 7/8" (1 826)	6' 5 7/8" (1 978)
Opening	5' 5 5/8" (1 667)	5' 9 5/8" (1 768)	6' 3 5/8" (1 921)
Frame	5' 4 7/8" (1 648)	5' 8 7/8" (1 749)	6' 2 7/8" (1 902)

  

7' 0 1/4" (2 140)			
6' 11 1/4" (2 115)	2' 8" x 6' 8" (2) 14" SIDELIGHTS	3' 0" x 6' 8" (2) 14" SIDELIGHTS	3' 6" x 6' 8" (2) 14" SIDELIGHTS
6' 10 3/4" (2 102)			
8' 4 1/4" (2 546)	2' 8" x 8' 0" (2) 14" SIDELIGHTS	3' 0" x 8' 0" (2) 14" SIDELIGHTS	3' 6" x 8' 0" (2) 14" SIDELIGHTS
8' 3 1/4" (2 521)			
8' 2 3/4" (2 508)			

Not to scale.

(1) Heights shown are for In-swing doors with standard sill. For Out-swing doors with standard sill, subtract 1-3/8" from the heights shown. For In-swing and Out-swing doors with ADA sill, subtract 1" from the heights shown.



ENTRY DOOR

# SIZE TABLES<sub>1</sub>

## Double Doors with Two Sidelights

# MAI

### Double Doors with Two 12" Sidelights

Masonry	8' 0 5/8" (2 454)	8' 8 5/8" (2 657)	9' 8 5/8" (2 962)
Opening	7' 10 3/8" (2 397)	8' 6 3/8" (2 600)	9' 6 3/8" (2 905)
Frame	7' 9 5/8" (2 378)	8' 5 5/8" (2 581)	9' 5 5/8" (2 886)

  

7' 0 1/4" (2 140)	6' 11 1/4" (2 115)	6' 10 3/4" (2 102)			
			5' 4" x 6' 8" (2) 12" SIDELIGHTS	6' 0" x 6' 8" (2) 12" SIDELIGHTS	7' 0" x 6' 8" (2) 12" SIDELIGHTS
8' 4 1/4" (2 546)	8' 3 1/4" (2 521)	8' 2 3/4" (2 508)			
			5' 4" x 8' 0" (2) 12" SIDELIGHTS	6' 0" x 8' 0" (2) 12" SIDELIGHTS	7' 0" x 8' 0" (2) 12" SIDELIGHTS

### Double Doors with Two 12-5/8" Sidelights

Masonry	8' 2" (2 489)	8' 10" (2 692)	9' 10" (2 997)
Opening	7' 11 3/4" (2 432)	8' 7 3/4" (2 635)	9' 7 3/4" (2 940)
Frame	7' 11" (2 413)	8' 7" (2 616)	9' 7" (2 921)

  

7' 0 1/4" (2 140)	6' 11 1/4" (2 115)	6' 10 3/4" (2 102)			
			5' 4" x 6' 8" (2) 12-5/8" SIDELIGHTS	6' 0" x 6' 8" (2) 12-5/8" SIDELIGHTS	
8' 4 1/4" (2 546)	8' 3 1/4" (2 521)	8' 2 3/4" (2 508)			
			5' 4" x 8' 0" (2) 12-5/8" SIDELIGHTS	6' 0" x 8' 0" (2) 12-5/8" SIDELIGHTS	7' 0" x 8' 0" (2) 12-5/8" SIDELIGHTS

### Double Doors with Two 14" Sidelights

Masonry	8' 4 5/8" (2 556)	9' 0 5/8" (2 759)	10' 0 5/8" (3 064)
Opening	8' 2 3/8" (2 499)	8' 10 3/8" (2 702)	9' 10 3/8" (3 007)
Frame	8' 1 5/8" (2 480)	8' 9 5/8" (2 683)	9' 9 5/8" (2 988)

  

7' 0 1/4" (2 140)	6' 11 1/4" (2 115)	6' 10 3/4" (2 102)			
			5' 4" x 6' 8" (2) 14" SIDELIGHTS	6' 0" x 6' 8" (2) 14" SIDELIGHTS	7' 0" x 6' 8" (2) 14" SIDELIGHTS
8' 4 1/4" (2 546)	8' 3 1/4" (2 521)	8' 2 3/4" (2 508)			
			5' 4" x 8' 0" (2) 14" SIDELIGHTS	6' 0" x 8' 0" (2) 14" SIDELIGHTS	7' 0" x 8' 0" (2) 14" SIDELIGHTS

Not to scale.

(1) Heights shown are for In-swing doors with standard sill. For Out-swing doors with standard sill, subtract 1-3/8" from the heights shown. For In-swing and Out-swing doors with ADA sill, subtract 1" from the heights shown.



ENTRY DOOR

# SIZE TABLES<sub>1</sub>

## Doors with Transoms



### Single Doors with Two 12" Sidelights and 14" Transom

Masonry	5' 7 7/8" (1 724)	6' 1 7/8" (1 880)
Opening	5' 5 5/8" (1 667)	5' 11 5/8" (1 822)
Frame	5' 4 7/8" (1 648)	5' 10 7/8" (1 803)

  

8' 3 3/4" (2 534)		
8' 2 3/4" (2 508)	(2) 12" SIDELIGHTS	(2) 12" SIDELIGHTS
8' 2 1/4" (2 496)		
9' 7 3/4" (2 953)		
9' 6 3/4" (2 927)	(2) 12" SIDELIGHTS	(2) 12" SIDELIGHTS
9' 6 1/4" (2 902)		

### Single Doors with Two 12-5/8" Sidelights and 14" Transom

Masonry	5' 9 1/4" (1 759)	6' 3 1/4" (1 911)
Opening	5' 7" (1 702)	6' 1" (1 854)
Frame	5' 6 1/4" (1 683)	6' 0 1/4" (1 835)

  

8' 3 3/4" (2 534)		
8' 2 3/4" (2 508)	(2) 12-5/8" SIDELIGHTS	
8' 2 1/4" (2 496)		
9' 7 3/4" (2 953)		
9' 6 3/4" (2 927)	(2) 12-5/8" SIDELIGHTS	(2) 12-5/8" SIDELIGHTS
9' 6 1/4" (2 902)		

### Single Doors with Two 14" Sidelights and 14" Transom

Masonry	5' 7 7/8" (1 724)	5' 11 7/8" (1 826)	6' 5 7/8" (1 978)
Opening	5' 5 5/8" (1 667)	5' 9 5/8" (1 768)	6' 3 5/8" (1 921)
Frame	5' 4 7/8" (1 648)	5' 8 7/8" (1 749)	6' 2 7/8" (1 902)

  

8' 3 3/4" (2 534)			
8' 2 3/4" (2 508)	(2) 14" SIDELIGHTS	(2) 14" SIDELIGHTS	(2) 14" SIDELIGHTS
8' 2 1/4" (2 496)			
9' 7 3/4" (2 953)			
9' 6 3/4" (2 927)	(2) 14" SIDELIGHTS	(2) 14" SIDELIGHTS	(2) 14" SIDELIGHTS
9' 6 1/4" (2 902)			

### Double Door with 14" Transom

Masonry	6' 5 1/2" (1 969)
Opening	6' 3 1/4" (1 911)
Frame	6' 2 1/2" (1 892)

  

8' 3 3/4" (2 534)	
8' 2 3/4" (2 508)	
8' 2 1/4" (2 496)	
9' 7 3/4" (2 953)	
9' 6 3/4" (2 927)	
9' 6 1/4" (2 902)	

Not to scale.

(1) Heights shown are for In-swing doors with standard sill. For Out-swing doors with standard sill, subtract 1-3/8" from the heights shown. For In-swing and Out-swing doors with ADA sill, subtract 1" from the heights shown.



ENTRY DOOR

## SIZE TABLES

### Curved-Top Wood Entry Doors

MAI

#### Mahogany Single Round Top Doors

Masonry	3' 4 3/4" (1 035)	3' 10 3/4" (1 187)
Opening	3' 2 1/2" (978)	3' 8 1/2" (1 130)
Frame	3' 1 3/4" (959)	3' 7 3/4" (1 111)
	<b>Radius 18-7/8" 21-7/8"</b>	
7' 0 1/4" (2 140)		
6' 11 1/4" (2 115)	3' 0" x 6' 8"	
6' 10 3/4" (2 102)		
8' 4 1/4" (2 515)		
8' 3 1/4" (2 489)	3' 0" x 8' 0"	
8' 2 3/4" (2 477)		
	3' 6" x 8' 0"	

#### Mahogany Single Arch Top Doors

Masonry	3' 4 3/4" (1 035)	3' 10 3/4" (1 187)
Opening	3' 2 1/2" (978)	3' 8 1/2" (1 130)
Frame	3' 1 3/4" (959)	3' 7 3/4" (1 111)
	<b>Radius 25 9/16" 32-5/16"</b>	
7' 0 1/4" (2 140)		
6' 11 1/4" (2 115)	3' 0" x 6' 8" SHORT SIDE 74-1/2"	
6' 10 3/4" (2 102)		
8' 4 1/4" (2 515)		
8' 3 1/4" (2 489)	3' 0" x 8' 0" SHORT SIDE 90-1/2"	
8' 2 3/4" (2 477)		
	3' 6" x 8' 0" SHORT SIDE 90 1/4"	

#### Mahogany Double Arched Top Doors (MARFL)

Masonry	5' 5 1/2" (1 657)	5' 9 1/2" (1 765)	6' 5 1/2" (1 969)
Opening	5' 3 1/4" (1 600)	5' 7 1/4" (1 708)	6' 3 1/4" (1 911)
Frame	5' 2 1/2" (1 581)	5' 6 1/2" (1 689)	6' 2 1/2" (1 892)
	<b>Radius 80-1/2" 80-1/2" 80-1/2"</b>		
8' 4 1/4" (2 515)			
8' 3 1/4" (2 489)	Eyebrow Top 5' 0" x 8' 0" SHORT SIDE 92-5/8"		
8' 2 3/4" (2 477)			
	Eyebrow Top 5' 4" x 8' 0" SHORT SIDE 91-9/16"		
	Eyebrow Top 6' 0" x 8' 0" SHORT SIDE 89-5/8"		

#### Mahogany Radius Top Doors with 14" Surround

Masonry	5' 11 7/8" (1 848)	6' 5 7/8" (1 873)
Opening	5' 9 5/8" (1 769)	6' 3 5/8" (1 823)
Frame	5' 8 7/8" (1 750)	6' 2 7/8" (1 902)
	<b>Radius 34-7/16" 37-7/16"</b>	
9' 7 3/4" (2 940)		
9' 6 3/4" (2 915)	Radius Top 3' 0" x 8' 0"	
9' 6 1/4" (2 902)		
	Radius Top 3' 6" x 8' 0"	

Not to scale.

(1) Heights shown are for In-swing doors with standard sill. For Out-swing doors with standard sill, subtract 1-3/8" from the heights shown. For In-swing and Out-swing doors with ADA sill, subtract 1" from the heights shown.



ENTRY DOOR

## SIZE TABLES

### Curved-Top Wood Entry Doors

MAI

#### Andean Walnut Single and Double Round Top Doors

Masonry	3' 4 3/4" (1 035)	3' 10 3/4" (1 187)	6' 5 1/2" (1 969)
Opening	3' 2 1/2" (978)	3' 8 1/2" (1 130)	6' 3 1/4" (1 911)
Frame	3' 1 3/4" (959)	3' 7 3/4" (1 111)	6' 2 1/2" (1 892)
	<b>Radius 18-7/8"      21-7/8"      37-1/4"</b>		
7' 0 1/4" (2 140)			
6' 11 1/4" (2 115)			
6' 10 3/4" (2 102)			
8' 4 1/4" (2 515)			
8' 3 1/4" (2 489)			
8' 2 3/4" (2 477)			
			RADIUS 37-1/4"

#### Andean Walnut & Westport Mahogany Arched Top Doors<sup>3</sup>

Masonry	3' 4 3/4" (1 035)	3' 10 3/4" (1 187)	6' 5 1/2" (1 969)
Opening	3' 2 1/2" (978)	3' 8 1/2" (1 130)	6' 3 1/4" (1 911)
Frame	3' 1 3/4" (959)	3' 7 3/4" (1 111)	6' 2 1/2" (1 892)
	<b>Radius 45-3/4"      50-15/16"      166-13/16"</b>		
7' 0 1/4" (2 140)			
6' 11 1/4" (2 115)			
6' 10 3/4" (2 102)			
8' 4 1/4" (2 515)			
8' 3 1/4" (2 489)			
8' 2 3/4" (2 477)			

#### Andean Walnut Single Curve Top Doors with Two 14" Sidelights

Masonry	5' 11 7/8" (1 826)	6' 5 7/8" (1 978)
Opening	5' 9 5/8" (1 768)	6' 3 5/8" (1 921)
Frame	5' 8 7/8" (1 749)	6' 2 7/8" (1 902)
	<b>Radius 45-3/4"      50-15/16"</b>	
8' 4 1/4" (2 515)		
8' 3 1/4" (2 489)		
8' 2 3/4" (2 477)		

Not to scale.

(1) Heights shown are for In-swing doors with standard sill. For Out-swing doors with standard sill, subtract 1-3/8" from the heights shown. For In-swing and Out-swing doors with ADA sill, subtract 1" from the heights shown.

(3) West Port Mahogany doors available as singles only and in 36" width. 42" width is custom



ENTRY DOOR

## SIZE TABLES

Rectangle, Segment Arch, Elliptical and Circlehead Transoms

# MAI

### Rectangular 14" Transom

Masonry	5' 7 <sup>7</sup> / <sub>8</sub> " (1 724)	5' 9 <sup>1</sup> / <sub>4</sub> " (1 759)	5' 11 <sup>7</sup> / <sub>8</sub> " (1 826)	6' 1 <sup>7</sup> / <sub>8</sub> " (1 876)
Opening	5' 5 <sup>5</sup> / <sub>8</sub> " (1 667)	5' 7" (1 702)	5' 9 <sup>5</sup> / <sub>8</sub> " (1 768)	5' 11 <sup>5</sup> / <sub>8</sub> " (1 819)
Frame	5' 4 <sup>7</sup> / <sub>8</sub> " (1 648)	5' 6 <sup>1</sup> / <sub>4</sub> " (1 683)	5' 8 <sup>7</sup> / <sub>8</sub> " (1 749)	5' 10 <sup>7</sup> / <sub>8</sub> " (1 800)

### Segment Arch Transom

Masonry	6' 3 <sup>1</sup> / <sub>4</sub> " (1 911)	6' 5 <sup>1</sup> / <sub>2</sub> " (1 969)	6' 9 <sup>7</sup> / <sub>8</sub> " (2 080)
Opening	6' 1" (1 854)	6' 3 <sup>3</sup> / <sub>4</sub> " (1 911)	6' 7 <sup>5</sup> / <sub>8</sub> " (2 022)
Frame	6' 0 <sup>1</sup> / <sub>4</sub> " (1 835)	6' 2 <sup>1</sup> / <sub>2</sub> " (1 892)	6' 6 <sup>7</sup> / <sub>8</sub> " (2 003)

Masonry	5' 7 <sup>7</sup> / <sub>8</sub> " (1 723)	5' 11 <sup>7</sup> / <sub>8</sub> " (1 826)	6' 5 <sup>1</sup> / <sub>2</sub> " (1 969)
Opening	5' 5 <sup>5</sup> / <sub>8</sub> " (1 667)	5' 9 <sup>5</sup> / <sub>8</sub> " (1 768)	6' 3 <sup>1</sup> / <sub>4</sub> " (1 911)
Frame	5' 4 <sup>7</sup> / <sub>8</sub> " (1 648)	5' 8 <sup>7</sup> / <sub>8</sub> " (1 749)	6' 2 <sup>1</sup> / <sub>2</sub> " (1 892)

Radius 80 1/2"      80 1/2"      80 1/2"

### Circle Head Transoms

Masonry	5' 7 <sup>7</sup> / <sub>8</sub> " (1 724)	5' 9 <sup>1</sup> / <sub>4</sub> " (1 759)	5' 11 <sup>7</sup> / <sub>8</sub> " (1 826)	6' 5 <sup>1</sup> / <sub>4</sub> " (1 962)
Opening	5' 5 <sup>5</sup> / <sub>8</sub> " (1 657)	5' 7" (1 702)	5' 9 <sup>5</sup> / <sub>8</sub> " (1 769)	6' 3" (1 905)
Frame	5' 4 <sup>7</sup> / <sub>8</sub> " (1 648)	5' 6 <sup>1</sup> / <sub>4</sub> " (1 683)	5' 8 <sup>7</sup> / <sub>8</sub> " (1 750)	6' 2 <sup>1</sup> / <sub>4</sub> " (1 886)