



ENTRY DOOR

SIZE TABLES₁

Single, Double Doors and Sidelights



Single Doors

	Masonry	3' 0 3/4" (933)	3' 4 3/4" (1 035)	3' 10 3/4" (1 187)
	Opening	2' 10 1/2" (876)	3' 2 1/2" (978)	3' 8 1/2" (1 130)
	Frame	2' 9 3/4" (857)	3' 1 3/4" (959)	3' 7 3/4" (1 111)
7' 0 1/4" (2 140)	8' 4 1/4" (2 546)			
		2' 8" x 6' 8"	3' 0" x 6' 8"	3' 6" x 6' 8"
		8' 3 1/4" (2 521)		
	2' 8" x 8' 0"		3' 0" x 8' 0"	3' 6" x 8' 0"
	8' 2 3/4" (2 508)			

Sidelights₂

	Masonry	1' 4 9/16" (421)	1' 5 3/4" (438)	1' 6 9/16" (471)
	Opening	1' 2 5/16" (364)	1' 3" (381)	1' 4 5/16" (414)
	Frame	1' 1 9/16" (344)	1' 2 1/4" (362)	1' 3 9/16" (395)
7' 0 1/4" (2 140)	8' 4 1/4" (2 546)			
		12" x 6' 8"	12 - 5/8" x 6' 8"	14" x 6' 8"
		8' 3 1/4" (2 521)		
	12" x 8' 0"		12 - 5/8" x 8' 0"	14" x 8' 0"
	8' 2 3/4" (2 508)			

Double Doors

	Masonry	5' 9 1/2" (1 765)	6' 5 1/2" (1 969)	7' 5 1/2" (2 273)
	Opening	5' 7 1/4" (1 708)	6' 3 1/4" (1 911)	7' 3 1/4" (2 216)
	Frame	5' 6 1/2" (1 689)	6' 2 1/2" (1 892)	7' 2 1/2" (2 197)
7' 0 1/4" (2 140)	8' 4 1/4" (2 546)			
		5' 4" x 6' 8"	6' 0" x 6' 8"	7' 0" x 6' 8"
		8' 3 1/4" (2 521)		
	5' 4" x 8' 0"		6' 0" x 8' 0"	7' 0" x 8' 0"
	8' 2 3/4" (2 508)			

Not to scale.
 (1) Heights shown are for In-swing doors with standard sill. For Out-swing doors with standard sill, subtract 1-3/8" from the heights shown. For In-swing and Out-swing doors with ADA sill, subtract 1" from the heights shown.
 (2) For units without standard inswing sill, sidelites do not get sill at the base. Sidelites are boxed in wood frames on all 4 sidelites. Add 1.5" to sash height to get framed height.



ENTRY DOOR

SIZE TABLES₁

Single Doors with Sidelights

MAI

Single Doors with 12" Sidelights

Masonry	4' 2 5/16" (1 278)	4' 6 5/16" (1 380)	5' 0 5/16" (1 532)
Opening	4' 0 1/16" (1 221)	4' 4 1/16" (1 322)	4' 10 1/16" (1 475)
Frame	3' 11 5/16" (1 202)	4' 3 5/16" (1 303)	4' 9 5/16" (1 456)

7' 0 1/4" (2 140)			
6' 11 1/4" (2 115)	2' 8" x 6' 8" 12" SIDELIGHT	3' 0" x 6' 8" 12" SIDELIGHT	3' 6" x 6' 8" 12" SIDELIGHT
6' 10 3/4" (2 102)			
8' 4 1/4" (2 546)	2' 8" x 8' 0" 12" SIDELIGHT	3' 0" x 8' 0" 12" SIDELIGHT	3' 6" x 8' 0" 12" SIDELIGHT
8' 3 1/4" (2 521)			
8' 2 3/4" (2 508)			

Single Doors with Two 12" Sidelights

Masonry	5' 3 7/8" (1 622)	5' 7 7/8" (1 724)	6' 1 7/8" (1 876)
Opening	5' 1 5/8" (1 565)	5' 5 5/8" (1 667)	5' 11 5/8" (1 819)
Frame	5' 0 7/8" (1 546)	5' 4 7/8" (1 648)	5' 10 7/8" (1 800)

7' 0 1/4" (2 140)			
6' 11 1/4" (2 115)	2' 8" x 6' 8" (2) 12" SIDELIGHTS	3' 0" x 6' 8" (2) 12" SIDELIGHTS	3' 6" x 6' 8" (2) 12" SIDELIGHTS
6' 10 3/4" (2 102)			
8' 4 1/4" (2 546)	2' 8" x 8' 0" (2) 12" SIDELIGHTS	3' 0" x 8' 0" (2) 12" SIDELIGHTS	3' 6" x 8' 0" (2) 12" SIDELIGHTS
8' 3 1/4" (2 521)			
8' 2 3/4" (2 508)			

Single Doors with 12-5/8" Sidelights

Masonry	4' 3" (1 295)	4' 7" (1 397)	5' 1" (1 549)
Opening	4' 0 3/4" (1 238)	4' 4 3/4" (1 340)	4' 10 3/4" (1 492)
Frame	4' 0" (1 219)	4' 4" (1 321)	4' 10" (1 473)

7' 0 1/4" (2 140)			
6' 11 1/4" (2 115)	2' 8" x 6' 8" 12-5/8" SIDELIGHT	3' 0" x 6' 8" 12-5/8" SIDELIGHT	
6' 10 3/4" (2 102)			
8' 4 1/4" (2 546)	2' 8" x 8' 0" 12-5/8" SIDELIGHT	3' 0" x 8' 0" 12-5/8" SIDELIGHT	3' 6" x 8' 0" 12-5/8" SIDELIGHT
8' 3 1/4" (2 521)			
8' 2 3/4" (2 508)			

Single Doors with Two 12-5/8" Sidelights

Masonry	5' 5 1/4" (1 657)	5' 9 1/4" (1 759)	6' 3 1/4" (1 911)
Opening	5' 3" (1 600)	5' 7" (1 702)	6' 1" (1 854)
Frame	5' 2 1/4" (1 581)	5' 6 1/4" (1 683)	6' 0 1/4" (1 835)

7' 0 1/4" (2 140)			
6' 11 1/4" (2 115)	2' 8" x 6' 8" (2) 12-5/8" SIDELIGHTS	3' 0" x 6' 8" (2) 12-5/8" SIDELIGHTS	
6' 10 3/4" (2 102)			
8' 4 1/4" (2 546)	2' 8" x 8' 0" (2) 12-5/8" SIDELIGHTS	3' 0" x 8' 0" (2) 12-5/8" SIDELIGHTS	3' 6" x 8' 0" (2) 12-5/8" SIDELIGHTS
8' 3 1/4" (2 521)			
8' 2 3/4" (2 508)			

Single Doors with 14" Sidelights

Masonry	4' 4 5/16" (1 329)	4' 8 5/16" (1 430)	5' 2 5/16" (1 583)
Opening	4' 2 1/16" (1 272)	4' 6 1/16" (1 373)	5' 0 1/16" (1 526)
Frame	4' 1 5/16" (1 253)	4' 5 5/16" (1 354)	4' 11 5/16" (1 507)

7' 0 1/4" (2 140)			
6' 11 1/4" (2 115)	2' 8" x 6' 8" 14" SIDELIGHT	3' 0" x 6' 8" 14" SIDELIGHT	3' 6" x 6' 8" 14" SIDELIGHT
6' 10 3/4" (2 102)			
8' 4 1/4" (2 546)	2' 8" x 8' 0" 14" SIDELIGHT	3' 0" x 8' 0" 14" SIDELIGHT	3' 6" x 8' 0" 14" SIDELIGHT
8' 3 1/4" (2 521)			
8' 2 3/4" (2 508)			

Single Doors with Two 14" Sidelights

Masonry	5' 7 7/8" (1 724)	5' 11 7/8" (1 826)	6' 5 7/8" (1 978)
Opening	5' 5 5/8" (1 667)	5' 9 5/8" (1 768)	6' 3 5/8" (1 921)
Frame	5' 4 7/8" (1 648)	5' 8 7/8" (1 749)	6' 2 7/8" (1 902)

7' 0 1/4" (2 140)			
6' 11 1/4" (2 115)	2' 8" x 6' 8" (2) 14" SIDELIGHTS	3' 0" x 6' 8" (2) 14" SIDELIGHTS	3' 6" x 6' 8" (2) 14" SIDELIGHTS
6' 10 3/4" (2 102)			
8' 4 1/4" (2 546)	2' 8" x 8' 0" (2) 14" SIDELIGHTS	3' 0" x 8' 0" (2) 14" SIDELIGHTS	3' 6" x 8' 0" (2) 14" SIDELIGHTS
8' 3 1/4" (2 521)			
8' 2 3/4" (2 508)			

Not to scale.

(1) Heights shown are for In-swing doors with standard sill. For Out-swing doors with standard sill, subtract 1-3/8" from the heights shown. For In-swing and Out-swing doors with ADA sill, subtract 1" from the heights shown.



ENTRY DOOR

SIZE TABLES₁

Double Doors with Two Sidelights

MAI

Double Doors with Two 12" Sidelights

Masonry	8' 0 5/8" (2 454)	8' 8 5/8" (2 657)	9' 8 5/8" (2 962)
Opening	7' 10 3/8" (2 397)	8' 6 3/8" (2 600)	9' 6 3/8" (2 905)
Frame	7' 9 5/8" (2 378)	8' 5 5/8" (2 581)	9' 5 5/8" (2 886)

7' 0 1/4" (2 140)	6' 11 1/4" (2 115)	6' 10 3/4" (2 102)				
			5' 4" x 6' 8" (2) 12" SIDELIGHTS	6' 0" x 6' 8" (2) 12" SIDELIGHTS	7' 0" x 6' 8" (2) 12" SIDELIGHTS	
			8' 4 1/4" (2 546)	8' 3 1/4" (2 521)	8' 2 3/4" (2 508)	
	5' 4" x 8' 0" (2) 12" SIDELIGHTS	6' 0" x 8' 0" (2) 12" SIDELIGHTS				7' 0" x 8' 0" (2) 12" SIDELIGHTS

Double Doors with Two 12-5/8" Sidelights

Masonry	8' 2" (2 489)	8' 10" (2 692)	9' 10" (2 997)
Opening	7' 11 3/4" (2 432)	8' 7 3/4" (2 635)	9' 7 3/4" (2 940)
Frame	7' 11" (2 413)	8' 7" (2 616)	9' 7" (2 921)

7' 0 1/4" (2 140)	6' 11 1/4" (2 115)	6' 10 3/4" (2 102)				
			5' 4" x 6' 8" (2) 12-5/8" SIDELIGHTS	6' 0" x 6' 8" (2) 12-5/8" SIDELIGHTS		
			8' 4 1/4" (2 546)	8' 3 1/4" (2 521)	8' 2 3/4" (2 508)	
	5' 4" x 8' 0" (2) 12-5/8" SIDELIGHTS	6' 0" x 8' 0" (2) 12-5/8" SIDELIGHTS				7' 0" x 8' 0" (2) 12-5/8" SIDELIGHTS

Double Doors with Two 14" Sidelights

Masonry	8' 4 5/8" (2 556)	9' 0 5/8" (2 759)	10' 0 5/8" (3 064)
Opening	8' 2 3/8" (2 499)	8' 10 3/8" (2 702)	9' 10 3/8" (3 007)
Frame	8' 1 5/8" (2 480)	8' 9 5/8" (2 683)	9' 9 5/8" (2 988)

7' 0 1/4" (2 140)	6' 11 1/4" (2 115)	6' 10 3/4" (2 102)				
			5' 4" x 6' 8" (2) 14" SIDELIGHTS	6' 0" x 6' 8" (2) 14" SIDELIGHTS	7' 0" x 6' 8" (2) 14" SIDELIGHTS	
			8' 4 1/4" (2 546)	8' 3 1/4" (2 521)	8' 2 3/4" (2 508)	
	5' 4" x 8' 0" (2) 14" SIDELIGHTS	6' 0" x 8' 0" (2) 14" SIDELIGHTS				7' 0" x 8' 0" (2) 14" SIDELIGHTS

Not to scale.

(1) Heights shown are for In-swing doors with standard sill. For Out-swing doors with standard sill, subtract 1-3/8" from the heights shown. For In-swing and Out-swing doors with ADA sill, subtract 1" from the heights shown.



ENTRY DOOR

SIZE TABLES₁

Doors with Transoms

MAI

Single Doors with Two 12" Sidelights and 14" Transom

Masonry	5' 7 7/8" (1 724)	6' 1 7/8" (1 880)
Opening	5' 5 5/8" (1 667)	5' 11 5/8" (1 822)
Frame	5' 4 7/8" (1 648)	5' 10 7/8" (1 803)

8' 3 3/4" (2 534)		
8' 2 3/4" (2 508)	(2) 12" SIDELIGHTS	(2) 12" SIDELIGHTS
8' 2 1/4" (2 496)		
9' 7 3/4" (2 953)		
9' 6 3/4" (2 927)	(2) 12" SIDELIGHTS	(2) 12" SIDELIGHTS
9' 6 1/4" (2 902)		

Single Doors with Two 12-5/8" Sidelights and 14" Transom

Masonry	5' 9 1/4" (1 759)	6' 3 1/4" (1 911)
Opening	5' 7" (1 702)	6' 1" (1 854)
Frame	5' 6 1/4" (1 683)	6' 0 1/4" (1 835)

8' 3 3/4" (2 534)		
8' 2 3/4" (2 508)	(2) 12-5/8" SIDELIGHTS	
8' 2 1/4" (2 496)		
9' 7 3/4" (2 953)		
9' 6 3/4" (2 927)	(2) 12-5/8" SIDELIGHTS	(2) 12-5/8" SIDELIGHTS
9' 6 1/4" (2 902)		

Single Doors with Two 14" Sidelights and 14" Transom

Masonry	5' 7 7/8" (1 724)	5' 11 7/8" (1 826)	6' 5 7/8" (1 978)
Opening	5' 5 5/8" (1 667)	5' 9 5/8" (1 768)	6' 3 5/8" (1 921)
Frame	5' 4 7/8" (1 648)	5' 8 7/8" (1 749)	6' 2 7/8" (1 902)

8' 3 3/4" (2 534)			
8' 2 3/4" (2 508)	(2) 14" SIDELIGHTS	(2) 14" SIDELIGHTS	(2) 14" SIDELIGHTS
8' 2 1/4" (2 496)			
9' 7 3/4" (2 953)			
9' 6 3/4" (2 927)	(2) 14" SIDELIGHTS	(2) 14" SIDELIGHTS	(2) 14" SIDELIGHTS
9' 6 1/4" (2 902)			

Double Door with 14" Transom

Masonry	6' 5 1/2" (1 969)
Opening	6' 3 1/4" (1 911)
Frame	6' 2 1/2" (1 892)

8' 3 3/4" (2 534)	
8' 2 3/4" (2 508)	
8' 2 1/4" (2 496)	
9' 7 3/4" (2 953)	
9' 6 3/4" (2 927)	
9' 6 1/4" (2 902)	

Not to scale.

(1) Heights shown are for In-swing doors with standard sill. For Out-swing doors with standard sill, subtract 1-3/8" from the heights shown. For In-swing and Out-swing doors with ADA sill, subtract 1" from the heights shown.



ENTRY DOOR

SIZE TABLES

Curved-Top Wood Entry Doors

MAI

Mahogany Single Round Top Doors

Masonry	3' 4 3/4" (1 035)	3' 10 3/4" (1 187)
Opening	3' 2 1/2" (978)	3' 8 1/2" (1 130)
Frame	3' 1 3/4" (959)	3' 7 3/4" (1 111)
	Radius 18-7/8" 21-7/8"	
7' 0 1/4" (2 140)		
6' 11 1/4" (2 115)		
6' 10 3/4" (2 102)		
8' 4 1/4" (2 515)		
8' 3 1/4" (2 489)		
8' 2 3/4" (2 477)		

Mahogany Single Arch Top Doors

Masonry	3' 4 3/4" (1 035)	3' 10 3/4" (1 187)
Opening	3' 2 1/2" (978)	3' 8 1/2" (1 130)
Frame	3' 1 3/4" (959)	3' 7 3/4" (1 111)
	Radius 25 9/16" 32-5/16"	
7' 0 1/4" (2 140)		
6' 11 1/4" (2 115)		
6' 10 3/4" (2 102)		
8' 4 1/4" (2 515)		
8' 3 1/4" (2 489)		
8' 2 3/4" (2 477)		

Mahogany Double Arched Top Doors (MARFL)

Masonry	5' 5 1/2" (1 657)	5' 9 1/2" (1 765)	6' 5 1/2" (1 969)
Opening	5' 3 1/4" (1 600)	5' 7 1/4" (1 708)	6' 3 1/4" (1 911)
Frame	5' 2 1/2" (1 581)	5' 6 1/2" (1 689)	6' 2 1/2" (1 892)
	Radius 80-1/2" 80-1/2" 80-1/2"		
8' 4 1/4" (2 515)			
8' 3 1/4" (2 489)			
8' 2 3/4" (2 477)			

Mahogany Radius Top Doors with 14" Surround

Masonry	5' 11 7/8" (1 848)	6' 5 7/8" (1 873)
Opening	5' 9 5/8" (1 769)	6' 3 5/8" (1 823)
Frame	5' 8 7/8" (1 750)	6' 2 7/8" (1 902)
	Radius 34-7/16" 37-7/16"	
9' 7 3/4" (2 940)		
9' 6 3/4" (2 915)		
9' 6 1/4" (2 902)		

Not to scale.

(1) Heights shown are for In-swing doors with standard sill. For Out-swing doors with standard sill, subtract 1-3/8" from the heights shown. For In-swing and Out-swing doors with ADA sill, subtract 1" from the heights shown.



ENTRY DOOR

SIZE TABLES

Curved-Top Wood Entry Doors

MAI

Andean Walnut Single and Double Round Top Doors

Masonry	3' 4 3/4" (1 035)	3' 10 3/4" (1 187)	6' 5 1/2" (1 969)
Opening	3' 2 1/2" (978)	3' 8 1/2" (1 130)	6' 3 1/4" (1 911)
Frame	3' 1 3/4" (959)	3' 7 3/4" (1 111)	6' 2 1/2" (1 892)
	Radius 18-7/8" 21-7/8" 37-1/4"		
7' 0 1/4" (2 140)			
6' 11 1/4" (2 115)			
6' 10 3/4" (2 102)			
8' 4 1/4" (2 515)			
8' 3 1/4" (2 489)			
8' 2 3/4" (2 477)			
	3' 0" x 6' 8"	3' 6" x 6' 8"	6' 0" x 8' 0" RADIUS 37-1/4"

Andean Walnut & Westport Mahogany Arched Top Doors³

Masonry	3' 4 3/4" (1 035)	3' 10 3/4" (1 187)	6' 5 1/2" (1 969)
Opening	3' 2 1/2" (978)	3' 8 1/2" (1 130)	6' 3 1/4" (1 911)
Frame	3' 1 3/4" (959)	3' 7 3/4" (1 111)	6' 2 1/2" (1 892)
	Radius 45-3/4" 50-15/16" 166-13/16"		
7' 0 1/4" (2 140)			
6' 11 1/4" (2 115)			
6' 10 3/4" (2 102)			
8' 4 1/4" (2 515)			
8' 3 1/4" (2 489)			
8' 2 3/4" (2 477)			
	3' 0" x 6' 8" SHORT SIDE 78-3/4"	3' 6" x 6' 8" SHORT SIDE 77-3/4"	
	3' 0" x 8' 0" SHORT SIDE 94-3/4"	3' 6" x 8' 0" SHORT SIDE 93-3/4"	6' 0" x 8' 0" SHORT SIDE 94-9/16"

Andean Walnut Single Curve Top Doors with Two 14" Sidelights

Masonry	5' 11 7/8" (1 826)	6' 5 7/8" (1 978)
Opening	5' 9 5/8" (1 768)	6' 3 5/8" (1 921)
Frame	5' 8 7/8" (1 749)	6' 2 7/8" (1 902)
	Radius 45-3/4" 50-15/16"	
8' 4 1/4" (2 515)		
8' 3 1/4" (2 489)		
8' 2 3/4" (2 477)		
	Eyebrow Top 3' 0" x 8' 0" SHORT SIDE 83-1/8"	Eyebrow Top 3' 6" x 8' 0" SHORT SIDE 82-3/8"

Not to scale.

(1) Heights shown are for In-swing doors with standard sill. For Out-swing doors with standard sill, subtract 1-3/8" from the heights shown. For In-swing and Out-swing doors with ADA sill, subtract 1" from the heights shown.

(3) West Port Mahogany doors available as singles only and in 36" width. 42" width is custom



ENTRY DOOR

SIZE TABLES

Rectangle, Segment Arch, Elliptical and Circlehead Transoms

MAI

Rectangular 14" Transom

Masonry	5' 7 ⁷ / ₈ " (1 724)	5' 9 ¹ / ₄ " (1 759)	5' 11 ⁷ / ₈ " (1 826)	6' 1 ⁷ / ₈ " (1 876)
Opening	5' 5 ⁵ / ₈ " (1 667)	5' 7" (1 702)	5' 9 ⁵ / ₈ " (1 768)	5' 11 ⁵ / ₈ " (1 819)
Frame	5' 4 ⁷ / ₈ " (1 648)	5' 6 ¹ / ₄ " (1 683)	5' 8 ⁷ / ₈ " (1 749)	5' 10 ⁷ / ₈ " (1 800)

Segment Arch Transom

Masonry	6' 3 ¹ / ₄ " (1 911)	6' 5 ¹ / ₂ " (1 969)	6' 9 ⁷ / ₈ " (2 080)
Opening	6' 1" (1 854)	6' 3 ³ / ₄ " (1 911)	6' 7 ⁵ / ₈ " (2 022)
Frame	6' 0 ¹ / ₄ " (1 835)	6' 2 ¹ / ₂ " (1 892)	6' 6 ⁷ / ₈ " (2 003)

Masonry	5' 7 ⁷ / ₈ " (1 723)	5' 11 ⁷ / ₈ " (1 826)	6' 5 ¹ / ₂ " (1 969)
Opening	5' 5 ⁵ / ₈ " (1 667)	5' 9 ⁵ / ₈ " (1 768)	6' 3 ¹ / ₄ " (1 911)
Frame	5' 4 ⁷ / ₈ " (1 648)	5' 8 ⁷ / ₈ " (1 749)	6' 2 ¹ / ₂ " (1 892)

Radius 80 1/2" 80 1/2" 80 1/2"

Circle Head Transoms

Masonry	5' 7 ⁷ / ₈ " (1 724)	5' 9 ¹ / ₄ " (1 759)	5' 11 ⁷ / ₈ " (1 826)	6' 5 ¹ / ₄ " (1 962)
Opening	5' 5 ⁵ / ₈ " (1 657)	5' 7" (1 702)	5' 9 ⁵ / ₈ " (1 769)	6' 3" (1 905)
Frame	5' 4 ⁷ / ₈ " (1 648)	5' 6 ¹ / ₄ " (1 683)	5' 8 ⁷ / ₈ " (1 750)	6' 2 ¹ / ₄ " (1 886)