



ENTRY DOOR

# SIZE TABLES<sub>1</sub>

Single, Double Doors and Sidelights



## Single Doors

	Masonry	3' 0 3/4" (933)	3' 4 3/4" (1 035)	3' 10 3/4" (1 187)	
	Opening	2' 10 1/2" (876)	3' 2 1/2" (978)	3' 8 1/2" (1 130)	
	Frame	2' 9 3/4" (857)	3' 1 3/4" (959)	3' 7 3/4" (1 111)	
7' 0 1/4" (2 140)		2' 8" x 6' 8"	3' 0" x 6' 8"	3' 6" x 6' 8"	
		2' 8" x 8' 0"	3' 0" x 8' 0"	3' 6" x 8' 0"	
		2' 8" x 8' 0"	3' 0" x 8' 0"	3' 6" x 8' 0"	
	8' 4 1/4" (2 546)		2' 8" x 6' 8"	3' 0" x 6' 8"	3' 6" x 6' 8"
			2' 8" x 8' 0"	3' 0" x 8' 0"	3' 6" x 8' 0"
			2' 8" x 8' 0"	3' 0" x 8' 0"	3' 6" x 8' 0"

## Sidelights<sub>2</sub>

	Masonry	1' 4 9/16" (421)	1' 5 3/4" (438)	1' 6 9/16" (471)	
	Opening	1' 2 5/16" (364)	1' 3" (381)	1' 4 5/16" (414)	
	Frame	1' 1 9/16" (344)	1' 2 1/4" (362)	1' 3 9/16" (395)	
7' 0 1/4" (2 140)		12" x 6' 8"	12 - 5/8" x 6' 8"	14" x 6' 8"	
		12" x 8' 0"	12 - 5/8" x 8' 0"	14" x 8' 0"	
		12" x 8' 0"	12 - 5/8" x 8' 0"	14" x 8' 0"	
	8' 4 1/4" (2 546)		12" x 6' 8"	12 - 5/8" x 6' 8"	14" x 6' 8"
			12" x 8' 0"	12 - 5/8" x 8' 0"	14" x 8' 0"
			12" x 8' 0"	12 - 5/8" x 8' 0"	14" x 8' 0"

## Double Doors

	Masonry	5' 9 1/2" (1 765)	6' 5 1/2" (1 969)	7' 5 1/2" (2 273)	
	Opening	5' 7 1/4" (1 708)	6' 3 1/4" (1 911)	7' 3 1/4" (2 216)	
	Frame	5' 6 1/2" (1 689)	6' 2 1/2" (1 892)	7' 2 1/2" (2 197)	
7' 0 1/4" (2 140)		5' 4" x 6' 8"	6' 0" x 6' 8"	7' 0" x 6' 8"	
		5' 4" x 8' 0"	6' 0" x 8' 0"	7' 0" x 8' 0"	
		5' 4" x 8' 0"	6' 0" x 8' 0"	7' 0" x 8' 0"	
	8' 4 1/4" (2 546)		5' 4" x 6' 8"	6' 0" x 6' 8"	7' 0" x 6' 8"
			5' 4" x 8' 0"	6' 0" x 8' 0"	7' 0" x 8' 0"
			5' 4" x 8' 0"	6' 0" x 8' 0"	7' 0" x 8' 0"

Not to scale.  
 (1) Heights shown are for In-swing doors with standard sill. For Out-swing doors with standard sill, subtract 1-3/8" from the heights shown. For In-swing and Out-swing doors with ADA sill, subtract 1" from the heights shown.  
 (2) For units without standard inswing sill, sidelites do not get sill at the base. Sidelites are boxed in wood frames on all 4 sidelites. Add 1.5" to sash height to get framed height.



ENTRY DOOR

# SIZE TABLES<sub>1</sub>

## Single Doors with Sidelights

# MAI

### Single Doors with 12" Sidelights

Masonry	4' 2 5/16" (1 278)	4' 6 5/16" (1 380)	5' 0 5/16" (1 532)
Opening	4' 0 1/16" (1 221)	4' 4 1/16" (1 322)	4' 10 1/16" (1 475)
Frame	3' 11 5/16" (1 202)	4' 3 5/16" (1 303)	4' 9 5/16" (1 456)

  

7' 0 1/4" (2 140)			
6' 11 1/4" (2 115)	2' 8" x 6' 8"	3' 0" x 6' 8"	3' 6" x 6' 8"
6' 10 3/4" (2 102)	12" SIDELIGHT	12" SIDELIGHT	12" SIDELIGHT
8' 4 1/4" (2 546)			
8' 3 1/4" (2 521)	2' 8" x 8' 0"	3' 0" x 8' 0"	3' 6" x 8' 0"
8' 2 3/4" (2 508)	12" SIDELIGHT	12" SIDELIGHT	12" SIDELIGHT

### Single Doors with Two 12" Sidelights

Masonry	5' 3 7/8" (1 622)	5' 7 7/8" (1 724)	6' 1 7/8" (1 876)
Opening	5' 1 5/8" (1 565)	5' 5 5/8" (1 667)	5' 11 5/8" (1 819)
Frame	5' 0 7/8" (1 546)	5' 4 7/8" (1 648)	5' 10 7/8" (1 800)

  

7' 0 1/4" (2 140)			
6' 11 1/4" (2 115)	2' 8" x 6' 8"	3' 0" x 6' 8"	3' 6" x 6' 8"
6' 10 3/4" (2 102)	(2) 12" SIDELIGHTS	(2) 12" SIDELIGHTS	(2) 12" SIDELIGHTS
8' 4 1/4" (2 546)			
8' 3 1/4" (2 521)	2' 8" x 8' 0"	3' 0" x 8' 0"	3' 6" x 8' 0"
8' 2 3/4" (2 508)	(2) 12" SIDELIGHTS	(2) 12" SIDELIGHTS	(2) 12" SIDELIGHTS

### Single Doors with 12-5/8" Sidelights

Masonry	4' 3" (1 295)	4' 7" (1 397)	5' 1" (1 549)
Opening	4' 0 3/4" (1 238)	4' 4 3/4" (1 340)	4' 10 3/4" (1 492)
Frame	4' 0" (1 219)	4' 4" (1 321)	4' 10" (1 473)

  

7' 0 1/4" (2 140)			
6' 11 1/4" (2 115)	2' 8" x 6' 8"	3' 0" x 6' 8"	
6' 10 3/4" (2 102)	12-5/8" SIDELIGHT	12-5/8" SIDELIGHT	
8' 4 1/4" (2 546)			
8' 3 1/4" (2 521)	2' 8" x 8' 0"	3' 0" x 8' 0"	3' 6" x 8' 0"
8' 2 3/4" (2 508)	12-5/8" SIDELIGHT	12-5/8" SIDELIGHT	12-5/8" SIDELIGHT

### Single Doors with Two 12-5/8" Sidelights

Masonry	5' 5 1/4" (1 657)	5' 9 1/4" (1 759)	6' 3 1/4" (1 911)
Opening	5' 3" (1 600)	5' 7" (1 702)	6' 1" (1 854)
Frame	5' 2 1/4" (1 581)	5' 6 1/4" (1 683)	6' 0 1/4" (1 835)

  

7' 0 1/4" (2 140)			
6' 11 1/4" (2 115)	2' 8" x 6' 8"	3' 0" x 6' 8"	
6' 10 3/4" (2 102)	(2) 12-5/8" SIDELIGHTS	(2) 12-5/8" SIDELIGHTS	
8' 4 1/4" (2 546)			
8' 3 1/4" (2 521)	2' 8" x 8' 0"	3' 0" x 8' 0"	3' 6" x 8' 0"
8' 2 3/4" (2 508)	(2) 12-5/8" SIDELIGHTS	(2) 12-5/8" SIDELIGHTS	(2) 12-5/8" SIDELIGHTS

### Single Doors with 14" Sidelights

Masonry	4' 4 5/16" (1 329)	4' 8 5/16" (1 430)	5' 2 5/16" (1 583)
Opening	4' 2 1/16" (1 272)	4' 6 1/16" (1 373)	5' 0 1/16" (1 526)
Frame	4' 1 5/16" (1 253)	4' 5 5/16" (1 354)	4' 11 5/16" (1 507)

  

7' 0 1/4" (2 140)			
6' 11 1/4" (2 115)	2' 8" x 6' 8"	3' 0" x 6' 8"	3' 6" x 6' 8"
6' 10 3/4" (2 102)	14" SIDELIGHT	14" SIDELIGHT	14" SIDELIGHT
8' 4 1/4" (2 546)			
8' 3 1/4" (2 521)	2' 8" x 8' 0"	3' 0" x 8' 0"	3' 6" x 8' 0"
8' 2 3/4" (2 508)	14" SIDELIGHT	14" SIDELIGHT	14" SIDELIGHT

### Single Doors with Two 14" Sidelights

Masonry	5' 7 7/8" (1 724)	5' 11 7/8" (1 826)	6' 5 7/8" (1 978)
Opening	5' 5 5/8" (1 667)	5' 9 5/8" (1 768)	6' 3 5/8" (1 921)
Frame	5' 4 7/8" (1 648)	5' 8 7/8" (1 749)	6' 2 7/8" (1 902)

  

7' 0 1/4" (2 140)			
6' 11 1/4" (2 115)	2' 8" x 6' 8"	3' 0" x 6' 8"	3' 6" x 6' 8"
6' 10 3/4" (2 102)	(2) 14" SIDELIGHTS	(2) 14" SIDELIGHTS	(2) 14" SIDELIGHTS
8' 4 1/4" (2 546)			
8' 3 1/4" (2 521)	2' 8" x 8' 0"	3' 0" x 8' 0"	3' 6" x 8' 0"
8' 2 3/4" (2 508)	(2) 14" SIDELIGHTS	(2) 14" SIDELIGHTS	(2) 14" SIDELIGHTS

Not to scale.

(1) Heights shown are for In-swing doors with standard sill. For Out-swing doors with standard sill, subtract 1-3/8" from the heights shown. For In-swing and Out-swing doors with ADA sill, subtract 1" from the heights shown.



ENTRY DOOR

# SIZE TABLES<sub>1</sub>

## Double Doors with Two Sidelights

# MAI

### Double Doors with Two 12" Sidelights

Masonry	8' 0 5/8" (2 454)	8' 8 5/8" (2 657)	9' 8 5/8" (2 962)
Opening	7' 10 3/8" (2 397)	8' 6 3/8" (2 600)	9' 6 3/8" (2 905)
Frame	7' 9 5/8" (2 378)	8' 5 5/8" (2 581)	9' 5 5/8" (2 886)

  

7' 0 1/4" (2 140)	6' 11 1/4" (2 115)	6' 10 3/4" (2 102)			
			5' 4" x 6' 8" (2) 12" SIDELIGHTS	6' 0" x 6' 8" (2) 12" SIDELIGHTS	7' 0" x 6' 8" (2) 12" SIDELIGHTS
8' 4 1/4" (2 546)	8' 3 1/4" (2 521)	8' 2 3/4" (2 508)			
			5' 4" x 8' 0" (2) 12" SIDELIGHTS	6' 0" x 8' 0" (2) 12" SIDELIGHTS	7' 0" x 8' 0" (2) 12" SIDELIGHTS

### Double Doors with Two 12-5/8" Sidelights

Masonry	8' 2" (2 489)	8' 10" (2 692)	9' 10" (2 997)
Opening	7' 11 3/4" (2 432)	8' 7 3/4" (2 635)	9' 7 3/4" (2 940)
Frame	7' 11" (2 413)	8' 7" (2 616)	9' 7" (2 921)

  

7' 0 1/4" (2 140)	6' 11 1/4" (2 115)	6' 10 3/4" (2 102)			
			5' 4" x 6' 8" (2) 12-5/8" SIDELIGHTS	6' 0" x 6' 8" (2) 12-5/8" SIDELIGHTS	
8' 4 1/4" (2 546)	8' 3 1/4" (2 521)	8' 2 3/4" (2 508)			
			5' 4" x 8' 0" (2) 12-5/8" SIDELIGHTS	6' 0" x 8' 0" (2) 12-5/8" SIDELIGHTS	7' 0" x 8' 0" (2) 12-5/8" SIDELIGHTS

### Double Doors with Two 14" Sidelights

Masonry	8' 4 5/8" (2 556)	9' 0 5/8" (2 759)	10' 0 5/8" (3 064)
Opening	8' 2 3/8" (2 499)	8' 10 3/8" (2 702)	9' 10 3/8" (3 007)
Frame	8' 1 5/8" (2 480)	8' 9 5/8" (2 683)	9' 9 5/8" (2 988)

  

7' 0 1/4" (2 140)	6' 11 1/4" (2 115)	6' 10 3/4" (2 102)			
			5' 4" x 6' 8" (2) 14" SIDELIGHTS	6' 0" x 6' 8" (2) 14" SIDELIGHTS	7' 0" x 6' 8" (2) 14" SIDELIGHTS
8' 4 1/4" (2 546)	8' 3 1/4" (2 521)	8' 2 3/4" (2 508)			
			5' 4" x 8' 0" (2) 14" SIDELIGHTS	6' 0" x 8' 0" (2) 14" SIDELIGHTS	7' 0" x 8' 0" (2) 14" SIDELIGHTS

Not to scale.

(1) Heights shown are for In-swing doors with standard sill. For Out-swing doors with standard sill, subtract 1-3/8" from the heights shown. For In-swing and Out-swing doors with ADA sill, subtract 1" from the heights shown.



ENTRY DOOR

# SIZE TABLES<sub>1</sub>

## Doors with Transoms

MAI

### Single Doors with Two 12" Sidelights and 14" Transom

Masonry	5' 7 7/8" (1 724)	6' 1 7/8" (1 880)
Opening	5' 5 5/8" (1 667)	5' 11 5/8" (1 822)
Frame	5' 4 7/8" (1 648)	5' 10 7/8" (1 803)

  

8' 3 3/4" (2 534)		
8' 2 3/4" (2 508)	(2) 12" SIDELIGHTS	(2) 12" SIDELIGHTS
8' 2 1/4" (2 496)		
9' 7 3/4" (2 953)		
9' 6 3/4" (2 927)	(2) 12" SIDELIGHTS	(2) 12" SIDELIGHTS
9' 6 1/4" (2 902)		

### Single Doors with Two 12-5/8" Sidelights and 14" Transom

Masonry	5' 9 1/4" (1 759)	6' 3 1/4" (1 911)
Opening	5' 7" (1 702)	6' 1" (1 854)
Frame	5' 6 1/4" (1 683)	6' 0 1/4" (1 835)

  

8' 3 3/4" (2 534)		
8' 2 3/4" (2 508)	(2) 12-5/8" SIDELIGHTS	
8' 2 1/4" (2 496)		
9' 7 3/4" (2 953)		
9' 6 3/4" (2 927)	(2) 12-5/8" SIDELIGHTS	(2) 12-5/8" SIDELIGHTS
9' 6 1/4" (2 902)		

### Single Doors with Two 14" Sidelights and 14" Transom

Masonry	5' 7 7/8" (1 724)	5' 11 7/8" (1 826)	6' 5 7/8" (1 978)
Opening	5' 5 5/8" (1 667)	5' 9 5/8" (1 768)	6' 3 5/8" (1 921)
Frame	5' 4 7/8" (1 648)	5' 8 7/8" (1 749)	6' 2 7/8" (1 902)

  

8' 3 3/4" (2 534)			
8' 2 3/4" (2 508)	(2) 14" SIDELIGHTS	(2) 14" SIDELIGHTS	(2) 14" SIDELIGHTS
8' 2 1/4" (2 496)			
9' 7 3/4" (2 953)			
9' 6 3/4" (2 927)	(2) 14" SIDELIGHTS	(2) 14" SIDELIGHTS	(2) 14" SIDELIGHTS
9' 6 1/4" (2 902)			

### Double Door with 14" Transom

Masonry	6' 5 1/2" (1 969)
Opening	6' 3 1/4" (1 911)
Frame	6' 2 1/2" (1 892)

  

8' 3 3/4" (2 534)	
8' 2 3/4" (2 508)	
8' 2 1/4" (2 496)	
9' 7 3/4" (2 953)	
9' 6 3/4" (2 927)	
9' 6 1/4" (2 902)	

Not to scale.

(1) Heights shown are for In-swing doors with standard sill. For Out-swing doors with standard sill, subtract 1-3/8" from the heights shown. For In-swing and Out-swing doors with ADA sill, subtract 1" from the heights shown.



ENTRY DOOR

## SIZE TABLES

### Curved-Top Wood Entry Doors

MAI

#### Mahogany Single Round Top Doors

Masonry	3' 4 3/4" (1 035)	3' 10 3/4" (1 187)
Opening	3' 2 1/2" (978)	3' 8 1/2" (1 130)
Frame	3' 1 3/4" (959)	3' 7 3/4" (1 111)
	<b>Radius 18-7/8" 21-7/8"</b>	
	3' 0" x 6' 8"	
	3' 0" x 8' 0"	
	3' 6" x 8' 0"	

#### Mahogany Single Arch Top Doors

Masonry	3' 4 3/4" (1 035)	3' 10 3/4" (1 187)
Opening	3' 2 1/2" (978)	3' 8 1/2" (1 130)
Frame	3' 1 3/4" (959)	3' 7 3/4" (1 111)
	<b>Radius 25 9/16" 32-5/16"</b>	
	3' 0" x 6' 8" SHORT SIDE 74-1/2"	
	3' 0" x 8' 0" SHORT SIDE 90-1/2"	
	3' 6" x 8' 0" SHORT SIDE 90 1/4"	

#### Mahogany Double Arched Top Doors (MARFL)

Masonry	5' 5 1/2" (1 657)	5' 9 1/2" (1 765)	6' 5 1/2" (1 969)
Opening	5' 3 1/4" (1 600)	5' 7 1/4" (1 708)	6' 3 1/4" (1 911)
Frame	5' 2 1/2" (1 581)	5' 6 1/2" (1 689)	6' 2 1/2" (1 892)
	<b>Radius 80-1/2" 80-1/2" 80-1/2"</b>		
	Eyebrow Top 5' 0" x 8' 0" SHORT SIDE 92-5/8"		
	Eyebrow Top 5' 4" x 8' 0" SHORT SIDE 91-9/16"		
	Eyebrow Top 6' 0" x 8' 0" SHORT SIDE 89-5/8"		

#### Mahogany Radius Top Doors with 14" Surround

Masonry	5' 11 7/8" (1 848)	6' 5 7/8" (1 873)
Opening	5' 9 5/8" (1 769)	6' 3 5/8" (1 823)
Frame	5' 8 7/8" (1 750)	6' 2 7/8" (1 902)
	<b>Radius 34-7/16" 37-7/16"</b>	
	Radius Top 3' 0" x 8' 0"	
	Radius Top 3' 6" x 8' 0"	

Not to scale.

(1) Heights shown are for In-swing doors with standard sill. For Out-swing doors with standard sill, subtract 1-3/8" from the heights shown. For In-swing and Out-swing doors with ADA sill, subtract 1" from the heights shown.



ENTRY DOOR

## SIZE TABLES

### Curved-Top Wood Entry Doors

MAI

#### Andean Walnut Single and Double Round Top Doors

Masonry	3' 4 3/4" (1 035)	3' 10 3/4" (1 187)	6' 5 1/2" (1 969)
Opening	3' 2 1/2" (978)	3' 8 1/2" (1 130)	6' 3 1/4" (1 911)
Frame	3' 1 3/4" (959)	3' 7 3/4" (1 111)	6' 2 1/2" (1 892)

  

Radius	18-7/8"	21-7/8"	37-1/4"
7' 0 1/4" (2 140)			
6' 11 1/4" (2 115)	3' 0" x 6' 8"	3' 6" x 6' 8"	
6' 10 3/4" (2 102)			
8' 4 1/4" (2 515)			
8' 3 1/4" (2 489)	3' 0" x 8' 0"	3' 6" x 8' 0"	6' 0" x 8' 0" RADIUS 37-1/4"
8' 2 3/4" (2 477)			

#### Andean Walnut & Westport Mahogany Arched Top Doors<sup>3</sup>

Masonry	3' 4 3/4" (1 035)	3' 10 3/4" (1 187)	6' 5 1/2" (1 969)
Opening	3' 2 1/2" (978)	3' 8 1/2" (1 130)	6' 3 1/4" (1 911)
Frame	3' 1 3/4" (959)	3' 7 3/4" (1 111)	6' 2 1/2" (1 892)

  

Radius	45-3/4"	50-15/16"	166-13/16"
7' 0 1/4" (2 140)			
6' 11 1/4" (2 115)	3' 0" x 6' 8" SHORT SIDE 78-3/4"	3' 6" x 6' 8" SHORT SIDE 77-3/4"	
6' 10 3/4" (2 102)			
8' 4 1/4" (2 515)			
8' 3 1/4" (2 489)	3' 0" x 8' 0" SHORT SIDE 94-3/4"	3' 6" x 8' 0" SHORT SIDE 93-3/4"	6' 0" x 8' 0" SHORT SIDE 94-9/16"
8' 2 3/4" (2 477)			

#### Andean Walnut Single Curve Top Doors with Two 14" Sidelights

Masonry	5' 11 7/8" (1 826)	6' 5 7/8" (1 978)
Opening	5' 9 5/8" (1 768)	6' 3 5/8" (1 921)
Frame	5' 8 7/8" (1 749)	6' 2 7/8" (1 902)

  

Radius	45-3/4"	50-15/16"
8' 4 1/4" (2 515)		
8' 3 1/4" (2 489)	Eyebrow Top 3' 0" x 8' 0" SHORT SIDE 83-1/8"	Eyebrow Top 3' 6" x 8' 0" SHORT SIDE 82-3/8"
8' 2 3/4" (2 477)		

Not to scale.

(1) Heights shown are for In-swing doors with standard sill. For Out-swing doors with standard sill, subtract 1-3/8" from the heights shown. For In-swing and Out-swing doors with ADA sill, subtract 1" from the heights shown.

(3) West Port Mahogany doors available as singles only and in 36" width. 42" width is custom



ENTRY DOOR

## SIZE TABLES

Rectangle, Segment Arch, Elliptical and Circlehead Transoms

MAI

### Rectangular 14" Transom

Masonry	5' 7 <sup>7</sup> / <sub>8</sub> " (1 724)	5' 9 <sup>1</sup> / <sub>4</sub> " (1 759)	5' 11 <sup>7</sup> / <sub>8</sub> " (1 826)	6' 1 <sup>7</sup> / <sub>8</sub> " (1 876)
Opening	5' 5 <sup>5</sup> / <sub>8</sub> " (1 667)	5' 7" (1 702)	5' 9 <sup>5</sup> / <sub>8</sub> " (1 768)	5' 11 <sup>5</sup> / <sub>8</sub> " (1 819)
Frame	5' 4 <sup>7</sup> / <sub>8</sub> " (1 648)	5' 6 <sup>1</sup> / <sub>4</sub> " (1 683)	5' 8 <sup>7</sup> / <sub>8</sub> " (1 749)	5' 10 <sup>7</sup> / <sub>8</sub> " (1 800)

### Segment Arch Transom

Masonry	6' 3 <sup>1</sup> / <sub>4</sub> " (1 911)	6' 5 <sup>1</sup> / <sub>2</sub> " (1 969)	6' 9 <sup>7</sup> / <sub>8</sub> " (2 080)
Opening	6' 1" (1 854)	6' 3 <sup>1</sup> / <sub>4</sub> " (1 911)	6' 7 <sup>5</sup> / <sub>8</sub> " (2 022)
Frame	6' 0 <sup>1</sup> / <sub>4</sub> " (1 835)	6' 2 <sup>1</sup> / <sub>2</sub> " (1 892)	6' 6 <sup>7</sup> / <sub>8</sub> " (2 003)

Masonry	5' 7 <sup>7</sup> / <sub>8</sub> " (1 723)	5' 11 <sup>7</sup> / <sub>8</sub> " (1 826)	6' 5 <sup>1</sup> / <sub>2</sub> " (1 969)
Opening	5' 5 <sup>5</sup> / <sub>8</sub> " (1 667)	5' 9 <sup>5</sup> / <sub>8</sub> " (1 768)	6' 3 <sup>1</sup> / <sub>4</sub> " (1 911)
Frame	5' 4 <sup>7</sup> / <sub>8</sub> " (1 648)	5' 8 <sup>7</sup> / <sub>8</sub> " (1 749)	6' 2 <sup>1</sup> / <sub>2</sub> " (1 892)

Radius 80 1/2"      80 1/2"      80 1/2"

### Circle Head Transoms

Masonry	5' 7 <sup>7</sup> / <sub>8</sub> " (1 724)	5' 9 <sup>1</sup> / <sub>4</sub> " (1 759)	5' 11 <sup>7</sup> / <sub>8</sub> " (1 826)	6' 5 <sup>1</sup> / <sub>4</sub> " (1 962)
Opening	5' 5 <sup>5</sup> / <sub>8</sub> " (1 657)	5' 7" (1 702)	5' 9 <sup>5</sup> / <sub>8</sub> " (1 769)	6' 3" (1 905)
Frame	5' 4 <sup>7</sup> / <sub>8</sub> " (1 648)	5' 6 <sup>1</sup> / <sub>4</sub> " (1 683)	5' 8 <sup>7</sup> / <sub>8</sub> " (1 750)	6' 2 <sup>1</sup> / <sub>4</sub> " (1 886)