

City of Jefferson

PUBLIC WORKS DESIGN STANDARDS

October 1996

Last Updated April 2017



City of Jefferson, Oregon
PO Box 83
Jefferson, OR 97362
(541) 327-2768

PUBLIC WORKS DOCUMENTS ORDER FORM

Name: _____

Company/Organization: _____

Address: _____

City: _____ State: _____ Zip _____

Phone: _____ Fax: _____

____ Copies of Jefferson Development Ordinance @ \$20.00.....\$ _____

____ Copies of Public Works Design Standards @ \$55.00.....\$ _____

Postage & Shipping\$ _____

Total \$ _____

Make Checks Payable to the City of Jefferson **Prepaid Orders Only**
Add \$5.00 postage/shipping for orders that must be shipped (standard U.S. mail or UPS ground service).

Mail Orders to: City of Jefferson
PO Box 83
Jefferson, OR 97362

Available at: Jefferson City Hall
163 N. Main Street
Jefferson, OR 97362



**CITY OF JEFFERSON
PUBLIC WORKS DESIGN STANDARDS**

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
DIVISION 1 GENERAL REQUIREMENTS	1-1
1.1 GENERAL	1-1
1.2 PURPOSE	1-2
1.3 ENGINEERING POLICY	1-2
1.4 DEFINITIONS AND TERMS	1-3
1.5 LOCATION OF UTILITIES WITHIN RIGHT-OF-WAY OR EASEMENT	1-6
1.6 PROVIDING FOR NEW & FUTURE DEVELOPMENT	1-6
1.7 TIME LIMITS FROM DRAWING APPROVAL TO CONSTRUCTION	1-7
1.8 PHASED DEVELOPMENT	1-7
1.9 REVIEW PROCEDURE.....	1-8
1.10 CONSTRUCTION DRAWING SUBMITTAL REQUIREMENTS.....	1-10
1.11 EASEMENTS, ETC.	1-22
1.12 VARIANCES TO DESIGN STANDARDS.....	1-23
1.13 PRECONSTRUCTION CONFERENCE	1-24
1.14 CONSTRUCTION OBSERVATION, INSPECTION & TESTING.....	1-25
1.15 AS-BUILT DRAWINGS	1-30
 DIVISION 2 STREETS.....	 2-1
2.1 PURPOSE	2-1
2.2 APPLICABILITY	2-1
2.3 SPECIAL ITEMS.....	2-3
2.4 APPROVAL OF ALTERNATE MATERIALS AND METHODS.....	2-3
2.5 CONSTRUCTION DRAWINGS.....	2-3
2.6 STANDARD DETAILS.....	2-4
2.7 EXISTING STREET CLASSIFICATIONS	2-4
2.8 OTHER JURISDICTIONS	2-5
2.9 DEFINITIONS AND TERMS	2-5
2.10 MATERIALS	2-8
2.11 IMPROVEMENT STANDARDS BY STREET CLASSIFICATION.....	2-11
2.12 STREET DESIGN MINIMUM SECTIONS.....	2-12
2.13 OVERLAYS.....	2-13
2.14 HORIZONTAL ALIGNMENT.....	2-14
2.15 MONUMENTATION	2-15
2.16 INTERSECTIONS & PEDESTRIAN CROSSINGS	2-15
2.17 VERTICAL ALIGNMENT AND STREET GRADES.....	2-18
2.18 STREET CROSS SECTIONS AND STREET CROSS SLOPES	2-20
2.19 GRADING WITHIN PUBLIC RIGHT-OF-WAY.....	2-21
2.20 CURBS AND GUTTERS	2-21
2.21 SIDEWALKS & PEDESTRIAN ACCESS ROUTES	2-22
2.22 CLEAR VISION AREA.....	2-24
2.23 CUL-DE-SACS, TURNAROUNDS	2-25
2.24 STUB STREETS	2-26
2.25 TRANSITIONS.....	2-26
2.26 SUBSURFACE DRAINAGE.....	2-27
2.27 ACCESSIBLE ON-STREET PARKING.....	2-27
2.28 PARKING LOTS	2-28
2.29 DRIVEWAY SPACING	2-28
2.30 DRIVEWAYS AND DRIVEWAY APPROACHES	2-29
PRIVATE STREETS, COMMON DRIVEWAYS AND FLAGLOTS.....	2-30
2.31 STREET LIGHTING	2-31

**CITY OF JEFFERSON
PUBLIC WORKS DESIGN STANDARDS**

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
2.32 BARRICADES AND GUARDRAILS.....	2-31
2.33 BIKEWAYS.....	2-32
2.34 STREET SIGNS.....	2-32
2.35 CUTTING EXISTING STREETS.....	2-32
DIVISION 3 STORMWATER MANAGEMENT.....	3-1
3.1 PURPOSE.....	3-1
3.2 APPLICABILITY.....	3-1
3.3 SPECIAL ITEMS.....	3-2
3.4 APPROVAL OF ALTERNATE MATERIALS AND METHODS.....	3-3
3.5 CONSTRUCTION DRAWINGS.....	3-3
3.6 STANDARD DETAILS.....	3-3
3.7 DEFINITIONS AND TERMS.....	3-4
3.8 MATERIALS.....	3-6
3.9 GENERAL DESIGN CONSIDERATIONS.....	3-11
3.10 DESIGN CALCULATIONS AND CAPACITY.....	3-13
3.11 OPEN CHANNELS.....	3-18
3.12 ALIGNMENT AND LOCATION.....	3-18
3.13 MINIMUM PIPE SIZE.....	3-20
3.14 MINIMUM COVER.....	3-21
3.15 MINIMUM SLOPE.....	3-21
3.16 UNDERGROUND WARNING TAPE & TRACER WIRE.....	3-22
3.17 MANHOLES AND CATCH BASINS.....	3-23
3.18 DETENTION FACILITIES.....	3-25
3.19 PRIVATE STORM DRAINAGE COLLECTION SYSTEMS.....	3-29
3.20 INFILTRATION SYSTEMS, DRYWELLS AND FRENCH DRAINS.....	3-29
3.21 STORM DRAIN SERVICE LATERALS.....	3-31
DIVISION 4 SANITARY SEWER.....	4-1
4.1 PURPOSE.....	4-1
4.2 APPLICABILITY.....	4-1
4.3 SPECIAL ITEMS.....	4-2
4.4 APPROVAL OF ALTERNATE MATERIALS AND METHODS.....	4-2
4.5 CONSTRUCTION DRAWINGS.....	4-3
4.6 STANDARD DETAILS.....	4-3
4.7 DEFINITIONS AND TERMS.....	4-3
4.8 MATERIALS.....	4-6
4.9 GENERAL DESIGN CONSIDERATIONS.....	4-11
4.10 DESIGN PERIOD.....	4-12
4.11 DESIGN BASIS & CAPACITY.....	4-13
4.12 MINIMUM SIZE.....	4-14
4.13 MINIMUM DEPTH.....	4-15
4.14 MINIMUM SLOPE.....	4-15
4.15 ALIGNMENT AND LOCATION.....	4-17
4.16 MANHOLES AND MAINLINE CLEANOUTS.....	4-20
4.17 WORK ON EXISTING SEWERS.....	4-24
4.18 SEWER SERVICE LATERALS.....	4-25
4.19 PRIVATE COLLECTION SYSTEMS.....	4-28
4.20 UNDERGROUND WARNING TAPE & TRACER WIRE.....	4-29

**CITY OF JEFFERSON
PUBLIC WORKS DESIGN STANDARDS**

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
DIVISION 5 WATER DISTRIBUTION	5-1
5.1 PURPOSE	5-1
5.2 APPLICABILITY	5-1
5.3 SPECIAL ITEMS.....	5-2
5.4 APPROVAL OF ALTERNATE MATERIALS AND METHODS	5-2
5.5 CONSTRUCTION DRAWINGS.....	5-3
5.6 STANDARD DETAILS.....	5-3
5.7 DEFINITIONS AND TERMS	5-3
5.8 MATERIALS	5-6
5.9 GENERAL DESIGN CONSIDERATIONS	5-19
5.10 WATER SYSTEM CAPACITY	5-20
5.11 LOOPING	5-21
5.12 BLOWOFFS.....	5-22
5.13 MINIMUM DEPTH	5-22
5.14 MINIMUM MAINLINE SIZE.....	5-23
5.15 ALIGNMENT AND LOCATION	5-24
5.16 VALVES	5-26
5.17 FIRE HYDRANTS.....	5-28
5.18 AIR RELEASE VALVES	5-30
5.19 WATER SERVICE LINES	5-30
5.20 WATER METERS	5-33
5.21 PRIVATE WATER SYSTEMS	5-35
5.22 BACKFLOW PREVENTION.....	5-35
5.23 UNDERGROUND WARNING TAPE & TRACER WIRE	5-37
5.24 MAINLINE BORED CROSSINGS	5-37

APPENDICES

APPENDIX A – STANDARD DETAILS & SAMPLE TEST REPORT FORMS

• A1 - General Requirements

Latest Revision

101	Typical Utility Locations (Curbed Streets)	4/14
102	Typical Utility Locations (Turnpike and 3/4 Streets)	4/14

• A2 - Streets

Latest Revision

201	34' Residential (Local) Street, Minimum Section	2/17
201A	30' Residential Cul-de-sac, Minimum Section	2/17
202	36' Minor Collector Street, Minimum Section	2/17
202A	40' Major Collector Street, Minimum Section	2/17
203	40' Commercial/Industrial Street, Minimum Section	2/17
204	50' Arterial Street, Minimum Section	2/17
205	Standard Cul-de-sac (Residential)	12/15
206	Offset Cul-de-sac (Residential)	12/15
207	Eyebrow Cul-de-sac (Residential)	12/15
210	Type "A" Curb and Gutter and Weephole	2/17
211	Type "C" Curb	2/17

**CITY OF JEFFERSON
PUBLIC WORKS DESIGN STANDARDS**

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
212	Curbline Sidewalks and Driveway Aprons 4/15
212A	Residential Driveway Apron, at Positive Grade Driveways, Curbline Sidewalk 4/15
212B	Residential Driveway Apron, at Adverse Grade Driveways, Curbline Sidewalk 4/15
213	Property Line Sidewalks 4/15
213B	24" Deep, 30"φ, 4 Panel Root Barrier Tree Wells 12/15
213C	24" Deep, 38"φ, 5 Panel Root Barrier Tree Wells 12/15
214A	Intersection Curb Ramps, Curbline Sidewalks, Local Streets 2/17
214B	Intersection Curb Ramps, Property Line Sidewalks, Local Streets 2/17
214C	Curb Ramps Between Intersections..... 2/17
216	Commercial Driveway Approach 6/16
217	Curb Knockout for New Driveways on Existing Curbed Streets 5/14
219	AC Street Cut for Street Widening or Extension 10/16
220	Hammerhead Turnaround 12/15
225	Street Barricade (Stub Streets) 9/16
226	6-inch Bollard (Guard Post) 7/97
227	8-inch Bollard (Guard Post) 12/15
230	Typical Street Lamp Post..... 5/16
231	Sign Post for Street Signs, Stop Signs & Traffic Control Signs..... 9/13
232	Sign Post with TeleSpar Base & Anchor (Required in ODOT R.O.W) 2/13
235	Offstreet Parking Dimensions, One Way Traffic Flow 1/17
236	Offstreet Parking Dimensions, Two Way Traffic Flow 1/17
237	Double Accessible Parking Space 11/13
238	Accessible Routes and Crossings in Vehicular Areas 11/13
239	Precast Wheelstop Detail..... 1/13
240	Trash and Recycling Enclosure 5/14
• A3 – Stormwater Management	
Latest Revision	
▶	For full size manholes, see Details 401 – 403A
▶	For storm sewer service laterals, see Details 415 & 416
▶	For bore casing detail, see Detail 508
301	Trench Backfill, Bedding and Pipe Zone 1/16
302	Minor or Private Street & AC Driveway Cut Surface Restoration 12/15
302A	AC Street Cut Surface Restoration w/Bench Grind 12/15
302D	ODOT Trench Crossing, Trench Backfill & Surface Restoration 6/15
303	Gravel Surface Restoration 12/15
304	Native Surface Restoration 12/15A
310	Standard Side-Inlet Grated Catch Basin 6/14
311	Oversize Side-Inlet Grated Catch Basin 6/14
312	Catch Basin Grate Details 6/14
313	Type 3 Ditch Inlet Catch Basin 6/14
313A	Storm Outlet Energy Dissipator Basin 6/14
314	Curb-Inlet Catch Basin 5/16

**CITY OF JEFFERSON
PUBLIC WORKS DESIGN STANDARDS**

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
315	7/12
316	7/12
317	1/13
320	8/14
330	6/15
350	3/08
351	8/12
355	1/10
362	11/06
Test Reports	
▶	Storm Sewer Mandrel Test Report
• A4 – Sanitary Sewers	Latest Revision
▶	For trench backfill and surface restoration, see Details 301 – 304
▶	For bore casing detail, see Detail 508
401	12/15
402	12/15
403	12/15
403A	12/15
404	7/15
405	12/15
406	12/15
407	12/15
411	7/15
415	8/16
416	8/16
418	10/15
419	12/15
Test Reports	
▶	Manhole Vacuum Test Report
▶	Sanitary Sewer Air Test Report
▶	Sanitary Sewer Mandrel Test Report
▶	Pipeline TV Inspection Report
• A5 – Water Distribution	Latest Revision
▶	For trench backfill and surface restoration, see Details 301 - 304
501	6/15
502	6/15
503	12/15
505	3/17
506	12/15

**CITY OF JEFFERSON
PUBLIC WORKS DESIGN STANDARDS**

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
507 Standard Blowoff with Plugged End	6/15
508 Bore Casing, Carrier Pipe & Casing Spacer Detail	8/15
510 Horizontal Thrust Blocking	9/14
511 Straddle Block for 12" & Smaller Pipe	1/14
512 Vertical Thrust Blocking	7/97
515 Typical 1" Water Service	5/16
516 1½" and 2" Meter Set with 1" High Bypass	7/15
517 Tapping Requirements, 1½" & Larger Service	5/16
518 1" Combination Air Release Valve (CARV)	8/13
523 3" Domestic Water Meter	4/17
524 4" Domestic Water Meter	4/17
525 6" Domestic Water Meter	4/17
526 8" Domestic Water Meter	4/17
527 Water Meter Vault Bypass Valve Lock	8/14
528 Water Meter Test Port Assembly	3/17
531 2" & Smaller Double Check Valve Assembly	8/15
541 2" & Smaller Reduced Pressure Backflow Assembly	10/14
543 3" Reduced Pressure Backflow Assembly	10/14
544 4" Reduced Pressure Backflow Assembly	10/14
550 Fire Service Line Connection Requirements (1½" & Larger Service)	9/15
554 4" Double Check Detector Assembly w/FDC	2/16
555 6" Double Check Detector Assembly w/FDC	2/16
556 8" Double Check Detector Assembly w/FDC	2/16
559 4" Forward Flow Test Port inside DCDA Vault (For NFPA 13 & 25 Tests)	2/16
560 Below Grade Check Valve & Ball Drip Valve, in Close Bottom Drain Structure	10/13
561 Below Grade Check Valve & Ball Drip Valve, in Open Bottom Drain Structure	10/13
562 FDC Line Ball Drip Drain Valve (Check Valve in Building), Open Bottom Drain Structure	10/13

Test Reports

- ▶ Waterline Pressure Test Report


• A6 - Erosion Control

610 Temporary Construction Entrance	10/07
611 Sediment Barriers	10/07
612 Straw Wattle Sediment Barrier	10/07
613 Inlet Sediment Control	10/07
614 Ditch & Swale Protection	10/07
615 Silt Sack Inlet Detail	10/07

**CITY OF JEFFERSON
PUBLIC WORKS DESIGN STANDARDS**

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
<u>APPENDIX B - Standard Construction Notes</u>	
<u>APPENDIX C - Utility Companies And Agencies</u>	
<u>APPENDIX D - Standard Easement Forms, Etc.</u>	
<u>APPENDIX E - Sample Insurance Certificates</u>	
<u>APPENDIX F - Adopting Ordinance & Resolutions</u>	
<u>APPENDIX G - Plan Review, Permit & Construction Requirements & Procedures</u>	



PREFACE

These design standards have been developed by the City of Jefferson to provide a uniform set of standards for public improvements. The intent of these standards is to provide guidelines for the construction of public facilities that will provide an adequate service level for the present as well as for future development. The format has been kept brief and no attempt has been made to cover all possible situations or to provide lengthy explanations.

These design standards are intended to be used in conjunction with the City's PWCS - Public Works Construction Standards (*ie. the Oregon Standard Specifications for Construction – OSSC (ODOT/APWA), most recent edition except as otherwise noted herein*). The PWCS are subject to the material, equipment and other provisions specified in these PWDS. In the event of discrepancies between the requirements in these PWDS and the Public Works Construction Standards (PWCS) or between the text of these PWDS and the standard details, the more stringent requirements as determined by the Public Works Director shall apply.

Copies of these design standards can be obtained from City of Jefferson, Oregon , PO Box 83 , Jefferson, OR 97362 .

It is anticipated that revisions to the design standards will be made from time to time. The date appearing on the title page is the date of latest revision of the text portion of the standards. The date appearing on the details is the date of latest revision of that particular detail.

