

Rust Proof Metal Snaps

Manufactured of the finest quality zinc-aluminum alloy.
Rust-resistant movable parts for years of satisfactory service.

No. 017 Swivel Loop Eye Snaps Nickel plated rust-proof metal		No. 25 Loop Eye Bolt Snaps Nickel plated rust-proof metal			No. 125 Round Eye Bolt Snaps Nickel plated rust-proof metal		
---	--	--	--	--	--	--	--



Item No.	017	Item No.	25-3/4	25-1	25-2	Item No.	125-1/2	125-5/8	125-3/4
Eye Size	1	Eye Size	3/4	1	2	Eye Size	1/2	5/8	3/4
Length Overall	3 1/8	Length Overall	3	3 1/4	4	Length Overall	3 1/4	3 1/2	3 1/2
Snap Opening	3/8	Snap Opening	5/16	3/8	7/16	Snap Opening	3/8	3/8	3/8
Weight per 100	13	Weight per 100	9	9	23	Weight per 100	10	11	11

Double Pattern Chain Snaps Nickel plated rust-proof metal			No. 200 Square Loop Snaps Nickel plated rust-proof metal						No. 202 Rigid Eye Snaps Nickel plated rust-proof metal		
--	--	--	---	--	--	--	--	--	---	--	--



Item No.	161	162	163	Item No.	200-5/8	200-3/4	200-7/8	200-1	200-1 1/4	200-1 1/2	200-2	Item No.	202-5/8	202-3/4
Length Overall	3 1/2	4	4 5/8	Eye Size	5/8	3/4	7/8	1	1 1/4	1 1/2	2	Eye Size	5/8	3/4
Snap Opening	1/4	3/8	3/8	Length Overall	2 3/4	2 3/4	3	3	3 1/4	3 3/8	3 1/2	Length Overall	3 1/4	3 3/8
Weight per 100	9	15	17	Snap Opening	1/4	1/4	5/16	5/16	3/8	3/8	3/8	Snap Opening	5/16	3/8
				Weight per 100	7	7	8	9	13	14	16	Weight per 100	8	11

No. 204 Trigger Snaps Nickel plated rust-proof metal		No. 222 Swivel Eye Snaps Nickel plated rust-proof metal			No. 224 Swivel Eye Snaps Nickel plated rust-proof metal		No. 225 3/8-L Swivel Eye Nickel plated rust-proof metal	
---	--	--	--	--	--	--	--	--



Item No.	204	Item No.	222-5/8	222-3/4	Item No.	224-5/8	224-3/4	Item No.	225-3/8-L
Eye Size	3/4	Eye Size	5/8	3/4	Eye Size	5/8	3/4	Eye Size	3/8
Length Overall	1 3/4	Length Overall	3 1/2	3 5/8	Length Overall	3 1/4	3 3/8	Length Overall	2 3/8
Snap Opening	9/32	Snap Opening	9/32	9/32	Snap Opening	3/8	3/8	Snap Opening	3/16
Weight per 100	7	Weight per 100	9	10	Weight per 100	13	14	Weight per 100	4 1/4


No. 225 Swivel Eye Bolt Snaps Nickel plated rust-proof metal										No. 227 Swivel Eye Bolt Snaps Nickel plated rust-proof metal					
---	--	--	--	--	--	--	--	--	--	---	--	--	--	--	--



Item No.	225-3/8	225-1/2	225-5/8	225-3/4	225-7/8	225-1-L	225-1-H	225-1 1/8	225-1 1/4	Item No.	227-3/8	227-1/2	227-5/8	227-3/4	227-7/8	227-1
Eye Size	3/8	1/2	5/8	3/4	7/8	1-L	1-H	1 1/8	1 1/4	Eye Size	3/8	1/2	5/8	3/4	7/8	1
Length Overall	3 1/4	3 1/4	3 1/2	3 1/2	3 1/2	3 3/4	4	4	4 1/8	Length Overall	3 1/4	3 3/8	3 1/2	3 5/8	3 3/4	4
Snap Opening	3/8	3/8	3/8	3/8	3/8	3/8	3/8	7/16	1/2	Snap Opening	3/8	3/8	3/8	3/8	3/8	3/8
Weight per 100	9	9	10	11	12	12	16	14	16	Weight per 100	10	10	10	10	13	16

Rust Proof Metal Snaps | Malleable Iron Snaps

No. 5025 Swivel Eye Leash Snaps Nickel plated rust-proof metal					No. 5037 Open Swivel Snaps Cast rust-proof metal - Nickel plated			No. 5079 Swivel Eye Snaps Plated rust-proof metal, Nickel, Goldlite	
--	--	--	--	--	--	--	--	---	--



Item No.	5025-3/8	5025-1/2	5025-5/8	5025-3/4	Item No.	5037	Item No.	5079
Eye Size	3/8	1/2	5/8	3/4	Eye Size	3/8	Eye Size	3/8
Length Overall	3	3 1/8	3 1/8	3 1/4	Length Overall	2 5/8	Length Overall	2
Snap Opening	1/4	1/4	1/4	1/4	Snap Opening	3/16	Snap Opening	3/16
Weight per 100	6	6	6	7	Weight per 100	3 1/2	Weight per 100	2 1/4

No. 202M Rigid Eye Snaps Cast malleable iron, Nickel plated		No. 203 Open Eye Chain Snaps Cast malleable iron, Nickel plated		No. 225 J Swivel Eye Snaps "Jumbo" Size, Cast malleable iron		No. 225X Swivel Eye Snaps Cast malleable iron, Nickel plated	
---	--	---	--	--	--	--	--



Item No.	202M	Item No.	203-3/8	203-1/2	Item No.	225J	Item No.	225X
Eye Size	3/4	Eye Size	3/8	1/2	Eye Size	1 1/8	Eye Size	5/8
Length Overall	3 3/4	Length Overall	2 1/2	2 3/4	Length Overall	5	Length Overall	4 1/4
Snap Opening	1/2	Snap Opening	1/4	1/4	Snap Opening	5/8	Snap Opening	5/8
Weight per 100	16	Weight per 100	5	7	Weight per 100	39	Weight per 100	16

No. 229-250 Open Eye Chain Snaps Cast malleable iron, Electro galvanized								No. 333 Security Snaps Swivel Eye Cast malleable iron	
--	--	--	--	--	--	--	--	---	--



Item No.	229	230	231	232	240	245	250	Item No.	333
Eye Size	1/4	3/8	3/8	1/2	1/2	1/2	5/8	Eye Size	1
Length Overall	2 3/8	3 1/4	3 1/2	4	4 1/4	5	6	Length Overall	5
Snap Opening	7/32	5/16	3/8	3/8	3/8	1/2	1/2	Snap Opening	1/2
Weight per 100	5 1/2	10	12	15	25	45	55	Weight per 100	71

No. 820A + 822 Rigid Eye Snaps Cast malleable iron			No. 830 Swivel Spring Snaps Cast malleable iron, Electro galvanized						
--	--	--	---	--	--	--	--	--	--




Item No.	820A	822	Item No.	830-5/8	830-3/4	830-7/8	830-1-L*	830-1-H*	830-1 1/8
Eye Size	5/8	5/8	Eye Size	5/8	3/4	7/8	1-L*	1-H*	1 1/8
Length Overall	3	4 3/4	Length Overall	3 3/8	3 3/8	3 1/2	3 1/2	4 3/16	4 5/8
Snap Opening	1/4	9/16	Snap Opening	1/4	1/4	1/4	1/4	5/16	3/8
Weight per 100	9	36	Weight per 100	12	13	13 1/2	14	30	32

* 1-L - Light pattern - 14 lbs. per 100 | 1-H - Heavy pattern - 30 lbs. per 100

Malleable Iron Snaps | Solid Bronze Snaps


No. 848 Swivel Loop Eye Snaps Cast malleable iron, Nickel plated		No. 853-855 Double Pattern Chain Snaps Cast malleable iron, Nickel plated			No. 1001-1/2 Quick Release Snaps, with out link. Cast malleable iron		No. 1001 Quick Release Snaps, with link. Cast malleable iron	
---	--	--	--	--	---	--	---	--



Item No.	848	Item No.	853	855	Item No.	1001-1/2	Item No.	1001
Eye Size	1	Length Overall	3 3/4	5 1/4	Eye Size	5/8	Eye Size	5/8
Length Overall	3 1/8	Snap Opening	5/16	7/16	Length Overall	4	Length Overall	5 3/4
Snap Opening	5/16	Weight per 100	14	36	Snap Opening	5/8	Snap Opening	5/8
Weight per 100	12				Weight per 100	35	Weight per 100	40


For use on big animals and various other applications.
A simple tug on the shield will easily release the heaviest load.

No. 2311 Snap Hook Cast malleable iron		No. 2311X Rigid Eye Snaps Cast malleable iron		No. 3141 Security Snaps Rigid Eye Cast malleable iron		No. 3142 Security Snaps Swivel Eye Cast malleable iron	
---	--	--	--	--	--	---	--



Item No.	2311	Item No.	2311X	Item No.	3141	Item No.	3142
Eye Size	5/8	Eye Size	3/4	Eye Size	3/4	Eye Size	7/8
Length Overall	3 3/8	Length Overall	3 7/8	Length Overall	3 3/4	Length Overall	4
Snap Opening	1/2	Snap Opening	1/2	Snap Opening	1/2	Snap Opening	1/2
Weight per 100	29	Weight per 100	26	Weight per 100	29	Weight per 100	36

No. 5013X Swivel Trigger Snaps "Jumbo" Size, Nickel plated malleable iron			No. 5013B Swivel Trigger Snaps Polished solid bronze		No. 5025B Swivel Eye Snaps Polished solid bronze	
---	--	--	---	--	---	--






Item No.	5013X		Item No.	5013B	Item No.	5025B-3/8	5025B-1/2
Eye Size	3/4	1	Eye Size	1/2	Eye Size	3/8	1/2
Length Overall	4	4 5/8	Length Overall	2 1/2	Length Overall	3	3
Snap Opening	3/4	1	Snap Opening	3/8	Snap Opening	1/4	1/4
Weight per 100	21	33	Weight per 100	10	Weight per 100	6	6




No. 98 Swivel Eye Snaps Nickel plated solid brass		Double Pattern Chain Snaps Polished solid bronze			No. 225B Swivel Eye Bolt Snaps Polished solid bronze				
--	--	---	--	--	---	--	--	--	--







Item No.	98	Item No.	161B	162B	163B	Item No.	225B-5/8	225B-3/4	225B-1	225B-1 1/8	225B-1 1/4
Eye Size	1/4	Length Overall	3 1/2	4	4 3/4	Eye Size	5/8	3/4	1	1 1/8	1 1/4
Length Overall	1 3/4	Snap Opening	3/8	3/8	7/16	Length Overall	3 1/4	3 3/8	3 5/8	4 1/2	4 7/8
Snap Opening	3/16	Weight per 100	9	16	19	Snap Opening	3/8	3/8	7/16	1/2	1/2
Weight per 100	1 3/4					Weight per 100	14	16	19	23	38

Solid Bronze Snaps

No. 226B Swivel Eye Bolt Snaps Polished solid bronze with deep throat		No. 226BR Swivel Eye Bolt Snap with Ring Polished solid bronze		No. 227B Swivel Eye Bolt Snaps Polished solid bronze	
					
Item No.	226B	Item No.	226BR	Item No.	227B
Eye Size	3/4	Eye Size	3/4	Eye Size	3/4
Length Overall	3 3/8	Length Overall	4 5/8	Length Overall	3 5/8
Snap Opening	3/8	Snap Opening	3/8	Snap Opening	1/2
Weight per 100	14	Weight per 100	22	Weight per 100	17
		Ring I.D.	1 1/8		

No. 231B-232B Open Eye Chain Snaps Polished solid bronze			No. 249B Rigid Eye Snaps Polished solid bronze				No. 251B Swivel Eye Snaps Polished solid bronze				
											
Item No.	231B	232B	Item No.	249B-3/8	249B-5/8	249B-11/16	249B-3/4	Item No.	251B-5/8	251B-3/4	251B-3/4
Eye Size	3/8	1/2	Eye Size	3/8	5/8	11/16	3/4	Eye Size	5/8	3/4	3/4
Length Overall	3 1/2	4	Length Overall	2	2 4/8	3 1/4	3 7/8	Length Overall	3 1/4	3 3/4	4 9/16
Snap Opening	3/8	1/2	Snap Opening	1/4	5/16	7/16	1/2	Snap Opening	5/16	1/2	1/2
Weight per 100	13	17	Weight per 100	7	10	14	30	Weight per 100	14	21	32

No. 334B Swivel Decoy Snaps Polished solid bronze		No. 341B Round Eye Snap Polished solid bronze		No. 265B Rope Clamps Solid bronze For rope		No. 2311B Rigid Eye Snaps Polished solid bronze		
								
Item No.	334B	Item No.	341B	Item No.	265B	Item No.	2311B-3/4	2311B-1 1/8
Eye Size	3/8	Eye Size	3/8	For Rope Size	5/8	Eye Size	3/8	1 1/8
Length Overall	2	Length Overall	1 7/8	Weight per 100	12	Length Overall	4 1/8	4 3/4
Snap Opening	3/16	Snap Opening	3/16			Snap Opening	1/2	3/8
Weight per 100	3	Weight per 100	2 1/4			Weight per 100	32	10

Drop Forged Steel Snaps

No. 196 Double Clevis Links
Forged carbon steel body
tempered alloy steel pins



Item No.	196-1/4-5/16	196-3/8	196-7/16-1/2
Link Size	1/4 - 5/16	3/8	7/16 - 1/2
Working Load Ltd	3900	5400	9200
Weight per 100	36	55	116

No. 330 Clevis Grab Hooks
Drop forged alloy steel, Electro glvanized



Item No.	330-1/4	330-5/16	330-3/8	330-1/2
Chain Size	1/4	5/16	3/8	1/2
Working Load Ltd	2600	3900	5400	9200
Weight per 100	50	75	112	225

No. 331 Clevis Slip Hooks
Drop forged carbon steel, Electro glvanized



Item No.	331-1/4	331-5/16	331-3/8	331-1/2
Chain Size	1/4	5/16	3/8	1/2
Working Load Ltd	2600	3900	5400	9200
Weight per 100	60	90	130	275

No. 461 Safety Snap Hook
Plated drop forged steel



Item No.	461
Eye Size	5/8
Length overall	3 1/2
Snap Opening	1/2
Tensile lbs.	4,500
Weight per 100	32

No. 467 Fast Eye Snaps
Plated drop forged alloy steel



Item No.	467
Eye Size	3/4
Length overall	4
Snap Opening	5/8
Tensile lbs.	7,000
Weight per 100	45

No. 468 Fast Eye Snaps
Plated drop forged alloy steel



Item No.	468
Eye Size	5/8
Length overall	4 1/4
Snap Opening	7/8
Tensile lbs.	9,200
Weight per 100	50

No. 2311F Safety Snap Hook
Galvanized drop forged steel
with stainless steel spring



Item No.	2311F
Hook Size	9/16
Eye Size	3/4
Length overall	4
Snap Opening	3/4
Tensile lbs.	3,750
Working load limit	750
Weight per 100	35

No. 2987 Fast Eye Snaps
Plated drop forged alloy steel



Item No.	2987
Eye Size	5/8
Length overall	4
Snap Opening	9/16
Proof load lbs	5000
Weight per 100	35

No. 2988 Ladder Snaps
Plated drop forged alloy steel



Item No.	2988
Eye Size	1
Length overall	6 3/8
Snap Opening	1 3/8
Proof load lbs	5,000
Weight per 100	94

No. 2988X Ladder Snaps
With Double Safety Latch.
Plated drop forged alloy steel



Item No.	2988X
Eye Size	1
Length overall	6 3/8
Snap Opening	1 3/8
Proof load lbs	5,000
Weight per 100	112

No. 2989 Fast Eye Snaps
Plated drop forged alloy steel



Item No.	2989
Eye Size	1
Length overall	5 3/16
Snap Opening	5/8
Proof load lbs	5,000
Weight per 100	53

Drop Forged Steel Snaps

No. 110 Standard Eye Hooks

Without latch. Drop forged steel, electro-plated, heat treated, quenched & tempered



Item No.	110 - 21	110 - 22	110 - 23	110 - 24	110 - 25	110 - 26
Size No.	21	22	22	22	22	22
Working load tons	1/2	3/4	1	1 1/2	2	3
Inside dia. eye	5/8	3/4	29/32	1 1/8	1 1/4	1 9/16
Throat opening	3/4	7/8	3 1/32	1	1 1/8	1 7/32
Weight per 100	30	54	75	100	170	224

No. 2989X-2990X Fast Eye Snaps

with double safety latch.
Plated drop forged alloy steel



Item No.	2989X	2990X
Eye Size	1	1
Length overall	5 3/16	5 1/4
Snap Opening	5/8	5/8
Proof load lbs	5,000	5,000
Weight per 100	59	66

No. 110L Standard Eye Hooks

With latch. Drop forged steel, electro-plated, heat treated, quenched & tempered



Item No.	110L - 21	110L - 22	110L - 23	110L - 24	110L - 25	110L - 26
Size No.	21	22	23	24	25	26
Working load tons	1/2	3/4	1	1 1/2	2	3
Inside dia. eye	5/8	3/4	29/32	1 1/8	1 1/4	1 9/16
Throat opening	3/4	7/8	3 1/32	1	1 1/8	1 7/32
Weight per 100	30	54	75	100	170	224

No. 2991 Fast Eye Snaps

Plated drop forged alloy steel



Item No.	2991
Eye Size	3/4
Length overall	5
Snap Opening	5/8
Proof load lbs	5,000
Weight per 100	57