









I Steel Wire Snaps

No. 232SW Open End Bolt Snaps Rolled Carbon Steel Stainless Steel Spring		No. 248 Open Eye Snaps Zinc Plated Steel						No. 404 Open Wire Snaps Zinc Plated Steel	
									
Item No.	232SW	Item No.	248-1/4	248-3/8	248-7/16	248-1/2	248-5/8	Item No.	404
Eye size	3/4	Eye size	1/4	3/8	7/16	1/2	5/8	Eye size	5/8
Length overall	4	Length overall	2 1/8	2 5/8	3 1/8	3 5/8	4 1/8	Length overall	4
Snap opening	3/8	Snap opening	3/16	1/4	5/16	3/8	1/2	Snap opening	3/8
Weight per 100	15	Weight per 100	4 1/2	10	13	21	31	Weight per 100	10
Tensile lbs.	1,000	<i>Open eye will not crack or break when closing. Dependable, where malleable iron is unpredictable as to a consistent working load strength.</i>							

No. 405 Closed Wire Snaps Zinc Plated Steel		No. 406-407 Swivel Wire Rope Snaps Zinc Plated Steel		No. 408 Swivel Rope Snaps Zinc Plated Steel		No. 422 Bit Snaps Zinc Plated Steel /Steel Wire Spring		
								
Item No.	405	Item No.	406	407	Item No.	408	Item No.	422
Eye size	5/8	Eye size	7/8	3/4	Eye size	1	Length overall	1 3/4
Length overall	4	Length overall	4 5/8	4 1/2	Length overall	4 1/2	Snap opening	9/32
Snap opening	3/8	Weight per 100	15	14	Snap opening	1/4	Weight per 100	3
Weight per 100	10	For rope size	3/4	5/8	Weight per 100	7 1/2		

Steel Wire Snaps

No. 424 Bit Snaps Zinc Plated Steel / Steel Wire Spring



Item No.	424
Length overall	2 1/2
Snap opening	5/16
Weight per 100	6

No. 427 Bit Snaps Zinc Plated Steel




Item No.	427
Length overall	2 1/4
Snap opening	5/16
Weight per 100	3 1/4

No. 449 Steel Wire Snaps Zinc Plated Steel



Item No.	449
Eye size	5/8
Length overall	3
Snap opening	7/16
Weight per 100	8

No. 463 Steel Snap Hook Zinc Plated Steel / Steel Spring Latch



Item No.	463
Eye size	1/2
Length overall	4
Snap opening	3/4
Weight per 100	28

No. 734A Swivel Snaps Nickel Plated Steel



Item No.	734A-1/4	734A-5/16	734A-3/8	734A-7/16	734A-1/2	734A-5/8
Eye size	1/4	5/16	3/8	7/16	1/2	5/8
Length overall	1 3/4	2	2 1/2	3	3 3/4	4 1/4
Snap opening	1/8	5/32	1/4	1/4	5/16	3/8
Weight per 100	3/4	1 1/4	2	4	5	7

No. 1401-1408 Open Swivel Eye Chain Snaps Zinc Plated Steel



Item No.	1401-2 3/4	1402-2 7/8	1403-3 3/8	1405-2 7/8	1406-3 1/8	1407-3 3/8	1408-3 5/8
Length overall	2 3/4	2 7/8	3 3/8	2 7/8	3 1/8	3 3/8	3 5/8
Snap opening	1/4	1/4	5/16	1/4	1/4	9/32	9/32
Weight per 100	3	4 1/2	6	4	6	8	11

No. 464 Scissor Hook Zinc Plated Steel



Item No.	464
Eye size	1/2
Length overall	3 1/8
Weight per 100	25
Tensile lbs.	2,200
Hook Opening	5/8


No. 734 Swivel Eye Snaps Nickel Plated Steel



Item No.	734-3/8	734-1/2
Eye size	3/8	1/2
Length overall	2 5/8	2 5/8
Snap opening	1/4	1/4
Weight per 100	1 3/4	2

Steel Wire Snaps

No. 2440 Spring Hooks
Plated Formed Steel
Spring loaded interlocking snaps.




No. 2450 Spring Hooks
Plated Formed Steel



Item No.	2440-3/8	2440-7/16	Item No.	2450-2	2450-2 3/8	2450-3 1/8	2450-4	2450-4 3/4	2450-5 1/2	2450-6 3/8
Diameter Stock	3/8	7/16	Length overall	2	2 3/8	3 1/8	4	4 3/4	5 1/2	6 3/8
Length overall	4	4 3/4	Diameter Stock	3/16	1/4	5/16	3/8	7/16	1/2	1/2
Snap opening	5/8	7/8	Snap opening	1/4	5/16	3/8	1/2	5/8	3/4	1
Weight per 100	30	45	Weight per 100	4	7	15	30	43	60	80
Tensile lbs.	2,000	2,500	Work Load lbs.	100	140	280	400	500	600	700
Usage	Quick connecting and disconnection of chain cable and rope assemblies.		Usage	For small boats, water skiing, mooring, motor safety line, etc.						

No. 2451 Spring Hooks with Ringed Eye
Plated Formed Steel



Item No.	2451-2 1/8	2451-2 3/8	2451-3 1/8	2451-4	2451-4 3/4	2451-5 1/2	2451-6 3/8
Length overall	2 1/8	2 3/8	3 1/8	4	4 3/4	5 1/2	6 3/8
Eye size	1/4	5/16	3/8	1/2	5/8	5/8	7/8
Snap opening	1/4	5/16	3/8	1/2	5/8	3/4	1
Weight per 100	4	7	15	30	43	60	80
Work Load lbs.	100	140	280	400	500	600	700
Diameter Stock	3/16	1/4	5/16	3/8	7/16	1/2	1/2

No. 2460 Spring Hooks
Plated Formed Steel
Spring loaded interlocking snaps. Similar in application to No. 2450.



No. 7330 Snap Bodies
Nickel Plated Steel



Item No.	2460-1/4	2460-5/16	2460-3/8	Item No.	7330-3/4	7330-1	7330-1 3/16
Diameter Stock	1/4	5/16	3/8	Length overall	3/4	1	1 3/16
Length overall	2 1/2	3 1/8	4	Snap opening	1/8	1/8	5/32
Snap opening	3/8	7/16	1/2	Weight per 100	1/4	3/8	1/2
Weight per 100	7	15	29				
Tensile lbs.	700	1,400	2,000				

Steel Wire Snaps I

No. 7340 Snap Bodies
Nickel Plated Steel



Item No.	7340-1	7340-1 13/16	7340-1 1/4	7340-1 3/8	7340-1 1/2	7340-1 3/4	7340-2	7340-2 3/8	7340-2 3/4
Length overall	1	1 13/16	1 1/4	1 3/8	1 1/2	1 3/4	2	2 3/8	2 3/4
Snap opening	1/8	5/32	5/32	5/32	3/16	3/16	1/4	5/16	5/16
Weight per 100	1/4	1/2	1/2	3/4	1	1 1/4	2	3	5