



Journal of Urbanism: International Research on **Placemaking and Urban Sustainability** 

ISSN: 1754-9175 (Print) 1754-9183 (Online) Journal homepage: http://www.tandfonline.com/loi/rjou20

# A human-scaled GIS: measuring and visualizing social interaction in Barcelona's Superilles

Philip Speranza

To cite this article: Philip Speranza (2018) A human-scaled GIS: measuring and visualizing social interaction in Barcelona's Superilles, Journal of Urbanism: International Research on Placemaking and Urban Sustainability, 11:1, 41-62, DOI: 10.1080/17549175.2017.1341426

To link to this article: https://doi.org/10.1080/17549175.2017.1341426

1	1	(	1
Г			

Published online: 14 Jul 2017.



🖉 Submit your article to this journal 🗹

Article views: 140



View related articles 🗹



View Crossmark data 🗹

Full Terms & Conditions of access and use can be found at http://www.tandfonline.com/action/journalInformation?journalCode=rjou20



Check for updates

# A human-scaled GIS: measuring and visualizing social interaction in Barcelona's *Superilles*

#### Philip Speranza

Department of Architecture, University of Oregon, Eugene, OR, USA

#### ABSTRACT

Social interaction is a key component of urban sustainability, but its spatial measurement is difficult using existing off-site GIS data. This paper reports on a new method of measuring social interaction using a combination of mobile technology and parametric software, which was tested on two of Barcelona's new semi-pedestrian *superilles*. The research is introduced within a theoretical framework for *social interaction and cohesion* adapted from a broader index of sustainability. It shows how on-site data collection can be used to measure the capacity of urban spaces to support social interaction. It is argued that the combination of mobile technologies, GIS data, and predetermined indicators of the capacity of spaces to support positive human experiences offers an important complement to more traditional methods of recording and measuring the qualities of urban spaces.

# KEYWORDS

Streets; GIS; social interaction; Barcelona *superilles* 

#### Introduction

Digital information is changing urban design, both in the way people experience cities and how designers measure the physical and social qualities of urban spaces (McCullough 2013). While people want walkability, livability, and social interaction in dense and diverse downtown locations, the dominance of cars has left many urban spaces unhealthy places to live (Urry 2007).

Small-scale spatial understanding of downtown social interaction, while well studied in behavioral science, sociology, and urban psychology, has been challenging to measure geospatially for design professionals. As a temporal quality of human processes, it is often excluded from urban data collection, which tends to favor either fixed forms or non-spatial analyses (Lavirov 2015). New ways of integrating social process data via mobile computing (Ratti and Claudel 2015) offer potential methods of including the post-occupancy approaches of Gehl (Gehl and Svarre 2013), Cooper Marcus and Francis (1998), and others.

Barcelona's semi-pedestrianized *superilles* provide a valuable new context in which to study social interaction in urban spaces and to test new methods of measuring the human qualities of urban spaces. The research method described used on-site mobile technology

© 2017 Informa UK Limited, trading as Taylor & Francis Group

integrated with GIS and digital visualization to measure relationships between physical environmental factors and social interaction.

The method is significant because social interaction plays a key role in urban theory, including the "walkability" notions of Gehl and others, for example, but no method of this scale or reliability is currently available to measure social interaction in urban environments. The work presented examined qualities experienced at street level in two downtown *superilles*, together with more traditional urban spaces suggested by the City of Barcelona for baseline comparison (Agencia 2016).

# **Cultural context**

In Catalan culture, planning is strongly affected by the inseparability of politics and "collective space" (Bohigas 2004). Ildefons Cerda's 1859 plan for Barcelona, equally spaced 100 m by 100-m blocks distributed public spaces equitably, at each block patio and at each chamfered street intersection (de Sola Morales 2008). However, small-scale considerations for human experience such as chamfers, have been gradually undermined by the increasing presence of cars. Following the establishment of a new Spanish Constitution in 1978, the city improved many small public spaces for citizens to enjoy on their return home from work, restoring many small plazas, replacing densely parked cars with new paving materials, benches, trees, vegetation, and drinking fountains, and reestablishing identity with adjacent historic buildings (Moix 1994). These spaces, along with the streetscapes of the previously autonomous villages (Speranza 2013), reestablished places of refuge for pedestrians after the 1992 Olympic Games (Harvey and Smith 2005), (Smith et al. 2009). Later initiatives included the 22@ district planning with minimum block requirements of 10% open space, social housing, and social services, as well as protected historic buildings and more recent smart approaches to block self-sufficiency (Guallart 2010). These initiatives mean that today planning in Barcelona is underpinned by an expectation of small-scaled urban places.

# Superilles and their streets

Today, car exhaust fumes, brake, and tire particles contribute to neurological and respiratory illnesses in children (Sunyer et al. 2015; Catanzaro 2016). According to World Health Organization, the air in central Barcelona has an annual mean concentration of particulate matter of 56, surpassing both Los Angeles at 20 and New York at 14 (Mathiesen 2015). In response, the City of Barcelona has been trying to create *Eixample* streets that are healthier places to walk, live, and socialize.






Figure 1. Left: Barcelona's *eixample* blocks, *superilles* and interior streets. Right: Two *superilles* measured 2014.



Figure 2. People eating and socializing in a plaza in the previously autonomous village of Gràcia, Barcelona. Photo courtesy of Carlos Lorenzo.

With the help of data analytics, the City of Barcelona has planned *superilles* ("superislands") (Figure 1), new three-by-three block (Bausells 2016) pedestrian areas by limiting vehicle access to perimeter streets using newly designed intersections that could match in size and quality the plazas in Gràcia (Figure 2) as spaces of "placer," or human pleasure (Rueda 2014). The city's bus and bike lane systems were completely rerouted to match the new orthogonal *superilles* plan. New urban units now match the population density and complexity of many Catalan villages with between 15,000 and 30,000 inhabitants (Rueda 2014). The social interactions identified by the City in the plazas of Gràcia, however, have not yet been studied in any depth yet (Agencia 2016). Currently, the City has completed the pilot test of only one *superilla* (El Periodico 2016).

# **Pueblo livability**

The *Eixample* grid unifies the streets of Barcelona, but it also masks key differences. As the city government aims to make more livable, walkable pedestrian islands free of vehicles, specific design qualities will need to be identified, measured, and supported at street scale. What is the existing texture of the small-grained social environment needed in order to attach to place, for example, (Latour 2005), (Manzo, Perkins, and Douglas 2006)? What are the differences within and between individual *superilles*? What new understandings may be gained using point data within the streets of a *superilla*?

The *superilla* plan published by the city explicitly identifies the livability and social interaction of plazas located in the previously autonomous village of Gràcia located just above the *Eixample* (Barcelona *Superilla* 2015). As a result the Plaça del Sol, Plaça Revolució, and Plaça de la Vila de Gràcia were chosen as baseline comparison areas to better understand the relative analysis of the two Barcelona *Superilles* final data in 2015. Likewise, two exemplary streets, Carrer de Enric de Granados and Passeig de Sant Joan were measured with analytical diagrams done only for Carrer de Enric de Granados.

The research first tested data collection in the summer of 2014 for two adjacent *superilles* in the Poblenou waterfront neighborhood of the *Eixample grid*. In the summer of 2015, two new comparison *superilles*, one in Poblenou and one in the downtown Eixample Esquerra, were studied and used for the final results shown here (Figure 3). The 2015 *Eixample Esquerra* 



**Figure 3.** *Superilla* plan in white streets. 2015 study *superilles* 01 and 02. Three Gràcia neighborhoods are identified with three red plazas. Three streets along Enric de Granados are also dark red. Street morphologies of other previously semi-autonomous villages are seen at the perimeter of the *eixample* grid and under *superilla* 02.

*Superilla* was located downtown between Carrer de Compte d'Urgell to Carrer de Muntaner, and Gran Via de les Cortes de Catalanes to Carrer de'Aragó. The 2015 *Poblenou superilla* was located between Carrere de la Llacuna and Carrer de Bilbao, and between Carrer de Doctor Trueta and Carrer de Pujades. It is worth noting that the Poblenou *superilla* is also located across one narrow street of dense storefronts predating the *Eixample* grid of a previous Poblenou fishing village and new 22@ district block planning.

# **Theoretical context**

The pedestrianized street component of *superilles* can be compared to similar ideas in other countries. The Netherland's *woonerf* streets include traffic calming (Pharoah and Russell 1991). *Woonerf* are similar to *home zones* in the UK, where the needs of pedestrians, cyclists, children, and residents are met by reducing the presence of cars (Hebbert 2005). Other street models include *living streets*, in the UK, where pedestrians and cyclists are encouraged to use streets together (Pooley 2013). In the US, *complete streets* mix similar pedestrian, cyclist, cars, and delivery vehicles in a strategy that emphasizes safety, health, economic and environmental outcomes (Laplante and McCann 2008). Barcelona's *superilles* share many of the same objectives: reducing the dominance of vehicles, mixing transit modes, and improving environment and experience of streets for pedestrians, but *superilles*, being specific to Barcelona's *eixample* intersections, create new places the size of Gràcia plazas (Agencia 2016).

Social interaction describes the connective networks and structures of human social behaviors. Recent urban design research has been investigating dynamic social behaviors at street scale (Jacobs and Appleyard 1982; Gehl 2006; Manzo, Perkins, and Douglas 2006;

Franck and Stevens 2007; Hou 2010; Carmona et al. 2010; Seamon 2013). Early methods of measuring social behaviors in public spaces included on-site video recording (Whyte 1980), and diagrams of people and cars (Appleyard 1980). These methods of directly monitoring human behaviors in urban spaces led to more recent surveying techniques that instead measure the *affordance* (Gehl 2006) of the spaces themselves to support different types of behavior (Gehl 2010). Streets, according to Gehl, should "change the mindsets of people." The work presented here primarily used the second type of measurement.


The notion that equitable access to a diversity of social interactions is essential to creating healthy urban spaces traces its roots to Ramon Margalef's ideas of biodiversity, the importance of information, pollution as a condition outside a system, flows of energy, and people (Ros 2001), and the sociological ideas of Folch (2012). The objective, according to Rueda, is "to create the conditions to found the equal opportunities by right of sex, age, race, religion, physical conditions ...." (Rueda 2002). These ideas of diversity are similar to Jane Jacobs' four conditions of diversity: (1) the district must serve more than one primary use, and preferably more than two uses; (2) short streets/blocks that enhance a diversity of route choices and experiences; (3) building fabric should be mixed by age, condition, and required economic yield; and (4) population density (Jacobs 1961). Both theories assume social cohesion as a prime objective, although Jacobs' approach differs in her method of street level observation.

*Space Syntax* likewise aims to find a computational methods to understand social aspects of cities, including spatial patterns, pedestrian routes, and access to street-level commerce (Hillier and Hanson 1984). However, Space Syntax models predict social experience rather than measuring access to social resources. The methods presented here differ in: (1) focusing on social interaction, (2) on-site measuring integrated with GIS data; and (3) being used for the comparative *social* analysis of morphologically *similar* spaces. In using remote sensing and mobile computing to complement traditional GIS data, the work resembles approaches used by the MIT SENSEable Cities Lab, Columbia University Spatial Information Design Lab, and University College London's CASA Lab. Using numerical rating, counting, and statistical normalization, the method used more closely matches that of planners Reid Ewing, Susan Hardy, and others in measuring qualities of walkability (2009), although that work used video-recording and was less focused on visualization.

The specific framework used in the research presented here emerged from meetings with Salvador Rueda, and in particular his written description of social cohesion in *Guia Methodologica* (2012), as well as adaptations made by the author to make framework more widely applicable to other cities in Europe and the United States. A modified theory of social interaction was created based on the following parameters of urban environments: (1) access to employment, social spaces, services, and housing; (2) age, income and culture; and (3) transportation and information technology (see Figure 4). We then proceeded to measure the *accessibility* of these resources in *superilles* compared to other comparable, but traditionally planned districts of Barcelona.

#### **Methods**

The research presented here describes a specific method used to measure social interaction within Salvador Rueda's broader *Methodological Guide for Accreditation Systems Audit and Certification of Quality and Sustainability in the Urban Environment* (Rueda et al. 2012). The method used geospatial information collected at on-site street addresses to identify



#### Social Interaction Tool- Urban Design Characteristics

Figure 4. Theoretical framework for measuring social interaction. Dashed categories are newly added.

deficiencies in affordance of social resources, and to test the potential usefulness of combining mobile data gathering and cloud-based geospatial analysis in urban design.

The research aimed to understand small-scale differences between streets within and between *superilles*. The method was empirically based on repeat visits to 50 plazas and streets in Barcelona and Granada. Final data-sets recorded approximately 15,000 humanentered data values for each of the primary case study areas. Indicators were measured broadly (Creswell and Plano Clark 2010; Carmona 2015) between qualitative and quantitative phenomena. Analysis, synthesis, and evaluation (Lawson 2006) were employed at intermediate stages, before final computations were made. Iterative solutions (Lawson 2006) and "design patterns" (Woodbury 2010) were repeated.

The use of parametric workflows provided continuity (Woodbury 2010) and integration (Speranza and Germany 2016), using "see-move-see" iterations (Schön 1987), and more than 30 research and student projects. The pilot data-sets and comprehensive research tools were refined over three years. The objective was to empower the researchers' decision-making process through iterations and frequent re-evaluations of the effectiveness of the work.

Because of its open, systematic and experiential benefits, a geospatial information system approach, using Rhino 3D and Grasshopper parametric software, was chosen to measure, codify, and visualize data (Speranza 2016). The research software's spatial scale aligned well with that of the data and the custom visualization of the work. New on-site data were created from the last type of three types of theoretical sources: (1) single sourced, such as cell data; (2) a variety of different sources; and (3) from scratch (Nabian et al. 2013). In many cases, the data did not exist in municipal records. Demographic data, for example, exist at the scale of census tracks, but not streets.

In order to determine the ability of streets to support diverse social interaction sub categories and indicators were created within the primary uses, demographic, and infrastructure categories (see Figure 4). Importantly, the phenomena of social interaction were not directly measured. The research team's previous work on relationships between pollution and urban experience had created an iterative knowledge of indicator testing, and this enabled us to create a process of quantitative to qualitative codification. Coding methods used yes/no (0/1); ratings (1–5); and numerical quantities, including currency and spatial areas, typologies, indexes, and syntax matches. Data dictionaries were also used, including "coding type" and "units," describing a strict protocol for data gatherers. Data-sets were gathered for each primary study area, whenever possible by one data gatherer measuring each set of indicators over a 3–5-day period. Data-sets were tested in pilot visits to individual streets by data gathers with expertise in a specific type of data collection. Data collection varied significantly by discipline. Landscape architectural knowledge, for example, was used to record indicators of tree health, through leaf examination, and ratios of tree species height, canopy, and trunk diameter (Table 1 and Figure 5).

Uses	Demographics	Infrastructure
Space	Age	Transit
Pu	Pu/Pr	Pu
Tree species	Seniors (55+)	Sidewalk width
Tree height	Adults (31–55)	Bike_street friendly
Other plantings	Young adults (21–30)	Parking_on-street
Health, pollution or draught	Teenagers (13–20)	Bus
Sound source, dominant	Children (0–12)	Emx(bus rapid transit)/streetcar Subway
Exterior seating +	Income	Pr
Lighting +	Pu	Buffer/safety
Kid friendliness +	high (€) meal	Bike_parking
Rid Hielidiilless +	low (€\$) meal	Parking_off-street
Dr (Day Oldanburg)	Pr (USDA food dessert index)	Farking_on-sueet
Pr (Ray Oldenburg)		Information Taskasland
Name	Milk (liter)	Information Technology++
# Occupancy	Eggs (dozen) Varatabla 1. – ratataas (nar kila)	Pu Free mublie W(i Fi
Seating type	Vegetable 1 – potatoes (per kilo)	Free public Wi-Fi
# Employees	Vegetable 2 – apples (per kilo)	Fiber optic bandwidth
Comfort	Coffee (café solo)	Pr
Character	Beer (330 ml)	Cell strength
		Free private Wi-Fi
Housing	Cultural Background	
Pu	Foreignness	Basic Needs++
Public Housing	Parent's birthplace	Toilet+
Pr	Birthplace	Drinking water +
Housing type	Language name	Shelter +
Housing diversity		
Bath		
Bedroom #		
# floors		
Area		
Cost per m <sup>2</sup>		
Rental cost		
Services		
Pu		
Public service		
Pr		
Service type		
Name		
Public/private		
Job Access++		
Pu		
Job type +		
# of floors +		
Access +		
Signage +		

Table 1. Category hierarchy: PRIMARY qualities in caps; Secondary qualities in sentence case; Pu = Public, Pr = Private; indicators listed in lower case.

Urban Character	Category	Public/Private	Variable	Indicator	Coding Type	Unit	On_Off_Site
1 Social_Space	22@	Public	Vegetation	Species	type	1-19	On
2 Social_Space	22@	Public	Vegetation	Height	height by floor	stories	On
3 Social Space	22@	Public	Vegetation	Health	type	0-2	On
4 Social_Space	22@	Public	Vegetation	Color	type	0-3	On
4 Social_Space	22@	Public	Vegetation	Sound (birds, etc)	yes/no	0/1	On
5 Social_Space	22@	Public	Sound	Decibel	number	db	On
6 Social_Space	22@	Public	Sound	Frequency	number	hz	On
7 Social_Space	22@	Public	Sound	Source			On
8 Social_Space	22@	Private	3rd_Space	Name	text		On_Off
9 Social_Space	22@	Private	3rd_Space	Туре	type	0-5	On_Off
10 Social_Space	22@	Private	3rd_Space	Occupancy	number	#	On_Off
11 Social Space	22@	Private	3rd Space	Seating Arrangement	type	0-4	On
12 Social Space	22@	Private	3rd Space	Number Employees	number	#	On Off
13 Social_Space	22@	Private	3rd_Space	Comfort_Level	type	0-5	On
14 Social_Space	22@	Private	3rd_Space	Playfulness	type	0-5	On

Figure 5. Codification.

# Data analysis - rating, formulation, and visualization

Formulation of analysis for each indicator relied on the initial principle of diverse accessibility equating data of different types, quantities, and syntax to measure social interaction. A general approach to this was established for each of these primary types of formulation. For example, while 13 *business types* were possible, a street could achieve a maximum rating by reaching a threshold, or gate, of seven different types. A total number below seven different *business types* resulted in a proportionately lower value. Similar numerical ratings, quantities, medians, and averages were used. Formulation was then brought into the geospatial information software where they could be associated with each geospatial point. Formulation of data was done in spreadsheets when possible but eventually done natively in the Rhino 3D Grasshopper environment. Table 2 shows the formulation for each indicator. All scoring was done for a given street along a single block. Scores for the 12 interior streets were then averaged for the final superilla score. The following scoring approaches were used:

# Threshold/gating

Typological diversity was calculated using a threshold, or gate, often achieving full value using the median number of types. Scores were prorated as a percentage of that threshold. Examples of indicators included tree species and height types, seating and occupancy types, number of employees, housing types such as number of floors, bedrooms, and bathrooms and building type.

# Scoring mean

Ratings used a scoring mean to average the total score. Ratings described a quality of a place to support a sociological behavior. The question of "ability to" do an activity was often asked. The rating method relied on a carefully tested and refined data dictionary to describe each rating for an indicator. Examples of *scoring mean* included vegetation heath, source of sound, kid friendliness, lighting, exterior seating, comfort level, character, bike parking, on-street parking, off-street parking, differently abled, street buffer, sidewalk width, toilet access, water access, shelter, cell strength, public Wi-Fi, and free private Wi-Fi.

												+51=1		-21=1				constant) Inverse	Average Inverse Deviation	_						Average Inverse	Deviation	Average Inverse	Deviation		Average	Deviation		Average IIIverse Deviation		Average Inverse	
	Gating {0=0, 1=.5, 2=.75, +3=1	Gating {0=0, 1=.5, 2=.75, +3=1	Scoring Mean		Scoring Mean	Scoring Mean					Scoring Mean	Gating {0=0,1-10=.5, 11-50=.75, +51=1	Gating {0=0, 1=.5, 2=.75, +3=1	Gating { 0=0, 1-5=.5, 6-20=.75, +21=1				Percentage of High (monthly cost constant)	Standard Deviation	Percentage of High (Cost per sg. ft)	Gating { 0=0. 1=.75. +2=1	Gating { 0=0, 1=.75, +2=1			Percentage of Data Points	Standard Deviation		Standard Deviation			Standard Deviation	Averada Davistion				Standard Deviation	
	# of types	# of types	<u> </u>	= 1, dense +2)	Input Scoring (poor=1,	medium=2, good=3) Inniit scoring (hird/leaves=3	people=2. traffic=1)	Scoring Mean	Scoring Mean	Scoring Mean	Number of Stores	Block Sum	# of types	Employee Sum	:	Scoring Mean	Scoring Mean	Block Mean	Diversity (area range as type)	Block Mean	Building Height Diversity	Number of bed diversity	Number of bathroom diversity	# of types		Input Scoring		Input Scoring (private=1,	public=2)		Input scoring	Standard Daviation		input scoring (private=1, public=2)	Percentage of Rusinesses	Input Scoring (English=1.	
	Input (types of tree species)	Input (tree height in stories)	Input (category of other Veg)		Input (category of health)	Innut (source of sound)		Input (rating 1–3)	Input (rating 1–3)	Input (rating 1–3)	Input (names of stores)	Input (number of seats)		Input (number of		Input (rating 1–5)	Input (rating 1–5)	Input (monthly rent)	Input (area)	Innut (Cost per so ft.)	Input (# of floors)	Input (# of beds)	_		Input (service vs nonservice)	Input (types of services)		Input (public vs private)		Input (educational services)	input (types or Jobs)	Innut (# of floors)		input (public vs private)	Innut (Presence of Sign)	Input (language)	
ndicator.	Tree Species	Tree Height	Other Vegetation		Vegetation Health	Source of Sound		Kid Friendliness	Lighting	Exterior Seating	Density	Max occupancy	Seating Type	Number of Employees	-	Comfort Level	Character	Rental Cost	Area	Cost per so ft.	Number of Floors	Number of Beds	Number of Bathrooms		Density of Services	Service Type		Public vs Private	Services	routh Service	adki gor	Number of Floors	5	ACCESS	Signage	Language of Business	2
ation for each ir	Social Space	Social Space	Social Space		Social Space	Social Space		Social Space	Social Space	Social Space	Social Space	Social Space	Social Space	Social Space		Social Space	Social Space	Social Housing	Social Housing	Social Housing	Social Housing	Social Housing	Social Housing	Social Housing	Social Services	Social Services		Social Services		SOCIAL SELVICES	SCIOL	ohs		SCIOL	lohs	Culture	
Table 2. Formulation for each indicator.	USES	USES	USES		USES	IISES		USES	USES	USES	USES	USES	USES	USES		USES	USES	USES	USES	USES	USES	USES	USES	USES	USES	USES		USES			UDED	IICEC		0.000	IISES	DEMOGRAPHICS	

Downloaded by [2.136.47.168] at 05:56 06 January 2018

(Continued)

$\infty$
01
ă
>
Ľ.
ñ
anuar
Ja
Ś
õ
9
S
ŝ
0
at
68]
Ę
~
.47.1
ó.
$\mathfrak{C}$
-
<u>7</u>
þ
ed
ē
ad
õ
nl
3
Ó
Д

Percentage of study area high Percentage of study area bigh Percentage of study area bigh Percen	
Gating { 0=0, 1=.5, 2 <=1 Gating { 0=0, 1=.5, 2 <=1 Gating { 0=0, 1=.5, 2 <=1 Scoring Mean Scoring Mean Scoring Mean Scoring Mean Block Mean	Block Mean Number Per Block Number Per Block Block Mean Block Mean Block Mean Block Mean Block Mean
Input (number of languages)       Gating { 0=0, 1=.5, 2 <<=1}	Input (value) Input (value) Input (1-yes/0-no) Input (1-yes/0-no) Input (rating 1–4) Input (rating 1–4) Input (rating 1–4) Input (1-yes/0-no) Input (1-yes/0-no)
Language of Menu Birthplace Parents' Birthplace Foreignness Ages 0–12 Ages 13–20 Ages 13–20 Ages 21–30 Ages 21–30 Ages 21–30 Ages 21–6 Cost of Beer Cost of Beer Cost of Apples Cost of Apples Cost of an Expensive Meal Bike Parking Bike Street Friendly On-Street Parking Off-Street Parking Off-street Buffer Creat Buffer	Sidewalk Wridth Bus Stops Metro Stops Toilet Access Water Access Shelter Cell Strength Public WI-Fi Free Private WI-Fi
<i>Led</i> ). Culture Culture Culture Culture Age Age Age Income Income Income Income Income Income Income Transit Transit Transit Transit	Transit Transit Transit Basic Needs Basic Needs IT IT
Table 2. (Continued)       DEMOGRAPHICS     Cult       DEMOGRAPHICS     Age       DEMOGRAPHICS     Incc	INFRASTRUCTURE INFRASTRUCTURE INFRASTRUCTURE INFRASTRUCTURE INFRASTRUCTURE INFRASTRUCTURE INFRASTRUCTURE INFRASTRUCTURE INFRASTRUCTURE INFRASTRUCTURE INFRASTRUCTURE

#### Percentage of high score

Relative accessibility within a study area was measured using a percentage of the high score for that area. The degree of heterogeneity was desired for these indicators, measuring a relative diversity for each street within the overall range of values gathered for that study area. These examples all used *scoring mean* and subsequently *percentage of high score* and included the cost of beer, coffee, vegetables, eggs, milk, and an inexpensive meal and expensive meal at a given food establishment.

#### Percentage of data points

Density of proximate *services* used a percentage of data points for a given street area. This scoring measured the relative number of services for an area which often characterizes a neighborhood or area. Similarly, in the case of *signage* presence, the *percentage of businesses* was used as a basis was used.

#### Standard deviation/average deviation

Standard deviation was used to measure how different a location scored against an average for its overall study area. Standard deviation was always followed by average deviation for calculations. Examples of the use of standard deviation included service type, public versus private services, job type, physical street-level access, and language of business name.

#### Number per block

Absolute measurement would count the number of instances per block. These absolute values were done when a score of one or more would result in a positive score often related to walkable access to transit such as a presence of metro stops or bus stops.

#### Inverse

The evaluation of positive or negative impact to the diversity of social interaction was assessed. In most cases the rating systems provided a positive rating. In other cases a higher rating meant a more negative impact. In such cases an inverse calculation was used. Examples included housing cost per square meter.

#### Understanding fine-grain differences through visualization

The Barcelona case study was examined through either one or two *superilles*, and compared with a number of other exemplary districts known for their social interaction. The circle diagrams owe their method of visual language to computer scientist Manuel Lima's *Visual Complexity* (2011). Circle and plan diagrams were analyzed and visualized as city blocks but shifted to the experiential space of streets. It became apparent that this new scale of urban data collection naturally led in turn to new scales of urban data analysis and visualization. While many urbanists have studied the small scale of public space, either streets or plazas, few examples exist of GIS methods or visualizations at this street scale. The visualization

language differentiated or associated information using: (1) various axes of circular spatial organization, (2) color, and (3) lines, for each street measurement and tonal background area to average the scores of streets within a *superilla*.

# Data and observed emergent patterns of social interaction

The same indicators were used on the *superilles* and comparative districts. Each indicator reflected one way to measure a desired quality. For example, to measure the visual appeal of a social space, the study measured diversity of *tree species* and *other planting (leaf color, flower coloration* could also have been used). In another city, other indicators might well be used. In each location impressionistic and comparative understandings were always established onsite, prior to final data gathering in order to test how to determine indicators, their relevance, the effect of morphology, and other variables. Reading the data from the diagrams included a range of methods (Figure 6):

- *Circle Diagrams* were compared between *superilles* and between *superilles* and comparison spaces, using the visual hierarchy of primary, secondary, and indicator groupings.
- Spreadsheet Data Bases were used to compare statistical averages between comparison areas.
- Street Plans were used to visualize the data points.

# Superilla Poblenou compared to Superilla Eixample Esquerra

- USES Sensory Engagement. Indicators of the secondary category Space measured the diversity of spatial experience. When comparing the diagrams of data for the Poblenou superilla and the Eixample Esquerra superilla, a higher access of exterior seating (2.05 and 1.3) is seen for Poblenou. Higher diversity of dominant source of noise and other vegetation are also evident, suggesting greater "sensory invitation" (Gehl 2006) for people to hear a variety of natural, human, and non-human noises. Indicators of *trees species* and *tree height*, are similar, perhaps explained by the consistent city regulation and maintenance of such qualities in Barcelona. Indicators of private Third Spaces (Oldenburg 1989) such as average maximum occupancy (63 and 55), comfort level, and the number of employees are higher in Poblenou.
- DEMOGRAPHICS Affordable Staples. Data for Poblenou measured greater income access to food staples prices for vegetables (tomatoes and potatoes), milk, and eggs (4.80€ and 6.91€), as well as the average cost of coffee (1.11€ and 1.34€) and cost of beer (1.52€ and 2.10€). The average most expensive meal was more accessible in Poblenou (14.79€ and 20.16€), while the average least expensive meal was similar (3.97€ and 4.02€). However, the average rental price per meter squared was similar (13.84€ and 14.72€) despite the Eixample Esquerra's more central downtown location. Indicators of cultural background were similar with birthplace of owner (2.13 and 2.20) and menu languages rating (1.25 and 1.30) between Poblenou and Eixample Esquerra.
- INFRASTRUCTURE Pedestrian centric: Transit indicators revealed detailed differences of more pedestrian friendliness in Poblenou but more traditional transit access in Eixample Esquerra. Poblenou scored higher than Eixample Esquerra in *bike friendliness* and *bike parking* but lower in access to *on-street parking* and *off-street parking*, *bus stops*, and




Figure 6. Barcelona – Eixample Esquera Superilla.

*metro stop* access. Pedestrian access such as *sidewalk width* and *street buffers* were similar, again possibly pointing to qualities more regulated by the City. Information Technology infrastructure was similar but *free-private Wi-Fi* was higher in Eixample Esquerra.

These results reveal how Poblenou, as a previously autonomous pueblo, exhibits a wide range of livable qualities, including *sensory engagement*, *affordable staples*, and *pedestrian centric* transit. The Poblenou *superilla* data suggest that the pueblo experience is possible within the morphology of the *Eixample* grid. The comparison may also reveal the effects on social interaction of differences in local government regulations and traditions of private




Figure 7. Barcelona – Eixample Esquera Superilla.

space usage. Clues to geospatial differences at an even smaller scale were found within the *superilles*. For example, the visualization diagrams suggest significant differences in access to social resources between different areas of the *superilla* (Figure 8).

# Morphological understanding

While traditional planning includes unexperienced spaces, the high resolution of data indicators of social interaction may now be examined within the spatial experience of streets.




Figure 8. Barcelona, Poblenou Superilla, three street morphologies.

The quality of *free private Wi-Fi* visualized in the Poblenou *superilla*, for example, reveals small-scale differences that could relate to: (1) differences street morphologies between the 13th C. Maria Aguilo (right), the 19th C. Rambla Poblenou (center), and the 20th C. *Eixample Plan*/21st C. *22@ Plan* Carrer de la Llacuna (left) (see Figure 7). Small, densely spaced shops line Maria Aguilo, while *free private Wi-Fi* is more accessible along Rambla Poblenou (Figure 9).

#### Superilles compared to Gràcia Plazas

Barcelona's *superilla* publication included Gràcia plazas as exemplary spaces of social interaction, and informed our decision to use them as baseline comparison areas. Their popularity for social interaction is exemplified by two periodic events: (1) weekend leisure and (2) the annual Feste de Gràcia, a week-long festival celebrated in over 40 streets and plazas.

Each proposed *superilla* would create up to four interior plazas by limiting vehicular access and reclaiming space from double parked taxis and private automobiles. These new plazas would be as large or larger than most of the plazas in Gràcia (Agencia 2016). For the purposes of comparison, the *superilla* Poblenou, with its higher pedestrian rating, was chosen to compare with the Gràcia neighborhoods *Plaça del Sol*, *Plaça de la Vila de Grâcia*, and *Plaça de la Revolució de 1868*.




Figure 9. Comparison spaces: Gràcia's Plaça del Sol; Plaça de la Vila de Grâcia and Plaça de la Revolució de 1868.

- INFRASTRUCTURE Urban refuges: The new transit qualities of walkability and bikability are exemplary in Gràcia and follow the general pattern of Poblenou's village history rather than Eixample Esquerra. The Gràcia plazas create hospitable enclaves for diverse social activities. The indicators of street buffer and bike friendliness consistently rated higher in Gràcia plazas than the Poblenou superilla. Meanwhile, access to bus stops, metro stations, and off-street car parking were almost nonexistent in Gràcia. These qualities in combination with an urban morphology of discontinuous streets, creates a welcome feeling of urban refuge. In these small, isolated plazas one observes children playing, seniors resting, and young adults socializing. Free Wi-Fi ratings varied widely, between high, low, and zero.
- USES Meeting places: Lighting and sources of sound were at their highest levels in Gràcia. In private Third Spaces, maximum occupancy and diversity of seating type were also high. Conversely, tree height and other vegetation often rated lower in Gràcia than in Poblenou. The diversity of tree species was similar. General indicators of access to housing were similar. Services and jobs indicators were lower, and sometimes immeasurable. The smaller plazas, such as Plaza del Sol, for example, had fewer services or job types, possibly because of the small number of addresses in each plaza, but also because of their relatively long distance from metro and bus stops.
- DEMOGRAPHICS Income Diversity: Gràcia plazas are a venue for a broad range of activities during the day and diverse meal and entertainment activities at night, often accessed by foot. Income accessibility for *meals*, *coffee*, and *beer* was diverse, with the three Gràcia plazas broadly measuring higher, lower, and no data values when compared to the Poblenou *superilla*. Few Gràcia plazas offered food staples for sale immediately within the plazas, but when they did, in the Plaza de la Vila de Gràcia, for example, the prices of milk and eggs were more accessible than either Poblenou or Eixample Esquerra *superilla*. Cultural indicators were similar, except that the diversity of menus *languages* was higher. *Language of business name* and *birthplace* were slightly lower than either Poblenou or Eixample Esquerra.




Figure 10. Barcelona comparison street: Carrer de Enric de Granados.

The data often revealed resources that were lacking, but apparently not essential to social interaction. In Gràcia, for example, traditional transit, job diversity, and diverse vegetation may not be necessary for the successful experience of a successful place of social interaction (Figure 10).

# Superilles compared to Carrer de Enric de Granados

Streets, like plazas, may support human scale of social interaction, but also mobility and the connectivity of a city. The street Carrer de Enric de Granados is recognized for its outdoor restaurant seating and pedestrian vitality as another *urban refuge* from vehicular dominance

in the downtown Plan Cerda of Barcelona. It demonstrates flexibility within the typical street section of the Plan Cerda used for up to four lanes of traffic and/ or parking. Three blocks of Carrer de Enric de Granados were chosen for analyses between Carrer del Roselló and Carrer de València. The 22-m street sections are divided into broad sidewalks of 7 m on both sides of the street for walking and dining, one bike lane of 2 m, motorcycle and moped diagonal parking of 2 m, and only one vehicular lane of 3.5 m.

- INFRASTRUCTURE The New Transit and Data Provenace: Diversity of traditional and non-traditional transit access was evident in the more fine-grained data of the diagrams. Bus and metro stops were more common than in the Poblenou superilla. Pedestrian access indicators of street buffer and sidewalk width were also both higher along Carrer de Enric de Granados. Bike friendliness was equally high. Surprisingly, access to bike parking was lower, but it had multiple bike share stations. Access to free private Wi-Fi along Enric de Granados achieved the highest values of the 2015 survey. Access to public Wi-Fi was similar to Poblenou, suggesting an effective distribution of a public infrastructure. Private cell strength was lower.
- USES Meeting and Housing Diversity: The indicators of accessible public space were similar, with kid friendliness rating lower in Enric de Granados but private Third Space maximum occupancy rating highest of the survey, and seating type also higher. Comfort level was slightly lower. While housing rental cost access was slightly lower, the diversity of area, number of floors, number of bedrooms, number of baths, and housing types were drastically higher in Enric de Granados. Services were lower in Enric de Granados but indicators of job access were higher, especially the number of floors, access, and signage. Thusly, while common indicators of rental costs and job types were not more accessible, the finer-grained qualities were more accessible.
- DEMOGRAPHICS Exclusivity, Hipness: As expected, indicator data for downtown income accessibility were lower. Comparing Enric de Granados with the Poblenou superilla, income accessibility indicators were less, including the average cost of beer (2.26€ and 1.52€) and cost of coffee (1.28€ and 1.11€). The accessibility of both low-cost meals (4.52€ and 3.97€) and high-cost meals (16.77€ and 14.79€) were also lower. Access to food staples along the three specific streets analyzed was almost non-existent. In fact, the data suggest that these particular streets have an exclusivity and high transit and IT infrastructures similar to those of other famously gentrified meeting places, such as Soho in New York, La Condessa in Mexico City, and Trastevere in Rome. Cultural indicators such as the birthplace of business owner or parent's birthplace of business owners were lower, while the range of menu languages was the highest of the survey, and the language of business names was much higher than in Poblenou. Carrer de Enric de Granados is internationally welcoming, but owned by locals. It is hip, inclusive to visit, but exclusive to live in.

The Enric de Granados results suggest that higher qualities of social interaction are possible within the Plan Cerda. Enric de Granados is a meeting place like Gràcia, but more fashionable, perhaps, because of its *new transit and data provenance*, diverse *meeting place and housing qualities*, and *exclusivity*. It may not be an area where everyone crosses paths to buy food staples, but it is a place to be felt exclusive, if only for a common meal or beer.

#### Conclusions

A closer understanding of the human qualities of urban spaces and of how they support social interaction in particular offers benefits for designers, city authorities, and urban inhabitants. Urban designers, especially can potentially improve larger scaled traditional planning approaches through better understanding of human-scale qualities of spaces. The measurement of support for social phenomena reported in this research also represents a new use of mobile technology. The integration of on-site data with GIS-based analysis reveals patterns that are otherwise not included in traditional GIS planning techniques nor described by traditional behavioral science methods. In going onsite to identify, collect, and spatially integrate data, the methodology and software tools developed differ from the predictive modeling employed in urban analytics such as Space Syntax or surveying techniques.

Patterns emerged that visualize examples of *urban refuge, meeting places,* and *data provenance*. They revealed, for example, differences in the distribution of publicly versus privately afforded infrastructures. The study areas at the scale of streets and *superilles* also provided a demonstration of the contribution across small urban scales of the research methodology.

Social interaction and other urban phenomena measured on-site exemplifies an emerging "bottom-up" method of urban design, harnessing the power of small-scale geospatial information systems (Speranza 2014). While the use of predetermined indicators is somewhat prescriptive, they allow the measurement urban qualities across varying urban milieu (Gehl 2006). Indicators of the kind used can represent the capacity of environments to support any sort of positive human experience, and provide an important complement to the more traditional direct observation of urban phenomena.

#### **Acknowledgements**

I would like to acknowledge the contribution of dedicated research assistants Robert Ryan Kiesler, Jiawei Vincent Mai, Julia Frost and Daniel Matallana-Mejia within the Urban Interactions Lab and the students of the Barcelona Urban Design Program for their invaluable assistance data gathering and methods testing. I would like to also thank Karen Franck and Kevin Nute for their editing and mentorship support.

#### **Disclosure statement**

No potential conflict of interest was reported by the author.

#### Notes on contributor

*Philip Speranza* is an architect, an urban designer, and an assistant professor in the Department of Architecture at the University of Oregon, where he teaches design studios in architecture and urban design, media courses in computation and data visualization, and directs the Barcelona Urban Design Summer Program. Speranza's research scholarship and creative work explore the use of new geospatial design methods to understand small-scale social and environmental phenomena in urban design. Speranza has published widely on this subject through diverse lenses including geospatial information and parametric design, on-site and off-site data acquisition, social interaction in Barcelona urban ecology, bike sharing and interaction design, air pollution visualization, adaptive urbanism and ethnicity, business fabric, place branding, time and architecture, and memorial design. Articles and book chapters on these topics are published in the *Journal of Urban Design, Architectural Design AD*, the *International Journal of Design Sciences and Technology*, and presented at annual meetings of

the Association of Computer-Aided Design in Architecture ACADIA, the Association of Collegiate Schools of Architecture ACSA, Environmental Design Research Association EDRA, and the Industrial Designers Society of America IDSA. This research is actively tested through Speranza's Eugene and Barcelona based architecture practice that includes neighborhood planning design, plaza design, mixed-use developments, housing, and previous public art works with Janet Echelman between 2001 and 2010 in the US, Portugal, and Spain. Speranza received his professional MArch from Columbia GSAPP with the Award in Technology and a BS Arch from the University of Virginia. Prior to his independent practice, he worked with Steven Holl in New York and Carlos Ferrater in Barcelona.

### References

- Agencia d'Ecologia Urbana de Barcelona. 2016. Supermanzana: Una nova cèl·lula urbana per a un nou model funcional i urbanístic de la ciutat. Powerpoint presentation online. Accessed August 23. http://imagenes.w3.racc.es/uploads/file/68094\_Jornada\_Superilles\_Rueda.pdf
- Appleyard, D. 1980. "Livable Streets: Protected Neighborhoods?" *The ANNALS of the American Academy of Political and Social Science* 451 (1): 106–117.
- Bausells, M. 2016. "Superblocks to the Rescue: Barcelona's Plan to Give Streets back to Residents." *The Guardian*. Cities, Resilient Cities, May 17, 2016.
- Bohigas, O. 2004. Contra la Incontinencia Urbana: Reconsideracio Moral de L'Arquitectura i la Ciutat. Barcelona: Diputacio Barcelona.
- Carmona, M. 2015. "Re-Theorising Contemporary Public Space: A New Narrative and New Normative." Journal of Urbanism: International Research on Placemaking and Urban Sustainability 8 (4): 373–405.
- Carmona, M., S. Heath, T. Oc, and M. Tiesdell. 2010. *Public Places Urban Spaces: The Dimensions of Urban Design*. Oxford: Architectural Press.
- Catanzaro, M. 2016. "La polución produce hasta un mes de retraso en los escolares." *El Periodico*, February 21. http://www.elperiodico.com/es/noticias/ciencia/polucion-produce-retraso-escolares-4911813
- Cooper Marcus, C., and C. Francis. 1998. *People Places: Design Guidelines for Urban Open Space, New York*. Toronto: John Wiley & Sons.
- Creswell, J., and V. Plano Clark. 2010. *Designing and Conducting Mixed Methods Research*. 2nd ed. London: Sage Publications.
- El Periodico. 2016. "La Primera 'Superilla', En Septiembre", El Periodico, August 20, 2016. Barcelona. http:// www.elperiodico.com/es/noticias/barcelona/primera-superilla-barcelona-septiembre-5333355
- Ewing, R., and S. Handy. 2009. "Measuring the Unmeasurable: Urban Design Qualities Related to Walkability." *Journal of Urban Design* 14 (1): 65–84.
- Folch, R. 2012. Ambiente. Emocion y Etica, Barcelona: RBA Press. ISBN 9788490063194.
- Franck, K., and Q. Stevens. 2007. *Loose Space: Possibility and Diversity in Urban Life*. Abingdon: Routledge. Gehl, J. 2006. *The Life between Buildings*. Washington, DC: Island Press.
- Gehl, J. 2010. Cities for People. Washington, DC: Island Press.
- Gehl, J., and B. Svarre. 2013. How to Study Public Life. Washington, DC: Island Press.
- Guallart, V. 2010. Self-sufficient City. Barcelona: Actar.
- Harvey, D., and N. Smith. 2005. *Financial Capital, Real Estate and Culture*. Barcelona: Universitat Autonoma de Barcelona.
- Hebbert, M. 2005. "Engineering, Urbanism and the Struggle for Street Design." *Journal of Urban Design* 10 (1): 39–59.
- Hillier, B., and J. Hanson. 1984. The Social Logic of Space. Cambridge: Cambridge University Press.
- Hou, J. 2010. Insurgent Public Space: Guerilla Urbanism and the Remaking of Contemporary Cities. London: Routledge.
- Jacobs, J. 1961. The Death and Life of Great American Cities. New York: Random House.
- Jacobs, A., and D. Appleyard. 1982. "Towards an Urban Design Manifesto." *Journal of the American Planning Association* 53, 1987 (1): 112–120.
- Laplante, J., and B. McCann. 2008."Complete Streets: We Can Get There from Here." ITE Journal, Accessed http://www.completestreets.org/webdocs/resources/cs-ite-may08.pdf

- Latour, B. 2005. *Reassembling the Social: An Introduction to Actor-Network-Theory*. Oxford: Oxford University Press.
- Lavirov, M. 2015. "IBM Geospatial Analytics at the University of Chicago," June 23, 2015.
- Lawson, B. 2006. How Designers Think. Architectural Press.
- Lima, M. 2011. Visual Complexity: Mapping Patterns of Information. New York: Princeton Architectural Press.

Manzo, L., C. Perkins, and D. Douglas. 2006. "Finding Common Ground: The Importance of Place Attachment to Community Participation and Planning." *Journal of Planning Literature* 20 (4): 335–350.

Mathiesen, K. 2015. "Where's the World's Most Polluted City?" *The Guardian*, Cities, Extreme Cities, 2 December 2015 (source of data was World Health Organization, annual mean concentration of particulate matter with diameter of 2.5 microns or less. Micrograms per cubic metre).

McCullough, M. 2013. Ambient Commons. Cambridge: The MIT Press.

Moix, L. 1994. La Ciudad De Los Arquitectos. Barcelona: Editorial Anagrama.

Nabian, N., D. Offenhuber, A. Vanky, and C. Ratti. 2013. "Data Dimension: Accessing Urban Data and Making It Accessible." *Proceedings of the Institution of Civil Engineers – Urban Design and Planning* 166 (1): 60–75.

Oldenburg, R. 1989. The Great Good Place. Boston, MA: Da Capo Press.

Pharoah, T., and J. Russell. 1991. "Traffic Calming Policy and Performance: The Netherlands, Denmark and Germany." *Town Planning Review* 62 (1): 79–000.

Pooley, C. 2013. Promoting Walking and Cycling: New Perspectives on Sustainable Travel. Bristol: Policy Press.

Ratti, C., and M. Claudel. 2015. Open Source Architecture. London: Thames & Hudson.

Ros, J. 2001. "Ramon Margalef: Mestre d'ecolegs I d'ecologistes." In *MediAmbient: Onze referents del pensament ambiental*, edited by Luis Reales, 51–61. Barcelona: Generalitat de Catalunya, Department de Medi Ambient.

Rueda, S. 2002. Agenda 21 BCN: Barcelona, Ciutat Mediterrania, Compacta i Complexa, Una Vision de Future Mes Sostenible, Barcelona: Agencia Local d'Ecologia Urbana de Barcelona, Ajuntament de Barcelona.

Rueda, S. 2012. Guia Metodológica Para los Sistemas de Auditoría Certificación O Acreditación de la Calidad Y Sostenibilidad del medio Ambiente Urban. Madrid, Spain: Centro de Publicaciones Secretaría General Técnica Ministerio de Fomento.

Rueda, S. 2014. Superilles. Agencia de Ecologia Urbano de Barcelona, (http://www.sostenibilitatbcn. cat/index.php/Superilles).

Rueda, S., R. Caceres, A. Cuchi, and L. Brau. 2012. *El Urbanismo Ecologico: Su Aplicación en el Diseno de un Ecobarrio en Figueres*. Barcelona: Agencia de Ecologia Urbana de Barcelona.

Schön, D. 1987. Educating the Reflective Practitioner. Jossey-Bass.

Seamon, D. 2013. "Place Attachment and Phenomenology: The Synergistic Dynamism of Place." In *Place Attachment: Advances in Theory, Methods and Applications*, edited by L. Manzo and P. Devine-Wright. Routledge.

Smith, N., O. Metropolitano, R. Rolnik, A. Ross and M. Davis. 2009. "Ciudades Despues del Neoliberalismo," Despues del Neoliberalismo: Ciudades y caos Sistemico. Barcelona: Universitat Autonoma de Barcelona

de Sola Morales, M. 2008. Ten Lessons on Barcelona. Barcelona: Colegio d'Arquitectes de Catalunya.

Speranza, P. 2013. "Catalan Nation Building and Bottom-up Placemaking: Placemaking and Barcelona Coastal Redevelopment in the 22@." In *International Association for the Study of Traditional Environments*, The Myth of Tradition, Vol. 242, 37–54. Berkeley: Berkeley Press.

Speranza, P. 2014. "Attachment'as Agency in Off-site and On-site Indicators of Phenomena in Geospatial Urban Analysis Tools." Design Agency, Association of Computer-Aided Design in Architecture Conference 2014, Los Angeles, CA, October 20–23.

- Speranza, P. 2016. "Using Parametric Methods to Understand Place in Urban Design Courses." Journal of Urban Design 21 (5): 661–689.
- Speranza, P., and J., Germany. 2016. "Assembly, Space and Things: Urban Food Genome, Urban Interaction and Bike Share." *Enriching Urban Spaces with Ambient Computing, the Internet of Things, and Smart City Design*, co-edited by Shin'ichi Konomi and George Roussos, 46–66. Pennsylvania: IGI Global.

62 😔 P. SPERANZA

Sunyer, J., M. Esnaola, M. Alvarez-Pedrerol, J. Forns Guzman, I. Rivas, M. López-Vicente, and E. Suades-Gonzalez. 2015. "Association between Traffic-related Air Pollution in Schools and Cognitive Development in Primary School Children: A Prospective Cohort Study." *PLOS Medicine* 12 (3): e1001792.

Urry, J. 2007. Mobilities. Cambridge: Polity Press.

USDA, WIC. http://www.fns.usda.gov/sites/default/files/WICFoodPackageOptions.pdf Whyte, H. 1980. *The Social Life of Small Urban Spaces*. Washington, DC: Conservation Foundation. Woodbury, R. 2010. *Elements of Parametric Design*. New York: Routledge.