



STATEWIDE TRENDS (2012-2021) Related to Youth Substance Use, Mental Health, and School Safety

Prepared for:
Kentucky Cabinet for Health and Family Services
Department for Behavioral Health,
Developmental and Intellectual Disabilities
Division of Behavioral Health

Kentucky

*Paula Brown, Manager
Prevention and Promotion Branch*



**TEAM
KENTUCKY**

Prepared by:
Daniel H. Sanders, Jr. PhD, Robert J. Illback, PsyD,
Lisa Crabtree, MA, Daniel Sanders III, BS,
Teresa McGeeney, PhD, Meredith Cahill, MPH, Edie G. Carter
REACH Evaluation, Contractor

REACH
EVALUATION
501 Park Avenue | Louisville, KY 40208 | 502.585.1911
www.reachevaluation.com | www.kipsurvey.com

KIP Survey 2021

STATEWIDE TRENDS

Related to Youth Substance Use, Mental Health, and School Safety
2012-2021



For questions regarding the KIP Survey, contact:

Lisa Crabtree: lisa@reacheval.com
Daniel Sanders III: daniel@reacheval.com

Additional information related to the KIP Survey, including the most up-to-date data and the introductory material of this report can be found at:

www.kipsurvey.com



THIS PROJECT WAS MADE POSSIBLE BY THE
U.S. Department of Health and Human Services
Substance Abuse Prevention and Treatment Block Grant
Substance Abuse and Mental Health Services Administration
Center for Substance Abuse Prevention

Table of Contents

SECTION 1

At a Glance: National and Kentucky Trends in Behavioral Health	1
Alcohol and Illicit Drug Use	3
Tobacco Use and Vaping	5
Impacts of COVID-19 Pandemic.....	7
Suicidal Thoughts and Behaviors.....	8
Race-Based Experiences and Concerns	9

SECTION 2

KIP in Context	11
History and Development of the KIP Survey	12
Content	12
Results	13
Administration	14
KIP Survey Website	14
School and Community Goals by 2021 KIP Survey Indicators.....	15
Conceptual Framework for Substance Abuse Prevention.....	16
Substance Abuse Problem Identification	16
Proximal Risk and Resilience Factors	17
Community-Level Contextual Factors	17
Planning Worksheet	17
Prevention Science: A Guide for Evidence-Based Intervention	18
Synthesizing Your Information	19

The KIP 2021 Student Survey Instrument	21
---	----

SECTION 3

Kentucky's 2012-2021 KIP Survey Trend Data	29
<i>Cautionary notes to consider when reviewing KIP Survey data</i>	30
KIP Survey Respondent Demographics	31

KIP data graphs are presented here in sequential order as the questions appear on the 2021 KIP Student Survey Instrument (found on pages 21-27).

Q7a. Hearing Status	32
Q8a. Past Year Risk Behaviors: Suspended.....	33
Q8b. Past Year Risk Behaviors: Carried a Handgun	34
Q8c. Past Year Risk Behaviors: Drugs	35
Q8d. Past Year Risk Behaviors: Arrested	36
Q8e. Past Year Risk Behaviors: Aggression.....	37
Q8f. Past Year Risk Behaviors: Drunk or High at School	38
Q8g. Past Year Risk Behaviors: Handgun at School.....	39
Q9a. Age of Onset: Suspension	40
Q9b. Age of Onset: Arrested	41

Q9c.	Age of Onset: Handgun	42
Q9d.	Age of Onset: Aggression.....	43
Q10a.	Problems at School: Vandalism	44
Q10b.	Problems at School: Gangs.....	45
Q10c.	Problems at School: Tobacco Use.....	46
Q10d.	Problems at School: Alcohol Use.....	47
Q10e.	Problems at School: Drug Use.....	48
Q10f.	Problems at School: Fights	49
Q10g.	Problems at School: Dealing Drugs	50
Q10h.	Problems at School: Carrying Guns	51
Q10i.	Problems at School: Carrying Other Weapons.....	52
Q11.	School Safety.....	53
Q12.	School Safety: Unsafe Locations	54
Q15a.	School Safety: Theft (Forceful)	55
Q15b.	School Safety: Verbal Threat	56
Q15c.	School Safety: Theft.....	57
Q15d.	School Safety: Physically Threatened.....	58
Q15e.	School Safety: Sexual Advances.....	59
Q15f.	Past Year Physical Dating Violence	60
Q15g.	Past Year Emotional Dating Violence.....	61
Q16.	Past Year Bullying	62
Q17.	Past Year Electronic Bullying	63
Q18.	Method for Reporting Bullying in Schools	64
Q19.	Effectiveness of Bullying Reporting	65
Q20.	30 Day Serious Psychological Distress.....	66
Q20a.	How Often Did You Feel: Nervous.....	67
Q20b.	How Often Did You Feel: Hopeless.....	68
Q20c.	How Often Did You Feel: Restless or Fidgety.....	69
Q20d.	How Often Did You Feel: Depressed.....	70
Q20e.	How Often Did You Feel: Everything Is An Effort.....	71
Q20f.	How Often Did You Feel: Worthless.....	72
Q21.	Lifetime Self-Harm.....	73
Q22.	Past Year Suicidal Ideation	74
Q23.	Past Year Suicide Plan.....	75
Q24.	Past Year Suicide Attempts.....	76
Q25.	Age of Onset: Cigarettes	77
Q26a.	Past Year Cigarette Usage.....	78
Q26b.	30 Day Cigarette Usage.....	79
Q27.	30 Day Cigarette Usage: Cigarettes Per Day.....	80
Q28.	Accessibility: Cigarettes	81
Q29.	Personal Disapproval: Cigarettes.....	82
Q30.	Perception of Parental Disapproval: Cigarettes.....	83
Q31.	Perception of Peer Disapproval: Smoking	84
Q32.	Peer Smoking Prevalence	85
Q33.	Risk Perception: Cigarettes.....	86
Q34.	Age of Onset: Smokeless Tobacco.....	87
Q35a.	Past Year Smokeless Tobacco Usage	88
Q35b.	30 Day Smokeless Tobacco Usage	89

Q36.	Age of Onset: Vaping.....	90
Q37a.	Past Year Vaping Usage.....	91
Q37b.	30 Day Vaping Usage.....	92
Q39.	Personal Disapproval: Vaping.....	93
Q40.	Perception of Parental Disapproval: Vaping.....	94
Q41.	Perception of Peer Disapproval: Vaping.....	95
Q42.	Peer Vaping Prevalence.....	96
Q43.	Risk Perception: Vaping.....	97
Q44.	Accessibility: Vaping Products.....	98
Q46.	Age of Onset: Alcohol (More than a sip).....	99
Q47.	Age of Onset: Alcohol (Drinking regularly).....	100
Q48a.	Past Year Alcohol Usage.....	101
Q48b.	30 Day Alcohol Usage.....	102
Q49.	30 Day Drunkenness Frequency.....	103
Q50.	Binge Drinking: Five Drinks or More.....	104
Q53.	Accessibility: Alcohol.....	105
Q54.	Personal Disapproval: Alcohol.....	106
Q55.	Perception of Parental Disapproval: Alcohol.....	107
Q56.	Perception of Peer Disapproval: Alcohol.....	108
Q57.	Peer Alcohol Prevalence.....	109
Q58.	Risk Perception: Alcohol.....	110
Q59.	Risk Perception: Binge Drinking.....	111
Q60.	Age of Onset: Cannabis.....	112
Q61a.	Past Year Cannabis Usage.....	113
Q61b.	30 Day Cannabis Usage.....	114
Q63.	Accessibility: Cannabis.....	115
Q64.	Personal Disapproval: Cannabis.....	116
Q65.	Perception of Parental Disapproval: Cannabis.....	117
Q66.	Perception of Peer Disapproval: Cannabis.....	118
Q67.	Peer Cannabis Prevalence.....	119
Q68.	Risk Perception: Cannabis (Try once or twice).....	120
Q69.	Risk Perception: Cannabis (Smoke once or twice a week).....	121
Q70.	Age of Onset: Prescription Drugs.....	122
Q71a.	Past Year Prescription Drug Usage.....	123
Q71b.	30 Day Prescription Drug Usage.....	124
Q72a.	Past Year Opioid (Painkiller) Use.....	125
Q72b.	30 Day Opioid (Painkiller) Use.....	126
Q73a.	Past Year Stimulant (Speed/Uppers) Usage.....	127
Q73b.	30 Day Stimulant (Speed/Uppers) Usage.....	128
Q74a.	Past Year Tranquilizer Usage.....	129
Q74b.	30 Day Tranquilizer Usage.....	130
Q75a.	Past Year OTC Drug Usage.....	131
Q75b.	30 Day OTC Drug Usage.....	132
Q76.	Lifetime Steroid Use.....	133
Q20.	30 Day Any Prescription Drug Use.....	134
Q78.	Personal Disapproval: Prescription Drugs.....	135
Q79.	Perception of Parental Disapproval: Prescription Drugs.....	136
Q80.	Perception of Peer Disapproval: Prescription Drugs.....	137

Q81.	Peer Prescription Drug Prevalence	138
Q82.	Risk Perception: Prescription Drugs	139
Q83a.	Past Year Sniffing or Inhaling Gases or Sprays	140
Q83b.	30 Day Sniffing or Inhaling Gases or Sprays.....	141
Q84.	Peer Prevalence of Sniffing or Inhaling Gases or Sprays	142
Q85a.	Past Year Synthetic Cannabis Usage.....	143
Q85b.	30 Day Synthetic Cannabis Usage.....	144
Q86a.	Past Year Cocaine Usage.....	145
Q86b.	30 Day Cocaine Usage	146
Q87.	Personal Disapproval: Cocaine	147
Q88.	Perception of Parental Disapproval: Cocaine	148
Q89.	Peer Cocaine Prevalence	149
Q90a.	Past Year Methamphetamine Usage.....	150
Q90b.	30 Day Methamphetamine Usage	151
Q91.	Personal Disapproval: Methamphetamines	152
Q92.	Perception of Parental Disapproval: Methamphetamines.....	153
Q93.	Peer Methamphetamine Prevalence	154
Q94a.	Past Year Ecstasy Usage.....	155
Q94b.	30 Day Ecstasy Usage	156
Q95a.	Past Year Hallucinogenic Drug Usage	157
Q95b.	30 Day Hallucinogenic Drug Usage	158
Q96a.	Past Year Heroin Usage	159
Q96b.	30 Day Heroin Usage	160
Q97.	Risk Perception: Heroin.....	161
Q98.	Substance Use Consequences: Stopped by Police	162
Q98.	Substance Use Consequences: Trouble at School.....	163
Q98.	Substance Use Consequences: Injury to Self.....	164
Q98.	Substance Use Consequences: Fight Other Kids	165
Q98.	Substance Use Consequences: Fight with Parents.....	166
Q98.	Substance Use Consequences: Illegal Acts	167
Q98.	Substance Use Consequences: Memory Loss	168
Q98.	Substance Use Consequences: Sexual Aggression.....	169
Q98.	Substance Use Consequences: Sexual Pressure.....	170
Q98.	Substance Use Consequences: Drinking or Drug Problem	171
Q98.	Substance Use Consequences: Car Crash.....	172
Q98l.	Substance Use Consequences: Hospitalized or had to see a doctor.....	173
Q101.	Average Nightly Sleep	174
Q102a.	Participation in School-Based Activities.....	175
Q102b.	Participation in Community-Based Activities	176
Q102c.	Participation in Faith-Based Activities	177
Q105.	Connection to a Trusted Adult	178
Q106a.	Lifetime Gambling: Frequency.....	179
Q106b.	Past Year Gambling: Frequency.....	180
Q106c.	30 Day Gambling: Frequency	181
Q107.	Gambling: Financial or Personal Problems	182
Q108.	Mental Health During COVID-19.....	183
Q109.	Alcohol Use During COVID-19.....	184
Q110.	Drug Use During COVID-19.....	185

Q111.	Tobacco Use During COVID-19.....	186
Q112a.	Past Year Race-Based Experiences and Concerns: Fear for my safety because of my race or culture.....	187
Q112b.	Past Year Race-Based Experiences and Concerns: Worry I could be treated differently because of my race	188
Q112c.	Past Year Race-Based Experiences and Concerns: My friends/family have been treated differently because of race	189
Q112d.	Past Year Race-Based Experiences and Concerns: Stress because I worry I will be a target of racism.....	190
Q112e.	Race-Based Experiences and Concerns: Fear for my friends'/family's safety because of race.....	191
Q112f.	Race-Based Experiences and Concerns: I have been treated differently because of my race	192
Q112g.	Race-Based Experiences and Concerns: Friends/family have been targets of racism	193
Q112h.	Race-Based Experiences and Concerns: I have been a target of racism.....	194
Q112i.	Race-Based Experiences and Concerns: I have never personally experienced racism	195
Q113a.	Impact of the Racial Justice Movement: Angry	196
Q113b.	Impact of the Racial Justice Movement: Overwhelmed	197
Q113c.	Impact of the Racial Justice Movement: Stressed	198
Q113d.	Impact of the Racial Justice Movement: Anxious	199
Q113e.	Impact of the Racial Justice Movement: Scared.....	200
Q113f.	Impact of the Racial Justice Movement: Confused.....	201
Q113g.	Impact of the Racial Justice Movement: Empowered/energized	202
Q113h.	Impact of the Racial Justice Movement: Misunderstood	203
Q113i.	Impact of the Racial Justice Movement: Depressed.....	204
Q113j.	Impact of the Racial Justice Movement: Guilty	205

At A Glance:
**National and Kentucky Trends
in Behavioral Health**

At A Glance:

National and Kentucky Trends in Behavioral Health

Over the past several years, the use of many substances has declined among youth, with some notable exceptions. 2021 was a year particularly marked by exceptions and caveats, with survey results that require context and qualification. The impact of the COVID-19 pandemic on adolescent behavioral health has been profound, and those impacts are documented by both national and Kentucky data. Over the past two years, students have experienced social isolation, learning from home, increased parental supervision, effects of the racial justice movement, and the outcomes are just beginning to become evident.

In many ways, 2021 adolescent survey data are a snapshot of a singular unprecedented point in time. Comparing these data to years past, while interesting, must be done with caution and consideration of contributing factors. Similarly, these data are not necessarily an indication of what will be seen in future administrations.

The graphs in this section depict Kentucky's 2021 KIP data as compared to national data, and place these figures in a trend line. To illustrate the disconnect between 2018 data and 2021 data, we have utilized a dotted line for that timeframe. Comparisons are drawn between our state-level results, which largely reflect what has been indicated on a national-level.

Kentucky Incentives for Prevention (KIP) Survey administration typically takes place every other year in even-numbered years. Due to the COVID-19 pandemic, the planned October 2020 administration was cancelled. Administration resumed in October 2021, and a total of 93,812 students representing 127 Kentucky school districts completed the survey.

The 2021 mid-pandemic KIP administration included the addition of several imperative new questions to address impacts of the pandemic, impacts of the racial justice movement and experience of race-based discrimination; as well as sleep habits, sexual orientation, social media use, connection to a trusted adult, extracurricular involvement, vaping and hallucinogenic drug use, academic grades and deaf/hard of hearing status.

A primary resource for a national comparison point on bullying, cyberbullying, and suicidal thoughts and behaviors, is the CDC's Youth Risk Behavior Surveillance System (YRBSS), which uses the same questions as KIP. Typically, the YRBSS is administered in odd-numbered years, and the KIP is administered in even-numbered years, so the data do not align in terms of year. However, due to pandemic rescheduling, in fall of 2021 the YRBSS was conducted simultaneously with the KIP Survey. As of the publication of this report, the 2021 YRBSS data have not been released and thus were not available for comparison purposes. When released, 2021 YRBSS data will be accessible here:

<https://www.cdc.gov/healthyyouth/data/yrbs/index.htm>

At A Glance: National and Kentucky Trends in Behavioral Health

The national Monitoring the Future (MTF) Survey asks many of the same substance use questions as the KIP Survey, providing a reference point for Kentucky's data. In 2021, Monitoring the Future also included questions to capture how students have been impacted by the COVID-19 pandemic, providing a national comparison point on those measures. 2021 Monitoring the Future results are accessible here:

<http://www.monitoringthefuture.org//pubs/monographs/mtf-overview2021.pdf>

Results of the 2021 KIP Survey largely mirror the major findings indicated by the 2021 Monitoring the Future data: (1) rates of youth substance use dropped substantially during the pandemic, and (2) the mental health of students was negatively impacted during the pandemic. These findings are described in detail here.

Alcohol and Illicit Drug Use

In 2021, the percentage of U.S. adolescents reporting substance use decreased significantly, representing the largest one-year decrease in overall illicit drug use reported since the national Monitoring the Future survey began in 1975.¹ The table below depicts the percentage of U.S. students reporting any past-year illicit drug use in MTF survey years 2011 through 2021.

U.S. Students Reporting Any Past Year Illicit Drug Use


Any Past-Year Illicit Drug Use											
	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
8th Grade	14.7%	13.4%	15.2%	14.6%	14.8%	12.0%	12.9%	13.4%	14.8%	15.6%	10.2%
10th Grade	31.1%	30.1%	32.1%	29.9%	27.9%	26.8%	27.8%	29.9%	31.0%	30.4%	18.7%
12th Grade	40.0%	39.7%	40.1%	38.7%	38.6%	38.3%	39.9%	38.8%	38.0%	36.8%	32.0%

Illicit drug use among Kentucky youth is declining, and remains below the national average. Cannabis/marijuana use among 8th, 10th and 12th graders decreased significantly, following a national uptick since 2016. In Kentucky, past 30-day use of alcohol, cannabis, non-medical prescription drug and heroin use all declined, following the trend of the past several KIP Survey administrations. Nationally, the percentage of students who reported using alcohol within the past year decreased significantly for 10th and 12th grade students, and remained stable for eighth graders. Past 30-day use by students in higher grades marked the lowest levels of alcohol use ever recorded by the national Monitoring the Future study. Compared to the U.S. average, 2021 KIP data showed lower levels of alcohol use among Kentucky youth.

Though the general trend in Kentucky was a decrease in substance use, some subgroups of students reported increased use of alcohol, tobacco/nicotine, and other drugs as compared to before the pandemic. These subgroups with increased risk are important to note, as they may be overlooked by looking at the overall trend.

¹ Johnston, L. D., Miech, R. A., O'Malley, P. M., Bachman, J. G., Schulenberg, J. E., & Patrick, M. E. (2022). Monitoring the Future national survey results on drug use 1975-2021: Overview, key findings on adolescent drug use. Ann Arbor: Institute for Social Research, University of Michigan.


At A Glance: National and Kentucky Trends in Behavioral Health



Kentucky data source: 2006-2021 KIP Survey

National data source: 2006-2021 Monitoring the Future Survey


2021 KIP data show a slight increase in the percentage of students who perceive moderate or great risk from using cannabis once or twice a week. Perception of risk associated with regular cannabis use continues to be lowest among 10th and 12th grade students.



Kentucky data source: 2014-2021 KIP Survey

Tobacco Use and Vaping

Vaping continues to be the most leading form of nicotine use among youth, however, national data show that the percentage of students who reported vaping nicotine within the past year decreased significantly for 8th, 10th and 12th grade students. Although Kentucky youth continue to report tobacco use at levels greater than the national average, there has been a decline in smokeless tobacco and cigarette use. Mirroring national data trends, after a significant increase in use from 2016 to 2018, vaping among Kentucky youth decreased in 2021. Kentucky vaping rates, however, remain higher than national averages.




Kentucky data source: 2006-2021 KIP Survey

National data sources: 2006-2021 Monitoring the Future, 2014-2021 National Youth Tobacco Survey

NOTE: The wording for the e-cigarette survey items varies slightly between the national data source (National Youth Tobacco Survey) and the KIP Survey

Although 2021 KIP data show that perception of risk associated with vaping has increased, the percentage of students perceiving moderate or great risk from vaping remains lower than the national average.

At A Glance: National and Kentucky Trends in Behavioral Health




Kentucky data source: 2018-2021 KIP Survey

National data source: 2018-2021 National Youth Tobacco Survey

Impacts of COVID-19 Pandemic

The 2021 iteration of the KIP Survey included critical new questions to address impacts of the COVID-19 pandemic. Across all surveyed grade levels, it is clear that the COVID-19 pandemic had an impact on the mental health of Kentucky students. One in three 10th and 12th graders and one in five 6th graders reported experiencing poor mental health most of the time or always during the pandemic. Students also reported experiencing symptoms indicative of serious psychological distress, with the highest rates among high schoolers. Statewide, students across all grade levels experienced poor mental health during the COVID-19 pandemic. As grade level increased, so did the prevalence of serious psychological distress and poor mental health.

The Monitoring the Future study addressed student mental health during the pandemic. Similar to the results found among Kentucky students, the study found that nationally, students across all age groups reported moderate increases in feelings of boredom, anxiety, depression, loneliness, worry, difficulty sleeping, and other negative mental health indicators since the beginning of the pandemic.




Kentucky data source: 2021 KIP survey


At A Glance: National and Kentucky Trends in Behavioral Health

Suicidal Thoughts and Behaviors


Since 2017, the rate of suicide deaths among Kentucky 15-19 year-olds has been higher than the national average. 2021 KIP results mirror the suicide death data showing an increase in reported suicide attempts among 6th, 8th, and 12th grade students, with 6th graders reporting the most significant increase. Kentucky 6th grade students also indicated a sizeable increase in deliberate self-harm within the last year.



Kentucky and National data source: Centers for Disease Control and Prevention, National Center for Health Statistics Underlying Cause of Death 1999-2020 on CDC WONDER Online Database



Kentucky data source: 2014-2021 KIP survey



Kentucky data source: 2014-2021 KIP survey

Race-Based Experiences and Concerns

The 2021 iteration of the KIP Survey included critical new questions to address student race-based experiences and concerns, as well as impacts of the past-year racial justice movement.

In Kentucky, participating Non-Hispanic Black students, followed by Non-Hispanic Asian students and Non-Hispanic multiracial students, had the highest percentage of students in the past year who:

- Worried they could be treated differently because of their race
- Reported their friends/family had been treated differently because of their race
- Experienced stress because they worried they would be a target of racism
- Reported being treated differently because of their race
- Reported being a target of racism

Non-Hispanic Black students, followed by Non-Hispanic Asian students and Non-Hispanic Native Hawaiian/Pacific Islander students, had the highest percentage of students in the past year who:

- Reported fear for their friends' or family's safety because of their race or culture
- Reported their friends or loved ones had been targets of racism

The following pages present graphs depicting Kentucky's statewide data from 2012, as well as recommendations on interpreting these results.

KIP in Context

KIP in Context

This section begins with a brief description of the background and methodology of the survey. It proceeds to consider the kinds of uses the findings may support, in the context of a broad conceptual framework for thinking about substance abuse and prevention in a school-community. Planning tools that may facilitate organization of the data are also offered.

History and Development of the KIP Survey

The purpose of the KIP Survey is to anonymously assess adolescent use of alcohol, tobacco and other drugs (ATOD), as well as a number of additional factors related to adolescent social and emotional well-being, including school safety, mental health, bullying, relationship violence, school performance and community involvement. The survey provides information about student self-reported use of substances, student perceptions about substance use, and perceived accessibility of substances in the community.

Since 1999, the KIP Survey has been administered in Kentucky through the Substance Abuse Prevention Program in the Cabinet for Health and Family Services, through agreements with individual school districts across the state. Originally, the KIP survey was used as part of a federal initiative that funded state incentive grants for substance abuse prevention across the country. In Kentucky, these pilot programs were termed the Kentucky Incentives for Prevention program (thus, the name “KIP Survey.”) The fact that the KIP survey has been administered since 1999 enables school-community comparisons over time.

Beginning in 2004, the survey was conducted bi-annually in the fall in even-numbered years, and that schedule was maintained through the fall 2018 administration. Due to the COVID-19 pandemic, the planned October 2020 administration was cancelled. Administration resumed in October 2021, and over 93,000 6th, 8th, 10th and 12th grade students representing 127 school districts completed the survey. Moving forward, the KIP Survey will continue with an every-other-year schedule in odd-numbered years; the next survey will take place in fall 2023.

Effective with the 2021 administration, the KIP Survey has transitioned to a completely web-based administration process within a classroom setting. All KIP survey data are transferred over a secure connection and stored in a protected database to ensure confidentiality throughout the administration and analysis process. The web-based KIP Survey can successfully be administered on desktop computers, laptops, tablets and smartphones.

Content

The core items on the present KIP survey were originally chosen by the federal Center for Substance Abuse Prevention (CSAP), based on extensive research on risk and resilience factors associated with youth substance use. Basing the scale on the federal model enables comparisons to other states and to the nation, while at the

History of Statewide KIP Survey School District Participation

2003: 47 districts **2010:** 153 districts
2004: 125 districts **2012:** 153 districts
2006: 137 districts **2014:** 159 districts
2008: 153 districts **2016:** 149 districts

2018: 151 districts

Jefferson County School District participated; Fayette County School District did not.

2021: 127 out of 173 school districts

The total sample size for 6th, 8th, 10th and 12th grades was 93,523. Fayette County School District participated; Jefferson County School District did not.

same time making within-state comparisons. Since 2006, questions addressing additional illicit substances, gambling and other Kentucky-specific items have been added to the survey.

In **2012** questions were added to address:

- Past 30-day psychological distress (specifically, the Kessler Psychological Distress Scale/K6 scale, as utilized in the CDC Behavioral Risk Factors Surveillance Survey and the SAMHSA National Household Survey) (#20a-f)
- Friend disapproval of alcohol, tobacco, marijuana and prescription drug abuse (#58a-d)

In **2014** questions were added to address:

- Heroin use and perception of risk associated with heroin use (#43 and #60g)
- Novel tobacco products (#32) (e.g., electronic cigarettes, hookah, dissolvable products)
- Synthetic marijuana (#35)
- Steroids (#47)
- Prescription drug diversion (#53)
- Bullying and online bullying (#16-19)
- Relationship violence (#15f and #15g)
- Self-harm (#21)
- Suicide (ideation #22, plan #23, attempts #24)
- Family member in the military (#6)

In **2018** questions were added to address:

- Changing terminology associated with e-cigarette use (#32)
- Risk perception associated with e-cigarette use (#60)

In **2021** questions were added to address:

- Impacts of the COVID-19 pandemic (#108-111)
- Race-based concerns and experience of race-based discrimination (#112)
- Impacts of the racial justice movement (#113)
- Attitudes toward, access to and experience using e-cigarettes (#36-43)
- Social media use (#103-104)
- School performance (#100)
- Sleep (#101)
- Extracurricular and community involvement (#102)
- Mode of marijuana ingestion (#62)
- Hallucinogenic drug use (#95)
- Trusted adult (#105)
- Hearing status (#7)

Results

Each participating **school district** receives the following:

- 1) A comprehensive training manual
- 2) A set of preliminary cross-tabulations
- 3) A district-level report including comparisons with the region, the rest of the state and the US (when available)
- 4) A district-level trend report, showing within-district trend data for applicable questions from the current administration back to 2012

- 5) A report synthesizing the core-measure items required to be submitted by all Drug Free Communities (DFC) grant recipients as a component of the federal DFC National Cross-Site Evaluation
 - **District-level results are reported only to the school district and are not released in a public report.**
 - Interested school districts also have the option to order supplementary analysis of their report based on gender, school building, combinations of schools, or other desired domains.
 - The fact that the KIP Survey has been administered within Kentucky since 1999 enables districts to monitor trends and analyze changes over time.

The following are produced for **public** consumption:

- 1) A State and Regional Data Report, comprised of maps and graphs showing regional ATOD trends for each of Kentucky's fourteen Regional Prevention Centers (RPCs)
- 2) A Statewide Trends report, showing statewide trend data for applicable questions from the current administration back to 2012

Administration

- Classroom administration of the web-based KIP Survey (including giving instructions, logging in and completing the survey) takes between thirty and forty minutes.
- School districts have some flexibility as to when to administer the survey within an approximate 6-week window (October - mid November), and results are analyzed, tabulated and reported in three to four months following administration.
- **There is no cost to the individual districts (costs are paid by the Substance Abuse Prevention Program, Cabinet for Health and Family Services).**
- Extensive efforts go into assuring the anonymity of students who complete the brief survey, and to ensuring that no student feels coerced to participate.
- The KIP survey utilizes a passive consent model. At least two weeks prior to administration, parents are informed of the upcoming survey and given the opportunity to opt their child out of participating.
- The KIP survey instrument is available in English, Spanish, Arabic, French and Mandarin.
- KIP survey parental notification letters and opt-out forms are available in nine languages, including English, Spanish, Arabic, French, Mandarin, Somali, Swahili, Nepali, Vietnamese and Kinyarwanda.

KIP Survey Website: kipsurvey.com

- The “2021 KIP Survey State and Regional Data Report” and the “KIP Survey Statewide Trends Report” are accessible on the home page of kipsurvey.com
- The website contains extensive information related to all technical aspects of the KIP survey, including the history of the KIP survey, content development, survey methodology and validation studies, as well as a collection of research utilizing recent KIP Survey data.
- The “Data Tools” tab includes two dynamic tools useful for analyzing KIP Survey data on a regional and statewide-level. These tools, the KIP Data Dashboard and the KIP Data Visualizer, allow users to track and display key data indicators utilizing survey results from 2006-2021.
- The “Resources” tab includes a number of links to additional Kentucky and national sources of additional information on related health and research issues.
- KIP Survey Coordinators have a specially-designated page to access training manuals, pdf's of all required forms and materials, a comprehensive FAQ list, and contact information for further assistance.

School and Community Goals by 2021 KIP Survey Indicators

Goals	Survey Items
ATOD Use Among Youth (Long-term objectives)	
Delay onset of ATOD use	25, 34, 36, 46, 47, 60, 70
Delay onset of smokeless tobacco	34
Delay onset of e-cigarette use	36
Reduce tobacco (smokeless & cigarettes) use	25-35
Reduce e-cigarette use	36-44
Reduce other tobacco product use	45
Reduce alcohol use	48, 49, 50
Reduce marijuana use	61,62
Reduce cocaine or crack use	86a, b
Reduce inhalants use	83a, b
Reduce narcotics/prescription drugs use	71, 72
Reduce uppers use	73
Reduce methamphetamine use	90a, b
Reduce use of tranquilizers	74a, b
Reduce over-the-counter drugs use	75a, b
Reduce problems related to ATOD abuse	98
Reduce steroid use	76
Reduce heroin use	96a, b
Reduce hallucinogenic drug use	95a, b
Antisocial/Delinquent Behavior (Long-term objectives)	
Delay onset of antisocial/delinquent behavior	9a, b, c, d
Reduce frequency of antisocial/delinquent behavior	8a, b, c, d, e, f, g, h
Risk and Protective Factors (Intermediate objectives)	
Increase youth disapproval of ATOD use	29,39,54,64,78,87,91
Increase perceived risks of ATOD Use	33,43,58,68,82,97
Reduce ATOD use by friends	32,42,57,67,81,84,89,93
Increase parental disapproval of ATOD use	30,40,55,65,79,88,92
Increase peer disapproval of ATOD use	31,41,54,64,78,87,91
Reduce perceived availability of alcohol	53
Reduce perceived availability of tobacco	28,44
Reduce perceived availability of cannabis	63
Reduce access to prescription drugs	77
Increase extracurricular involvement	102a,b,c
Improve school performance	100
Improve sleep habits	101
Strengthen connection to trusted adults	105
Address effects of social media use	103, 104

School and Community Goals by 2021 KIP Survey Indicators (continued)

Goals	Survey Items
School Safety (Long term objectives)	
Reduce fear of crime at school	11,12,13,14
Reduce pervasiveness of weapons at school	10h, i
Reduce delinquent behavior in school	15a-e
Reduce student problems at school	10a-i
Reduce dating violence	15f, g
Reduce bullying	16,17,18,19
Mental Health	
Reduce psychological distress	20a-f
Reduce self-harm	21
Reduce suicidal ideation and attempts	22, 23, 24
Address mental health impacts of COVID-19 pandemic	108
Address mental health impacts of the racial justice movement	113a-k
Race-Based and Cultural Discrimination	
Address and reduce experience of race-based and cultural discrimination	112a-f
Address and reduce concerns related to race and culture	112a-f

Conceptual Framework for Substance Abuse Prevention

In the third section of this report are graphs depicting Kentucky’s 2021 KIP Survey statewide results, alongside results from survey years 2012, 2014, 2016 and 2018. Administration of the KIP survey yields a great deal of data. However, the fact of having data does not ensure that the data are understood or used in a sound and meaningful way. In fact, perhaps the greatest challenge involved in conducting the KIP survey is to translate these raw data into useful information so that meaningful conclusions can be drawn.

In order to do that, we believe there is a need for a broad-based conceptual framework for thinking about substance abuse prevention. A review of the research literature in the emerging field of prevention science (see pages 9 and 10) suggests that there are certain key factors to be considered in school- and community-based substance abuse prevention. These can be grouped into three main areas (or domains): (1) Substance Abuse Problem Identification; (2) Proximal Risk and Resilience (i.e., protective) Factors; and, (3) Community-Level Contextual Factors (page 8).

Substance Abuse Problem Identification

The first domain listed above, Substance Abuse Problem Identification, refers to prevalence and incidence data that can help a community understand: (1) the rate at which substances are being used or abused; (2) the nature and scope of these problems; and, (3) how the problems are perceived. These kinds of problem identification data are most often used to construct a needs assessment for the community. The KIP survey can be invaluable in this respect, because it provides information about student self-reported use of substances (e.g., within last 30 days, last year), student perceptions about substance use (e.g., level of risk, peer and parent disapproval), and perceived accessibility of substances in the community.

It is important to note that in addition to the “quantitative” information described above, a more complete picture may emerge by using “qualitative” methods to gather information. Such methods can include anecdotal data from specific incidents, focus groups, and supplemental student surveys.

Proximal¹ Risk and Resilience Factors

Research has shown that there are some factors that are highly correlated with substance use. Knowledge about the relative presence or absence of these factors in a given school-community can help to both understand the nature of the problems and plan for effective preventive interventions. Examples of proximal factors at the school level may include economic disadvantage (as measured by the number of students eligible for free and reduced lunch), student engagement or “bonding” (as measured by attendance and drop out rates), school achievement (e.g., retention rates, academic performance/achievement assessment scores), and school safety and climate (e.g., perception of risk, number of law and school board policy violations).

All of these are indicators that may help to understand the factors that may give rise to problems related to substance abuse. Interpretation of the KIP findings should always take these factors into consideration.

Community-Level Contextual Factors

The data for each school-community have meaning only in the context of the general factors that make that community unique. For example, some communities are densely populated within relatively small geographic regions, while others are more sparsely populated but are geographically quite large. Communities across Kentucky vary tremendously with respect to demographic characteristics, such as population, race/ethnicity, literacy, poverty, business patterns, and many other such dimensions. A broad understanding of these factors can also help to place substance abuse issues in context.

Planning Worksheet

Worksheets to help organize information related to the domains of Substance Abuse Problem Identification, Proximal Risk and Resilience Factors and Community-Level Contextual Factors are available at www.kipsurvey.com (scroll down to “Additional Resources”). Some of the information will be derived from the next section of this report.

Additionally, state and county-level demographics and related data are now available online in our substance abuse prevention data warehouse at <http://sig.reachoflouisville.com>. In addition to providing a wealth of information about community characteristics and substance abuse prevention, this site will also be very helpful in creating presentation-ready tables, graphs, and maps.

Finally, information related to the KIP survey administration can be found at: www.kipsurvey.com. Here you can also access answers to frequently asked questions about the KIP Survey, the KIP Training Manual, and contact information for KIP personnel.

¹ The word “proximal” in this context refers to factors that are more likely to be directly involved in the development of substance abuse (such as school engagement), as opposed to more “distal” factors that may be correlated at low levels (e.g., access to child care at a young age).

Prevention Science: A Guide for Evidence-Based Intervention

Program planning and evaluation efforts to prevent substance use in Kentucky are grounded in the field of prevention science. While the concepts of prevention and early interventions are long-standing in public health, community psychology, education, and related fields, it has been only recently that scientific knowledge and methodology have evolved such that findings can be usefully related to substance use programs and practices. Prevention science is related to on-going work in the areas of health promotion and behavioral risk reduction.

Fundamental to the science of substance abuse prevention are certain core empirically-based concepts. All are predicated on the belief that it is crucial to have clear estimates of the prevalence and incidence of substance abuse for various populations and settings (a key reason for the KIP survey in Kentucky) in order to gauge change and the effectiveness of prevention and treatment programs.

These core concepts include:

- There are a variety of developmental pathways to substance abuse.
- Early childhood developmental and family factors can play a substantial role in creating subsequent vulnerability.
- The eventual emergence of substance abuse is influenced by the presence or absence of specific risk and resilience factors, which can also serve as targets for intervention.
- Substance abuse prevention efforts need to be systemic in orientation, and have been shown to be effective in family, school, peer group, mass media, or community contexts (or combinations of these).
- A substantial portion of the substance abuse prevention literature relates to school-based programs.
- Media-based programs have been shown to have some utility when used with other strategies, but alone are insufficient to induce change.
- Target population characteristics should be considered in planning for prevention program implementation (e.g., adolescents, African-American youth, male-female differences, children of divorce).
- Setting characteristics of prevention and intervention strategies can also make a difference (e.g., urban-rural).
- Promoting behavioral competence in social, behavioral, emotional, and academic areas is central to effective prevention.

Some Key Terms

Evidence-based program

A program that is theory-driven, has activities/interventions related to the theory of change underlying the program model, has been well implemented, and has produced empirically verifiable outcomes, which are assumed to be positive.

Science-based refers to a process in which experts use commonly agreed-upon criteria for rating research interventions and come to a consensus that evaluation research findings are credible and can be substantiated. From this process, a set of effective principles, strategies, and model programs can be derived to guide prevention efforts. This process is sometimes referred to as research- or evidence-based. Experts analyze programs for credibility, utility, and generalizability. Credibility refers to the level of certainty concerning the cause-and-effect relationship of programs to outcomes. Utility refers to the extent to which the findings can be used to improve programming, explain program effects, or guide future studies. Generalizability refers to the extent to which findings from one site can be applied to other settings and populations.

- Effective substance abuse interventions tend to combine useful content with a delivery approach that is engaging.

Based on this emerging research literature, the US Department of Education has published guidelines for school-based substance abuse prevention termed the Principles of Effectiveness. These are:

- base programs on a thorough assessment of objective data about the drug and violence problems in the schools and communities served;
- with the assistance of a local or regional advisory council where required by the SDFSCA, establish a set of measurable goals and objectives and design its programs to meet those goals and objectives;
- design and implement programs for youth based on research or evaluation that provides evidence that the programs used prevent or reduce drug use, violence, or disruptive behavior among youth;
- evaluate programs periodically to assess progress toward achieving goals and objectives; use evaluation results to refine, improve, and strengthen program; and to refine its goals and objectives as appropriate.

Synthesizing Your Information

Once you have gone through the process of organizing the information from the KIP survey findings and the other data sources described previously, it is easier to begin to see patterns and draw inferences. Sometimes patterns in the data will become more obvious by creating comparison graphs to look at historical trends or compare districts or county with surrounding counties in a given region. The ultimate goal, of course, is to obtain a clearer understanding of what the data are saying. There is no one piece or type of data that can answer all the questions. However, it is useful to begin with evaluation questions. Here are some examples:

- What is the current state of affairs within our state with respect to student use of various substances? Has this changed over time?
- How do we compare to other states that administered similar surveys this year? How do we compare to national scores, such as the Monitoring the Future?
- Are there any patterns or trends that emerge as we review our data? Any surprises? When there have been changes, what are the factors that likely contributed to the change?
- What are the areas of greatest concern for our state? Where should our priorities lie?
- Are there any obvious linkages between our current substance use prevention and intervention activities and the patterns seen in the data?
- What are the perceptual data about risk, approval/disapproval, and accessibility telling us about our state's norms, values, and expectations?
- Are there demographic factors that cause our state to be more (or less) susceptible to substance use and other issues associated with adolescent behavioral health?
- To what extent do students perceive that they are engaged in their school and community? To what extent do some students feel alienated or disenfranchised?
- In general, how do our students achieve in school, compared to other counties, the region, and the state? Do any patterns emerge across grade levels? Across subject areas?

- Do students perceive that they are safe in school? What aspects of school safety may be related to substance use?
- What are the physical, resource, and geographic features of our state? Population characteristics? Family characteristics? Socioeconomic characteristics? How might these variables contribute (directly or indirectly) to substance use?

The process of profiling can not only lead to insights into possible connections between these various factors, but also ideas for goal-setting and prevention program planning.



STUDENT SURVEY

Please mark the most accurate response(s) for each question. We hope that you will answer all questions, but if you find you cannot answer a question honestly, please leave it blank. In the cases where you have no experience, please mark the circle, "None," "Never Have," or "0." Remember that your answers will be kept confidential and will never be connected to your name or class. You cannot get in trouble for answering these questions honestly.

What is your zip code: _____

1. **How old are you?**
 10 11 12 13 14 15 16 17 18+
2. **What grade are you in?** 6 8 10 12
3. **Are you:** Female Male Questioning or Unsure
 Identity not listed here Prefer not to say
4. **Are you Hispanic or Latino:** Yes No
5. **What is your race:** (Select one or more responses if necessary.)
 American Indian or Alaska Native Native Hawaiian or other Pacific Islander
 Asian White
 Black or African American Other

6. **Who in your family is currently in the military (Army, Navy, Marines, Air Force, National Guard, Coast Guard or Reserves) or previously served in the military?** (You can mark more than one answer if you have more than one family member in the military.)
 No one in my family is in the military
 Father Mother Other guardian or parent figure
 Brother or Sister Grandparent or other relative Don't know
7. **Are you:**
 Hard of hearing Deaf Deafblind None of these
- 7b. **If you answered Deaf, Hard of Hearing, or Deafblind, how do you prefer to learn information?**
 Directly in American Sign Language
 In written English In spoken English Through an interpreter
 In large print In a format compatible with a screen-reader

The next 3 questions ask about violence-related behaviors.

8. **How many times (if any) in the past year (12 months) have you...**

	Never	1-2 times	3-5 times	6-9 times	10-19 times	20-29 times	30-39 times	40+ times
a. been suspended from school?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. carried a handgun?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. sold illegal drugs?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. been arrested?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. attacked someone with the idea of seriously hurting them?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. been drunk or high at school?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
g. taken a handgun to school?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
9. **When (if ever) did you first...**

	Never Have	10 or Younger	11	12	13	14	15	16	17 or older
a. get suspended from school?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. get arrested?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. carry a handgun?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. attack someone with the idea of seriously hurting them?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

The next 6 questions ask about school safety.

10. **Do you think the following are problems at your school?**

	Yes	No
a. Vandalism, including graffiti	<input type="radio"/>	<input type="radio"/>
b. Gangs	<input type="radio"/>	<input type="radio"/>
c. Tobacco use	<input type="radio"/>	<input type="radio"/>
d. Alcohol use	<input type="radio"/>	<input type="radio"/>
e. Drug use	<input type="radio"/>	<input type="radio"/>
f. Fights between students of different racial and/or ethnic backgrounds	<input type="radio"/>	<input type="radio"/>
g. Selling (dealing) drugs	<input type="radio"/>	<input type="radio"/>
h. Carrying guns	<input type="radio"/>	<input type="radio"/>
i. Carrying other weapons	<input type="radio"/>	<input type="radio"/>

11. **How safe do you feel at school?**
 Very safe Safe Unsafe Very unsafe
12. **Are there particular places at school where you feel unsafe?**
 Yes No
13. **If Yes, where do you feel unsafe?** (Mark ALL that apply.)
 Restrooms Gym/Locker Rooms Stairwells Classrooms
 Parking Lot Hallways School Bus
14. **Are there certain times of day when you feel these places are unsafe?** (Mark ALL that apply.)
 Before School During Lunch Other During Class
 After School Entire School Day Between Classes

15. During the last school year...

- | | Yes | No |
|---|-----------------------|-----------------------|
| a. did someone take money or things directly from you by using force, weapons, or threats at school? | <input type="radio"/> | <input type="radio"/> |
| b. did someone verbally threaten you at school? | <input type="radio"/> | <input type="radio"/> |
| c. did you have something stolen from your desk, locker, or other place at school? | <input type="radio"/> | <input type="radio"/> |
| d. did someone physically threaten, attack, or hurt you at school? | <input type="radio"/> | <input type="radio"/> |
| e. did someone make unwanted sexual advances or attempt to sexually assault you at school? | <input type="radio"/> | <input type="radio"/> |
| f. did a boyfriend or girlfriend physically hurt you (hit, push, pull your hair) on purpose? | <input type="radio"/> | <input type="radio"/> |
| g. did a boyfriend or girlfriend emotionally hurt you (threaten, make threatening phone calls/texts, call you names, harass you online) on purpose? | <input type="radio"/> | <input type="radio"/> |

The next 4 questions ask about bullying. Bullying is when one or more students tease, threaten, spread rumors about, hit, shove, or hurt another student over and over again. It is not bullying when two students of about the same strength or power argue, fight, or tease each other in a friendly way. Bullying involves an imbalance of power and repeated incidents over time.

- | | Yes | No |
|---|-----------------------|-----------------------|
| 16. During the past year (12 months), have you ever been bullied on school property? | <input type="radio"/> | <input type="radio"/> |
| 17. During the past year (12 months), have you ever been electronically bullied? (Count being bullied through texting, Instagram, Facebook, TikTok, online gaming, or other social media.) | <input type="radio"/> | <input type="radio"/> |
| 18. Does your school have a way to report bullying or harassment? | <input type="radio"/> | <input type="radio"/> |
| 19. If your school does have a way to report bullying or harassment, is this reporting method effective? (if not applicable, please leave blank) | <input type="radio"/> | <input type="radio"/> |

The next 9 questions are about smoking cigarettes (ones that have to be lit and burned, this includes blacks and black and milds.)

- 25. When (if ever) did you first smoke a cigarette?**
- | | | | | | | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Never | 10 or | | | | | | | | 17 or |
| Have | Younger | 11 | 12 | 13 | 14 | 15 | 16 | | older |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
- 26. On how many occasions (if any) have you smoked cigarettes...**
(Mark ONE CIRCLE for each line.)
- | | | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0 | 1-2 | 3-5 | 6-9 | 10-19 | 20-39 | 40+ |
| a. ...in the past 12 months? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| b. ...in the past 30 days? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
- 27. During the past 30 days, on the days you smoked (if at all), how many cigarettes did you smoke per day?**
- | | | | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| None | Less than 1 | 1 | 2-5 | 6-10 | 11-20 | 20+ |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
- 28. If you wanted to get some cigarettes, how easy would it be for you to get some?**
- Very hard Sort of hard Sort of easy Very easy

The next 2 questions ask about how you have been feeling. For each question, please fill in the circle that best describes how often you had this feeling.

20. During the past 30 days, about how often did you feel...

(Mark ONE CIRCLE for each line.)

- | | All of the time | Most of the time | Some of the time | A little of the time | None of the time |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| a. ...nervous? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| b. ...hopeless? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| c. ...restless or fidgety? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| d. ...so depressed that nothing could cheer you up? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| e. ...that everything was an effort? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| f. ...worthless? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

21. Have you ever cut or harmed yourself on purpose?

- Yes No

The next 3 questions ask about attempted suicide. Sometimes people feel so depressed about the future that they may consider attempting suicide, that is, taking some action to end their own life.

22. During the past 12 months, did you ever seriously consider attempting suicide?

- Yes No

23. During the past 12 months, did you make a plan about how you would attempt suicide?

- Yes No

24. During the past 12 months, how many times did you actually attempt suicide?

- | | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| None | 1 times | 2-3 times | 4-5 times | 6+ times |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

29. How wrong do you think it is for someone your age to smoke cigarettes?

- Very wrong Wrong A little bit wrong Not wrong at all

30. How wrong do your parents feel it would be for you to smoke cigarettes?

- Very wrong Wrong A little bit wrong Not wrong at all

31. How wrong do your friends feel it would be for you to smoke tobacco?

- Very wrong Wrong A little bit wrong Not wrong at all

32. Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many (if any) of your four best friends have smoked cigarettes?

- None 1 2 3 4

33. How much do you think people risk harming themselves (physically or in other ways) if they smoke one or more packs of cigarettes a day?

- No risk Slight risk Moderate risk Great risk

The next 2 questions are about smokeless tobacco (chew, dip, snuff, dipping tobacco, chewing tobacco.) Do not count any electronic vapor products for this question.

34. When (if ever) did you first use smokeless tobacco?

- | | | | | | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Never
Have | 10 or
Younger | 11 | 12 | 13 | 14 | 15 | 16 | 17 or
older |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

35. On how many occasions (if any) have you used smokeless tobacco... (Mark ONE CIRCLE for each line.)

- | | | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0 | 1-2 | 3-5 | 6-9 | 10-19 | 20-39 | 40+ |
| a. ...in the past 12 months? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| b. ...in the past 30 days? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

The next 9 questions ask about electronic vapor products, such as JUUL, Vuse, MarkTen, Alto, Puff and blu. Electronic vapor products include e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods. Do not count any electronic vapor products used for smoking marijuana when answering these questions.

36. When, if ever, did you first vape/use an electronic vapor product?

- | | | | | | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Never
Have | 10 or
Younger | 11 | 12 | 13 | 14 | 15 | 16 | 17 or
older |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

37. On how many occasions (if any) have you vaped/used an electronic vapor product... (Mark ONE CIRCLE for each line.)

- | | | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0 | 1-2 | 3-5 | 6-9 | 10-19 | 20-39 | 40+ |
| a. ...in the past 12 months? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| b. ...in the past 30 days? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

38. During the past 30 days, how did you get your own electronic vapor products? (Mark ALL that apply.)

- I bought them in a store such as a convenience store, supermarket, discount store, gas station, or vape store
- I got them on the Internet
- I gave someone else money to buy them for me
- I borrowed them from someone else
- A person who can legally buy these products gave them to me
- I took them from a store or another person
- I got them some other way

39. How wrong do you think it is for someone your age to vape/use e-cigarettes?

- Very wrong Wrong A little bit wrong Not wrong at all

40. How wrong do your parents feel it would be for you to vape/use e-cigarettes?

- Very wrong Wrong A little bit wrong Not wrong at all

41. How wrong do your friends feel it would be for you to vape/use e-cigarettes?

- Very wrong Wrong A little bit wrong Not wrong at all

42. Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many (if any) of your four best friends have vaped/used an electronic vapor product?

- None 1 2 3 4

43. How much do you think people risk harming themselves (physically or in other ways) if they vape/use e-cigarettes some days but not every day?

- No risk Slight risk Moderate risk Great risk

44. If you wanted to get an e-cigarette/vaping product, how easy would it be for you to get one?

- Very hard Sort of hard Sort of easy Very easy

The next question asks about other tobacco products.

45. During the past 30 days, which of the following tobacco products did you use on at least one day? (You can choose ONE ANSWER or MORE THAN ONE ANSWER.)

- Roll-your-own cigarettes
- Smoking tobacco from a hookah or waterpipe
- Pipes filled with tobacco (not hookah or waterpipe)
- Snus, such as Camel, Marlboro or General Snus
- Dissolvable tobacco products such as Ariva, Stonewall, Camel orbs, Camel sticks, Marlboro sticks or Camel strips
- Bidis (small brown cigarettes wrapped in a leaf)
- Some other new tobacco product not listed here
- I have not used any of the products listed above, or any new tobacco product

The next several questions ask about alcohol use. For these questions, drinking alcohol does not include drinking a few sips of wine for religious purposes.

46. When (if ever) did you first have more than a sip or two of beer, wine, or hard liquor such as vodka, bourbon, cognac, gin, etc.?

- | | | | | | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Never
Have | 10 or
Younger | 11 | 12 | 13 | 14 | 15 | 16 | 17 or
older |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

47. When (if ever) did you first begin drinking alcoholic beverages regularly, that is, at least once or twice a month?

- | | | | | | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Never
Have | 10 or
Younger | 11 | 12 | 13 | 14 | 15 | 16 | 17 or
older |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

48. On how many occasions (if any) have you had alcoholic beverages (beer, wine, or hard liquor) to drink – more than a few sips... (Mark ONE CIRCLE for each line.)

- | | | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0 | 1-2 | 3-5 | 6-9 | 10-19 | 20-39 | 40+ |
| a. ...in the past 12 months? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| b. ...in the past 30 days? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

49. On how many occasions (if any) during the past 30 days have you been drunk or very high from drinking alcoholic beverages?

- | | | | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| 0 | 1-2 | 3-5 | 6-9 | 10-19 | 20-39 | 40+ |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

50. Think back over the last two weeks. How many times (if any) have you had five or more alcoholic drinks in a row?

- | | | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| None | 1 time | 2 times | 3-5 times | 6-9 times | 10+ times |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

51. If you drink, do you primarily get alcohol from... (Mark ALL that apply.)

- | | | |
|--|---------------------------------------|---------------------------------------|
| <input type="radio"/> Convenience stores | <input type="radio"/> Friends | <input type="radio"/> Online ordering |
| <input type="radio"/> Parents | <input type="radio"/> Strangers | <input type="radio"/> Grocery pickup |
| <input type="radio"/> Brother/sister | <input type="radio"/> Other relatives | <input type="radio"/> Other |

52. If you drink, where do you drink? (Mark ALL that apply.)

- | | | |
|-------------------------------|--------------------------------------|------------------------------------|
| <input type="radio"/> School | <input type="radio"/> Friends' homes | <input type="radio"/> Parks/fields |
| <input type="radio"/> Home | <input type="radio"/> Bars | <input type="radio"/> Other |
| <input type="radio"/> Parties | <input type="radio"/> Cars | |

53. If you wanted to get some beer, wine, or hard liquor such as vodka, bourbon, cognac or gin, how easy would it be for you to get some?

- Very hard Sort of hard Sort of easy Very easy

54. How wrong do you think it is for someone your age to drink beer, wine, or hard liquor such as vodka, whiskey, gin, etc. regularly?

- Very wrong Wrong A little bit wrong Not wrong at all

55. How wrong do your parents feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day?

- Very wrong Wrong A little bit wrong Not wrong at all

56. How wrong do your friends feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day?

- Very wrong Wrong A little bit wrong Not wrong at all

57. Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many (if any) of your four best friends have tried beer, wine, or hard liquor such as vodka, bourbon, cognac, gin, etc. when their parents didn't know about it?

- None 1 2 3 4

58. How much do you think people risk harming themselves (physically or in other ways) if they have five or more drinks of an alcoholic beverage once or twice a week?

- No risk Slight risk Moderate risk Great risk

59. How much do you think people risk harming themselves (physically or in other ways) if they have five or more alcoholic drinks in a row?

- No risk Slight risk Moderate risk Great risk

The next questions ask about marijuana use. Marijuana is also called pot, weed, or cannabis.

60. When (if ever) did you first use marijuana?

- Never Have 10 or Younger 11 12 13 14 15 16 17 or older

61. On how many occasions (if any) have you used marijuana... (Mark ONE CIRCLE for each line.)

- | | | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0 | 1-2 | 3-5 | 6-9 | 10-19 | 20-39 | 40+ |
| a. ...in the past 12 months? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| b. ...in the past 30 days? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

62. During the past 30 days, how did you use marijuana? (Mark ALL that apply.)

- I smoked it in a joint or blunt
 I smoked it in a bowl, pipe, or bong
 I vaped it in a dab pen
 I ate it in edibles or food such as brownies, cakes, cookies or candy
 I drank it in tea, cola, alcohol, or other drinks
 I vaporized it
 I dabbed it using waxes or concentrates
 I used it some other way

63. If you wanted to get some marijuana, how easy would it be for you to get some?

- Very hard Sort of hard Sort of easy Very easy

64. How wrong do you think it is for someone your age to use marijuana?

- Very wrong Wrong A little bit wrong Not wrong at all

65. How wrong do your parents feel it would be for you to use marijuana?

- Very wrong Wrong A little bit wrong Not wrong at all

66. How wrong do your friends feel it would be for you to use marijuana?

- Very wrong Wrong A little bit wrong Not wrong at all

67. Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many (if any) of your four best friends have used marijuana?

- None 1 2 3 4

68. How much do you think people risk harming themselves (physically or in other ways) if they try marijuana once or twice?

- No risk Slight risk Moderate risk Great risk

69. How much do you think people risk harming themselves (physically or in other ways) if they use marijuana once or twice a week?

- No risk Slight risk Moderate risk Great risk

The next several questions ask about misuse of prescription drugs and other medicine.

70. When (if ever) did you first take a prescription drug (such as OxyContin, Percocet, Vicodin, Codeine, Adderall, Ritalin or Xanax) without a doctor's prescription?

- Never Have 10 or Younger 11 12 13 14 15 16 17 or older

71. On how many occasions (if any) have you taken narcotics or drugs that require a doctor's prescription, without a doctor telling you to take them... (Mark ONE CIRCLE for each line.)

- | | | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0 | 1-2 | 3-5 | 6-9 | 10-19 | 20-39 | 40+ |
| a. ...in the past 12 months? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| b. ...in the past 30 days? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

72. On how many occasions (if any) have you taken prescription painkillers such as OxyContin, Percocet, Vicodin, or Codeine without a doctor's prescription... (Mark ONE CIRCLE for each line.)

- | | | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0 | 1-2 | 3-5 | 6-9 | 10-19 | 20-39 | 40+ |
| a. ...in the past 12 months? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| b. ...in the past 30 days? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

73. On how many occasions (if any) have you used speed/uppers such as Adderall or Ritalin without a doctor's prescription... (Mark ONE CIRCLE for each line.)

- | | | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0 | 1-2 | 3-5 | 6-9 | 10-19 | 20-39 | 40+ |
| a. ...in the past 12 months? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| b. ...in the past 30 days? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

74. On how many occasions (if any) have you used tranquilizers such as Valium, Xanax (Zannies), Librium, Ativan, Ambien, Ketamine, Special K, etc. without a doctor telling you to do so... (Mark ONE CIRCLE for each line.)

- | | | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0 | 1-2 | 3-5 | 6-9 | 10-19 | 20-39 | 40+ |
| a. ...in the past 12 months? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| b. ...in the past 30 days? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

75. On how many occasions (if any) have you taken over-the-counter drugs such as stay-awake pills, caffeine pills or cough syrup in order to get high... (Mark ONE CIRCLE for each line.)

- | | | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0 | 1-2 | 3-5 | 6-9 | 10-19 | 20-39 | 40+ |
| a. ...in the past 12 months? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| b. ...in the past 30 days? | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

76. During your life, how many times have you taken steroid pills or shots without a doctor's prescription?

None 1-2 times 3-9 times 10-19 times 20-39 times 40+ times

77. If you have ever obtained prescription drugs without a doctor's prescription issued to you, how did you get them?
(Mark ALL that apply.)

- Wrote fake prescription
- Stole from doctor's office, clinic, hospital or pharmacy
- From friend or relative for free
- Bought from friend or relative
- Took from friend or relative without asking
- Bought from drug dealer or other stranger
- Bought on the internet
- Some other way

78. How wrong do you think it is for someone your age to take a prescription drug such as OxyContin, Percocet, Vicodin, Codeine, Adderall, Ritalin, or Xanax without a doctor's prescription?

Very wrong Wrong A little bit wrong Not wrong at all

79. How wrong do your parents feel it would be for you to take a prescription drug such as OxyContin, Percocet, Vicodin, Codeine, Adderall, Ritalin, or Xanax without a doctor's prescription?

Very wrong Wrong A little bit wrong Not wrong at all

80. How wrong do your friends feel it would be for you to use prescription drugs not prescribed to you?

Very wrong Wrong A little bit wrong Not wrong at all

81. Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many (if any) of your four best friends have taken a prescription drug such as OxyContin, Percocet, Vicodin, Codeine, Adderall, Ritalin, or Xanax without a doctor's prescription?

None 1 2 3 4

82. How much do you think people risk harming themselves (physically or in other ways) if they take a prescription drug such as OxyContin, Percocet, Vicodin, Codeine, Adderall, Ritalin, or Xanax without a doctor's prescription?

No risk Slight risk Moderate risk Great risk

The next 2 questions ask about huffing or sniffing glue or other gases or sprays, in order to get high. This is called using inhalants. This does not include using an inhaler with medicine for asthma or breathing trouble.

83. On how many occasions (if any) have you sniffed glue, breathed the contents of an aerosol spray can, or inhaled other gases or sprays, in order to get high... *(Mark ONE CIRCLE for each line.)*

	0	1-2	3-5	6-9	10-19	20-39	40+
a. ...in the past 12 months?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. ...in the past 30 days?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

84. Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many (if any) of your four best friends have sniffed glue, breathed the contents of an aerosol spray can, or inhaled other gases or sprays, in order to get high?

None 1 2 3 4

The next several questions ask about use of other illicit drugs.

85. On how many occasions (if any) have you used/huffed synthetic marijuana (also called K2, Spice or Potpourri)... *(Mark ONE CIRCLE for each line.)*

	0	1-2	3-5	6-9	10-19	20-39	40+
a. ...in the past 12 months?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. ...in the past 30 days?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

86. On how many occasions (if any) have you used cocaine or crack... *(Mark ONE CIRCLE for each line.)*

	0	1-2	3-5	6-9	10-19	20-39	40+
a. ...in the past 12 months?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. ...in the past 30 days?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

87. How wrong do you think it is for someone your age to use cocaine?

Very wrong Wrong A little bit wrong Not wrong at all

88. How wrong do your parents feel it would be for you to use cocaine?

Very wrong Wrong A little bit wrong Not wrong at all

89. Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many (if any) of your four best friends have used cocaine?

None 1 2 3 4

90. On how many occasions (if any) have you used methamphetamines (also called meth, crystal meth, clear, ice or crack)... *(Mark ONE CIRCLE for each line.)*

	0	1-2	3-5	6-9	10-19	20-39	40+
a. ...in the past 12 months?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. ...in the past 30 days?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

91. How wrong do you think it is for someone your age to use methamphetamines (also called meth, crystal meth, clear, ice or crack)?

Very wrong Wrong A little bit wrong Not wrong at all

92. How wrong do your parents feel it would be for you to use methamphetamines (also called meth, crystal meth, clear, ice or crack)?

Very wrong Wrong A little bit wrong Not wrong at all

93. Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many (if any) of your four best friends have used methamphetamines (also called meth, crystal meth, clear, ice or crack)?

None 1 2 3 4

94. On how many occasions (if any) have you used ecstasy (also called MDMA, X, E, Molly, rolls, or beans)... *(Mark ONE CIRCLE for each line.)*

	0	1-2	3-5	6-9	10-19	20-39	40+
a. ...in the past 12 months?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. ...in the past 30 days?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

95. On how many occasions (if any) have you used hallucinogenic drugs, such as LSD, acid, PCP, angel dust, mescaline, or mushrooms... *(Mark ONE CIRCLE for each line.)*

	0	1-2	3-5	6-9	10-19	20-39	40+
a. ...in the past 12 months?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. ...in the past 30 days?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

96. On how many occasions (if any) have you used heroin (also called smack, junk, China White, boy, dogfood, or Hank)...
(Mark ONE CIRCLE for each line.)

	0	1-2	3-5	6-9	10-19	20-39	40+
a. ...in the past 12 months?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. ...in the past 30 days?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

97. How much do you think people risk harming themselves (physically or in other ways) if they try heroin once or twice?

No risk Slight risk Moderate risk Great risk

98. In the past 12 months, has your drinking and/or drug use caused any of the following problems? (Mark ALL that apply.)
(If you never drank alcohol or used drugs, leave each item blank.)

- Got stopped by the police for drunk driving or disorderly conduct
- Got in trouble at school
- Hurt or injured myself
- Got into fights (verbal or physical) with other kids
- Got into fights with my parents
- Committed illegal acts (for ex., theft, breaking and entering, vandalism)
- Could not recall what I did
- Pressured someone else to do something sexual against his or her will
- Was pressured by someone else to do something sexual against my will
- Thought I had a drinking or drug problem
- Was involved in a car crash
- Was hospitalized or had to see a doctor

The next 7 questions ask about other health-related topics.

99. Which of the following best describes you? (Select only one response.)

- Straight/heterosexual Gay/lesbian/homosexual
- Questioning or unsure Other identity not listed here
- Prefer not to say

100. During the past 12 months, how would you describe your grades in school?

- Mostly A's Mostly B's Mostly C's Mostly D's
- Mostly F's My school does not use this system

101. On an average night, how many hours of sleep do you get?

- 4 or less 5 hours 6 hours 7 hours
- 8 hours 9 hours 10 or more hours

102. On average, how many hours during a typical week do you participate in....? (Mark ONE CIRCLE for each line.)

	0 Hours	1-4	5-9	10-19	20+
a. <u>School-based</u> extracurricular activities such as sports, band or drama	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. <u>Community activities</u> such as 4-H, Scouts or community sports	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. <u>Faith activities</u> such as weekly services, youth groups, choir or bible study	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

103. How often do check social media like Instagram, Twitter, Snapchat, TikTok, Facebook or online gaming platforms? (Select only one response.)

- Every couple of minutes About every 10-15 minutes
- Once or twice an hour A few times a day
- I don't use social media

104. How does using social media make you feel? (Select only one response.)

- Usually better
- Usually worse
- Sometimes better and sometimes worse
- Doesn't make me feel any better or worse
- I don't use social media

105. Do you know an adult in or out of school with whom you could talk or go to for help?

- Yes No

The last two questions are about gambling and online gaming. For the purpose of these questions, please include any situations where you have spent money to participate in an online game, including in a phone app.

106. On how many occasions (if any) have you gambled (bet) or participated in online gaming for money or possessions...

(Mark ONE CIRCLE for each line.)

	0	1-2	3-5	6-9	10-19	20-39	40+
a. ...in your lifetime?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. ...in the past 12 months?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. ...in the past 30 days?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

107. Has the money or time you spent on gambling or online gaming led to financial problems or problems in your family, work, school, or personal life?

- I never gamble Yes No

Beginning in early 2020, the United States, along with the rest of the world, experienced the coronavirus disease (COVID-19) pandemic. As part of the response to this pandemic, schools and businesses were closed and people were required to stay at home. Depending on where you live, your experience with the pandemic might still be going on now, or your community and your school might be somewhat back to normal. The next 4 questions ask about your experiences during this time, whether in the past or continuing now.

108. During the COVID-19 pandemic, how often was your mental health not good? (Poor mental health includes stress, anxiety, and depression.)

- Never Rarely Sometimes Most of the time Always

109. Did you drink more alcohol during the COVID-19 pandemic than before it started?

- Yes No I'm not sure
- I did not drink alcohol during or before COVID

110. Did you use drugs more during the COVID-19 pandemic than before it started? (Count using marijuana, synthetic marijuana, cocaine, prescription pain medicine without a doctor's prescription, and other illegal drugs.)

- Yes No I'm not sure
- I did not use drugs during or before COVID

111. Did you vape, smoke cigarettes or use smokeless tobacco more during the COVID-19 pandemic than before it started?

- Yes No I'm not sure
- I did not vape, smoke cigarettes or use smokeless tobacco during or before COVID

During the past several years, the United States has also experienced social movements to promote equal rights and protections for people of all races. In 2020 along with the COVID-19 pandemic, there were a number of protests and rallies as a part of these racial justice movements. The final two questions ask about your experiences and opinions related to these racial justice movements.



112. During the past year (12 months), have you experienced any of the following?

- | | Yes | No | Not Sure |
|---|-----------------------|-----------------------|-----------------------|
| a. Fear for my safety because of my race or culture. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| b. Worry I could be treated differently because of my race. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| c. My friends/family have been treated differently because of their race. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| d. Stress because I worry I will be a target of racism. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| e. Fear for my friends' or family's safety because of my race or culture. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| f. I have been treated differently because of my race. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| g. My friends or loved ones have been targets of racism. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| h. I have been a target of racism. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| i. I have never personally experienced racism. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

113. Have you experienced feeling any of the following from the recent events of the racial justice movement?

- | | Yes | No | Not Sure |
|---------------------------------|-----------------------|-----------------------|-----------------------|
| a. Angry | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| b. Overwhelmed | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| c. Stressed | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| d. Anxious | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| e. Scared | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| f. Confused | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| g. Empowered/energized | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| h. Misunderstood | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| i. Depressed | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| j. Guilty | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| k. Other, please specify: _____ | | | |

If, after completing the survey, you have any personal concerns, you should contact your school counselor. He or she can direct you to resources for help.

Kentucky's 2012-2021 KIP Survey Trend Data

Kentucky's 2012-2021 KIP Survey Trend Data


Cautionary notes to consider when reviewing Kentucky's KIP Survey data:

Participation rates: The KIP survey is designed to be a census, meaning that every student in 6th, 8th, 10th, and 12th grades in participating school districts is invited to take the survey. Students and their parents/guardians have the right to opt out at any time before, during, or after the survey. Students who are absent or not present in the classroom at the time the survey is administered do not take the survey. Due to COVID-19 causing increased illness and absences, classroom quarantines, and continued remote learning, this year's sample may represent fewer students than in prior years.

Comparison to prior years: Several changes and circumstances make the 2021 survey different than prior years. Due to the COVID-19 pandemic and widespread school closures and hybrid learning environments across the state, the survey was not held in fall 2020 as originally planned. The survey administration was delayed to fall 2021, when most school districts were back to in-person instruction. This means that the 6th, 8th, 10th, and 12th grade students for the 2021 KIP Survey represent a new cohort of students not represented in prior surveys. Additionally, a number of new questions were added to the survey, some questions' wording was revised, some questions were deleted, the survey questions were reordered, and skip patterns were introduced to streamline the survey. All of these changes may have affected the data. Any revisions to question wording are noted in the footnotes on the relevant pages. Finally, the COVID-19 pandemic itself had a substantial impact on many of the behaviors measured in the KIP Survey. For all of these reasons, we recommend against directly comparing 2021 results to prior years' results. If comparisons are made, they should only be made with the above cautionary notes.

Additionally, survey participation on a district level is voluntary, and due to pressures and constraints on school districts returning from periods of non-traditional instruction, some districts were unable to participate. The most notable change from the prior survey administration was that Jefferson County Public Schools, the largest school district in the state, participated in the survey in 2018 but not in 2021. Fayette County, the second largest district in the state, did not participate in 2018, but did participate in 2021. For Regions 6 and 15, where these districts are located, it is strongly recommended that 2021 survey regional results not be compared to prior years.

Kentucky KIP Survey Respondent Demographics



Gender	N	%
Female	42,065	45
Male	46,052	49.3
Questioning or unsure	1,524	1.6
Identity not listed here	2,103	2.2
Prefer not to say	1,756	1.9

Race/ethnicity	N	%
Hispanic	8,265	9.1
NH American Indian	918	1
NH Asian	1,227	1.4
NH African American	5,920	6.5
NH Native Hawaiian	148	0.2
NH White	66,829	73.7
NH Other	1,743	1.9
NH Multiracial	5,619	6.2

NH = Non-Hispanic

Military In Family	N	%
Brother or Sister	3,569	3.9
Don't know	15,649	16.9
Father	7,012	7.6
Grandparent or other relative	29,724	32.1
Mother	1,500	1.6
No one in my family is in the military	41,471	44.8
Other guardian or parent figure	3,010	3.3


Hearing Status

Kentucky

Question 7A - Are you:

Percent that answered 'Hard of hearing', 'Deaf', or 'Deafblind'

Grade	2021
6	2.3%
8	1.9%
10	2.1%
12	2.2%




Past Year Risk Behaviors: Suspended

Kentucky

Question 8a - How many times (if any) in the past year (12 months) have you been suspended from school?

Percent that answered at least 1 time

Grade	2012	2014	2016	2018	2021
6	6.5%	5.7%	5.3%	7.8%	5.4%
8	11.5%	10.6%	10.4%	13.4%	9.4%
10	13.8%	12.1%	12.2%	13.7%	9.7%
12	12%	10.4%	10.3%	11.3%	7.8%




Past Year Risk Behaviors: Carried a Handgun

Kentucky

Question 8b - How many times (if any) in the past year (12 months) have you carried a handgun?

Percent that answered at least 1 time

Grade	2012	2014	2016	2018	2021
6	5.7%	8.5%	9.6%	8.4%	9.9%
8	7.2%	10.7%	11.5%	11.1%	11.8%
10	7.8%	11.5%	12.4%	11.5%	12.2%
12	6.8%	9.4%	10.6%	9.6%	10%




Past Year Risk Behaviors: Drugs

Kentucky

Question 8c - How many times (if any) in the past year (12 months) have you sold illegal drugs?

Percent that answered at least 1 time

Grade	2012	2014	2016	2018	2021
6	0.4%	0.4%	0.3%	0.4%	0.4%
8	2.7%	2.3%	1.9%	1.9%	1%
10	7.7%	6%	5.2%	4.9%	2.3%
12	9.1%	7.3%	6.7%	5.8%	2.9%




Past Year Risk Behaviors: Arrested

Kentucky

Question 8d - How many times (if any) in the past year (12 months) have you been arrested?

Percent that answered at least 1 time

Grade	2012	2014	2016	2018	2021
6	1.1%	0.9%	0.7%	0.8%	0.6%
8	3.3%	3%	2.4%	2.1%	1.4%
10	5.5%	4.8%	4.1%	3.4%	1.7%
12	4.9%	4.2%	3.4%	2.9%	1.7%




Past Year Risk Behaviors: Aggression

Kentucky

Question 8e - How many times (if any) in the past year (12 months) have you attacked someone with the idea of seriously hurting them?

Percent that answered at least 1 time

Grade	2012	2014	2016	2018	2021
6	7.4%	6.8%	7%	7.5%	8.5%
8	11.1%	10.6%	10%	10.1%	9.7%
10	11.8%	10.8%	10.6%	10.2%	8.1%
12	9.5%	8.2%	8%	7.7%	5.7%




Past Year Risk Behaviors: Drunk or High at School

Kentucky

Question 8f - How many times (if any) in the past year (12 months) have you been drunk or high at school?

Percent that answered at least 1 time

Grade	2012	2014	2016	2018	2021
6	1%	0.7%	0.6%	0.8%	0.8%
8	5.7%	4.6%	3.9%	4.3%	3.2%
10	13.5%	10.3%	9.7%	9.6%	6.7%
12	16%	12.7%	11.7%	10.9%	8.6%




Past Year Risk Behaviors: Handgun at School

Kentucky

Question 8g - How many times (if any) in the past year (12 months) have you taken a handgun to school?

Percent that answered at least 1 time

Grade	2012	2014	2016	2018	2021
6	0.2%	0.3%	0.3%	0.4%	0.2%
8	0.4%	0.3%	0.3%	0.4%	0.2%
10	0.7%	0.7%	0.5%	0.4%	0.2%
12	0.9%	0.7%	0.6%	0.4%	0.3%




Age of Onset: Suspension

Kentucky

Question 9a - When (if ever) did you first get suspended from school?

Percent that answered 12 or younger

Grade	2012	2014	2016	2018	2021
6	6.8%	4.7%	6.6%	9.1%	7%
8	9.7%	5.8%	9.6%	11.7%	10%
10	8.9%	6.7%	8.1%	8.7%	8.2%
12	7.4%	5.9%	7.4%	6.8%	5.9%




Age of Onset: Arrested

Kentucky

Question 9b - When (if ever) did you first get arrested?

Percent that answered 12 or younger

Grade	2012	2014	2016	2018	2021
6	1.1%	1.3%	0.7%	0.8%	0.8%
8	2%	1.7%	1.5%	1.5%	1.1%
10	1.8%	1.5%	1.2%	1%	0.8%
12	1.3%	1%	0.8%	0.7%	0.7%




Age of Onset: Handgun

Kentucky

Question 9c - When (if ever) did you first carry a handgun?

Percent that answered 12 or younger

Grade	2012	2014	2016	2018	2021
6	4.5%	8.3%	9.3%	8.2%	10.8%
8	3.9%	7.4%	8.2%	8.2%	9.8%
10	3.1%	6.1%	6.4%	6.1%	7.8%
12	2.2%	4%	4.5%	4.3%	5.7%




Age of Onset: Aggression

Kentucky

Question 9d - When (if ever) did you first attack someone with the idea of seriously hurting them?

Percent that answered 12 or younger

Grade	2012	2014	2016	2018	2021
6	7.2%	6.6%	7.1%	7.5%	9.5%
8	7.7%	6.9%	7.2%	7.1%	8%
10	6%	5.5%	5.1%	5.2%	5.4%
12	4.5%	4%	4.2%	3.9%	3.5%




Problems at School: Vandalism

Kentucky

Question 10a - Do you think vandalism, including graffiti is a problem at your school?

Percent that answered Yes

Grade	2012	2014	2016	2018	2021
6	17.7%	17.5%	18.1%	17.9%	26.7%
8	23.4%	22.9%	23.3%	22.5%	31%
10	25.7%	23.7%	23.2%	21.9%	32%
12	23.9%	20.4%	20.9%	20.6%	30.1%




Problems at School: Gangs

Kentucky

Question 10b - Do you think gangs are a problem at your school?

Percent that answered Yes

Grade	2012	2014	2016	2018	2021
6	20.7%	15.3%	14.3%	14.2%	13.6%
8	16.9%	12.5%	13.1%	13.1%	9.3%
10	18.9%	12.6%	15.3%	13.4%	10.1%
12	14.2%	8.6%	9.8%	9.8%	7.9%




Problems at School: Tobacco Use

Kentucky

Question 10c - Do you think tobacco use is a problem at your school?

Percent that answered Yes

Grade	2012	2014	2016	2018	2021
6	26.4%	23.5%	21.5%	20%	20.9%
8	48.3%	48.9%	45.8%	40.9%	32.6%
10	76.3%	74.9%	72.4%	64.8%	49.5%
12	76%	73.8%	71.2%	65.1%	51.5%




Problems at School: Alcohol Use

Kentucky

Question 10d - Do you think alcohol use is a problem at your school?

Percent that answered Yes

Grade	2012	2014	2016	2018	2021
6	20.1%	13.7%	12.8%	13.4%	14.6%
8	34.6%	28.9%	26.8%	27.5%	21.3%
10	62.1%	51.6%	51.1%	47.9%	37.9%
12	60.3%	50.6%	47.2%	43.9%	36.2%




Problems at School: Drug Use

Kentucky

Question 10e - Do you think drug use is a problem at your school?

Percent that answered Yes

Grade	2012	2014	2016	2018	2021
6	21.4%	16.9%	15.3%	16.3%	19.3%
8	36.2%	37.9%	35.9%	36.1%	31.1%
10	62.8%	60.1%	59.7%	56.9%	48.8%
12	61.4%	57.4%	56.5%	54.3%	46.7%




Problems at School: Fights

Kentucky

Question 10f - Do you think fights between students of different racial and/or ethnic backgrounds are a problem at your school?

Percent that answered Yes

Grade	2012	2014	2016	2018	2021
6	39.5%	34.7%	35.2%	38%	37.1%
8	41%	38.1%	38.4%	39%	36.5%
10	40.8%	33.5%	36.4%	33.3%	31%
12	30.7%	24.2%	25.9%	25.9%	26%




Problems at School: Dealing Drugs

Kentucky

Question 10g - Do you think selling (dealing) drugs is a problem at your school?

Percent that answered Yes

Grade	2012	2014	2016	2018	2021
6	13.8%	11%	10.1%	10.8%	13%
8	20.6%	22.2%	21.1%	21.6%	16.8%
10	44.9%	43.7%	43.7%	41.8%	31.7%
12	42.6%	39.7%	39.7%	38%	28.2%




Problems at School: Carrying Guns

Kentucky

Question 10h - Do you think carrying guns is a problem at your school?

Percent that answered Yes

Grade	2012	2014	2016	2018	2021
6	11.2%	8.4%	8%	9%	10.8%
8	7.8%	5.9%	5.6%	7.4%	5.9%
10	9.9%	6.9%	7.6%	8.4%	7.1%
12	7.2%	5.2%	5.4%	7.8%	5.5%




Problems at School: Carrying Other Weapons

Kentucky

Question 10i - Do you think carrying other weapons is a problem at your school?

Percent that answered Yes

Grade	2012	2014	2016	2018	2021
6	15.5%	15.5%	14.1%	14%	15.3%
8	15.9%	18%	17.2%	15.7%	13.1%
10	22.5%	24.2%	24.6%	21.3%	15.7%
12	17.6%	18.5%	18.5%	18.3%	12.5%




School Safety

Kentucky

Question 11 - How safe do you feel at school?

Percent that answered 'Unsafe' or 'Very unsafe'

Grade	2012	2014	2016	2018	2021
6	8.2%	9.3%	8.7%	10.6%	8.6%
8	10.9%	11.6%	11.9%	14.6%	11.1%
10	13.9%	13.8%	14.8%	18.6%	12.7%
12	12.4%	11.6%	11.6%	15.6%	11.7%




School Safety: Unsafe Locations at School

Kentucky

Question 12 - Are there particular places at school where you feel unsafe?

Percent that answered Yes

Grade	2012	2014	2016	2018	2021
6	32.3%	31.9%	31.4%	33.5%	28.8%
8	26.8%	24.3%	24.3%	27.9%	23.1%
10	25.4%	22%	21.8%	25.4%	22.1%
12	19.5%	16%	15.7%	20.1%	19.2%




School Safety: Theft (Forceful)

Kentucky

Question 15a - During the last school year did someone take money or things directly from you by using force, weapons, or threats at school?

Percent that answered Yes

Grade	2012	2014	2016	2018	2021
6	6.3%	4.1%	4%	4.3%	3%
8	4.6%	3.6%	3.5%	4.2%	2.4%
10	4.3%	2.7%	2.9%	3%	1.6%
12	3.4%	2%	1.8%	2%	1.4%




School Safety: Verbal Threat

Kentucky

Question 15b - During the last school year did someone verbally threaten you at school?

Percent that answered Yes

Grade	2012	2014	2016	2018	2021
6	20.8%	19.1%	18.6%	18.3%	15.8%
8	24.6%	25.5%	24.5%	24.3%	20%
10	23.5%	24.4%	24.7%	22.3%	16.8%
12	18%	17.2%	17.4%	16.7%	13.5%




School Safety: Theft

Kentucky

Question 15c - During the last school year did you have something stolen from your desk, locker, or other place at school?

Percent that answered Yes

Grade	2012	2014	2016	2018	2021
6	34.3%	40.5%	39.6%	37.2%	26%
8	26.2%	34.1%	32.2%	32.3%	22.9%
10	23.3%	25.2%	24.6%	23.9%	14.8%
12	19%	19.5%	16.8%	16.4%	11.9%




School Safety: Physically Threatened

Kentucky

Question 15d - During the last school year did someone physically threaten, attack, or hurt you at school?

Percent that answered Yes

Grade	2012	2014	2016	2018	2021
6	11.2%	10.7%	10.5%	10.9%	9.5%
8	10.7%	11.1%	11.2%	11.7%	9.3%
10	9.4%	9%	9.5%	9.1%	6.4%
12	6.7%	5.9%	6.1%	6.2%	4.6%




School Safety: Sexual Advances

Kentucky

Question 15e - During the last school year did someone make unwanted sexual advances or attempt to sexually assault you at school?

Percent that answered Yes

Grade	2012	2014	2016	2018	2021
6	4.5%	2.9%	2.8%	3.2%	3.7%
8	7.5%	7.1%	6.7%	7.5%	7.3%
10	8.8%	8.9%	9.1%	9.5%	8.5%
12	7.2%	7.2%	7%	7.4%	8.1%




Past Year Physical Dating Violence

Kentucky

Question 15f - During the last school year did a boyfriend or girlfriend physically hurt you (hit, push, pull your hair) on purpose?

Percent that answered Yes

Grade	2014	2016	2018	2021
6	3.7%	3.1%	3.4%	2.9%
8	4.4%	3.9%	4.3%	3.2%
10	5.9%	5.8%	5.6%	4%
12	6.1%	6.3%	5.6%	4.8%




Past Year Emotional Dating Violence

Kentucky

Question 15g - During the last school year did a boyfriend or girlfriend emotionally hurt you (threaten, make threatening phone calls/texts, call you names, harass you online) on purpose?

Percent that answered Yes

Grade	2014	2016	2018	2021
6	5%	4.8%	4.9%	5.2%
8	9%	8.5%	8.5%	8%
10	12.1%	12.5%	11.7%	10.6%
12	11.4%	12.3%	11.5%	11.5%




Past Year Bullying

Kentucky

Question 16 - During the past year (12 months), have you ever been bullied on school property?

Percent that answered Yes

Grade	2014	2016	2018	2021
6	31.7%	29.9%	29%	24.6%
8	30.3%	28.8%	26.9%	21.6%
10	22.6%	22.8%	20.9%	14.9%
12	14.1%	14.7%	15.7%	11.8%




Past Year Electronic Bullying

Kentucky

Question 17 - During the past year (12 months), have you ever been electronically bullied? (Count being bullied through texting, Instagram, Facebook, TikTok, online gaming or other social media)

Percent that answered Yes

Grade	2014	2016	2018	2021
6	12.2%	12.5%	12.7%	20%
8	18%	17.9%	16.5%	17.7%
10	16.7%	18%	16%	15.1%
12	12.4%	12.6%	12.8%	12.3%



Method for Reporting Bullying in Schools

Kentucky

Question 18 - Does your school have a way to report bullying or harassment?

Percent that answered Yes

Grade	2014	2016	2018	2021
6	83.7%	85.4%	86.9%	85.5%
8	82.4%	83.9%	85.2%	84%
10	75.4%	77.4%	78.6%	77.3%
12	70.7%	73.2%	74.6%	74.4%




Effectiveness of Bullying Reporting

Kentucky

Question 19 - If your school does have a way to report bullying or harassment, is this reporting method effective?

Percent that answered Yes

Grade	2014	2016	2018	2021
6	65.2%	67.8%	68.8%	78.4%
8	54.1%	54%	54.8%	67.3%
10	46.7%	46.3%	46.6%	59.5%
12	45.6%	45.1%	44.1%	59.8%




30 Day Serious Psychological Distress

Kentucky

Question 20 - The K6 scale is a clinically validated brief screening scale for non-specific psychological distress, like depression and anxiety. A score of 13 or higher on the scale is an indication of serious psychological distress.

Percent who scored 13 or higher on the K6 scale

Grade	2012	2014	2016	2018	2021
6	9.6%	8.3%	8.4%	10.8%	16.1%
8	13.5%	14.2%	14.4%	17%	21.2%
10	17.3%	18%	20.6%	22.3%	25.2%
12	16.1%	15.1%	19%	22.1%	25.2%




How Often Did You Feel: Nervous

Kentucky

Question 20a - During the past 30 days, about how often did you feel nervous?

Percent that answered 'Most of the time' or 'All of the time'

Grade	2012	2014	2016	2018	2021
6	12.2%	10.9%	10.8%	11.7%	20.9%
8	12.9%	14.5%	16.3%	18.5%	26.4%
10	16.1%	18.5%	23%	24.2%	30.7%
12	16.5%	16.4%	20.9%	23.8%	29.5%




How Often Did You Feel: Hopeless

Kentucky

Question 20b - During the past 30 days, about how often did you feel hopeless?

Percent that answered 'Most of the time' or 'All of the time'

Grade	2012	2014	2016	2018	2021
6	8.7%	6.8%	6.6%	8.2%	11.3%
8	11.5%	11.3%	11.3%	12.7%	13.8%
10	14.1%	13.9%	15.2%	16.1%	15.4%
12	13.3%	11.7%	14.4%	16.3%	15.8%




How Often Did You Feel: Restless or Fidgety

Kentucky

Question 20c - During the past 30 days, about how often did you feel restless or fidgety?

Percent that answered 'Most of the time' or 'All of the time'

Grade	2012	2014	2016	2018	2021
6	11.5%	11%	11.8%	18.1%	27.5%
8	15.8%	17.3%	18.4%	24.1%	35.1%
10	19.5%	21.3%	24.4%	27.4%	37.2%
12	19.8%	19.9%	23.4%	26.1%	35%




How Often Did You Feel: Depressed

Kentucky

Question 20d - During the past 30 days, about how often did you feel so depressed that nothing could cheer you up?

Percent that answered 'Most of the time' or 'All of the time'

Grade	2012	2014	2016	2018	2021
6	9.3%	7.9%	7.6%	8.8%	10.2%
8	11.3%	12.2%	11.4%	12.2%	11.3%
10	13.6%	13.4%	14.2%	14.9%	13%
12	11.8%	10.8%	12.7%	14.6%	13.4%




How Often Did You Feel: Everything Is An Effort

Kentucky

Question 20e - During the past 30 days, about how often did you feel that everything was an effort?

Percent that answered 'Most of the time' or 'All of the time'

Grade	2012	2014	2016	2018	2021
6	15.7%	18.7%	21.2%	21%	20.4%
8	14.7%	16.5%	17.3%	19.1%	20.8%
10	17.6%	19.1%	21.1%	22.1%	24%
12	17.7%	16.8%	20.5%	22.3%	25.3%




How Often Did You Feel: Worthless

Kentucky

Question 20f - During the past 30 days, about how often did you feel worthless?

Percent that answered 'Most of the time' or 'All of the time'

Grade	2012	2014	2016	2018	2021
6	9.6%	8.1%	8%	9.6%	13.3%
8	13.3%	13.4%	13.1%	14.3%	15.4%
10	15.6%	14.9%	16.2%	16.8%	16.5%
12	13.5%	12.1%	14.3%	16%	15.7%




Lifetime Self-Harm

Kentucky

Question 21 - Have you ever cut or harmed yourself on purpose?

Percent that answered Yes

Grade	2014	2016	2018	2021
6	8.6%	8.7%	10.6%	13.3%
8	17%	16.1%	16.4%	17.4%
10	20.2%	20.8%	19.5%	19.7%
12	16.4%	18.9%	18.5%	18.6%




Past Year Suicidal Ideation

Kentucky

Question 22 - During the past 12 months, did you ever seriously consider attempting suicide?

Percent that answered Yes

Grade	2014	2016	2018	2021
6	5.8%	6.4%	8.5%	9.8%
8	13.1%	12.9%	14.1%	14.3%
10	15.3%	15.4%	15.7%	15.9%
12	11.7%	13.1%	14.1%	15%




Past Year Suicide Plan

Kentucky

Question 23 - During the past 12 months, did you make a plan about how you would attempt suicide?

Percent that answered Yes

Grade	2014	2016	2018	2021
6	4.2%	4.7%	6.1%	8.1%
8	10.4%	10.1%	10.4%	12.1%
10	12.5%	12.5%	12.2%	12.9%
12	9.4%	10.2%	10.6%	11.2%




Past Year Suicide Attempts

Kentucky

Question 24 - During the past 12 months, how many times did you actually attempt suicide?

Percent that answered at least 1 time

Grade	2014	2016	2018	2021
6	3.8%	4.2%	5.7%	6.7%
8	7.8%	7.3%	8.2%	8.4%
10	8%	8.2%	8.4%	8.1%
12	5.3%	5.7%	6.5%	6.7%




Age of Onset: Cigarettes

Kentucky

Question 25 - When (if ever) did you first smoke a cigarette?

Percent that answered 12 or younger

Grade	2012	2014	2016	2018	2021
6	7.6%	5.9%	5.4%	4.9%	4.9%
8	15.4%	13.2%	11.5%	9.8%	8.9%
10	15.6%	14.3%	11.8%	9.5%	9%
12	13%	11.9%	11.5%	8.5%	7.8%




Past Year Cigarette Usage

Kentucky

Question 26a - On how many occasions (if any) have you smoked cigarettes in the past 12 months?

Percent that answered at least 1 occasion

Grade	2012	2014	2016	2018	2021
6	4.6%	3.4%	2.9%	2.8%	2%
8	15.7%	13.8%	10.6%	9.1%	5.2%
10	29.1%	24.2%	20.4%	15.7%	8.2%
12	36.9%	30.9%	26.9%	21.2%	11.7%




30 Day Cigarette Usage

Kentucky

Question 26b - On how many occasions (if any) have you smoked cigarettes in the past 30 days?

Percent that answered at least 1 occasion

Grade	2012	2014	2016	2018	2021
6	2%	1.6%	1.3%	1.3%	0.8%
8	8.7%	8.2%	5.9%	4.8%	2.4%
10	18%	16.3%	13.1%	9.7%	4.5%
12	25.6%	22.5%	18.9%	13.8%	6.8%




30 Day Cigarette Usage: Cigarettes Per Day

Kentucky

Question 27 - During the past 30 days, on the days you smoked (if at all), how many cigarettes did you smoke per day?

Percent that answered at least 1

Grade	2014	2016	2018	2021
6	1.5%	1.3%	1.3%	0.6%
8	7.8%	5.8%	4.7%	1.8%
10	15.2%	12.4%	9.2%	3.6%
12	20.5%	17.7%	13%	5.3%




Accessibility: Cigarettes

Kentucky

Question 28 - If you wanted to get some cigarettes, how easy would it be for you to get some?

Percent that answered 'Sort of easy' or 'Very easy'

Grade	2012	2014	2016	2018	2021
6	23.2%	21.2%	20.8%	19.8%	17.6%
8	41.9%	38.5%	35%	32.2%	32.6%
10	63.8%	59.7%	55%	48.1%	48.6%
12	81.4%	77.5%	73.3%	66%	58.5%




Personal Disapproval: Cigarettes

Kentucky

Question 29 - How wrong do you think it is for someone your age to smoke cigarettes?

Percent that answered 'Wrong' or 'Very Wrong'

Grade	2012	2014	2016	2018	2021
6	94.9%	95.4%	95.6%	95.2%	94.9%
8	83.3%	84.4%	87.6%	88.3%	86.7%
10	67.5%	69.2%	73.9%	77.9%	75%
12	50.8%	52.6%	57.6%	63.3%	66.1%




Perception of Parental Disapproval: Cigarettes

Kentucky

Question 30 - How wrong do your parents feel it would be for you to smoke cigarettes?

Percent that answered 'Wrong' or 'Very Wrong'

Grade	2012	2014	2016	2018	2021
6	97.6%	97.6%	97.6%	97.3%	98.1%
8	94.6%	94.2%	95.6%	95.8%	97.4%
10	89.4%	89.6%	91.6%	92.7%	95%
12	82.2%	82.7%	85%	87.1%	90.5%




Perception of Peer Disapproval: Smoking

Kentucky

Question 31 - How wrong do your friends feel it would be for you to smoke tobacco?

Percent that answered 'Wrong' or 'Very Wrong'

Grade	2012	2014	2016	2018	2021
6	93.5%	94.1%	94.6%	93.9%	88.2%
8	77.2%	77.5%	80.9%	80.7%	72.7%
10	56.7%	57.5%	63.1%	66.4%	59.2%
12	44.8%	44.2%	51.3%	56.3%	52.4%




Peer Smoking Prevalence

Kentucky

Question 32 - In the past year (12 months), how many (if any) of your four best friends have smoked cigarettes?

Percent that answered one or more friends

Grade	2012	2014	2016	2018	2021
6	11.2%	8.7%	7.3%	7%	11.3%
8	29.6%	26%	20.5%	19%	19.8%
10	49.6%	41.7%	34.8%	29.3%	25.9%
12	60.6%	53.3%	45.3%	37.6%	31.3%




Risk Perception: Cigarettes

Kentucky

Question 33 - How much do you think people risk harming themselves (physically or in other ways) if they smoke one or more packs of cigarettes a day?

Percent that answered 'Moderate' or 'Great' Risk'

Grade	2012	2014	2016	2018	2021
6	63.7%	72.8%	73.7%	72.6%	77.6%
8	73.4%	76%	75.3%	74.7%	78.6%
10	77.9%	75.6%	72.9%	73.3%	76.5%
12	79.3%	77.3%	72.2%	72.1%	74.3%




Age of Onset: Smokeless Tobacco

Kentucky

Question 34 - When (if ever) did you first use smokeless tobacco?

Percent that answered 12 or younger

Grade	2012	2014	2016	2018	2021
6	4.6%	4.4%	3.8%	3%	3.2%
8	7.7%	7.9%	6.9%	5.8%	5%
10	7.1%	8.6%	7.5%	5.7%	5.1%
12	6.2%	7.8%	7.2%	5.4%	4.4%




Past Year Smokeless Tobacco Usage

Kentucky

Question 35a - On how many occasions (if any) have you used smokeless tobacco in the past 12 months?

Percent that answered at least 1 occasion

Grade	2012	2014	2016	2018	2021
6	3.7%	2.6%	2.3%	2%	1.5%
8	11.7%	9.3%	7.6%	6.5%	3.7%
10	20%	15.9%	14.2%	10.9%	6.4%
12	21.9%	17.7%	15.6%	13.3%	9.7%




30 Day Smokeless Tobacco Usage

Kentucky

Question 35b - On how many occasions (if any) have you used smokeless tobacco in the past 30 days?

Percent that answered at least 1 occasion

Grade	2012	2014	2016	2018	2021
6	2%	1.5%	1.3%	1%	0.8%
8	7%	6.2%	4.8%	4%	2.3%
10	13.4%	11.2%	9.7%	7.5%	4.9%
12	15.7%	13.4%	11.6%	9.7%	7.8%




Age of Onset: Vaping

Kentucky

Question 36 - When (if ever) did you first vape / use an electronic vapor product?

Percent that answered 12 or younger

Grade	2021
6	9.4%
8	13.1%
10	8.3%
12	3.6%




Past Year Vaping Usage

Kentucky

Question 37a - On how many occasions (if any) have you vaped / used an electronic vapor product in the past 12 months?

Percent that answered at least 1 occasion

Grade	2021
6	5.3%
8	13.3%
10	20.4%
12	26.5%




30 Day Vaping Usage

Kentucky

Question 37b - On how many occasions (if any) have you vaped / used an electronic vapor product in the past 30 days?

Percent that answered at least 1 occasion

Grade	2021
6	3.2%
8	9.5%
10	17%
12	24.1%




Personal Disapproval: Vaping

Kentucky

Question 39 - How wrong do you think it is for someone your age to vape / use e-cigarettes?

Percent that answered 'Wrong' or 'Very Wrong'

Grade	2021
6	91.9%
8	79.1%
10	65.3%
12	59.1%




Perception of Parental Disapproval: Vaping

Kentucky

Question 40 - How wrong do your parents feel it would be for you to vape / use e-cigarettes?

Percent that answered 'Wrong' or 'Very Wrong'

Grade	2021
6	97.2%
8	95.1%
10	90.9%
12	85%




Perception of Peer Disapproval: Vaping

Kentucky

Question 41 - How wrong do your friends feel it would be for you to vape / use e-cigarettes?

Percent that answered 'Wrong' or 'Very Wrong'

Grade	2021
6	85.7%
8	65.7%
10	48.4%
12	41.2%




Peer Vaping Prevalence

Kentucky

Question 42 - In the past year (12 months), how many (if any) of your four best friends have vaped / used an electronic vapor product?

Percent that answered one or more friends

Grade	2021
6	20%
8	36.8%
10	49.8%
12	57.5%




Risk Perception: Vaping

Kentucky

Question 43 - How much do you think people risk harming themselves (physically or in other ways) if they vape / use e-cigarettes some days but not every day?

Percent that answered 'Moderate' or 'Great Risk'

Grade	2018	2021
6	59.6%	70.5%
8	50.2%	67.2%
10	42.8%	62.1%
12	39.1%	60.1%




Accessibility: Vaping Products

Kentucky

Question 44 - If you wanted to get an e-cigarette / vaping product, how easy would it be for you to get one?

Percent that answered 'Sort of easy' or 'Very easy'

Grade	2021
6	15.6%
8	36.2%
10	58.6%
12	67.4%




Age of Onset: Alcohol (More than a sip)

Kentucky

Question 46 - When (if ever) did you first have more than a sip or two of beer, wine or hard liquor such as vodka, bourbon, cognac, gin, etc?

Percent that answered 12 or younger

Grade	2012	2014	2016	2018	2021
6	12.3%	9.7%	9.5%	9.8%	14.8%
8	18.6%	14.9%	13.5%	13.4%	18.5%
10	14.4%	11.7%	10.4%	9.2%	13%
12	10.6%	8.9%	8.5%	6.7%	9.4%




Age of Onset: Alcohol (Drinking regularly)

Kentucky

Question 47 - When (if ever) did you first begin drinking alcoholic beverages regularly, that is, at least once or twice a month?

Percent that answered 12 or younger

Grade	2012	2014	2016	2018	2021
6	1.6%	1.4%	1%	1.1%	2.7%
8	3.6%	3.2%	2.7%	2.4%	3.4%
10	3.4%	2.9%	2.4%	2%	1.7%
12	2.4%	2.1%	1.8%	1.7%	1.2%




Past Year Alcohol Usage

Kentucky

Question 48a - On how many occasions (if any) have you had alcoholic beverages (beer, wine, or hard liquor) to drink - more than a few sips - in the past 12 months?

Percent that answered at least 1 occasion

Grade	2012	2014	2016	2018	2021
6	5.2%	5.3%	5%	5.8%	4%
8	21%	19.4%	16.7%	17%	10.4%
10	44.9%	38.5%	36.3%	32.5%	20.5%
12	56.4%	51%	48.2%	42.1%	31.4%




30 Day Alcohol Usage

Kentucky

Question 48b - On how many occasions (if any) have you had alcoholic beverages (beer, wine, or hard liquor) to drink - more than a few sips - in the past 30 days?

Percent that answered at least 1 occasion

Grade	2012	2014	2016	2018	2021
6	2%	1.8%	1.6%	1.7%	2.2%
8	9.7%	8.7%	7%	7.1%	6.4%
10	25.1%	21%	19.4%	16.8%	13%
12	34%	30.7%	28.8%	24.3%	21.3%




30 Day Drunkenness Frequency

Kentucky

Question 49 - On how many occasions (if any) during the past 30 days have you been drunk or very high from drinking alcoholic beverages?

Percent that answered at least 1 occasion

Grade	2012	2014	2016	2018	2021
6	1.5%	1.2%	1%	1.3%	0.7%
8	6.9%	6.5%	5.3%	5.2%	3.1%
10	19.8%	16.5%	15.2%	13.2%	8.8%
12	27.8%	25.1%	23.1%	19.7%	16.9%




Binge Drinking: Five Drinks or More

Kentucky

Question 50 - Think back over the last two weeks. How many times (if any) have you had five or more alcoholic drinks in a row?

Percent that answered at least 1 time

Grade	2012	2014	2016	2018	2021
6	1.2%	1%	0.9%	1%	0.8%
8	5.1%	4.8%	3.5%	3.2%	2.4%
10	14.5%	12%	10.4%	8.6%	6.4%
12	21%	18.7%	16.7%	13.3%	12.4%




Accessibility: Alcohol

Kentucky

Question 53 - If you wanted to get some beer, wine, or hard liquor such as vodka, bourbon, cognac or gin, how easy would it be for you to get some?

Percent that answered 'Sort of easy' or 'Very easy'

Grade	2012	2014	2016	2018	2021
6	14.9%	14.2%	14.1%	14.8%	15.8%
8	33.9%	31.9%	29.7%	29.5%	29.7%
10	58.2%	54.3%	51.5%	46.7%	43.7%
12	73.3%	69.9%	66.5%	59.8%	51.6%




Personal Disapproval: Alcohol

Kentucky

Question 54 - How wrong do you think it is for someone your age to drink beer, wine, or hard liquor such as vodka, whiskey, gin, etc regularly?

Percent that answered 'Wrong' or 'Very Wrong'

Grade	2012	2014	2016	2018	2021
6	95.8%	95.4%	95.6%	94.9%	93.9%
8	83.7%	83%	85.7%	85.2%	85.9%
10	63.2%	62.7%	65.9%	67.5%	72.1%
12	52.1%	49.2%	52%	54.7%	61.9%




Perception of Parental Disapproval: Alcohol

Kentucky

Question 55 - How wrong do your parents feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day?

Percent that answered 'Wrong' or 'Very Wrong'

Grade	2012	2014	2016	2018	2021
6	97.4%	97.4%	97.5%	97%	96.5%
8	94.4%	93.8%	95.2%	95.3%	94.4%
10	89.6%	89.4%	90.9%	91.5%	90.1%
12	85.8%	84.7%	85.7%	87%	83.6%




Perception of Peer Disapproval: Alcohol

Kentucky

Question 56 - How wrong do your friends feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day?

Percent that answered 'Wrong' or 'Very Wrong'

Grade	2012	2014	2016	2018	2021
6	92.4%	93.9%	94.5%	93.5%	90.3%
8	75%	77.2%	80.3%	79.3%	77.6%
10	53.2%	55.5%	59.8%	62.8%	63.7%
12	46%	45%	50.6%	55.4%	56.8%




Peer Alcohol Prevalence

Kentucky

Question 57 - In the past year (12 months), how many (if any) of your four best friends have tried beer, wine, or hard liquor such as vodka, bourbon, cognac, gin, etc when their parents didn't know about it?

Percent that answered one or more friends

Grade	2012	2014	2016	2018	2021
6	12%	9.4%	8.4%	8.9%	12.1%
8	34.4%	30%	26.4%	26.9%	25.3%
10	62.1%	53.8%	49.8%	46%	41.3%
12	72.4%	65.2%	60%	54.3%	51.6%




Risk Perception: Alcohol

Kentucky

Question 58 - How much do you think people risk harming themselves (physically or in other ways) if they have five or more drinks of an alcoholic beverage once or twice a week?

Percent that answered 'Moderate' or 'Great Risk'

Grade	2012	2014	2016	2018	2021
6	60%	71.8%	72.9%	72.2%	71.8%
8	63.5%	72.7%	73.4%	72.8%	69.9%
10	62%	67.4%	67.2%	67.2%	66.7%
12	61.1%	63.5%	62.2%	62.2%	63.8%




Risk Perception: Binge Drinking

Kentucky

Question 59 - How much do you think people risk harming themselves (physically or in other ways) if they have five or more alcoholic drinks in a row?

Percent that answered 'Moderate' or 'Great' Risk'

Grade	2012	2014	2016	2018	2021
6	73.2%	76.8%	78.3%	77.1%	82.4%
8	78.9%	79.7%	80.1%	79.6%	81.6%
10	78.1%	76.5%	75.6%	75.7%	77.1%
12	76.3%	73.3%	71.2%	71%	73.3%




Age of Onset: Cannabis

Kentucky

Question 60 - When (if ever) did you first use marijuana?

Percent that answered 12 or younger

Grade	2012	2014	2016	2018	2021
6	1.5%	1.5%	1.4%	1.5%	1.6%
8	5.3%	5.2%	5%	5.1%	4.2%
10	6.6%	5.5%	5.2%	4.9%	4.2%
12	5.2%	4.7%	4.6%	3.7%	3.5%




Past Year Cannabis Usage

Kentucky

Question 61a - On how many occasions (if any) have you used marijuana in the past 12 months?

Percent that answered at least 1 occasion

Grade	2012	2014	2016	2018	2021
6	1%	1.2%	1%	1.3%	0.8%
8	8.4%	8.8%	8%	8.3%	4.4%
10	23.4%	21%	19.5%	19.2%	11.3%
12	30.3%	28.4%	27.5%	25.9%	17.7%




30 Day Cannabis Usage

Kentucky

Question 61b - On how many occasions (if any) have you used marijuana in the past 30 days?

Percent that answered at least 1 occasion

Grade	2012	2014	2016	2018	2021
6	0.6%	0.6%	0.5%	0.6%	0.5%
8	5%	5.1%	4.4%	4.7%	3.1%
10	14.3%	12.3%	11.3%	11.4%	8.2%
12	17.9%	16.8%	16%	15.5%	13.3%




Accessibility: Cannabis

Kentucky

Question 63 - If you wanted to get some marijuana, how easy would it be for you to get some?

Percent that answered 'Sort of easy' or 'Very easy'

Grade	2012	2014	2016	2018	2021
6	5.9%	6.3%	5.6%	6%	4.6%
8	21.7%	20.7%	19.5%	19.4%	15.1%
10	51.1%	46.5%	44.7%	42.6%	34.5%
12	67%	61.6%	60.3%	56.8%	46.7%




Personal Disapproval: Cannabis

Kentucky

Question 64 - How wrong do you think it is for someone your age to use marijuana?

Percent that answered 'Wrong' or 'Very Wrong'

Grade	2012	2014	2016	2018	2021
6	98.1%	97.3%	97.1%	96.4%	97.1%
8	88.2%	86.5%	87.1%	85%	88%
10	69.6%	69.1%	69.2%	67%	71.4%
12	60.1%	58.1%	56.9%	55.1%	59.7%




Perception of Parental Disapproval: Cannabis

Kentucky

Question 65 - How wrong do your parents feel it would be for you to use marijuana?

Percent that answered 'Wrong' or 'Very Wrong'

Grade	2012	2014	2016	2018	2021
6	99.2%	98.7%	98.5%	98%	98.6%
8	96.5%	95.1%	95.7%	94.9%	96.1%
10	91.5%	90%	90.1%	88.8%	90.1%
12	88.2%	86.2%	85.3%	83.7%	83.5%




Perception of Peer Disapproval: Cannabis

Kentucky

Question 66 - How wrong do your friends feel it would be for you to use marijuana?

Percent that answered 'Wrong' or 'Very Wrong'

Grade	2012	2014	2016	2018	2021
6	96.1%	96.1%	96%	95%	94.9%
8	81.8%	80.5%	81.3%	78.8%	82.3%
10	59.2%	58.5%	60.2%	58.9%	63.1%
12	50.7%	47.9%	49.3%	49.1%	51.2%




Peer Cannabis Prevalence

Kentucky

Question 67 - In the past year (12 months), how many (if any) of your four best friends have used marijuana?

Percent that answered one or more friends

Grade	2012	2014	2016	2018	2021
6	3.9%	3.3%	3%	3.4%	5%
8	19.3%	19.8%	18%	18.7%	16.4%
10	44.5%	41%	38.5%	37.8%	32.4%
12	53.9%	52%	49.1%	47.1%	42.8%




Risk Perception: Cannabis (Try once or twice)

Kentucky

Question 68 - How much do you think people risk harming themselves (physically or in other ways) if they try marijuana once or twice?

Percent that answered 'Moderate' or 'Great Risk'

Grade	2012	2014	2016	2018	2021
6	49.9%	68.1%	69.3%	65.8%	69.1%
8	47.6%	59.8%	58.7%	53.6%	57.6%
10	34.3%	43.2%	41%	37.6%	41.4%
12	28.1%	34.7%	31.4%	30.1%	32.1%




Risk Perception: Cannabis (Smoke once or twice a week)

Kentucky

Question 69 - How much do you think people risk harming themselves (physically or in other ways) if they use marijuana once or twice a week?

Percent that answered 'Moderate' or 'Great Risk'

Grade	2012	2014	2016	2018	2021
6	65.1%	73.3%	74.6%	72%	77.1%
8	66.3%	70%	68.5%	65%	68.1%
10	54.1%	55.2%	53%	50.2%	52.2%
12	47.5%	47.4%	43.1%	40.8%	40.7%




Age of Onset: Prescription Drugs

Kentucky

Question 70 - When (if ever) did you first take a prescription drug (such as OxyContin, Percocet, Vicodin, Codeine, Adderall, Ritalin or Xanax) without a doctor's prescription?

Percent that answered 12 or younger

Grade	2012	2014	2016	2018	2021
6	1.3%	1.6%	1.8%	1.7%	3.9%
8	2%	2.3%	2.5%	2.6%	4.7%
10	1.9%	2.1%	2%	1.9%	2.8%
12	1.6%	1.7%	1.7%	1.3%	1.7%




Past Year Prescription Drug Usage

Kentucky

Question 71a - On how many occasions (if any) have you taken narcotics or drugs that require a doctor's prescription, without a doctor telling you to take them in the past 12 months?

Percent that answered at least 1 occasion

Grade	2012	2014	2016	2018	2021
6	0.7%	1%	1%	1.2%	0.7%
8	2.9%	3.1%	2.9%	3.1%	1.6%
10	7.6%	6.4%	5.8%	4.9%	2.2%
12	9%	7.8%	6.6%	4.9%	2.5%




30 Day Prescription Drug Usage

Kentucky

Question 71b - On how many occasions (if any) have you taken narcotics or drugs that require a doctor's prescription, without a doctor telling you to take them in the past 30 days?

Percent that answered at least 1 occasion

Grade	2012	2014	2016	2018	2021
6	0.5%	0.5%	0.5%	0.6%	0.7%
8	1.6%	1.8%	1.5%	1.6%	1.2%
10	4.1%	3.6%	2.7%	2.5%	1.3%
12	4.8%	4.2%	3.1%	2.3%	1.4%




Past Year Opioid (Painkiller) Use

Kentucky

Question 72a - On how many occasions (if any) have you taken prescription painkillers such as OxyContin, Percocet, Vicodin, or Codeine without a doctor's prescription in the past 12 months?

Percent that answered at least 1 occasion

Grade	2012	2014	2016	2018	2021
6	0.2%	2.5%	2.3%	2.4%	0.6%
8	1%	5.6%	5.1%	5%	1.3%
10	2.6%	8%	6.7%	5.5%	1.7%
12	3%	8.2%	6.8%	5.3%	1.8%




30 Day Opioid (Painkiller) Use

Kentucky

Question 72b - On how many occasions (if any) have you taken prescription painkillers such as OxyContin, Percocet, Vicodin, or Codeine without a doctor's prescription in the past 30 days?

Percent that answered at least 1 occasion

Grade	2012	2014	2016	2018	2021
6	0.2%	1.4%	1.2%	1.4%	0.7%
8	0.5%	3.2%	2.9%	2.7%	1.2%
10	1.1%	4.3%	3.4%	2.8%	1.2%
12	1.3%	4%	3%	2.4%	1.1%




Past Year Stimulant (Speed/Uppers) Usage

Kentucky

Question 73a - On how many occasions (if any) have you used speed / uppers such as Adderall or Ritalin without a doctor's prescription in the past 12 months?

Percent that answered at least 1 occasion

Grade	2012	2014	2016	2018	2021
6	0.3%	0.6%	0.5%	0.7%	0.4%
8	0.8%	1.5%	1.4%	1.8%	0.9%
10	1.8%	3.7%	3.2%	3%	1.2%
12	2.5%	5%	4.7%	3.8%	1.4%




30 Day Stimulant (Speed/Uppers) Usage

Kentucky

Question 73b - On how many occasions (if any) have you used speed / uppers such as Adderall or Ritalin without a doctor's prescription in the past 30 days?

Percent that answered at least 1 occasion

Grade	2012	2014	2016	2018	2021
6	0.2%	0.3%	0.3%	0.4%	0.4%
8	0.4%	0.8%	0.7%	1%	0.7%
10	0.9%	1.8%	1.4%	1.5%	0.7%
12	1.2%	2.2%	1.9%	1.8%	0.8%




Past Year Tranquilizer Usage

Kentucky

Question 74a - On how many occasions (if any) have you used tranquilizers such as Valium, Xanax (Zannies), Librium, Ativan, Ambien, Ketamine, Special K, etc without a doctor telling you to do so in the past 12 months?

Percent that answered at least 1 occasion

Grade	2012	2014	2016	2018	2021
6	0.3%	0.4%	0.4%	0.5%	0.3%
8	1.2%	1.1%	1.2%	1.7%	0.7%
10	3.5%	2.9%	3%	3.2%	1.2%
12	4.5%	3.7%	4.1%	3.4%	1.2%




30 Day Tranquilizer Usage

Kentucky

Question 74b - On how many occasions (if any) have you used tranquilizers such as Valium, Xanax (Zannies), Librium, Ativan, Ambien, Ketamine, Special K, etc without a doctor telling you do to so in the past 30 days?

Percent that answered at least 1 occasion

Grade	2012	2014	2016	2018	2021
6	0.2%	0.2%	0.2%	0.2%	0.3%
8	0.6%	0.6%	0.5%	0.9%	0.5%
10	1.5%	1.5%	1.2%	1.5%	0.7%
12	2.1%	1.8%	1.5%	1.5%	0.6%




Past Year OTC Drug Usage

Kentucky

Question 75a - On how many occasions (if any) have you taken over-the-counter drugs such as stay-awake pills, caffeine pills or cough syrup in order to get high in the past 12 months?

Percent that answered at least 1 occasion

Grade	2012	2014	2016	2018	2021
6	0.9%	1.2%	1.3%	1.5%	2.4%
8	3.2%	3%	3.2%	3.9%	3.3%
10	6.6%	5%	5.2%	4.8%	3.9%
12	6.3%	4.9%	4.4%	3.8%	2.9%




30 Day OTC Drug Usage

Kentucky

Question 75b - On how many occasions (if any) have you taken over-the-counter drugs such as stay-awake pills, caffeine pills or cough syrup in order to get high in the past 30 days?

Percent that answered at least 1 occasion

Grade	2012	2014	2016	2018	2021
6	0.6%	0.6%	0.8%	0.9%	1.2%
8	1.7%	1.7%	1.7%	2.1%	1.8%
10	3.4%	2.6%	2.5%	2.4%	2.1%
12	2.8%	2.4%	1.9%	1.8%	1.5%




Lifetime Steroid Use

Kentucky

Question 76 - During your life, how many times have you taken steroid pills or shots without a doctor's prescription?

Percent that answered at least 1 occasion

Grade	2014	2016	2018	2021
6	1.3%	1.3%	1.5%	1.5%
8	1.8%	1.7%	2.1%	1.4%
10	2.1%	1.9%	2.1%	1.5%
12	2%	1.9%	1.9%	1.3%




30 Day Any Prescription Drug Use

Kentucky

In the past 30 days, have you used prescription drugs, painkillers, speed/uppers OR tranquilizers without a doctor's prescription on at least one occasion?

Percentage of students who answered 'Yes' to any of four separate prescription drug questions

Grade	2014	2016	2018	2021
6	2%	1.7%	1.9%	1.1%
8	4.4%	3.9%	3.7%	1.9%
10	6.5%	5.1%	4.3%	1.9%
12	6.7%	5.1%	4%	1.9%




Personal Disapproval: Prescription Drugs

Kentucky

Question 78 - How wrong do you think it is for someone your age to take a prescription drug such as OxyContin, Percocet, Vicodin, Codeine, Adderall, Ritalin, or Xanax without a doctor's prescription?

Percent that answered 'Wrong' or 'Very Wrong'

Grade	2012	2014	2016	2018	2021
6	98.2%	97.5%	97.1%	96.5%	96.1%
8	95.6%	94.2%	94.6%	94.2%	94.2%
10	92.5%	91.1%	91.8%	92.5%	93.8%
12	92%	90.4%	91.3%	91.9%	94.3%




Perception of Parental Disapproval: Prescription Drugs

Kentucky

Question 79 - How wrong do your parents feel it would be for you to take a prescription drug such as OxyContin, Percocet, Vicodin, Codeine, Adderall, Ritalin, or Xanax without a doctor's prescription?

Percent that answered 'Wrong' or 'Very Wrong'

Grade	2012	2014	2016	2018	2021
6	99.1%	98.5%	98.4%	98%	97.7%
8	98.3%	97.6%	97.6%	97.6%	97%
10	97.5%	96.7%	97.1%	97%	97.1%
12	97.4%	96.2%	96.6%	96.7%	97%




Perception of Peer Disapproval: Prescription Drugs

Kentucky

Question 80 - How wrong do your friends feel it would be for you to use prescription drugs not prescribed to you?

Percent that answered 'Wrong' or 'Very Wrong'

Grade	2012	2014	2016	2018	2021
6	96.4%	96.5%	96.3%	95.7%	94.9%
8	89.7%	88.5%	89.2%	88.3%	91.2%
10	81.1%	79.2%	80.9%	82.1%	90.5%
12	78.8%	76.7%	79%	81%	91.2%




Peer Prescription Drug Prevalence

Kentucky

Question 81 - In the past year (12 months), how many (if any) of your four best friends have taken a prescription drug such as OxyContin, Percocet, Vicodin, Codeine, Adderall, Ritalin, or Xanax without a doctor's prescription?

Percent that answered one or more friends

Grade	2012	2014	2016	2018	2021
6	3.2%	2.1%	2%	2.1%	3.9%
8	7.7%	6.8%	6.1%	6.4%	6.8%
10	18.9%	13.1%	12.1%	10.6%	8.4%
12	24.4%	16.5%	14.6%	12%	8.5%




Risk Perception: Prescription Drugs

Kentucky

Question 82 - How much do you think people risk harming themselves (physically or in other ways) if they take a prescription drug such as OxyContin, Percocet, Vicodin, Codeine, Adderall, Ritalin, or Xanax without a doctor's prescription?

Percent that answered 'Moderate' or 'Great Risk'

Grade	2012	2014	2016	2018	2021
6	71.1%	76.1%	77.9%	76.5%	82.7%
8	80.3%	81.5%	81%	80.6%	85.4%
10	83.2%	81.9%	80%	79.8%	86.4%
12	84%	82.9%	80.2%	79.5%	85.9%




Past Year Sniffing or Inhaling Gases or Sprays

Kentucky

Question 83a - On how many occasions (if any) have you sniffed glue, breathed the contents of an aerosol spray can, or inhaled other gases or sprays, in order to get high in the past 12 months?

Percent that answered at least 1 occasion

Grade	2012	2014	2016	2018	2021
6	2.5%	3.1%	2.7%	2.9%	3.8%
8	5%	5.5%	4.8%	5%	4.2%
10	4%	4%	3.3%	3.1%	3.2%
12	2.6%	2.4%	1.9%	1.8%	2%




30 Day Sniffing or Inhaling Gases or Sprays

Kentucky

Question 83b - On how many occasions (if any) have you sniffed glue, breathed the contents of an aerosol spray can, or inhaled other gases or sprays, in order to get high in the past 30 days?

Percent that answered at least 1 occasion

Grade	2012	2014	2016	2018	2021
6	1.6%	1.9%	1.6%	1.7%	2.1%
8	2.6%	3%	2.4%	2.6%	2.2%
10	1.9%	1.9%	1.5%	1.6%	1.6%
12	1.2%	1%	1%	1%	1.1%




Peer Prevalence of Sniffing or Inhaling Gases or Sprays

Kentucky

Question 84 - In the past year (12 months), how many (if any) of your four best friends have sniffed glue, breathed the contents of an aerosol spray can, or inhaled other gases or sprays, in order to get high?

Percent that answered one or more friends

Grade	2012	2014	2016	2018	2021
6	8.5%	4.3%	3.7%	4.1%	6%
8	13%	8.7%	7.3%	7.7%	6.9%
10	12.4%	7.9%	6.6%	5.7%	4.9%
12	9.9%	6.2%	5%	4.4%	3%




Past Year Synthetic Cannabis Usage

Kentucky

Question 85a - On how many occasions (if any) have you used / huffed synthetic marijuana (also called K2, Spice or Potpourri) in the past 12 months?

Percent that answered at least 1 occasion

Grade	2014	2016	2018	2021
6	0.7%	0.5%	0.5%	0.6%
8	3.3%	2.5%	2.2%	1.2%
10	6.2%	4.2%	3.1%	1.6%
12	6%	3.8%	2.8%	1.4%




30 Day Synthetic Cannabis Usage

Kentucky

Question 85b - On how many occasions (if any) have you used / huffed synthetic marijuana (also called K2, Spice or Potpourri) in the past 30 days?

Percent that answered at least 1 occasion

Grade	2014	2016	2018	2021
6	0.4%	0.2%	0.3%	0.4%
8	1.9%	1.2%	1.2%	0.7%
10	3%	1.7%	1.8%	0.9%
12	2.5%	1.4%	1.4%	0.7%




Past Year Cocaine Usage

Kentucky

Question 86a - On how many occasions (if any) have you used cocaine or crack in the past 12 months?

Percent that answered at least 1 occasion

Grade	2012	2014	2016	2018	2021
6	0.3%	0.4%	0.3%	0.4%	0.4%
8	0.9%	1.2%	0.8%	0.8%	0.6%
10	1.5%	2%	1.5%	1.5%	0.9%
12	2.3%	2.5%	2.3%	2.2%	1.1%




30 Day Cocaine Usage

Kentucky

Question 86b - On how many occasions (if any) have you used cocaine or crack in the past 30 days?

Percent that answered at least 1 occasion

Grade	2012	2014	2016	2018	2021
6	0.2%	0.2%	0.2%	0.3%	0.3%
8	0.5%	0.6%	0.4%	0.4%	0.4%
10	0.8%	0.9%	0.7%	0.8%	0.5%
12	1.1%	1.2%	1%	1%	0.6%



Personal Disapproval: Cocaine

Kentucky

Question 87 - How wrong do you think it is for someone your age to use cocaine?

Percent that answered 'Wrong' or 'Very Wrong'

Grade	2014	2016	2018	2021
6	98.6%	98.4%	98.1%	98.6%
8	96.4%	97.3%	97%	97.8%
10	94.4%	95.2%	95.5%	96.7%
12	93.7%	93.9%	94.1%	96.5%




Perception of Parental Disapproval: Cocaine

Kentucky

Question 88 - How wrong do your parents feel it would be for you to use cocaine?

Percent that answered 'Wrong' or 'Very Wrong'

Grade	2014	2016	2018	2021
6	99.2%	99%	98.8%	99.4%
8	98.5%	98.7%	98.6%	99.3%
10	97.6%	97.9%	97.8%	98.7%
12	97.2%	97.4%	97.3%	98.4%




Peer Cocaine Prevalence

Kentucky

Question 89 - In the past year (12 months), how many (if any) of your four best friends have used cocaine?

Percent that answered one or more friends

Grade	2014	2016	2018	2021
6	1.4%	1.2%	1.3%	2.2%
8	4.2%	3.3%	3.1%	3.6%
10	6.5%	5.5%	5.2%	3.6%
12	8%	7.7%	7%	4%




Past Year Methamphetamine Usage

Kentucky

Question 90a - On how many occasions (if any) have you used methamphetamines (also called meth, crystal meth, clear, ice or crank) in the past 12 months?

Percent that answered at least 1 occasion

Grade	2012	2014	2016	2018	2021
6	0.2%	0.4%	0.4%	0.4%	0.5%
8	0.6%	0.9%	0.6%	0.7%	0.5%
10	0.8%	1.1%	0.9%	1%	0.7%
12	1.1%	1.3%	1.1%	1%	0.6%




30 Day Methamphetamine Usage

Kentucky

Question 90b - On how many occasions (if any) have you used methamphetamines (also called meth, crystal meth, clear, ice or crank) in the past 30 days?

Percent that answered at least 1 occasion

Grade	2012	2014	2016	2018	2021
6	0.2%	0.2%	0.2%	0.2%	0.3%
8	0.3%	0.4%	0.3%	0.4%	0.3%
10	0.4%	0.7%	0.5%	0.6%	0.5%
12	0.6%	0.7%	0.6%	0.7%	0.4%




Personal Disapproval: Methamphetamines

Kentucky

Question 91 - How wrong do you think it is for someone your age to use methamphetamines (also called meth, crystal meth, clear, ice or crank)?

Percent that answered 'Wrong' or 'Very Wrong'

Grade	2012	2014	2016	2018	2021
6	99.1%	98.6%	98.4%	98.1%	98.7%
8	97.6%	96.8%	97.6%	97.3%	98.2%
10	96%	95.2%	96%	96.3%	98%
12	96.1%	95.3%	95.6%	95.8%	98.3%




Perception of Parental Disapproval: Methamphetamines

Kentucky

Question 92 - How wrong do your parents feel it would be for you to use methamphetamines (also called meth, crystal meth, clear, ice or crank)?

Percent that answered 'Wrong' or 'Very Wrong'

Grade	2012	2014	2016	2018	2021
6	99.6%	99.1%	99%	98.8%	99.3%
8	99%	98.5%	98.8%	98.7%	99.3%
10	98.5%	97.8%	98%	97.9%	99%
12	98.5%	97.4%	97.6%	97.5%	98.9%




Peer Methamphetamine Prevalence

Kentucky

Question 93 - In the past year (12 months), how many (if any) of your four best friends have used methamphetamines (also called meth, crystal meth, clear, ice or crank)?

Percent that answered one or more friends

Grade	2012	2014	2016	2018	2021
6	1.9%	1.2%	1%	1.1%	1.9%
8	3.6%	3.2%	2.7%	2.6%	2.5%
10	6%	4.9%	4.1%	3.7%	2.5%
12	6.4%	5%	4.8%	4.1%	2%




Past Year Ecstasy Usage

Kentucky

Question 94a - On how many occasions (if any) have you used ecstasy (also called MDMA, X, E, Molly, rolls, or beans) in the past 12 months?

Percent that answered at least 1 occasion

Grade	2012	2014	2016	2018	2021
6	0.2%	0.4%	0.3%	0.4%	0.4%
8	0.8%	1.6%	1%	1.1%	0.8%
10	1.8%	2.6%	2%	1.8%	1.4%
12	2.4%	3.1%	2.1%	1.9%	1.3%




30 Day Ecstasy Usage

Kentucky

Question 94b - On how many occasions (if any) have you used ecstasy (also called MDMA, X, E, Molly, rolls, or beans) in the past 30 days?

Percent that answered at least 1 occasion

Grade	2012	2014	2016	2018	2021
6	0.1%	0.2%	0.2%	0.2%	0.3%
8	0.4%	0.7%	0.4%	0.7%	0.4%
10	0.8%	1%	0.8%	0.9%	0.7%
12	1%	1.1%	0.7%	0.9%	0.6%




Past Year Hallucinogenic Drug Usage

Kentucky

Question 95a - On how many occasions (if any) have you used hallucinogenic drugs, such as LSD, acid, PCP, angel dust, mescaline, or mushrooms in the past 12 months?

Percent that answered at least 1 occasion

Grade	2021
6	0.4%
8	1%
10	2.2%
12	3.1%




30 Day Hallucinogenic Drug Usage

Kentucky

Question 95b - On how many occasions (if any) have you used hallucinogenic drugs, such as LSD, acid, PCP, angel dust, mescaline, or mushrooms in the past 30 days?

Percent that answered at least 1 occasion

Grade	2021
6	0.2%
8	0.6%
10	1%
12	1.2%




Past Year Heroin Usage

Kentucky

Question 96a - On how many occasions (if any) have you used heroin (also called smack, junk, China White, boy, dogfood, or Hank) in the past 12 months?

Percent that answered at least 1 occasion

Grade	2014	2016	2018	2021
6	0.3%	0.3%	0.3%	0.4%
8	0.6%	0.4%	0.5%	0.3%
10	0.9%	0.6%	0.6%	0.5%
12	1%	0.6%	0.7%	0.4%




30 Day Heroin Usage

Kentucky

Question 96b - On how many occasions (if any) have you used heroin (also called smack, junk, China White, boy, dogfood, or Hank) in the past 30 days?

Percent that answered at least 1 occasion

Grade	2014	2016	2018	2021
6	0.2%	0.2%	0.2%	0.3%
8	0.4%	0.2%	0.3%	0.2%
10	0.5%	0.3%	0.5%	0.3%
12	0.6%	0.4%	0.6%	0.3%




Risk Perception: Heroin

Kentucky

Question 97 - How much do you think people risk harming themselves (physically or in other ways) if they try heroin once or twice?

Percent that answered 'Moderate' or 'Great Risk'

Grade	2014	2016	2018	2021
6	74.6%	77.2%	74.6%	79.1%
8	81%	82%	80.1%	83.3%
10	83.5%	82.7%	82%	84.2%
12	85.9%	83.8%	82.6%	83.5%




Substance Use Consequences: Stopped by Police

Kentucky

Question 98 - In the past 12 months, has your drinking and/or drug use caused any of the following problems? Got stopped by the police for drunk driving or disorderly conduct

Percent that answered Yes

Grade	2012	2014	2016	2018	2021
6	0.4%	0.6%	0.7%	1%	0.7%
8	1%	0.9%	0.8%	1%	0.5%
10	2%	1.7%	1.7%	1.7%	1%
12	2.6%	2.1%	2.2%	2%	1.5%




Substance Use Consequences: Trouble at School

Kentucky

Question 98 - In the past 12 months, has your drinking and/or drug use caused any of the following problems? Got in trouble in school

Percent that answered Yes

Grade	2012	2014	2016	2018	2021
6	9.1%	7.5%	6.4%	8.8%	2.6%
8	9.8%	8.3%	6.6%	8.9%	2.9%
10	8.5%	6.8%	6.6%	7.6%	2.4%
12	5.7%	4.5%	4.5%	4.9%	1.8%




Substance Use Consequences: Injury to Self

Kentucky

Question 98 - In the past 12 months, has your drinking and/or drug use caused any of the following problems? Hurt or injured self

Percent that answered Yes

Grade	2012	2014	2016	2018	2021
6	5.4%	4.2%	3.7%	5.1%	2.4%
8	7.3%	6%	4.6%	5.8%	2.8%
10	9.1%	6.9%	6.1%	6.1%	3.1%
12	8.1%	5.8%	5.5%	5.1%	3.1%




Substance Use Consequences: Fight Other Kids

Kentucky

Question 98 - In the past 12 months, has your drinking and/or drug use caused any of the following problems? Got into fights (verbal or physical) with other kids

Percent that answered Yes

Grade	2012	2014	2016	2018	2021
6	8%	6.2%	5.4%	7%	2.2%
8	11.2%	8.6%	7%	8.6%	2.8%
10	11.7%	8.4%	7.7%	7.9%	2.7%
12	10.1%	6.9%	6.4%	5.8%	2.3%




Substance Use Consequences: Fight with Parents

Kentucky

Question 98 - In the past 12 months, has your drinking and/or drug use caused any of the following problems? Got into fights with my parents

Percent that answered Yes

Grade	2012	2014	2016	2018	2021
6	4.1%	3.6%	3%	4%	1.8%
8	7.6%	6.8%	5.3%	6.3%	2.8%
10	9.8%	8.4%	7.5%	7.3%	3.4%
12	8.1%	7%	6.5%	6.2%	3%




Substance Use Consequences: Illegal Acts

Kentucky

Question 98 - In the past 12 months, has your drinking and/or drug use caused any of the following problems? Committed illegal acts (for ex., theft, breaking & entering, vandalism)

Percent that answered Yes

Grade	2012	2014	2016	2018	2021
6	1.2%	1.3%	1.1%	1.5%	0.5%
8	3.7%	3.5%	2.8%	3.1%	1.1%
10	5.6%	4.6%	4.1%	4%	1.6%
12	4.6%	4.3%	3.8%	3.1%	1.5%




Substance Use Consequences: Memory Loss

Kentucky

Question 98 - In the past 12 months, has your drinking and/or drug use caused any of the following problems? Could not recall what I did

Percent that answered Yes

Grade	2012	2014	2016	2018	2021
6	2.5%	2.2%	1.9%	2.6%	2.1%
8	7.7%	6.2%	5.4%	5.8%	3.6%
10	17.4%	12.6%	11.6%	10.8%	6.4%
12	20.7%	16.2%	14.4%	12.3%	8.1%




Substance Use Consequences: Sexual Aggression

Kentucky

Question 98 - In the past 12 months, has your drinking and/or drug use caused any of the following problems? Pressured someone else to do something sexual against his/her will

Percent that answered Yes

Grade	2012	2014	2016	2018	2021
6	0.7%	0.7%	0.6%	0.9%	0.3%
8	1.2%	0.8%	0.7%	0.8%	0.2%
10	1.5%	1.1%	0.9%	0.9%	0.3%
12	1.3%	1.1%	0.8%	0.8%	0.3%




Substance Use Consequences: Sexual Pressure

Kentucky

Question 98 - In the past 12 months, has your drinking and/or drug use caused any of the following problems? Was pressured by someone to do something sexual against my will

Percent that answered Yes

Grade	2012	2014	2016	2018	2021
6	1.6%	1.2%	1.1%	1.4%	0.6%
8	2.8%	2.5%	2.1%	2.4%	1.2%
10	4.4%	3.5%	3.5%	3.2%	2%
12	4.3%	3.3%	3.3%	3%	2.2%




Substance Use Consequences: Drinking or Drug Problem

Kentucky

Question 98 - In the past 12 months, has your drinking and/or drug use caused any of the following problems? Thought I had a drinking or drug problem

Percent that answered Yes

Grade	2012	2014	2016	2018	2021
6	1%	1%	0.8%	1.2%	0.7%
8	2.7%	2.6%	2.2%	2.8%	1.7%
10	4.8%	4.6%	4.3%	4.4%	3%
12	5.1%	5.1%	4.8%	4.8%	3.4%




Substance Use Consequences: Car Crash

Kentucky

Question 98 - In the past 12 months, has your drinking and/or drug use caused any of the following problems? Was involved in a car crash

Percent that answered Yes

Grade	2012	2014	2016	2018	2021
6	3.4%	3.1%	3%	3.8%	0.9%
8	3.1%	2.5%	2.3%	3.3%	0.7%
10	3.3%	2.6%	2.5%	2.7%	0.8%
12	3.5%	2.7%	2.7%	3%	1.1%




Substance Use Consequences: Hospitalized or had to see a doctor

Kentucky

Question 98I - In the past 12 months, has your drinking and/or drug use caused any of the following problems?

Percent that answered Yes

Grade	2021
6	1.4%
8	1.2%
10	1.3%
12	1.1%




Average Nightly Sleep

Kentucky

Question 101 - On an average night, how many hours of sleep do you get?

Percent that answered fewer than 8 hours of sleep

Grade	2021
6	45.5%
8	63.1%
10	74.9%
12	81.3%




Participation in School-Based Activities

Kentucky

Question 102a - On average, how many hours during a typical week do you participate in school-based extracurricular activities such as sports, band or drama?

Percent that answered one or more hours

Grade	2021
6	59.8%
8	56.5%
10	52.6%
12	51%




Participation in Community-Based Activities

Kentucky

Question 102c - On average, how many hours during a typical week do you participate in community activities such as 4-H, Scouts or community sports?

Percent that answered one or more hours

Grade	2021
6	30.3%
8	24.5%
10	20.7%
12	22.2%




Participation in Faith-Based Activities

Kentucky

Question 102c - On average, how many hours during a typical week do you participate in faith activities such as weekly services, youth groups, choir or bible study?

Percent that answered one or more hours

Grade	2021
6	42.6%
8	38.5%
10	34.5%
12	31.7%




Connection to a Trusted Adult

Kentucky

Question 105 - Do you know an adult in or out of school with whom you could talk or go to for help?

Percent that answered No

Grade	2021
6	12.3%
8	13%
10	13.6%
12	11.1%




Lifetime Gambling: Frequency

Kentucky

Question 106a - On how many occasions (if any) have you gambled (bet) or participated in online gaming for money or possessions in your lifetime?

Percent that answered at least 1 occasion

Grade	2012	2014	2016	2018	2021
6	16.6%	13.3%	13.4%	13.2%	10%
8	29.5%	26.7%	25%	23.9%	13.3%
10	32.5%	30.6%	28.6%	26%	14.1%
12	33.3%	32.4%	30.1%	26.6%	13.8%




Past Year Gambling: Frequency

Kentucky

Question 106b - On how many occasions (if any) have you gambled (bet) or participated in online gaming for money or possessions in the past 12 months?

Percent that answered at least 1 occasion

Grade	2012	2014	2016	2018	2021
6	9.3%	7.7%	7.6%	7.5%	5.4%
8	18.9%	17.4%	16.3%	15.7%	7.5%
10	22.2%	21.2%	19.7%	17.7%	8.3%
12	22.9%	22.5%	21.1%	18.2%	8.4%




30 Day Gambling: Frequency

Kentucky

Question 106c - On how many occasions (if any) have you gambled (bet) or participated in online gaming for money or possessions in the past 30 days?

Percent that answered at least 1 occasion

Grade	2012	2014	2016	2018	2021
6	5.1%	4.5%	4.2%	4.2%	3.2%
8	10.6%	10.2%	9%	8.7%	4.5%
10	12.7%	12.6%	11.4%	10.2%	5%
12	12.6%	13.3%	12.2%	10.8%	5.5%




Gambling: Financial or Personal Problems

Kentucky

Question 107 - Has the money or time you spent on gambling or online gaming led to financial problems or problems in your family, work, school, or personal life?

Percent that answered Yes

Grade	2012	2014	2016	2018	2021
6	2%	1.5%	1.4%	1.4%	1.2%
8	2.1%	2.1%	1.7%	1.8%	1.1%
10	2.2%	2.2%	2.2%	2.1%	1.1%
12	2%	2%	2%	1.9%	1.1%




Mental Health During COVID-19

Kentucky

Question 108 - During the COVID-19 pandemic, how often was your mental health not good? (Poor mental health includes stress, anxiety, and depression)

Percent that answered 'Most of the time' or 'Always'

Grade	2021
6	20%
8	31.1%
10	38.3%
12	40.2%




Alcohol Use During COVID-19

Kentucky

Question 109 - Did you drink more alcohol during the COVID-19 pandemic than before it started?

Percent that answered Yes

Grade	2021
6	1.4%
8	4.1%
10	9.8%
12	14.2%




Drug Use During COVID-19

Kentucky

Question 110 - Did you use drugs more during the COVID-19 pandemic than before it started? (Count using marijuana, synthetic marijuana, cocaine, prescription pain medicine without a doctor's prescription, and other illegal drugs)

Percent that answered Yes

Grade	2021
6	0.9%
8	3.3%
10	7.7%
12	11.8%




Tobacco Use During COVID-19

Kentucky

Question 111 - Did you vape, smoke cigarettes or use smokeless tobacco more during the COVID-19 pandemic than before it started?

Percent that answered Yes

Grade	2021
6	3.3%
8	9.1%
10	13.9%
12	17.4%




Past Year Race-Based Experiences and Concerns: Fear for my safety because of my race or culture

Kentucky

Question 112a - During the past year (12 months), have you experienced any of the following? Fear for my safety because of my race or culture

Percent that answered Yes

Grade	2021
6	8.2%
8	9.2%
10	9.6%
12	11.2%




Past Year Race-Based Experiences and Concerns: Worry I could be treated differently because of my race

Kentucky

Question 112b - During the past year (12 months), have you experienced any of the following? Worry I could be treated differently because of my race

Percent that answer Yes

Grade	2021
6	9.8%
8	11.3%
10	12.3%
12	14.4%




Past Year Race-Based Experiences and Concerns: My friends/family have been treated differently because of race

Kentucky

Question 112c - During the past year (12 months), have you experienced any of the following? My friends/family have been treated differently because of their race

Percent that answer Yes

Grade	2021
6	9.3%
8	12.9%
10	14.5%
12	16%




Past Year Race-Based Experiences and Concerns: Stress because I worry I will be a target of racism

Kentucky

Question 112d - During the past year (12 months), have you experienced any of the following? Stress because I worry I will be a target of racism

Percent that answer Yes

Grade	2021
6	6.8%
8	7.3%
10	7.4%
12	8.9%




Race-Based Experiences and Concerns: Fear for my friends'/family's safety because of race

Kentucky

Question 112e - During the past year (12 months), have you experienced any of the following? Fear for my friends' or family's safety because of my race or culture

Percent that answer Yes

Grade	2021
6	9.6%
8	10.2%
10	10.5%
12	11.8%




Race-Based Experiences and Concerns: I have been treated differently because of my race

Kentucky

Question 112f - During the past year (12 months), have you experienced any of the following? I have been treated differently because of my race

Percent that answer Yes

Grade	2021
6	6.4%
8	8.9%
10	10.2%
12	11.8%




Race-Based Experiences and Concerns: Friends/Loved Ones have been targets of racism

Kentucky

Question 112g - During the past year (12 months), have you experienced any of the following? My friends or loved ones have been targets of racism

Percent that answer Yes

Grade	2021
6	9%
8	13.6%
10	16%
12	17.5%




Race-Based Experiences and Concerns: I have been a target of racism

Kentucky

Question 112h - During the past year (12 months), have you experienced any of the following? I have been a target of racism

Percent that answer Yes

Grade	2021
6	4.3%
8	6.8%
10	7.6%
12	8.6%




Race-Based Experiences and Concerns: I have never personally experienced racism

Kentucky

Question 112i - During the past year (12 months), have you experienced any of the following? I have never personally experienced racism

Percent that answer Yes

Grade	2021
6	27.7%
8	30.2%
10	29.9%
12	29.7%




Impact of the Racial Justice Movement: Angry

Kentucky

Question 113a - Have you experienced feeling angry from the recent events of the racial justice movement?

Percent that answer Yes

Grade	2021
6	31.7%
8	33.1%
10	35.5%
12	39.5%




Impact of the Racial Justice Movement: Overwhelmed

Kentucky

Question 113b - Have you experienced feeling overwhelmed from the recent events of the racial justice movement?

Percent that answer Yes

Grade	2021
6	27%
8	26.6%
10	27.7%
12	30.5%




Impact of the Racial Justice Movement: Stressed

Kentucky

Question 113c - Have you experienced feeling stress from the recent events of the racial justice movement?

Percent that answer Yes

Grade	2021
6	32.7%
8	29.9%
10	29.4%
12	32.2%




Impact of the Racial Justice Movement: Anxious

Kentucky

Question 113d - Have you experienced feeling anxious from the recent events of the racial justice movement?

Percent that answer Yes

Grade	2021
6	26.3%
8	27.3%
10	28.7%
12	31.9%




Impact of the Racial Justice Movement: Scared

Kentucky

Question 113e - Have you experienced feeling scared from the recent events of the racial justice movement?

Percent that answer Yes

Grade	2021
6	23.7%
8	20.1%
10	19.9%
12	22.4%




Impact of the Racial Justice Movement: Confused

Kentucky

Question 113f - Have you experienced feeling confused from the recent events of the racial justice movement?

Percent that answer Yes

Grade	2021
6	38.1%
8	35.7%
10	34.4%
12	33.8%




Impact of the Racial Justice Movement: Empowered/Energized

Kentucky

Question 113g - Have you experienced feeling empowered/energized from the recent events of the racial justice movement?

Percent that answer Yes

Grade	2021
6	14.6%
8	16.3%
10	18.7%
12	21.2%




Impact of the Racial Justice Movement: Misunderstood

Kentucky

Question 113h - Have you experienced feeling misunderstood from the recent events of the racial justice movement?

Percent that answer Yes

Grade	2021
6	18.9%
8	18.6%
10	17.7%
12	19.2%




Impact of the Racial Justice Movement: Depressed

Kentucky

Question 113i - Have you experienced feeling depressed from the recent events of the racial justice movement?

Percent that answer Yes

Grade	2021
6	15.8%
8	14.2%
10	13.9%
12	15.3%



Impact of the Racial Justice Movement: Guilty

Kentucky

Question 113j - Have you experienced feeling guilty from the recent events of the racial justice movement?

Percent that answer Yes

Grade	2021
6	10.8%
8	10.8%
10	11%
12	11.9%

