

SAFETY DATA SHEET

1. Identification

Product identifier

Vise Bowling Ball Cleaner

Other means of identification

Product code

0620284

Recommended use

Solvent

Recommended restrictions

None known.

Manufacturer

Vise

2237 Stagecoach Road Stockton, CA 95215 US

Information (209)464-2790 Emergency (209)464-2790

2. Hazard(s) identification

Physical hazards

Not classified.

Health hazards

Not classified.

Environmental hazards

Not classified.

OSHA defined hazards

Not classified.

Label elements

Hazard symbol

None.

Signal word

None.

Hazard statement

The mixture does not meet the criteria for classification.

Prevention

Observe good industrial hygiene practices.

Store away from incompatible materials.

Response

Wash hands after handling.

Storage Disposal

Dispose of waste and residues in accordance with local authority requirements.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|--|--------------------------|------------|--------|
| 2-Butoxyethanol | | 111-76-2 | 10-30 |
| Disodium Trioxosilicate | | 6834-92-0 | 0.1-10 |
| Non-hazardous and other components below reportable levels | | | 80-100 |

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation

If overexposure to vapors or mist, move to fresh air. Call a physician if breathing becomes difficult.

Skin contact

Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact

Rinse with water. Get medical attention if irritation develops and persists. Rinse mouth. Get medical attention if symptoms occur.

Ingestion

Treat symptomatically.

Indication of immediate medical attention and special

treatment needed

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing medla

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Material Name: Vise Bowling Ball Cleaner

and precautions for firefighters

Special protective equipment Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods General fire hazards Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Methods and materials for containment and cleaning up

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak, Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Use water spray to reduce vapors or divert vapor cloud drift. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

7. Handling and storage

Precautions for safe handling

Conditions for safe storage, including any incompatibilities

Do not get this material in contact with skin. Avoid prolonged exposure,

Avoid discharge into drains, water courses or onto the ground.

Store in original tightly closed container. Store away from Incompatible materials (see Section 10 of the SDS).

Value

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | туре | value | |
|---|--------------|-----------|---|
| 2-Butoxyethanol (CAS 111-76-2) | PEL | 240 mg/m3 | |
| | | 50 ppm | |
| US. ACGIH Threshold Limit Values | | | |
| Components | Туре | Value | |
| 2-Butoxyethanol (CAS 111-76-2) | TWA | 20 ppm | |
| US, NIOSH: Pocket Guide to Chem | ical Hazards | | |
| Components | Туре | Value | |
| 2-Butoxyethanol (CAS 111-76-2) | TWA | 24 mg/m3 | *************************************** |
| | | 5 ppm | |

Biological limit values

| ACGIH Biological Expo Components | Value | Determinant | Specimen | Sampling Time | |
|-------------------------------------|----------|--|---------------------|---------------|--|
| 2-Butoxyethanol (CAS 111-76-2) | 200 mg/g | Butoxyacetic acid (BAA), with hydrolysis | Creatinine in urine | * | |

^{* -} For sampling details, please see the source document.

Exposure guidelines

US - California OELs: Skin designation

2-Butoxyethanol (CAS 111-76-2)

Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

2-Butoxyethanol (CAS 111-76-2)

Skin designation applies.

Material Name: Vise Bowling Ball Cleaner 2015 Version #: 01 Issue Date: 3/26/2015

US - Tennesse OELs: Skin designation

2-Butoxyethanol (CAS 111-76-2)

Can be absorbed through the skin.

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

2-Butoxyethanol (CAS 111-76-2)

Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

2-Butoxyethanol (CAS 111-76-2)

Can be absorbed through the skin.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection

Chemical goggles are recommended.

Hand protection

Wear protective gloves.

Skin protection

Other

Wear appropriate chemical resistant clothing.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Clear.

Physical state

Liquid. Liquid.

Form Color

Orange.

Odor

Orange

Odor threshold

Not available.

11.5-12.5

Melting point/freezing point

Not available / 32 °F (0 °C)

Initial boiling point and

212 °F (100 °C)

boiling range

Flash point

None through boiling

Evaporation rate

Same as water

Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower 1,1 % estimated

(%)

Flammability limit -

10.6 % estimated

upper (%)

Explosive limit - lower

Not available.

Explosive limit - upper

(%)

Not available.

Vapor pressure

17.5 mm Hg (As of Water)

Vapor pressure temp.

@ 20 Deg. C

Vapor density

Not available

Relative density

Not available.

Solubility(les)

Solubility (water)

Soluble

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperature

471,2 °F (244 °C) estimated

Decomposition temperature

Not available.

Viscosity

Not available.

Other information

Pounds per gallon

8.42 lb/gal

Specific gravity

1.01

Material Name: Vise Bowling Ball Cleaner 2015 Version #: 01 Issue Date: 3/26/2015 SDS US

3/7

VOC (Weight %)

11.33 %

10. Stability and reactivity

Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability

Stable under normal conditions.

Possibility of hazardous

reactions Conditions to avoid

Contact with incompatible materials.

Incompatible materials

Strong oxidizers and strong acids, Caustics.

Hazardous decomposition

No hazardous decomposition products are known if stored and applied as directed.

products

11. Toxicological information

Information on likely routes of exposure

Ingestion

Expected to be a low ingestion hazard.

Inhalation

Prolonged inhalation may be harmful.

Skin contact

2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and

prolonged. These effects have not been observed in humans.

No hazardous reaction known under normal conditions of use,

Eye contact

Direct contact with eyes may cause temporary irritation.

Symptoms related to the physical, chemical and

Direct contact with eyes may cause temporary irritation.

toxicological characteristics Information on toxicological effects

Acute toxicity

| Components | Species | Test Results |
|------------------------------|-------------------|------------------|
| 2-Butoxyethanol (CAS 111-7 | ² 6-2) | |
| Acute | | |
| Dermal | | |
| LDS0 | Rabbit | 400 mg/kg |
| Inhalation | | |
| LC50 | Mouse | 700 ppm, 7 Hours |
| | Rat | 450 ppm, 4 Hours |
| Oral | | |
| LD50 | Guinea píg | 1.2 g/kg |
| | Mouse | 1.2 g/kg |
| | Rabbit | 0.32 g/kg |
| | Rat | 560 mg/kg |
| Other | | |
| LD50 | Mouse | 1130 mg/kg |
| | Rabbit | 280 mg/kg |
| | Rat | 340 mg/kg |
| Disodium Trioxosilicate (CAS | 6834-92-0) | |
| Acute | | |
| Oral | | |
| LD50 | Mouse | 2400 mg/kg |
| | Rat | 1280 mg/kg |
| | | |

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation

Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation.

Serious eye damage/eye irritation

Respiratory or skin sensitization

Respiratory sensitization

Not available.

Skin sensitization

This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0,1% are

mutagenic or genotoxic.

Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

2-Butoxyethanol (CAS 111-76-2)

3 Not classifiable as to carcinogenicity to humans.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

Aspiration hazard

Not available.

Chronic effects

Prolonged inhalation may be harmful. May be harmful if absorbed through skin.

2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and

prolonged. These effects have not been observed in humans.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

| Components | | Species | Test Results |
|------------------------|-------------------|---|----------------------------|
| 2-Butoxyethanol (CAS | 111-76-2) | | |
| Aquatic | | | |
| Fish | LC50 | Inland silverside (Menidia beryllina) | 1250 mg/l, 96 hours |
| Disodium Trioxosilicat | e (CAS 6834-92-0) | | |
| Aquatic | | | |
| Crustacea | EC50 | Water flea (Ceriodaphnia dubia) | 0.28 - 0.57 mg/l, 48 hours |
| Fish | LC50 | Western mosquitofish (Gambusia affinis) | 1800 mg/l, 96 hours |

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

No data available.

Partition coefficient n-octanol / water (log Kow)

2-Butoxyethanol

0.83

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Waste from residues /

Dispose in accordance with all applicable regulations.

unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

Instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

15. Regulatory information

US federal regulations

All components are on the U.S. EPA TSCA Inventory List.

CERCLA Hazardous Substance List (40 CFR 302.4)

2-Butoxyethanol (CAS 111-76-2)

Listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Material Name: Vise Bowling Ball Cleaner 2015 Version #: 01 Issue Date: 3/26/2015

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312

Yes

Hazardous chemical

SARA 313 (TRI reporting)

| Chemical name | CAS number | % by wt. |
|-----------------|------------|----------|
| 2-Butoxyethanol | 111-76-2 | 10-30 |
| Ethylene Glycol | 107-21-1 | 0.1-10 |

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

2-Butoxyethanol (CAS 111-76-2)

US. New Jersey Worker and Community Right-to-Know Act

2-Butoxyethanol (CAS 111-76-2)

500 LBS

US. Pennsylvania RTK - Hazardous Substances

2-Butoxyethanol (CAS 111-76-2)

US. Rhode Island RTK

2-Butoxyethanol (CAS 111-76-2)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

| Country(s) or region | Inventory name On inventory (yes | /no)* |
|-----------------------------------|---|-------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | No |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | No |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |
| *A "Yes" Indicates that all compo | nents of this product comply with the inventory requirements administered by the governing country(s) | |

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date

03-26-2015

Version #

01

Material Name: Vise Bowling Ball Cleaner 2015 Version #: 01 Issue Date: 3/26/2015 Disclaimer

This information is based on data available to us and is accurate and reliable to the best of our knowledge at the time of printing. However, no warranty is expressed or implied regarding the accuracy or completeness of the information contained herein. Final determination of the suitability of this material for the use contemplated is the sole responsibility of the user. Buyer assumes all risk and liabilities. Buyer accepts and uses this material on these conditions.

Revision Information

Physical & Chemical Properties: Multiple Properties Transport Information: Material Transportation Information

Regulatory Information: United States