

Parkland® Wood Cornices

BEAUTY AND VERSATILITY

Parkland® wood cornices are the perfect topper over any Hunter Douglas window fashion or a great accent over draperies.

EXCEPTIONAL QUALITY

Each cornice is made of 100% domestic hardwoods, and is hand-finished and hand-assembled by authentic craftsmen in the USA.

PROFILE STYLES

Wood cornices are available in six profile styles in varying heights of 6", 9" and 12". For the 12" profile styles, the flat center portion of the cornice is extended to reach the 12" height.

WOOD FINISHES

The six profile styles are offered in 44 colors. They are also available as unfinished cornices.

- **Classics™**
Choose from 44 painted or stained basswood finishes.
- **Unfinished Cornices**
Available as unfinished basswood, cherry or oak. A customer can paint or stain an unfinished cornice to any desired finish.

DESIGN OPTIONS

Parkland wood cornices can be customized with a choice of several design options:


- Decorative keystones
- Carved wood appliqués
- Coordinating mantel shelf and decorative shelves
- Bottom dust cover for mantel shelf and decorative shelves
- Decorative plate groove
- Bay window applications
- Corner window applications

CERTIFICATIONS


Parkland wood cornices have achieved GREENGUARD GOLD Certification.

CONTENTS


Size Standards	PKC-2
Pricing	PKC-3
Product Specifications.....	PKC-6
Installation and Returns.....	PKC-7
Design Options	PKC-8



Zurich Cornice




Zurich Bead Cornice




Inverness Cornice



Claremont Egg & Dart Cornice



Claremont Denticil Cornice



Townsend Cornice

Size Standards

PARKLAND® WOOD CORNICES

HOW TO USE THE SIZE STANDARDS CHART

The Size Standards chart is designed to be a quick reference to size standards and price charts. Always read the notes under the charts for important additional information. **Important:** cornice dimensions must be equal to or less than the maximum dimensions (width and return length) and equal to or greater than the minimum dimensions (width and return length) to be within specification guidelines.


SIZE STANDARDS	
PARKLAND® WOOD CORNICES (Price Charts 1 – 3)	
Minimum Width:	12"
Maximum Width:	360"
Minimum Return Length:	1"
Maximum Return Length:	12"

Notes:

- All ordered dimensions should be taken from the inside back bottom dimensions in 1/8" increments.
- All dimensions are exact with "no allowances."
- All finished dimensions are $\pm 1/8$ ".
- Cornice segments cannot be wider than 84". If the segment is wider than 84", a decorative keystone(s) will be necessary.
- Return lengths are for outside mounts only.

PROFILE DIMENSIONS	Zurich, Zurich Bead	Inverness	Claremont Dentil, Claremont Egg & Dart	Townsend
Height:	6"	9"/12"	9"/12"	9"/12"
Crown Extension:	2 ⁷ / ₈ "	4"	4 ¹ / ₈ "	1 ⁵ / ₈ "
Dust Cover Thickness:	3/4"	3/4"	3/4"	3/4"

Note: The crown extension is the thickness of the cornice profile and how far the crown is projected to the left and right as well as forward into the room.



DECORATIVE KEYSTONE DIMENSIONS	All Cornice Profile Styles		Cornice Width	Standard 8" Decorative Keystones
	Standard Width	Optional Widths (in 1/8" increments)	84 ¹ / ₈ " to 176"	1 Keystone
	8"	8 ¹ / ₈ " — 28"	176 ¹ / ₈ " to 268"	2 Keystones
			268 ¹ / ₈ " to 360"	3 Keystones

DESIGN OPTIONS DIMENSIONS	9" Inverness Cornice with Appliqué, 9" Townsend Cornice with Appliqué			12" Inverness Cornice with Appliqué, 12" Townsend Cornice with Appliqué		
Carved Wood Appliqué Style	Acanthus Leaf	Grapevine	Shell	Acanthus Leaf	Grapevine	Shell
Carved Wood Appliqué Dimensions	16" x 4"	20" x 4 ¹ / ₄ "	12 ¹ / ₄ " x 3 ⁵ / ₈ "	24 ⁵ / ₈ " x 6"	24" x 5"	24" x 5"
Decorative Keystone Widths with Carved Wood Appliqué	20"	24"	16"	28"	28"	28"

Product price only, not including freight, state/local taxes, measuring and installation, and other services associated with a custom installation.

PARKLAND®
1

Wood Cornices

► Unfinished Basswood
Color: 005

WIDTH TO:	36"	48"	72"	84"	96"	108"	120"	132"	144"	156"
6" ZURICH	\$286	380	569	663	757	852	945	1040	1136	1228
9" TOWNSEND 9" INVERNESS	338	450	675	787	899	1011	1122	1233	1347	1459
6" ZURICH BEAD 12" TOWNSEND 12" INVERNESS	392	521	781	910	1040	1170	1298	1430	1560	1689
9" CLAREMONT DENTIL 9" CLAREMONT EGG & DART	480	639	958	1116	1277	1435	1594	1754	1913	2073
12" CLAREMONT DENTIL 12" CLAREMONT EGG & DART	514	686	1028	1199	1370	1541	1712	1883	2054	2225

WIDTH TO:	168"	180"	192"	216"	240"	264"	288"	312"	336"	360"
6" ZURICH	\$1323	1418	1512	1701	1888	2078	2268	2455	2643	2833
9" TOWNSEND 9" INVERNESS	1571	1682	1795	2020	2243	2466	2692	2915	3140	3363
6" ZURICH BEAD 12" TOWNSEND 12" INVERNESS	1818	1948	2078	2338	2596	2857	3116	3376	3634	3894
9" CLAREMONT DENTIL 9" CLAREMONT EGG & DART	2231	2390	2551	2869	3186	3506	3824	4143	4461	4779
12" CLAREMONT DENTIL 12" CLAREMONT EGG & DART	2396	2567	2739	3081	3422	3764	4107	4449	4791	5133

Notes:

- Decorative keystone(s) are necessary for cornice widths over 84".
- Add applicable NET freight charges below; these charges are not to be discounted.

Design Option Surcharges (Add surcharge to base price of cornice.)

For Further Info
See Page

BAY WINDOW (TWO ANGLES)	Add \$237 each	PKC-10
BAY WINDOW (EACH ADDITIONAL TWO ANGLES)	Add \$120 each	PKC-10
BOTTOM DUST COVER FOR MANTEL SHELF AND DECORATIVE SHELVES	Add 10% (multiply base price of cornice by 1.10)	PKC-9
CARVED WOOD APPLIQUÉS	Add \$120 each	PKC-9
CORNER WINDOW	Add \$237 each	PKC-10
DECORATIVE KEYSTONES	Add \$179 each	PKC-8
DECORATIVE PLATE GROOVE	Add \$38 per cornice	PKC-9
DUST COVER CUT-OUT	Add \$44 each	PKC-9
RETURN LENGTH OVER 5" (PER CORNICE)	Add \$12 for each additional inch	

NET Freight Charges (Select from one of the shipment options below.)

UPS Shipments:	
CORNICE WIDTHS FROM 12" TO 66"	Add \$54 NET to the final price of each cornice
CORNICE WIDTHS FROM 66 1/8" TO 84"	Add \$107 NET to the final price of each cornice
CORNICE WIDTHS FROM 84 1/8" TO 167 7/8"	Add \$213 NET to the final price of each cornice
Truck Shipments*:	
WIDTH OF ALL CORNICES ORDERED TOTALS 14' (168") TO 100'	Add \$213 NET to the final price of the total order

*Dealers must be able to accept pallet deliveries at their location. If not, please contact your Hunter Douglas fabricator to make other arrangements.

Notes:

- NET freight charges include standard delivery to the 48 U.S. states. For freight charges to Alaska, Hawaii and Canada, contact your Hunter Douglas fabricator.
- Shipping rates may increase due to high fuel costs. Hunter Douglas reserves the right, at its discretion, to add fuel surcharges to the NET freight charges.

Pricing

PARKLAND® WOOD CORNICES

Product price only, not including freight, state/local taxes, measuring and installation, and other services associated with a custom installation.

PARKLAND® 2		Wood Cornices				➤ Unfinished Oak, Color: 007 ➤ Unfinished Cherry, Color: 008					
WIDTH TO:		36"	48"	72"	84"	96"	108"	120"	132"	144"	156"
6" ZURICH		\$408	545	816	951	1087	1223	1358	1495	1630	1765
9" TOWNSEND 9" INVERNESS		462	615	922	1076	1228	1383	1535	1689	1843	1996
6" ZURICH BEAD 12" TOWNSEND 12" INVERNESS		498	663	993	1157	1323	1489	1653	1818	1984	2149
9" CLAREMONT DENTIL 9" CLAREMONT EGG & DART		569	757	1136	1323	1512	1701	1888	2078	2268	2455
12" CLAREMONT DENTIL 12" CLAREMONT EGG & DART		604	804	1206	1405	1606	1807	2007	2208	2409	2608

WIDTH TO:		168"	180"	192"	216"	240"	264"	288"	312"	336"	360"
6" ZURICH		\$1901	2037	2172	2445	2715	2986	3258	3528	3800	4071
9" TOWNSEND 9" INVERNESS		2149	2303	2455	2762	3068	3376	3683	3989	4296	4603
6" ZURICH BEAD 12" TOWNSEND 12" INVERNESS		2314	2479	2643	2975	3305	3634	3966	4296	4625	4956
9" CLAREMONT DENTIL 9" CLAREMONT EGG & DART		2643	2833	3023	3399	3775	4154	4531	4908	5286	5663
12" CLAREMONT DENTIL 12" CLAREMONT EGG & DART		2809	3010	3210	3612	4012	4413	4815	5215	5617	6018

Notes:

- Decorative keystone(s) are necessary for cornice widths over 84".
- Add applicable NET freight charges below; these charges are not to be discounted.

Design Option Surcharges (Add surcharge to base price of cornice.)		For Further Info See Page
BAY WINDOW (TWO ANGLES)	Add \$237 each	PKC-10
BAY WINDOW (EACH ADDITIONAL TWO ANGLES)	Add \$120 each	PKC-10
BOTTOM DUST COVER FOR MANTEL SHELF AND DECORATIVE SHELVES	Add 10% (multiply base price of cornice by 1.10)	PKC-9
CARVED WOOD APPLIQUÉS	Add \$120 each	PKC-9
CORNER WINDOW	Add \$237 each	PKC-10
DECORATIVE KEYSTONES	Add \$179 each	PKC-8
DECORATIVE PLATE GROOVE	Add \$38 per cornice	PKC-9
DUST COVER CUT-OUT	Add \$44 each	PKC-9
RETURN LENGTH OVER 5" (PER CORNICE)	Add \$12 for each additional inch	

NET Freight Charges (Select from one of the shipment options below.)	
UPS Shipments:	
CORNICE WIDTHS FROM 12" TO 66"	Add \$54 NET to the final price of each cornice
CORNICE WIDTHS FROM 66 ¹ / ₈ " TO 84"	Add \$107 NET to the final price of each cornice
CORNICE WIDTHS FROM 84 ¹ / ₈ " TO 167 ¹ / ₈ "	Add \$213 NET to the final price of each cornice
Truck Shipments*:	
WIDTH OF ALL CORNICES ORDERED TOTALS 14' (168") TO 100'	Add \$213 NET to the final price of the total order

*Dealers must be able to accept pallet deliveries at their location. If not, please contact your Hunter Douglas fabricator to make other arrangements.

Notes:

- NET freight charges include standard delivery to the 48 U.S. states. For freight charges to Alaska, Hawaii and Canada, contact your Hunter Douglas fabricator.
- Shipping rates may increase due to high fuel costs. Hunter Douglas reserves the right, at its discretion, to add fuel surcharges to the NET freight charges.

Product price only, not including freight, state/local taxes, measuring and installation, and other services associated with a custom installation.

PARKLAND®

3

Wood Cornices

► Painted and Stained Classics™ Finishes

Colors: 112, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 450, 451, 453, 466, 467, 468, 470, 471, 473, 480, 481, 489, 602, 613, 616, 618, 632, 634, 635, 636, 637, 638, 639, 640, 801, 804, 808, 809, 830, 867, 869, 870

WIDTH TO:	36"	48"	72"	84"	96"	108"	120"	132"	144"	156"
6" ZURICH	\$392	521	781	910	1040	1170	1298	1430	1560	1689
9" TOWNSEND 9" INVERNESS	444	591	886	1035	1181	1329	1475	1624	1771	1919
6" ZURICH BEAD 12" TOWNSEND 12" INVERNESS	498	663	993	1157	1323	1489	1653	1818	1984	2149
9" CLAREMONT DENTIL 9" CLAREMONT EGG & DART	586	781	1170	1365	1560	1754	1948	2143	2338	2531
12" CLAREMONT DENTIL 12" CLAREMONT EGG & DART	622	828	1241	1447	1653	1860	2066	2273	2479	2685

WIDTH TO:	168"	180"	192"	216"	240"	264"	288"	312"	336"	360"
6" ZURICH	\$1818	1948	2078	2338	2596	2857	3116	3376	3634	3894
9" TOWNSEND 9" INVERNESS	2066	2214	2360	2656	2950	3245	3541	3835	4130	4425
6" ZURICH BEAD 12" TOWNSEND 12" INVERNESS	2314	2479	2643	2975	3305	3634	3966	4296	4625	4956
9" CLAREMONT DENTIL 9" CLAREMONT EGG & DART	2728	2922	3116	3506	3894	4284	4674	5062	5452	5841
12" CLAREMONT DENTIL 12" CLAREMONT EGG & DART	2891	3099	3305	3718	4130	4543	4956	5368	5781	6194

Notes:

- Decorative keystone(s) are necessary for cornice widths over 84".
- Add applicable NET freight charges below; these charges are not to be discounted.

Design Option **Surcharges** (Add surcharge to base price of cornice.)

For Further Info
See Page

BAY WINDOW (TWO ANGLES)	Add \$237 each	PKC-10
BAY WINDOW (EACH ADDITIONAL TWO ANGLES)	Add \$120 each	PKC-10
BOTTOM DUST COVER FOR MANTEL SHELF AND DECORATIVE SHELVES	Add 10% (multiply base price of cornice by 1.10)	PKC-9
CARVED WOOD APPLIQUÉS	Add \$120 each	PKC-9
CORNER WINDOW	Add \$237 each	PKC-10
DECORATIVE KEYSTONES	Add \$179 each	PKC-8
DECORATIVE PLATE GROOVE	Add \$38 per cornice	PKC-9
DUST COVER CUT-OUT	Add \$44 each	PKC-9
RETURN LENGTH OVER 5" (PER CORNICE)	Add \$12 for each additional inch	

NET Freight **Charges** (Select from one of the shipment options below.)

UPS Shipments:	
CORNICE WIDTHS FROM 12" TO 66"	Add \$54 NET to the final price of each cornice
CORNICE WIDTHS FROM 66 ¹ / ₈ " TO 84"	Add \$107 NET to the final price of each cornice
CORNICE WIDTHS FROM 84 ¹ / ₈ " TO 167 ⁷ / ₈ "	Add \$213 NET to the final price of each cornice
Truck Shipments*:	
WIDTH OF ALL CORNICES ORDERED TOTALS 14' (168") TO 100'	Add \$213 NET to the final price of the total order

*Dealers must be able to accept pallet deliveries at their location. If not, please contact your Hunter Douglas fabricator to make other arrangements.

Notes:

- NET freight charges include standard delivery to the 48 U.S. states. For freight charges to Alaska, Hawaii and Canada, contact your Hunter Douglas fabricator.
- Shipping rates may increase due to high fuel costs. Hunter Douglas reserves the right, at its discretion, to add fuel surcharges to the NET freight charges.

Product Specifications

PARKLAND® WOOD CORNICES

APPLICATION

- Fits over the top of Hunter Douglas window fashions or as an accent over draperies.

Size Standards

See Size Standards on page PKC-2

Mounting Requirements

Inside (IB) Mount

Minimum flat mounting surface height	1 ³ / ₄ "
Minimum mounting depth:	
Zurich	3 ⁷ / ₈ "
Zurich Bead	3 ⁷ / ₈ "
Inverness	5"
Claremont Egg and Dart	5 ¹ / ₈ "
Claremont Dentil	5 ¹ / ₈ "
Townsend	2 ⁵ / ₈ "

Outside (OB) Mount

Minimum flat mounting surface height	1 ³ / ₄ "
--------------------------------------	---------------------------------

Finished Dimensions

(All allowances are taken from ordered dimensions and may vary slightly.)

Inside (IB) Mount

Cornice width	ordered width \pm 1/ ₈ "
---------------	---------------------------------------

Outside (OB) Mount

Cornice width	ordered width \pm 1/ ₈ "
Cornice return length	ordered length \pm 1/ ₈ "

Optional Features

No Charge — Specify on Order

Inside (IB) mount — no returns

Cornice returns
Left return only
Right return only

Surcharge — Specify on Order

Bay window application (outside mount only)
Bottom dust cover (used for mantel shelf and decorative shelves)
Carved wood appliqué
Corner window application (outside mount only)
Decorative keystones
Decorative plate groove
Dust cover cut-out

HOW TO PRICE

- **Important Note!** All base prices are predicated on Ordered Dimensions.
- Base prices shown on price charts 1 to 3 (see pages PKC-3 to PKC-5).
- Add any applicable design options surcharges (see pages PKC-3 to PKC-5).
- Add applicable NET freight charges (see pages PKC-3 to PKC-5).

ORDERING CHECKLIST

- ✓ Specify cornice profile style and height; then select desired finish and mount type — inside (IB) or outside (OB) mount.
- ✓ Provide inside back bottom total ordered width dimensions.
- ✓ Provide inside back bottom return length dimensions for outside mounts. Specify right or left return only, if desired.
- ✓ For inside mount cornices, provide dust cover depth if more than 1" plus crown extension is required for mounting (see page PKC-7).
- ✓ Specify any design options, such as decorative keystones, carved wood appliqué, decorative plate groove, bottom dust cover, dust cover cut-outs, if desired.
- ✓ Provide a drawing for alternate decorative keystone positions, carved wood appliqué positions, dust cover cut-out positions, bay window cornices or corner window cornices, if desired.

Notes

- To measure for placement of wood cornices over layered window coverings, we suggest first taking the overall width and depth of the layered window coverings when in the open position or where the widest measurement occurs. Then, add 2" to the width and depth per side to accommodate for the window covering movement and controls.
- A longer return length is required for Pirouette® with UltraGlide® shadings on all 12" tall cornices, due to the cord operation.
- All wood cornices come standard with a dust cover on top of the profile. This top dust cover has the same finish as the cornice profile.
- To process a wood cornice remake, the original ordered wood cornice needs to be returned in the original packaging.
- Cornices cannot be altered after fabrication.

INSTALLATION PROCEDURES

- For safety reasons, we recommend the following number of professional installers for each installation based on the cornice width:
 - Widths up to 84": 1 installer.
 - Widths of 84 $\frac{1}{8}$ " to 176": 2 installers.
 - Widths of 176 $\frac{1}{8}$ " to 268": 3 installers.
 - Widths of 268 $\frac{1}{8}$ " to 360": 4 installers.
 - Bay or corner window cornice: 2 installers (an additional installer is suggested for each additional 2 angles for bay window cornices).
- Two methods of installation are suggested: L-brackets or wood mounting strips.
 - Supplied 4" x 4" L-brackets should be mounted into the wall studs. The cornice is placed on top of the brackets and screws are drilled up through the dust cover.

Notes:


- L-brackets are only supplied when the return length is 4" or longer.
- L-brackets mounted above window trims will project the cornice up 4" plus the dust cover thickness of $\frac{3}{4}$ ", for a total cornice projection of 4 $\frac{3}{4}$ ".
 - Supplied 1" x 1" wood mounting strips should be mounted into the wall studs. The cornice is placed on top of the mounting strip and screws are drilled down through the dust cover.
 - The method of mounting wood strips is recommended for the installation of inside mount cornices, mantel shelves and decorative shelves.

Note: Wood strips mounted above window trims will project the cornice up 1" plus the dust cover thickness of $\frac{3}{4}$ ", for a total cornice projection of 1 $\frac{3}{4}$ ".

- Bay window cornices, corner window cornices and keystones should be joined together before installation.
- Bay window cornices, corner window cornices and keystones are assembled with knock-down cam bolts and set screws that are provided.


RIGHT OR LEFT RETURNS

- Specify left return only or right return only.
 - For right returns only, the cornice butts into a 90° surface on the left.
 - For left returns only, the cornice butts into a 90° surface on the right.
- Ordered dimensions will be the inside back bottom dimensions.
- Specify inside return length.



INSIDE (IB) MOUNT — NO RETURNS

- Specify the exact width; no deductions will be taken.
- If mounting between two walls or cabinets, it is imperative that accurate measurements are given, otherwise the cornice may not fit or a gap will show.
- Cornices need to be fully recessed to look acceptable. Note the minimum mounting depths on page PKC-6.
- The standard cornice dust cover will be made the depth of the crown extension plus 1". The 1" will allow you to use the 1" x 1" mounting strip for installation. Specify on the order if a longer dust cover is required.
- Bay and corner windows are not available with inside mounts.



Design Options

PARKLAND® WOOD CORNICES

DECORATIVE KEYSTONES

- Cornices wider than 84" will be spliced with a decorative keystone. Keystone are available on cornices smaller than 84". A surcharge will be applied for each decorative keystone.
- A single cornice segment width cannot be smaller than 12" or wider than 84".

Note: Cornices cannot be spliced without a decorative keystone.

- The cornice keystone is a portion of the profile style projected forward $\frac{3}{4}$ ". The keystone for Zurich and Zurich Bead profile styles has a slight modification — the bottom third portion is flat instead of contoured. This provides the necessary stability for the keystone. The Zurich Bead cornice keystone does not have the bead detail.
- Cornices can have up to four keystones. Cornices with one keystone will have the keystone centered in the middle. Cornices with two to four keystones will have the keystones spaced evenly apart.
- An optional keystone position is available and requires an illustration detailing exact placement of the keystone, similar to the Decorative Keystone Bottom View illustration on this page. Measurements should be given to the center of each keystone, and this illustration must accompany the order.
- If a keystone is required and a wood appliqué is requested, the wood appliqué will be centered on the keystone (see page PKC-2), unless otherwise specified.
- If more than one keystone is required and a wood appliqué is requested, a wood appliqué will be placed on each keystone, unless otherwise specified with an attached illustration.
- Contrasting decorative keystone colors are not available. This look can be achieved by requesting an unfinished cornice for the customer to paint or stain to any desired finish.
- Existing cornices cannot be retrofitted with keystones.
- Individual keystones are not sold separately from cornices.


- To order decorative keystones:

- Specify keystone width (8" standard; optional in $\frac{1}{8}$ " increments up to 28").
- Determine if additional keystones are required by subtracting keystone width from total inside dimensions and divide by the number of cornice segments.


For example:

- 1) 168" cornice width - 8" standard keystone width = 160"
- 2) $160" \div 2$ cornice segments = 80".
- 3) Therefore, only one keystone is required since the single cornice segment is smaller than 84".


Note: Be sure to account for keystone width, and cornice minimums and maximums when calculating total cornice width.



Decorative Keystone Front View



Decorative Keystone Bottom View



CARVED WOOD APPLIQUÉS

- Wood appliqués are available on the Inverness or Townsend cornices in either the 9" or 12" height. A surcharge will be applied for each wood appliqué.
- Wood appliqués are available in the same finish as the cornice as well as 121 Antique Silverleaf or 122 Antique Goldleaf. If a different finish is desired, the cornice should be ordered as unfinished.
- Cornice width must be wider than wood appliqué width (see page PKC-2).
- One wood appliqué will be centered on the flat portion of the cornice. Multiple wood appliqués or alternate positions are available but require a detailed illustration of the exact placement with the order.
- If a wood appliqué is requested and a keystone is required, the wood appliqué will be centered on the keystone, unless otherwise specified.
- If a wood appliqué is requested and more than one keystone is required, a wood appliqué will be placed on each keystone, unless otherwise specified with an attached illustration.
- Only one style of wood appliqué is available per cornice.
- Wood appliqués are not available with the Zurich, Zurich Bead, Claremont Egg & Dart or Claremont Dentil cornices.
- To order wood appliqués:
 - Specify wood appliqué quantity, style and finish.
 - If an alternate wood appliqué position is requested, an illustration detailing the exact placement of the wood appliqué must accompany the order. (These dimensions should be from the inside back bottom ordered dimensions.)



Acanthus Leaf Appliqué



Grapevine Appliqué



Shell Appliqué

MANTEL SHELF AND DECORATIVE SHELVES

Coordinate the hearth and home with a matching mantel shelf or decorative shelves to carry the look of your wood cornices throughout an entire room.

For a surcharge, the bottom dust cover option can be chosen to give the mantel shelf or decorative shelves a more finished appearance. The bottom dust cover is slightly recessed from the bottom of the profile, and is finished the same as the cornice profile and top dust cover. It's made out of the same wood as the face of the profile and is $\frac{3}{4}$ " thick.



Coordinating Mantel Shelf and Decorative Shelves

DECORATIVE PLATE GROOVE

The decorative plate groove offers a place for consumers to showcase their decorative plate collections without obtrusive plate racks.

Available for a surcharge, the decorative plate groove will be routed in the dust cover. A 3" minimum return length is required to have a decorative plate groove. The groove is $\frac{1}{2}$ " wide and $\frac{3}{8}$ " deep; it starts 1" in from the sides and 2" in from the back of the cornice.




Decorative Plate Groove

DUST COVER CUT-OUT

The dust cover cut-out can be used to accommodate mounting the wood cornice around window trim or an obstruction.

The dust cover cut-out is available for a surcharge. An illustration detailing the exact placement of the cut-out on the dust cover must accompany the order, similar to the Dust Cover Cut-Out Bottom View illustration shown below. If a bottom dust cover has been ordered, please specify if just the top or bottom dust cover, or both dust covers should receive the cut-out.

Dust Cover Cut-Out Bottom View



Design Options

PARKLAND® WOOD CORNICES

BAY AND CORNER WINDOWS

Measuring Bay and Corner Windows

It is imperative that you provide accurate measurements for bay and corner window cornices, especially the degree of angles. If accurate measurements are not provided, the cornice will not line up flush with the wall. Please use a digital protractor, digital angle finder or digital miter finder to measure the angles. These measuring tools can be found on the Internet or at your local home improvement store.

1. Measure the degree of angle(s) where the walls meet at the exact location where you will mount the cornice. Provide these degrees of angle(s) on a drawing similar to the one shown below.

Note: The degree of angle may vary along a wall at different heights.

2. Provide the width of each cornice segment (inside back dimension, excluding crown extensions) on a drawing similar to the one shown below.
3. Provide the return length. Only one return length is allowed per cornice for all cornice segments.
4. Note if the cornice should have a "right return or left return only."


HOW TO PRICE

Price each cornice segment individually, then add together, and add appropriate Bay/Corner window surcharges.

Notes

- Each cornice segment for a bay or corner window cornice should follow the same size standards, specifications and design options guidelines as an individual cornice.
- Five or seven cornice segments are available.

Bay Window Dimensions



Corner Window Dimensions

