



# SENKO™ series

Perforated architectural screens  
Wide range of perforated patterns  
Custom perforations available  
Laser cut custom profiles available



# SENKO™ Series


## PERFORATED SCREEN SYSTEM

OLAM SENKO™ Series Perforated Screen System offers a wide range of perforated patterns, perforated metal screens, laser cut custom profiles and related products.

OLAM Clad through it's SENKO Series can provide both standard perforation patterns and custom made patterns in round, slot, square, hexagon, embossed and ornamental perforations.

The SENKO can be installed into existing openings or custom framing as required. It comes complete with structural framing systems to suit various applications.


All OLAM® Clad products are engineered to Australian standards and adapted to project design requirements.




**S1625**  
1.6mmØ x 2.54mm Pitch  
36% Open Area



**S1632**  
1.6mmØ x 3.2mm Pitch  
23% Open Area



**S2031**  
2.06mmØ x 3.1mm Pitch  
41% Open Area



**S2436**  
2.41mmØ x 3.66mm Pitch  
40% Open Area



**S1217**  
12.7mmØ x 17.27mm Pitch  
49% Open Area




**S1925**  
19.05mmØ x 25.4mm Pitch  
51% Open Area



**S4769SQ**  
4.76mmØ x 6.99mm Pitch  
47% Open Area



**S24AC**  
2.41mmØ x 6.91mm Pitch  
11% Open Area



**S3245**  
3.25mmØ x 4.52mm Pitch  
46% Open Area



**S3247**  
3.25mmØ x 4.78mm Pitch  
41% Open Area



**S3255**  
3.25mmØ x 5.59mm Pitch  
30% Open Area




**S2530**  
25.00mmØ x 30.00mm Pitch  
63% Open Area



**S7911SQ**  
4.94mmØ x 11.43mm Pitch  
48% Open Area



**S3261**  
3.25mmØ x 6.1mm Pitch  
25% Open Area



**S3955**  
3.97mmØ x 5.59mm Pitch  
46% Open Area



**S4763**  
4.76mmØ x 6.35mm Pitch  
51% Open Area



**S4779**  
4.76mmØ x 7.92mm Pitch  
33% Open Area



**S1931SR**  
19.05mm x 3.18 mm Slots  
41% Open Area



**S2563SR**  
25.4mmSq Diag x 6.35mm Slots  
49% Open Area



**S6376SQ**  
6.35mmSq x 7.62mm Pitch  
69% Open Area



**S6388**  
6.35mmØ x 8.89mm Pitch  
46% Open Area



**S6395**  
6.35mmØ x 9.55mm Pitch  
40% Open Area



**S7995**  
7.94mmØ x 9.55mm Pitch  
62% Open Area



**S9514**  
9.53mmØ x 14.27mm Pitch  
40% Open Area



**S5512SD**  
5.56mmSq Diag x 12.7mm Pitch  
19% Open Area



**S1115SQ**  
11.11mmSq x 15.88mm Pitch  
49% Open Area

## SENKO™ Series SPECIFICATIONS

### Material

#### Sheet

Thickness 2-6mm  
Architectural Grade – 5005 H34, 3003 H14  
Structural Grade – 5083

#### Frame

Galvanised  
Aluminium (Structural Grade 6005-T6)

### Finish

#### Mill inish

#### Powder Coat

#### Duracoat

Electro  
Duralloy  
Alphatec  
Duratec  
Fluoraset  
Other  
Interpon  
D1000  
D2015 Ultriva  
D3020 Fluoromax  
Other

#### Anodising

Australian Aluminium Finishing(AAF)  
EverShield High Grade Anodising  
EverShield Coastal  
EverShield External  
EverShield Internal

#### Universal

#### Colour

Application Thickness μ

#### Other Finish





6H9

