PARTS REFERENCE GUIDE

TO CONFIRM PRICING, PLEASE LOG ON TO http://extranet.rohlhome.com/OR CALL CUSTOMER CARE AT 800-777-9762. THANKYOU.



019.0500

JHI

PARTS

ALL COLLECTIONS

China seal washer for all five hole bidets U 0100 MB1947I M MB1947XM, A1460LM, A1460LP, A1460XM, A1460XC, A1460LC, A1460LH, U.3960L, U.3960LS, U.3961X, U.3970LSP, U.3971X, AC595L, AC595LP, AC595X, BA595L, BA595X, R2019LM and R2019XM so they can fit Kohler and Toto bidets, included as part of all five hole bidet kits.



5HOLEINSTALLKIT

40.2056.00002

40.2060.00002

40.2061.00000

FOR THE LAVATORY

rough valve body with

rough valve body with

BP1050HXT

Hex faceplate trim only

with traditional etching in

for the R1050BD universal concealed 1/2" thermostatic rough valve body with

1.2 GPM aerator 24mm pink insert only

I AVATORY

KITCHEN

diverter.

diverter

diverter.

Installation set for combining a three hole tub filler and a deck mount diverter to make a custom five hole tub filler.

1.5 GPM aerator 24mm pink insert only FOR THE



Polished Chrome BP1050ART Polished Nickel Arch faceplate trim only Satin Nickel with traditional etching in Tuscan Brass for the R1050BD universal concealed 1/2" thermostatic

1.8 GPM aerator 24mm light blue insert only FOR THE

Polished Chrome **BP1050HXM** Hex faceplate trim only

Polished Nickel Satin Nickel with modern etching in for the R1050BD universal concealed 1/2" thermostatic







Oval faceplate trim only with traditional etching in for the R1050BD universal concealed 1/2" thermostatic rough valve body with diverter.

Polished Chrome Polished Nickel Satin Nickel English Bronze

BP1050OVM

Oval faceplate trim only with modern etching in for the R1050BD universal concealed 1/2" thermostatic rough valve body with diverter

BP1050OVT

Polished Nickel Satin Nickel Tuscan Brass French Brass Satin Gold

Polished Chrome



ALL COLLECTIONS BP1050RTM

PARTS

Rectangular faceplate trim only with modern etching in for the R1050BD universal concealed 1/2" thermostatic rough valve body with diverter

Polished Chrome Polished Nickel Satin Nickel



lavatory faucets.

C7086.05

C7324EXTKIT

Bath pop-up rod extension kit. Includes 5555-11 wing thumb screw, 6200-15 spring clamp and 6200-13 drain strap rod, adds 8" to 10".

Water conserving 0.5 GPM aerator size M24 for kitchen and

KITCHEN SINKS

• • • • • • • •

10 6



oooll

ISESPACER

Wooden spacer only for use with Allia fireclay sinks and the ISE10082. 3/4" spacer for use with 1 HP ISE disposers, including Evolution Series®. Allows disposers to be installed on the smaller bowl of the 6337, 6327, 6317 and 6339 Allia fireclay sinks.

8680050

Italian Stainless Steel mounting clip kit only. Includes 18 sets of nuts, bolts and rods.

HOT WATER DISPENSERS

U.1998

Perrin & Rowe® high performance hot water tank

SOAPERS



LS550AB

White colored plastic bottle only with larger 12 fluid ounce capacity, made of HDPE high density polyethylene.

ROHL products comply with low lead standards for state and federal regulations.



PARTS

SOAPERS



LS550AP

Pump assembly only with rim for LS650C soap/lotion dispenser.



LS550AS Straw only for LS850p, LS750L and LS650P soap/lotion dispenser.



LS650CE Escutcheon plate only for the LS650C soap/lotion dispenser.



9.13197

Perrin & Rowe® Contemporary Kitchen and Contemporary Filtration 1/2" hot cartridge only guarter turn clockwise opening for the U.4310, U.4210, U.4312, U.4712, U.1208, U.1209. U.1110 and U.1212.



Polished Chrome LS650CP Polished Nickel Pump head with pump for the Tuscan Brass LS650C Italian soap/lotion Satin Nickel dispenser.



9.13199

Perrin & Rowe® Contemporary Kitchen and Contemporary Filtration 1/2" cold cartridge only guarter turn counterclockwise opening for the U.4799, U.4798, U.4310, U.4210, 4312, U.4712, U.1208 and U.1209.



LS750ADAPT Black threaded female coupling for the LS750L and LS850P soap/lotion dispenser bottles.



LS750LP Pump head with pump for the LS750L De Lux soap/lotion

Polished Chrome Polished Nickel Satin Nickel



9.31629 Perrin & Rowe® Filtration mounting bracket only for the U.1812.



9.25542

Perrin & Rowe® Filtration complete aerator only with 1.75 GPM flow restrictor M24 and grey colored back for all Filtration Kitchen Faucets, U.1370LS and U.1335LS lavatory filter faucets



Polished Chrome LS850PP Polished Nickel Pump head with pump for the Italian Brass LS850P Traditional Perrin & Satin Nickel Rowe[®] soap/lotion dispenser. Enalish Bronze

LS850PEXT

Extension to threaded plastic base including extended straw for use on LS650C, LS850P, LS2150 and LS750L soap/lotion dispensers.



PERRIN & ROWE® KITCHEN & BATH



HO

9.01451C Perrin & Rowe® 1/2" Edwardian cross handle top with COLD indicator in White Porcelain.

Polished Chrome Polished Nickel Satin Nickel English Gold English Bronze

9.01451H

Perrin & Rowe® 1/2" Edwardian cross handle top with HOT indicator in White Porcelain.

PERRIN & ROWE® FILTRATION

FRX02

Replacement filter for U.1812 filter system.





HI PARTS

PARTS

PERRIN & ROWE® KITCHEN & BATH



9.067115

Perrin & Rowe[®] 22mm O-ring only for the U.6386, U.6381, U.6388. U.6399 and U.6387 deck pillar unions to U.3530. U.3531, U.3535, U.3540, U.3541, U.3018, U.3019 and U.3536 tub fillers.

9.07245

Perrin & Rowe® diverter maintenance O-ring set for diverter on four hole deck mount Roman tub filler mixes U.3248. U.3249, U.3737, U.3738, U.3745, and U.3746. Sent with instructions



9.07840 Perrin & Rowe kitchen spout seal kit for all "C" spout kitchen faucets includes O-ring, plastic split ring, and set screw



9.13554

9.13501

Perrin & Rowe® 24pt. thermostatic cartridge for exposed and concealed mixers. Please note: Test the installation before replacing the cartridge. On new installations, most cartridges have to be calibrated. This is the most common reason for replacement. On older installations, take the cartridge out and flush with high pressure. This occasionally returns an older cartridge to working condition. Also fits R1085BO.

Perrin & Rowe® 3/4" valve 1/4-turn counter clockwise opening

for hot side lever handle and hot and cold cross handles.

9.13566

Perrin & Rowe® 20pt. new style thermostatic cartridge for concealed and exposed thermostatic mixers package with spline adaptor

9.13195 Perrin & Rowe® 1/2" valve 1/4-turn clockwise opening for cold side lever handle



9.13841

9.15402

Perrin & Rowe® mixing control cartridge only for all single lever kitchen faucets including U.4741, U.4746, U.4739 and U.4747. Sent with instructions.

Perrin & Rowe® vernier plastic adaptor that fits under 1/2"



9.13196

Perrin & Rowe® 1/2" valve 1/4-turn counterclockwise opening for hot side lever handle and hot and cold cross handles.



and 3/4" cross and lever handles.



9.13362

Perrin & Rowe® spout diverter assembly only for all kitchen faucets with rinse sidespray including U.4775X, U.4776L and U.4746.



9.16538 Perrin & Rowe® brass olive for 9.165384 capture nut.



9.13378

Perrin & Rowe® cartridge only for the U.5542N new style three port two way diverter and the U.5373N, U.5383N, U.5783N and U.5883 exposed shower diverters.



9.13500

Perrin & Rowe® 3/4" valve 1/4-turn clockwise opening for cold side lever handle only



9.18230 Perrin & Rowe® wall valve rosette 2 3/8" slidina escutcheon for U.3230. U.3231, U.3240 and U.3241.

9.165384

brass olive.

Perrin & Rowe® 3/4" capture

specified finish with 9.16538

nut for 3/4" OD tube in the

Polished Chrome Polished Nickel English Bronze Satin Nickel English Gold

Polished Chrome Polished Nickel English Bronze Satin Nickel English Gold

PARTS

PERRIN & ROWE® KITCHEN & BATH

9.18545




Perrin & Rowe® accessory mounting bracket backplate, dry wall anchor and set screw also used to mount U.5544 handshower parking bracket and U.5540 sliding rail.



9.26563

Perrin & Rowe® sliding rail mini black porcelain lever insert only to 9.09554 (order with 9.24554 and 9.09553 for complete unit)



9.271048 Perrin & Rowe® handshower without incline only with black porcelain insert in for deck bath mixers, exposed tub fillers with cradles and exposed therms

Polished Chrome Polished Nickel Satin Nickel English Bronze English Gold

9.26423 Perrin & Rowe® black porcelain insert only single piece to Edwardian lever handles.

9.03393 Perrin & Rowe® elbow only for handshowers.



9.27385

Perrin & Rowe® handshower without incline only with white porcelain insert for exposed tub fillers with cradles and exposed therms.

9.27745

Perrin & Rowe® handshower without incline only with metal insert for deck bath mixers, exposed tub fillers with cradles and exposed therms.

9.28385 Perrin & Rowe® 58" metal hose for handshower to all

exposed systems.

Polished Nickel English Bronze Satin Nickel

Polished Chrome Polished Nickel English Bronze Satin Nickel English Gold

> Polished Chrome Polished Nickel English Bronze Satin Nickel English Gold

English Gold



Polished Chrome 9.21612 Polished Nickel Perrin & Rowe® 8" support English Bronze stanchion for exposed risers, Satin Nickel may be cut down to size


















Perrin & Rowe® standard metal insert only to Edwardian lever handles for hexagonal escutcheon match.

Polished Chrome Polished Nickel English Bronze Satin Nickel English Gold





Polished Chrome Polished Nickel English Bronze Satin Nickel English Gold



9.26422 (Not Pictured) Perrin & Rowe® biscuit porcelain insert only to Edwardian lever handles for hexagonal escutcheon match. Must order 9.24193 spindle lever bolt and 9.191934 lever insert ring to use on Georgian Era or Kitchen Alsace lever faucets.

9.26411



ROHL products comply with low lead standards for state and federal regulations

9.21383 Perrin & Rowe[®] piston for worm gear to U.5383, U.5542 and

U.5543 diverter secondary spindle, raw brass with no finish (use with primary 9.21384). 1996-2013. 9.21384

Perrin & Rowe® diverter primary spindle to U.5383, U.5542 and U.5543 (use with the 9.21383 worm gear secondary spindle). 1996-2013.

Perrin & Rowe® kitchen spare parts service kit to sidespray

SEC.

9.21427



rinse only. Comes assembled.







desired. 9.24855

Perrin & Rowe® set of two

finished screws for U.5555.

U.5786, U.5757, U.5756 and U.5586 faceplate.

U.5556, U.5585, U.5785,







PARTS



PARTS

PERRIN & ROWE® KITCHEN & BATH

9.28401

Perrin & Rowe® sidespray rinse supply flex hose 11 13/16" or 300mm length x 10mm x 3/8" for U.4746. U.4761. U.4766. U.4775 and U.4776 kitchen faucets.

9.28426

Perrin & Rowe® 47" length black nylon rinse hose only for sidespray kitchen faucets with rinse hose ferrule in matching finish.

Polished Chrome Polished Nickel English Bronze Satin Nickel English Gold



U.5732X Perrin & Rowe® Georgian Era cross handle only for

PERRIN & ROWE® KITCHEN & BATH

U.5532X

Polished Chrome Polished Nickel Satin Nickel English Bronze

Polished Chrome

Polished Nickel

English Bronze

Satin Nickel

ROHL PULL-OUT KITCHEN FAUCETS

10663

ROHL cartridge only for ROHL top lever Pullout Kitchen faucets for the R77V3 series faucets purchased after May 2012



9.31556

9.28448

Perrin & Rowe® O-ring and screen for thermostatic union, consists of screen and O-ring set for both hot and cold.

Perrin & Rowe® 40" extension hose for the four hole deck tub

fillers that connect between the finished hose and the spout.



10704

10741

Cartridge only for ROHL side lever pullout kitchen faucets in the R7903 series purchased after May 2012.

Cartridge only for ROHL side lever pullout kitchen faucets in

Polished Chrome

Satin Nickel

the R7913 and R7923 series purchased after May 2012.



U.3157

Perrin & Rowe $^{\ensuremath{\otimes}}$ Deco 1 1/4" spindle extension kit for the 9.31556 cartridge, for thermostatic trims U.5157LS/TO & U.5158X/TO.



U.3243

Perrin & Rowe® 1 1/4" extension kit (one piece) to wall mount volume control U.3230 and U.3240, top of therm.

of U.3243 to wall mount volume control U.3230 and U.3240. can be stacked.



U.3550

is U.3550.

U.3243S Perrin & Rowe® 5/8" extension kit (one piece) short version



R412814STN Loop lever handle only





for R3800 ROHL Pull-Out kitchen faucets

R412820APC


R42659A

High flow 2.5 GPM aerator insert only to ROHL pull-out kitchen faucet. Can also be used for A3608 and A3606.

1.5 GPM aerator 24mm pink insert only FOR THE LAVATORY.

1.8 GPM aerator 24mm light blue insert only FOR THE KITCHEN.

R45158







Polished Chrome Polished Nickel English Bronze Satin Nickel English Gold

Polished Chrome

Satin Nickel

PARTS

Italian Kitchen flex line supply tube hose with filter. One hose

only, not a set. For kitchen faucets only.

ROHL PULL-OUT KITCHEN FAUCETS



R451701

One-way check valve with flow restrictor to ROHL pull-out side lever faucets, R7903 and R7913. Also for ROHL pull-out faucets prior to 2005. The check valve is not included on 2005 and newer ROHL pull-out kitchen faucets.



R4521820APC R4521820STN Short handspray only for

ROHL pull-out R3800 and R7913 series kitchen faucet.



R5980101

Cartridge with double check valve for R3800 and R77V3 series ROHL single lever pull-out kitchen faucets.

R9261912

R9401850APC

Cartridge with double check valve for R7903 and R7913 series ROHL side lever pull-out kitchen faucets.



ROHL dé Lux lever handle only for top lever pull-out kitchen faucets in Polished Chrome. **R9401854STN**

ROHL dé Lux lever handle only for top lever pull-out kitchen faucets in Satin Nickel.



R945157APC **R9451750STN** Standard long handspray only for ROHL pull-out



R945290 ROHL long handspray only **R9452900APC** with elastomer faceplate for R9452901PN R77V3 and R7903 series ROHL Pull-Out faucets.

R9452905IB R9452904STN R9452906TCB



ROHL short handspray only R9452950APC with elastomer faceplate for R9452951PN R9452955IB R77V3 and R7903 series R9452954STN ROHL Pull-Out faucets. R9452956TCB

kit only for the R3810 and R3830 faucets purchased before May 2012.

R9454641KIT

R945295

ROHL pull-out kitchen faucet new style bearing ring kit only

ROHL Delux pull-out kitchen faucet new style bearing ring

R9454651KIT

for the R77V3 faucets purchased before May 2012.

ROHL products comply with low lead standards for state and federal regulations

ITALIAN KITCHEN & BATH/AVANTI/ PALLADIAN/VINCENT/LOMBARDIA

A5556CR



A7678B

Black ceramic porcelain lever only for the A1400, A2400, A6400, A7400 and A2700N trims. (Does not come standard with any ROHL products, must be ordered separately.)

Polished Chrome Polished Nickel Italian Brass Satin Nickel Tuscan Brass

C3009





C3009D35

diverter actuator.

Italian Kitchen mixing control cartridge only for Patrizia A3420 and all Cinquanta A3650, A3650/11, A3650/6.5 faucets

ROHL Italian Kitchen and Bath mixing control cartridge only

instructions. Warning: No flow at the kitchen spout is not a

symptom of a faucet needing a cartridge. Instead, replace the



C3608/5KIT

Italian Kitchen old style diverter actuator without frame under cartridge for the A3608WS and A3606WS with sidespray, dated before November 2003. Comes with instructions and grease.

C4912



C4912/58SET

3/4" bath extension kit only to volume control rough wall valve A4911BO and trims A4912, A4712, A2912, A4012, A4212 and A4812.

PARTS





C3009D35CD

ROHL Vincent Bath mixing control cartridge only for A3002 and A3003 single lever Vincent bath faucets. Flow rate is 5.8 GPM @ 60 PSI.

MI PARTS

PARTS

ITALIAN KITCHEN & BATH/AVANTI/PALLADIAN/VINCENT/LOMBARDIA



C5590

Italian Bath Lombardia 51/64" extension to A1477 and A2207 wall mount lavatory faucets. One stem and one barrel for the cold or hot sidevalve. Single piece, order two for set.



C7005MKIT

Italian Kitchen new style diverter actuator with frame under cartridge for the A3608WS and A3606WS with sidespray faucets dated after November 2003. Comes with instructions and grease.



C7006MKIT

Italian Kitchen diverter actuator under spout to A1679WS and A1676WS with sidespray. Replaces old style C1679/5. Comes with instructions and grease.



C7007MKIT

Italian Kitchen diverter actuator with frame to A1458WS and A3650WS-2. Comes with instructions and grease.



C7075-1

Italian Kitchen and Bath clockwise opening 1/4-turn, 1/2" cartridge only for all cold side valves including Vincent and Lombardia, and hot for A1676, A1680 and A1679.

C7075-2

Italian Kitchen and Bath counterclockwise opening 1/4-turn, 1/2" cartridge only for all hot side valves including Vincent and Lombardia, and cold for A1676, A1680 and A1679.



C7075A

Italian Bath counterclockwise opening 1/4-turn 3/4" cartridge only

C7075ACLOCKWISE

Italian Bath clockwise opening 1/4-turn 3/4" cartridge only.





C7083

Italian Kitchen and Bath male threaded aerator 24mm for faucets including the A3608.

Polished Chrome Polished Nickel Italian Brass Satin Nickel Tuscan Brass

For C7086.15, order 40.2056.00002 1.5 GPM aerator 24mm green insert only FOR THE LAVATORY







connection.

C7092

C7089LAV

Italian Bath lavatory supply line (one piece only) for A1808,

Italian Kitchen hose only for all sidespray faucets including

in all finishes. 59 1/16" long with 3/8" female x 10MM male

A3606WS, A1676WS, A1679WS, A3650WS-2 and A3608WS

A1707, A1407, A1408, A2707, A1908, A2108 and A1409.

C7104B Single-function handshower only with black ceramic porcelain insert for four and five hole deck mount tub fillers. (Does not come standard with any ROHL products, must be ordered separately).

Polished Chrome Polished Nickel Italian Brass Satin Nickel Tuscan Brass

Italian Kitchen black plastic aerator or filer only for new C7108N spray face on anti-drip handspray to A3608WS, A3606WS, A1676WS, A1679WS, A1458WS, A3479WS and A3650WS-2 that includes C3008/11 Inox stainless steel net and C7586.74 O-ring insert

C7108/KIT

Italian Kitchen replacement cartridge only to new style handspray C7108N. Sent with instructions.

C7108N





New style pair of 2" extension pieces only for wall and deck mounted bridge faucets A1423, A1405/44, A1456, A1459, A1401, A1901, A2101, A2701, A1801 and A1418

C7324/2

Italian Bath pop-up drain center plug only, complete with height adjuster plain generic plug without "ROHL" logo.

Polished Chrome Polished Nickel Italian Brass Satin Nickel Tuscan Brass

Care for A1456 handspray stock number.

Polished Chrome Polished Nickel Italian Brass Satin Nickel Tuscan Brass Old Iron

Polished Chrome Polished Nickel Italian Brass Satin Nickel **Tuscan Brass** Old Iron







C7108/8

PARTS

PARTS

ITALIAN KITCHEN & BATH/AVANTI/PALLADIAN/VINCENT/LOMBARDIA



Polished Chrome C7324/2M Polished Nickel Italian Bath pop-up drain Italian Brass center plug only, Complete Satin Nickel with height adjuster with Tuscan Brass "ROHL" logo. Old Iron



C7605 Palladian metal lever only with no hot or cold indicator for the A1908, A1904 and A1984.



C7335

13" horizontal rod for lavatory pop-up extensions (may be used with all collections).

> Polished Chrome Polished Nickel

Italian Brass

Satin Nickel

Tuscan Brass



C7609MCC

Italian Bath Cristallo di Rocca handle only with Modern Lombardia style bell housing or escutcheon hood for two handle faucets



C7539 Italian Bath finished screw. One piece only, not a set. For A4909 and A4914 Old Iron thermostatic faceplate. Also fits MB1940 Michael Berman thermostatic faceplate.



C7615

Palladian Swarovski® crystal knob handle only with no hot or cold indicator for the A1908, A1904 and A1984.



C7555EXT

Italian Kitchen extended stud only 3/8" male threading, 4 3/8" length for mounting deep deck installations of A1466, A1467, A1470, A1667, A1676, A1679, A1680, A3402, A3606 and A3608



C7617

Palladian Swarovski® crystal lever only with no hot or cold indicator for the A1908, A1904 and A1984.



C7573 Italian Kitchen 1/2" fiber washer red or green for lavatory faucets



C7627/6

C7618X

assembly to reduce movement.



C7586.61 Italian Kitchen and Bath O-ring only for the A1405/44, A1423, A1401, A1456, A1459, A1458, A1420, and A1419 bridge faucets located in the recess of the male end that connects



Italian Bath white nylon spacer only for the C7232/2 stem



C7593SET

to the unions

Italian Kitchen complete ring set for the A3608, A3606, A1680, and A1679 spouts consisting of 2 nylon rings with rays, 1 O-ring and C7546 Allen key set screw for swiveling spouts.



C7594

ROHL Italian adaptor only for the A4911BO volume control valve to install trim sets for Italian Bath. Vincent. Palladian and Lombardia.



C7641B

Black ceramic porcelain diverter lever only for the exposed tub fillers A1401 and A2101. (Does not come standard with any ROHL products, must be ordered separately.)

C7645

Palladian cross handle only with no hot or cold indicator for the A1908, A1904 and A1984.

Polished Chrome Polished Nickel Italian Brass Satin Nickel Tuscan Brass

Italian Kitchen five spoke handle only with bell housing.

C7673C

C7673H

C7673PH

cross handles.

C7674

Italian Kitchen and Bath

pressure fit cover cap.

ring and white porcelain

cover cap indice complete

all metal with no "Hot" or

"Cold" indicator to A4914.

Italian Kitchen and Bath white porcelain insert only with

"Cold" script in English to cross handles for A1466, A1469.

A1454X, A1464X, A1404X, A1444, A1456, A1405/44X and A1459. Only used on threaded screw cover caps.

Italian Kitchen and Bath white porcelain insert only with

"Hot" script in English to cross handles for A1466, A1469,

A1470, A1407X, A1408X, A1409X, A1419X, A1418X, A1414X,

A1454X, A1464X, A1404X, A1444, A1456, A1405/44X and

A1459. Only used on threaded screw cover caps.

A1470, A1407X, A1408X, A1409X, A1419X, A1418X, A1414X,

ITALIAN KITCHEN & BATH/AVANTI/PALLADIAN/VINCENT/LOMBARDIA



C7665/2

OHI

PARTS

Italian Kitchen and Bath temperature indicator only for C7633, C7604, C7676, C7675, C7665 and C7661 single lever domes in Satin Nickel, Polished Nickel and Polished Chrome.



C7665/2IB/TCB

Italian Kitchen and Bath temperature indicator only for C7633, C7604, C7676, C7675, C7665 and C7661 single lever domes in Italian Brass, Tuscan Brass, Antico Brass and Old Iron.



C7669M Italian Kitchen and Bath metal lever only with bell housing for all two lever kitchen and lavatory faucets.

C7670XM

bath faucets

Italian Kitchen and Bath

cross handle only with bell

housing for all kitchen and



Italian Brass

Satin Nickel

Old Iron

Tuscan Brass

Polished Chrome

Polished Nickel

Italian Brass

Satin Nickel

Tuscan Brass



Hot

Cold





Polished Chrome Polished Nickel Italian Brass Satin Nickel complete with finished outer Tuscan Brass Old Iron insert with "HOT" script for

Polished Chrome Polished Nickel Cross handle threaded screw Italian Brass Satin Nickel Tuscan Brass

PARTS





C7672C Threaded screw cover cap, complete with finished outer ring has ridges and porcelain insert with "COLD" script for cross handles









C7672PB

cross handles.

C7672PC

cross handles

Italian Kitchen and Bath

complete with finished outer

ring and "plain" or blank

white porcelain insert for

Italian Kitchen and Bath

ring and white porcelain

complete with finished outer

insert with "COLD" script for

pressure fit cover cap,

pressure fit cover cap,

Polished Chrome Polished Nickel Italian Brass Satin Nickel Tuscan Brass

Polished Chrome Polished Nickel Italian Brass Satin Nickel Tuscan Brass Old Iron





C7674PH

Italian Kitchen and Bath cross handle and five spoke handle pressure fit screw cover cap indice with all metal with "H" for hot indicator

C7674P



C7675M New style metal lever with dome to A3608. A3606. A3402, A3403, A3479WS. A3671 and A3672.

Italian Kitchen and Bath cross handle pressure fit cover cap indice. Complete all metal with no "HOT" or



Polished Chrome Polished Nickel Italian Brass Satin Nickel **Tuscan Brass** Old Iron

Polished Chrome Polished Nickel







Polished Chrome

Polished Nickel

Italian Brass

Satin Nickel

Tuscan Brass

PARTS

ITALIAN KITCHEN & BATH/AVANTI/PALLADIAN/VINCENT/LOMBARDIA





C7676B Black ceramic porcelain

dome lever only for all single lever lavatory faucets. (Does not come standard with any ROHL products, must be ordered separately.)

C7676P New style porcelain lever with dome to A3608. A3606. A3402, A3403, A3479WS, A3671 and A3672

Polished Chrome Polished Nickel Italian Brass Satin Nickel Tuscan Brass

Polished Chrome



C7698B

Italian Bath porcelain insert blank for pressure balance levers. Only used on threaded screw cover caps.



C7698P

Italian Kitchen "PURE" indice porcelain insert for A1435 and A1635 filter faucets. Only used on threaded screw cover caps.



C7678B Black ceramic porcelain lever

Polished Nickel Italian Brass only with bell housing for all two Satin Nickel lever lavatory faucets and tub Tuscan Brass fillers and A4912/TO volume control and diverter trims

(Does not come standard with any ROHL products except some select products. Must be ordered separately.)



C7678P

Italian Kitchen and Bath porcelain lever only with bell housing for all two lever kitchen and lavatory faucets and A4912/TO volume control and diverter trims

Polished Chrome Polished Nickel Satin Nickel Tuscan Brass Italian Brass



Pressure fit porcelain cover cap indice complete with the letter "C" for cold to lever handles for all Italian Kitchen and Bath levers. Does not fit threaded screw cover caps.

C7698PAPCC C7698PPNC C7698PIBC C7698PSTNC C7698PTCBC C7698POIC



Pressure fit porcelain cover cap indice complete with the letter "H" for hot to lever handles for all Italian Kitchen and Bath levers. Does not fit threaded screw cover caps.

C7698PAPCH C7698PPNH C7698PIBH C7698PSTNH **C7698PTCBH** C7698POIH

C7698PBAPC

PARTS



C7698.2C

C7698.2H

Italian Kitchen and Bath cold porcelain insert only for all lever handles. Only used on threaded screw cover caps.





C7698PD

Italian Bath pressure fit porcelain screw cover cap indice to all A1401, A2101, A2701 and A1701LM tub shower mixer diverter

Italian Kitchen pressure fit cover cap indice complete with "PURE" script in English to A1635 and A1435 faucets. Does not fit threaded screw cover caps.



Polished Chrome Polished Nickel Italian Brass Satin Nickel **Tuscan Brass**

C7698PPAPC C7698PPPN C7698PPIB **C7698PPSTN C7698PPTCB**



handles Threaded porcelain screw cover cap indice complete with finished trim and the letter "H" for hot to all Italian

Kitchen and Bath lever

Kitchen and Bath lever

C7698APCH C7698PNH C7698IBH C7698STNH C7698TCBH

C7698TCBC



handles. Only used on threaded screw cover caps.



handles


ROHL products comply with low lead standards for state and federal regulations

Italian Kitchen and Bath hot porcelain insert only for all lever









C7698PBPN C7698PBIB C7698PBSTN C7698PBTCB C7698PBOI

MI

PARTS

ITALIAN KITCHEN & BATH/AVANTI/ PALLADIAN/VINCENT/LOMBARDIA



All metal pressure fit cover cap indice complete with the letter "H" for cold to lever handles for A1707I M faucets. C7607 levers, and all Italian Kitchen and Bath lever handles. Does not fit threaded screw cover caps.

C7699/1APCH C7699/1PNH C7699/1IBH C7699/1STNH C7699/1TCBH C7699/10IH

Polished Chrome

Polished Nickel

Italian Brass

Satin Nickel

Tuscan Brass

Polished Chrome

Polished Nickel

Italian Brass

Satin Nickel

Tuscan Brass

Polished Chrome

Polished Nickel

Italian Brass

Satin Nickel

Tuscan Brass

C7699C



Threaded all metal screw cover cap indice only with the letter "C" for cold to lever handles for A1707LM faucets, C7607 levers and all lever handles

C7699H Threaded all metal screw

cover cap indice only with the letter "H" for hot to lever handles for A1707LM faucets C7607 levers and all lever handles.

C7699P

Threaded all metal screw cover cap indice complete with plain or blank top to lever handles for A1707LM faucets, C7607 levers and all lever handles.

All metal pressure fit cover cap indice complete with plain or blank top to lever handles for A1707I M faucets C7607 levers, and all Italian Kitchen and Bath lever handles. Does not fit threaded screw cover caps

C7910B

control of the A4914 and

A4909 thermostatic trims

Italian Brass lever only for the temperature Satin Nickel Tuscan Brass

(Does not come standard with any ROHL products, must be ordered separately.)



C7911

Italian Bath plastic Hostaform® temperature stop only to thermostatic mixer trim sets to A4909, A4709, A4809, A4914, A4714 and A4814



C7912

Italian Bath cartridge only for thermostatic valves A4910, A4913BO, A4917, A4817, A2917, and A4717. Please note: Test the installation before replacing the cartridge. On new installations, most cartridges have to be calibrated. This is the most common reason for replacement. On older installations, take the cartridge out and flush with high pressure. This occasionally returns an older cartridge to working condition

ITALIAN KITCHEN & BATH/AVANTI/ PALLADIAN/VINCENT/LOMBARDIA





PARTS

C7913SET

Italian Bath complete extension set for thermostatic valve A4910 and A4913BO consisting of two pieces each of C7913, C7914 and C7597.2.

C7914

Italian Bath metal screw extension only for thermostatic valves A4910, A4913BO, A4915BO and A4916BO



C7915

Italian Bath check valve only to filter check valve assembly on thermostatic valves A4910, A4913BO, a4915BO, and 44916BO

C7930/1

Italian Bath white plastic hostaform inlet filter screen only with O-rings for thermostatic valves with service stop A4910 and A4913BO

ARCANA BATH



ZZ921170 Arcana Ornate metal lever for all Arcana lavatory faucets (except shower valves) with "COLD" screw cover cap.

ZZ921180

Arcana Ornate metal lever for all Arcana lavatory faucets (except shower valves) with "HOT" screw cover cap

ZZ922810 Arcana Ornate metal lever for Arcana shower valves with blank screw cover cap.

ZZ9261702

Arcana all metal screw cover cap only for all levers, cross handles and pressure balance levers with no "HOT" or "Cold" indicator, has small plumber logo only.

Polished Chrome Italian Brass Polished Nickel Satin Nickel **Tuscan Brass**

Polished Chrome

Italian Brass

Satin Nickel

Tuscan Brass

Polished Chrome

Polished Nickel

Italian Brass

Satin Nickel

Tuscan Brass

Polished Nickel

Polished Chrome Italian Brass Polished Nickel Satin Nickel **Tuscan Brass**



C7699P/1TCB C7699P/10I Polished Chrome Polished Nickel Black ceramic porcelain













PARTS

ARCANA BATH



Cross handle only ZZ93416021-APC to Arcana shower ZZ9341602B-PN ZZ9341602A-STN valves with blank ZZ9341602V-TCB metal screw cover ZZ9341602Z-IB cap, washer and

ZZ93607

screw.

Arcana thermostatic cartridge to thermostatic mixer HY19BO. Please note: Test the installation before replacing the cartridge. On new installations, most cartridges have to be calibrated. This is the most common reason for replacement. On older installations, take the cartridge out and flush with high pressure. This occasionally returns an older cartridge to working condition.



Arcana 1/4-turn 3/4" valve only to the ZA33BO rough concealed wall valve volume flow control, counterclockwise opening.

ZZ93665

ZZ93822 Arcana 1/4-turn 3/4" valve only to the ZA33BO rough concealed wall valve volume flow control, clockwise opening.



ZZ9386102 Arcana porcelain screw cover cap only with "COLD" in script.

Polished Chrome Italian Brass Polished Nickel Satin Nickel Tuscan Brass

Polished Chrome Italian Brass

Polished Nickel

Satin Nickel

Tuscan Brass

Polished Chrome

Italian Brass

Satin Nickel

Tuscan Brass

Polished Chrome

Italian Brass

Satin Nickel

Tuscan Brass

Polished Nickel

Polished Nickel



ZA0004002 Arcana 1" extension for AC27 diverter.

Polished Chrome Italian Brass Polished Nickel Satin Nickel Tuscan Brass Old Iron



ZZ9386202 Arcana porcelain screw cover cap only with "HOT" in script.



ZZ950330 Arcana Classic metal lever for all Arcana lavatory faucets (except shower valves) with "COLD" screw cover cap.





Polished Chrome Italian Brass Polished Nickel Satin Nickel Tuscan Brass







ZA00050

ZA00045

for BA351

WAVE extension kit for volume control ZA33BO rough valve with WA30 and WA31 trim sets.

Extension kit for volume control ZA33BO rough valve with

AC31 or BA31 trim set with variable extension lengths of 1

5/8" (40mm), 1" (25mm), or 5/8" (15mm). Can also be used

ZA00831004

Extension kit only for 3/4" thermostatic mixer HY19BO rough valve with AC190, WA190, WA191 or BA190 trim set with extension length of 22mm or 7/8". Cannot be stacked.

ZZ92682004

Standard adaptor 1 5/8" between rough and escutcheon on ZA33BO rough concealed wall valve volume flow control, used with AC31, WA30, WA31 or BA31 trim set reduction for escutcheon

ARCANA BATH



ZZ9736602 Arcana Ornate white porcelain lever for Arcana shower valves with blank screw cover cap

ZZ9736702

Arcana Ornate white

porcelain lever for Arcana

valves) with "COLD" screw

faucets (except shower

ZZ9736802

Arcana Ornate white

porcelain lever for Arcana

valves) with "HOT" screw

faucets (except shower

cover cap.

cover cap.

Polished Chrome Italian Brass Polished Nickel Satin Nickel Tuscan Brass

Polished Chrome Italian Brass Polished Nickel Satin Nickel Tuscan Brass

Polished Chrome Italian Brass Polished Nickel Satin Nickel Tuscan Brass

MICHAEL BERMAN BATH

faucets

ARCANA/WAVE/PIRELLONE

PARTS



ZZ93495

Arcana alternate adaptor 5/8" between rough and escutcheon on ZA33BO rough concealed wall valve volume flow control, used with AC31, WA30, WA31 or BA31 trim set reduction for escutcheon



Bell escutcheon only ZZ93932021-APC for Pirellone Avanti ZZ9393202B-PN ZZ9393202A-STN and Lombardia ZZ9393202V-TCB pressure balance ZZ9393202Z-IB



ZZ93393000

ZZ92851000

Arcana 24mm 1.5 GPM aerator insert only green color to lavatory faucets.

Arcana, Modern Kitchen and Pirellone mounting hardware

for AC51, AC102, AC107, LS51, LS53 and LS457 Arcana

ZZ96134000

Arcana 24mm 1.8 GPM aerator insert only white color to kitchen faucets



ZZ96224004

shower trims

Arcana 1/4-turn 1/2" counterclockwise opening hot stem valve only for lever faucets and hot and cold stem valve only for cross handle faucets, blue bottom.



R942693

Michael Berman 3/4" hot cartridge counterclockwise opening. The lever and dome are assembled separately. This is the standard cartridge for the MB1942 wall mounted volume control. 2004-2008.

R942696

Michael Berman 3/4" cold cartridge clockwise opening old style. The lever and dome are assembled separately. This is the standard cartridge for the MB1943 wall mounted volume control. 2004-2008.

PARTS

ZZ96225004

Arcana 1/4-turn 1/2" clockwise opening cold stem valve only for lever faucets, red bottom.



R942698

3/4" hot cartridge counterclockwise opening. The lever and dome are one assembly. This is the standard cartridge for the MB1942 wall mounted volume control. 2008-2012.

R942699

ROHL PRESSURE BALANCE SHOWER

pressure balance escutcheon

1303-0538

3/4" cold cartridge clockwise opening. The lever and dome are one assembly. This is the standard cartridge for the MB1943 wall mounted volume control. 2008-2012.

Adhesive gasket only in white foam for back of coverplate to

MICHAEL BERMAN BATH



R10211

Counterclockwise opening 1/2" cartridge only for hot side valve of the MB1928 and MB1929 lavatory faucets. 2012-Present.

R10210

Clockwise opening 1/2" cartridge only for the cold side valve of the MB1928 and MB1929 lavatory faucets. 2012-Present.



R10215

Counterclockwise opening 3/4" cartridge only for the R1040R volume control rough valve. 2012-Present.

R10214

Clockwise opening 3/4" cartridge only for the R1041R volume control rough valve. 2012-Present.



R9400324

Michael Berman 1/2" hot cartridge counter-clockwise opening. The lever and dome are one assembly. 2008-2012.

R9400325

Michael Berman 1/2" cold cartridge clockwise opening. The lever and dome are one assembly. 2008-2012.



2000-0347BP

Backing plate round spacer only for the 2303-0347 intermediate handle assembly that fits between the 2303-0347 and the pressure balance trim dome to provide intimate contact, made of black or white colored delrin acetal homopolymer resin, 1985" thick x .806-.809" outside diameter x .190" internal diameter.

2104-0110

Inlet filter insert complete for RPC-1 and RPC-2. Single piece only for pressure balance valves including 1204-0190 insert, 1204-0191 filter and 0304-0572 O-ring for complete unit.



ROHL.

ROHL PRESSURE BALANCE SHOWER



2113-0110

Inlet one-way insert complete single piece only for REF-1 and REF-2.



2303-0347 Intermediate handle assembly with extr

Intermediate handle assembly with extra ring for new style escutcheons that attach on the outside of the escutcheon faceplate.



3100-0234 Grease packet only. Waterproof, heat proof, sterile grease.



4415-0330 Brass tailpiece only to convert the RMV-1 into a four port valve for use with external diverter.



3103-1232 Driver replacement kit consisting of driver and screw for RMV-1, RMV-2, REF-1 and REF-2 pressure balance valves.



4781-9000 Brass plug with O-ring only for the RMV-1 or to convert a RMV-2 into a RMV-1.



3104-0789 Extended brass diverter link to pressure balance rough valve

0800 on RPC-2, RMV-2 and REF-2



4782-1000 Brass nut only for the 4781-9000 plug to convert a RMV-2 into a RMV-1.



3104-0800

Diverter sub-assembly complete for RMV-2 and REF-2 pressure balance valves with manual preset or mechanical push/pull system. Sent with instructions.

with manual reset or mechanical push pull diverter 3104-



10715

ROHL cartridge only for R2012D and R2014D pressure balance rough valve with integrated volume control.



3603-1208

3/4" handle extension kit for pressure balance RMV-1, RMV-2, REF-1 and REF-2 (RMV-2 and REF-2 may need additional parts to complete extension).

3603-1207 1/2" handle extension kit for pressure balance RMV-1, RMV-2, REF-1, REF-2 (RMV-2 and REF-2 may need additional parts to complete extension).



4103-1285

Replacement cartridge for most RPC-1 and RPC-2 cartridges with black colored shell. Prior to 2006.





11417

UNIVERSAL SHOWER VALVES

Split function diverter cartridge only for the R1062BO rough. Can only be used with 6" diameter or less showerheads or handshowers with flow regulators remaining in place.

24.04RL.PP

Thermostatic cartridge to 1005N rough valve.

ROHL PRESSURE BALANCE SHOWER

4113-0001



Enhanced flow cartridge kit with filter inserts for REF-1 and REF-2 pressure balance valves. Used as a replacement for REF-1 and REF-2 cartridges and to upgrade most RPC-1 and RPC-2 to enhance flow. 2006-2009.



4115-0040 Cartridge kit only with

Cartridge kit only with filter inserts for RMV-1 and RMV-2 modular pressure balance mixers. 2009-Present.

PARTS

ROS0012

shower arms

MISCELLANEOUS ITEMS

019.0500

Traditional style escutcheon

only to 1440/6 and 1440/8

KIT00006NPT

Optional false ceiling mounting kit only.

SPA SHOWER

UNIVERSAL SHOWER VALVES



R30083

Adaptor only for the R1040R, R1041R and R1062BO universal volume control valve to install trim sets for Italian Bath, Vincent, Palladian, Michael Berman and Lombardia,

Clockwise opening 3/4" cartridge only for the R1041R volume

Counterclockwise opening 3/4" cartridge only for the R1040R



volume control rough valve. 2012-Present.

control rough valve. 2012-Present.

R10214

R10215

R3-052 Adaptor only for the R1085BO universal RTV therm valve to install trim plate sets for Italian Bath, Vincent, Palladian, Michael Berman and Lombardia



R3-056 ROHL extension kit only for the R1040R and R1041R universal volume control rough valves.



BA595X, R2019LM and R2019XM so they can fit Kohler and Toto bidets, included as part of all five hole bidet kits. PLASTICSLEEVE-SS

China seal washer for all five hole bidets U.0100. MB1947LM. MB1947XM, A1460LM, A1460LP, A1460XM, A1460XC, A1460LC, A1460LH, U.3960L, U.3960LS, U.3961X, U.3970LSP. U.3971X. AC595L. AC595LP. AC595X. BA595L.

Polished Chrome

Polished Nickel

Satin Nickel

Tuscan Brass


Italian Brass

Clear plastic sleeve one piece only that fits on the sides of selected stainless steel wire sink grids to protect the inside of the sink.

PLASTICTIP-SS Clear plastic tip one piece only for the feet on selected stainless steel wire sink grids

Modern style escutcheon only to 1690, 1580, 1455/6, 1455/12, 1455/20, 1475/12, 1505/3, 1505/6, 1505/12, 1505/24, 1295 and 1095/8 shower products. (Does not come standard with

ROS0006





ROS0008

Traditional style escutcheon only to 1690, 1580, 1455/6. 1455/12, 1455/20, 1475/12, 1505/6, 1505/12, 1505/24, 1295, and 1095/8 shower products.

any ROHL products, must be ordered separately). Polished Chrome Polished Nickel Satin Nickel Tuscan Brass Italian Brass Matte Black

Polished Chrome

Polished Nickel Satin Nickel Tuscan Brass Italian Brass



PLASTICTIP-WH White plastic tip one piece only for the feet on selected white wire sink grids



R9260912

ROHL mixing control cartridge only for the R2012C and R2014C pressure balance shower rough valves. Includes O-rings and instructions.

R945440

ROHL standard faceplate nut for R2012C, R2012D, R2014C and R2014D pressure balance rough valve to connect faucet.

R3-082

ROHL Perrin & Rowe® stem only for the R1085BO thermostatic valve to connect to Perrin & Rowe® trim.



ROGSCO14

Satin Nickel Tuscan Brass Italian Brass Matte Black

Polished Chrome

Polished Nickel





MISCELLANEOUS ITEMS

9

R945440/3

5/8" extended faceplate nut for R2012C, R2012D, R2014C and R2014D pressure balance rough valve to connect faucet.

CNZREMOTE For use with wall mount and deck mount lavatory faucets. Not for use with vessel bowls or bowls without overflow.

PARTS

ROHL.

CARE & MAINTENANCE

| ADDRESS CONTRACTOR | ASTONISH | Use for cleaning marks and rust off fireclay and porcelain sinks. 17 oz. tub of paste. |
|--------------------|-------------------------------|---|
| | ITEM NUMBER | |
| | C9997 | Bruno's Faucet Wax 6.5 fluid ounce maintenance bottle for protecting Tuscan Brass finish. Good for other finishes also. |
| | ITEM NUMBER | |
| | C9999 | Bruno's Faucet Wax 1.0 fluid ounce maintenance bottle for protecting Tuscan Brass finish. Good for other finishes also. |
| | | |
| | FILLAFIX | Fill-A-Fix 15cc porcelain repair kit for use with Porc-A-Fix touch up kits on porcelain or fireclay sinks with large gouges and/or chips. |
| | ITEM NUMBER | |
| | FLITZPOLISH | For cleaning plated finishes: Polished Chrome and Polished Nickel. 1.7 fluid ounces. Do not use on Italian Brass, Satin Nickel, Tuscan Brass, Old Iron or English Bronze. Also for cleaning stainless steel wire sink grids. |
| | | |
| | FLITZWAX | Faucet and fixture wax for Tuscan Brass primarily. 7.6 fluid ounces. May also be used on Polished Chrome, Polished Nickel, English Bronze, Old Iron, Satin Nickel, French Brass and Satin Gold. Do not use on Italian Brass. |
| | ITEM NUMBER | |
| | ROHL DECORATIVE CLEANER | Spray on polisher. 7.0 fluid ounces. Safe for Polished Chrome, Polished Nickel, Satin Nickel and English Bronze. |

CARE & MAINTENANCE



RSSCLEANERCREAM



ITEM NUMBER

PORCAFIXALLIAMATTEBK PORCAFIXALLIAPERGAME PORCAFIXALLIAWHITE PORCAFIXSHAWSBISCUIT PORCAFIXSHAWSBLACK PORCAFIXSHAWSPCT PORCAFIXSHAWSWHITE

RSSCLEANERCREAM

Porc-A-Fix porcelain repair touch up glaze kit for Allia and Shaws porcelain or fireclay sinks, 15cc bottle for chips, cracks and scratches.

ROHL Italian stainless steel cream cleaner which restores luster for Luxury Stainless Steel or Stainless Copper Kitchen Sinks and other Stainless Steel finish products. 8.5 fluid ounce

bottle.

Allia Matte Black (63) Allia Pergame (68) Allia White (00) Shaws Biscuit Shaws Black Shaws Parchment Shaws White

rook ar Titl Glas Title



ITEM NUMBER

| RSSCLEANERSPRAY | ROHL Italian stainless steel topical spray cleaner for Luxury Stainless Steel or Stainless Copper Kitchen Sinks and other Stainless Steel finish products. 16.9 fluid ounce bottle. | RSSCLEANERSPRAY |
|-----------------|---|-----------------|
| | | |



ITEM NUMBER

| RSSCLEANINGCLOTH | Set of three microfiber cloths for use in cleaning ROHL Italian | RSSCLEANINGCLOTH |
|------------------|---|------------------|
| | Luxury Stainless Steel or Stainless Copper Kitchen Sinks and | |
| | other Stainless Steel finish products. | |



ITEM NUMBER

SIMICHROME

Polishing paste safe for Polished Chrome and Polished Nickel. SIMICHROME Do not use on Satin Nickel, Tuscan Brass, Italian Brass, English Bronze, French Brass, Satin Gold or Old Iron. 1.76 fluid ounces.

ROHL.

ROHL FINISHES

Maintaining the experience of AUTHENTIC LUXURY

The finishing touch of every ROHL faucet is its exquisite surface. Each finish conveys the experience of authentic luxury through a distinctively soft, warm, genuine feel in comparison to other products made with synthetic coatings.

Maintaining Your ROHL Finish

No matter which finish you select, here are a few simple steps to keep your ROHL kitchen and bath fixtures looking beautiful for years:

- Daily, pat the fixture dry with a soft cloft after each use. This is the single most important care you can give any finish!
- Occasionally, use a mild clear liquid soap with a neutral PH balance and water to gently clean your faucet. Do not use Dove[®], colored soap or anti-bacterial soap. These products will leave a residue that could harm your finish.
- When necessary, a 50/50 solution of vinegar and water can be applied to remove hard water deposits. Do not soak the product in the solution. Vinegar is a mild acid which will harm the finish with prolonged contact. Premix in squirt bottle, spray/clean/rinse/wipe dry. Use a toothbrush to break-up mineral deposits. This is not suggested for living finishes. An alternate cleaning solution is Simple Green[®] and may be used in a 50/50 diluted solution.
- Avoid all cleaning products that contain ammonia, bleach, alcohol and abrasives. They may damage the finish.

PRODUCT INFORMATION FIRECLAY SINKS

We recommend using a soft sponge or cloth and a mild abrasive. Daily cleaning with abrasives or abrasive pads will not harm the surface. Waxing the sink will encourage drainage.

On the occasion that a metal pot or pan may leave a mark on the surface of the sink, we recommend Astonish cleaner. A mild abrasive cleaner like Bon Ami[®] is also acceptable.

PRODUCT INFORMATION for LUXURY STAINLESS STEEL & STAINLESS COPPER SINKS

For everyday maintenance, wash the sink with water and a mild dish soap. Thoroughly rinse and dry with a cloth. If the steel has a sheen from oil, wash with warm water and vinegar (10-15%), then rinse thoroughly and dry.

For heavy-duty cleaning, specific cleaning products for stainless steel, such as ROHL's RSSCLEANERCREAM, can be used. If other brands are used, please make sure that the product is cream based and not powder based, and that the cream does not contain solid particles that may scratch the material. Abrasive products are not recommended. Remember that all cleaning materials should be used in moderation. USE OF ANY HARSH CHEMICALS WILL VOID WARRANTY.

Take care to avoid strikes, dropping heavy objects into the sink and not using utensils which can scratch the surface. Also, avoid contact with chemicals, metal products and metal brushes. Do not leave tomato residue, milk or coffee on the sink for an extended period of time. Avoid metal cans with wet bottoms, and iron objects in general, including cleaning sponges with iron wool. Please note that prolonged contact of any of the above mentioned substances with the sink can start an electrochemical corrosive attack, even though very mild.

CARE & MAINTENANCE

HOW TO CARE AND MAINTAIN ROHL FINISHES

Do not use harsh chemicals or household cleaners with harsh chemicals or abrasives.

POLISHED CHROME, POLISHED NICKEL, STAINLESS COPPER AND ROSE GOLD

Cleaning: Pat dry after use to avoid hard water spots. Clean using liquid soap and water or a 50/50 solution of water and white vinegar. Do not soak the fixture in the vinegar solution or allow the vinegar solution to soak on the finish.

Maintaining: Polish by applying Simichrome Polishing paste and then buff out with a clean soft cloth. Protect by applying Flitz Polish or Bruno's Faucet Wax.

SATIN NICKEL

Cleaning: Pat dry after use to avoid hard water spots. Clean using liquid soap and water or a 50/50 solution of water and white vinegar. Do not soak the fixture in the vinegar solution or allow the vinegar solution to soak on the finish.

Maintaining: Polish by applying Gagnon's SX. Remove black or white spots, mineral deposits and tarnish marks by lightly brushing the finish using a green Scotch Brite[™] pad and water. Protect using Flitz Wax or Bruno's Faucet Wax. Brush in the same direction as in faucet.

ITALIAN BRASS, FRENCH BRASS AND ENGLISH GOLD

(5-Year LIMITED Warranty on Italian Brass and English Gold, NO Warranty on French Brass) *Cleaning:* Pat dry after use to avoid hard water spots. Clean using liquid soap and water or a 50/50 solution of water and white vinegar. Do not soak the fixture in the vinegar solution or allow the vinegar solution to soak on the finish. Do not rub or buff.

ENGLISH BRONZE

Only available in Perrin & Rowe® collections.

Cleaning: Pat dry after use to avoid hard water spots. Clean using liquid soap and water or a 50/50 solution of water and white vinegar. Do not soak the fixture in the vinegar solution or allow the vinegar solution to soak on the finish. Do not rub or buff.

Maintaining: Protect using Flitz Wax or Bruno's Faucet Wax. Apply by patting on and patting off. Do not rub or buff.

OLD IRON, MATTE BLACK

(5-Year LIMITED Warranty on both finishes) These are the only powder coated finishes in the ROHL line.

Cleaning: Pat dry after use to avoid hard water spots. Clean using liquid soap and water or a 50/50 solution of water and white vinegar. Do not soak the fixture in the vinegar solution or allow the vinegar solution to soak on the finish. Do not deep clean or use abrasives.

Maintaining: Protect using Flitz Wax or Bruno's Faucet Wax. Apply by patting on and patting off. Do not rub or buff.

UNLACQUERED BRASS, SATIN UNLACQUERED BRASS (NO Warranty) This is a living finish; it will tarnish and patina over time.

Cleaning: Pat dry after use to avoid hard water spots. Clean using liquid soap and water or a 50/50 solution of water and white vinegar. Do not soak the fixture in the vinegar solution or allow the vinegar solution to soak on the finish.

Maintaining: Protect using Flitz Wax or Bruno's Faucet Wax. Apply by patting on and patting off.

STAINLESS STEEL

Cleaning: Pat dry after use to avoid hard water spots. Clean using liquid soap and water or a 50/50 solution of water and white vinegar. Do not soak the fixture in the vinegar solution or allow the vinegar solution to soak on the finish.

Maintaining: For deep cleaning, apply Astonish and buff out with a clean soft cloth. Protect using Flitz Wax or Bruno's Faucet Wax.

SATIN GOLD, TUSCAN BRASS

(5-Year LIMITED Warranty on Satin Gold, NO Warranty on Tuscan Brass)

Cleaning: Pat dry after use to avoid hard water spots. Clean using liquid soap and water or a 50/50 solution of water and white vinegar. Do not soak the fixture inthe vinegar solution or allow the vinegar solution to soak on the finish.

Maintaining: Protect by using Flitz Wax or Bruno's Faucet Wax. Apply by patting on and patting off. Do not rub or buff.

OUTSIDE USE

ROHL products may be used outside. However, we do not offer a warranty. Use these tips for a successful installation. Polished Chrome is the most durable of ROHL finishes and is the best finish for outside installations. Pat dry after use to avoid hard water spots. If minerals or salt are accumulating on the fixture, clean by applying a 50/50 solution of water and white vinegar, then pat dry. Do not soak the fixture in the vinegar solution or allow the vinegar solution to soak on the finish. Spray weekly with fresh water, wipe dry and apply Flitz Wax or Bruno's Faucet Wax to avoid hard water spotting. If in freezing temperatures, winterize fixtures by removing cartridges, drain all water or store fixtures indoors.