
Whole Home Interior Design

Sample Visual Presentation



South Salem, NY 10590






Island view with 2 clear pendant locations


Island view from Dining Room












































Trim Notes:

- Base, Door & Window Trim molding will remain in the house
- New window, base & door molding will be matched to existing areas using Family Room as the selection of choice
- Clam molding or other molding that does not fit this detail will be updated
- A list of areas and locations will need to be reviewed with OWC













True Identity Concepts

Interior Designer & Decorating Company
Phone: (914) 281-1336
<u>Tina@trueidentityconcepts.com</u>

South Salem, NY 10690

	FIRST FLOOR DOOR HARDWARE						
<u>Qty</u>	<u>Location</u>	<u>Vendor</u>	<u>Style</u>	<u>Rosette</u>	<u>Function</u>	<u>Finish</u>	<u>Notes</u>
2	Patio Doors	Marvin	Contemporary	Square	NA	ORB	
2	Closet Doors	Emtek	Sion	Disk Rosette	Passage	ORB	
1	Powder Room	Emtek	Sion	Disk Rosette	Privacy	Split/ORB/Polished Chrome	Chrome on the inside of the door
1	Pantry Barn Door	Emtek	Rod Pull	NA	NA	Flat Black Bronze Patina	12" Size
1	Basement Door	Emtek	Sion	Disk Rosette	Privacy	ORB	
1	Front Entry Door	Emtek	Ridgemont	Round Knob	Entry	Flat Black Bronze Patina	
1	Master Bedroom Door	Emtek	Sion	Disk Rosette	Privacy	Split/ORB/Satin Brass	Satin Brass on the inside of the door
2	Master Bedroom Closet Doors	Emtek	Sion	Disk Rosette	Passage	Satin Brass	
1	Master Bathroom	Emtek	Sion	Disk Rosette	Privacy	Split/ORB/Polished Chrome	Chrome on the inside of the door
	SECOND FLOOR DOOR HARDWARE						
Qty	<u>Location</u>	<u>Vendor</u>	<u>Style</u>	<u>Rosette</u>	<u>Function</u>	<u>Finish</u>	<u>Notes</u>
1	Bedroom 1 Entry	Emtek	Sion	Disk Rosette	Privacy	ORB	Bedroom 1 to the left of stair landing
1	Bedroom 1 Closet	Emtek	Sion	Disk Rosette	Passage	ORB	
2	Jack-n-Jill Bathroom	Emtek	Sion	Disk Rosette	Privacy	Split/ORB/Polished Chrome	Chrome on the inside of the door
1	Bedroom 2 Entry	Emtek	Sion	Disk Rosette	Privacy	ORB	Bedroom 2 to the right of stair landing
1	Bedroom 3 Entry	Emtek	Sion	Disk Rosette	Privacy	ORB	Bedroom 3 straight back off of stair landing



Door Hardware Selections TBD

- Foyer/Front Entry
- Closet Doors
- Basement Door
- Powder Room Door
- Barn Door
- Master Bedroom Door (2 tone), closet doors, & bathroom door

Dining Room

Patio Door Hardware

- Marvin Contemporary Style
- Oil rubbed bronze



Entry Door Hardware:

- Ridgemont Door Hardwa
- Black Finish



1st Floor Master Bedroom Suite Door Hardware:

- Replace Master Bedroom entry, closet doors, and bathroom door hardware with <u>Sion Handle</u> with Disk Rosette.
- Entry of Master Bedroom suite is oil rubbed bronze and inside is satin brass finish
- Remaining doors inside Master Bedroom will be replaced with satin brass finish





Closet, Powder Room & Basement Doors:

- Select Emtek, Sion Handle with Disk Rosette
- Select Oil Rubbed Bronze Finish Option
- Powder Room, split finish, of polished chrome inside

2nd Floor Door Hardware:

- Replace all door hardware with Emtek Sion handle with Disk Rosette
- All hardware will be Oil Rubbed Bronze except inside of Bathroom doors, which will be polished chrome





Barn Door Hardware:

- Emtek Rod Door Pull
- Available in 12" size
- Select Finish Matte Black
- Concealed Mount




Cabinetry Hardware:

- Riverside Pulls
- Brushed Nickel for the white cabinetry
- Matte Black for the island
- · Matte Black for the bar area
- 7 9/16" for all doors and drawers









Marvin Ultimate Double Hung Windows

- White interior and exterior
- Grill shown on right
- Hardware Finish oil rubbed bronze
- As per Architect UDHG2 1618 (north elevation, Qty 1) and UDHG2 2618 (west elevation, Qty 5)

Grilles-between-the-Glass (GBGs)



Grilles are permanently installed between the glass panes for a low-maintenance, smooth exterior and easy cleaning. Choose from 13 exterior colors and 4 interior colors.





An energy-efficient way to create the look of authentic divided lites, SDL bars are permanently adhered to both sides of the glass and are available with or without a the glass to create even more depth that resembles an ADL

Simulated Divided Lite with Spacer Bar (SDLS)



Paired with SDL bars on the exterior of the glass, a spacer bar is installed between the glass, creating an even closer

DOUBLE HUNG G2

MO (mm)	1'9 3/4 (552)	2-1 3/4 (654)	2-5 3/4 (756)	2-7 3/4 (806)
RO (mm)	1-10 1/4 (565)	2-2 1/4 (667)	2-6 1/4 (768)	2-8 1/4 (819)
FS (mm)	1-9 1/4 (540)	2-1 1/4 (641)	2-5 1/4 (743)	2-7 1/4 (794)
DLO (mm)	14 47/64 (347)	18 47/64 (476)	22 47/64 (577)	24 47/64 (628)
2-7 3/4 (806) 2-8 (813) 2-7 1/2 (800) 10 3/4 (273)	UDHG2 1612	UDHG2 2012	UDHG2 2412	UDHG2 2612
2-11 3/4 (908) 3-0(914) 2-11 1/2 (902) 12 3/4 (324)	UDHG2 1614	UDHG2 2014	UDHG2 2414	UDHG2 2614
3-3 3/4 (1010) 3-4 (1016) 3-3 1/2 (1003) 14 3/4 (375)	UDHG2 1616	UDHG2 2016	UDHG2 2416	UDHG2 2616
3-7 3/4 (1111) 3-8 (1118) 3-7 1/2 (1105) 16 3/4 (425)	UDHG2 1618	UDHG2 2018	UDHG2 2418	UDHG2 2618

Design Note:

- No sill (or ledge detail)
- New window, base & door molding should be matched to existing areas using Family Room as the selection of choice
- Clam molding or other molding that does not fit this detail will be updated
- A list of areas and locations will need to be reviewed with OWC




Dining Room

Original Patio Door Hardware

- Emtek, Modern Style
- Oil rubbed bronze
- Sion Lever (shown on below)







Update on Patio Door Hardware

Note: Based on reusing the existing patio doors to save money, we will need to match existing elements to be consistent with existing conditions of the patio door. These 2 elements cannot be changed on your existing door so Scott and I are proposing that you make them the same so you do not see a difference in their application.

1) stainless steel interior detail (top left photo) and 2) Beige weather strip (photo on top right photo).

Moreover, there are now 2 hardware options to select:

- 1) Contemporary Hardware (left, bottom picture) or
- 2) Transitional Hardware (right, bottom picture).
- The backplates and handles must be used in the configurations shown (handle and backplate).
- I recommend the Contemporary option since it closely resembles the main house Sion handles (shown above).
- Oil Rubbed Bronze colorway will be the Oil Rubbed Bronze Option.










Marvin Signature Collection/Ultimate Outswing French Door Collection

- White interior and exterior
- As per Architect UOFD6070, Dining Room location, Qty 2
- Match existing door grill pattern
- Contemporary Hardware in ORB
- Match Hinge color finish to hardware selection




Trim Notes:

- Base, Door & Window Trim molding will remain in the house
- New window, base & door molding will be matched to existing areas using Family Room as the selection of choice
- Clam molding or other molding that does not fit this detail will be updated
- A list of areas and locations will need to be reviewed with OWC








OWC Simpson Door Specified 7504 (right)

Painted Benjamin Moore – Color To-Be-Confirmed (TBC)









Existing Front Door

Simpson Door Link

Design Notes:

- Emtek Ridgemont hardware shown
- Black Finish





Door Style & Color Inspiration



Modern Glass Barn Door

- Special Walnut Finish
- Delaney 5000 selected -4/14/2021
- Source door hardware elsewhere
- Single sided door guide







• Two 24 in. x 80 in. Single Panel Doors



Closet Doors:

- Select Emtek, Sion handle with Disk Rosette
- Select Oil Rubbed Bronze Finish Option





	MATERIAL KEYNOTES									
	Qty	Item	Vendor	Vendor#	Finish	Description				
		Kitchen Cabinetry				·				
C1-C40	1	Kitchen Cabinetry	TIC	Custom	White/Black	Per TIC drawings - door to be selected/confirmed				
C1-C40	1	Bar Cabinetry	TIC	Custom	White	Per TIC drawings - door to be selected/confirmed				
C1-C40	1	Pantry Cabinetry	TIC	Custom	White	Per TIC drawings - door to be selected/confirmed				
	22	Kitchen Permiter (White)	Top Knobs	TK1015BSN	Brushed Satin Nick	RIVERSIDE PULL 7 9/16 INCH (C-C) Brushed Satin Nickel (2 extra)				
	24	Kitchen Island (Black)	Top Knobs	TK1015BLK	Flat Black	RIVERSIDE PULL 7 9/16 INCH (C-C) FLAT BLACK (2 Extra)				
	6	Bar Cabinetry (Black)	Top Knobs	TK1015BLK	Flat Black	RIVERSIDE PULL 7 9/16 INCH (C-C) FLAT BLACK (1 extra)				
	1	Barn Door Hardware	Emtek	86068	Flat Black	Emtek 86068 Rod Pull 12"				
i		Appliances								
A1	1	Microwave - built-in	Bosch	HMD8053UC	Stainless Steel	800 Series Drawer Microwave30" Stainless Steel				
A2	1	Dishwasher	Bosch	SHPM78Z55N	Stainless Steel	800 Series Dishwasher24" Stainless steel				
A3	1	Range - Slide in	Bosch	HGS8655UC	Stainless Steel	800 Series Gas Freestanding Range36" Stainless Steel				
A4	1.	Fridge	Bosch	B36CD50SNS	Stainless Steel	500 Series French Door Bottom Mount Refrigerator36" Easy clean stainless steel				
A5	1	Beverage Center	U-Line	UHBV024-SG01A	Stainless Steel	HBV024 24" Beverage Center				
A8	1	Miele Drawer	Miele	WTV 512	White	Washer-dryer stacking kit with integrated drawer`				
	1	Hood Blower	Broan	PM390	Stainless Steel	Broan Nu-Tone Liner with 390CFM max				
	5	Warranty for appliances	See shipping	numbers		5 year warranty for each appliance				
		Plumbing								
P1	1	Sink	Kohler	K-6489-0	white	Whitehaven single-bowl farmhouse kitchen sink with tall apron				
	1	Sink Strainer	Kohler	K-6639-ST	Stainless Steel	Steel sink racks for 36" Whitehaven				
P2	1	Faucet	Kohler	K-23765-CP	Polished Chrome	Pull-down single-handle semi-professional kitchen sink faucet				
P3	1	Powder Room seat	TBD			·				
		Finishes & Lighting								
FF1	10	Subway Backsplash	The Tile Bar	10.76 Per Box	Bianco	Lancaster Bianco 3x12 Ceramic Tile 80.8 SF needed				
		(Kitchen, Pantry/WD, Bar)				k=125x60(7500), P=60x50(3000) B=18x63 (1134) T=11634/144				
	1	Schulder for edge finish detail	The Tile Bar	na	Aluminum	Essential Satin Silver 8 mm L-Shape Aluminum Tile Edging Trim				
		Grout	OWC	OWC	Raven	To Be Confirmed with homeowners				
FF2	0	Countertop (Kitchen & Bar)	OWC	Quartzite	white/polished	Quartzite to be selected for kitchen and bar area				
FF3	11	Pantry & Powder Rm Floor Tile	The Tile Bar	10.65 SF per box	Black/White	Cascais White Ornate 9x9 Matte Porcelain Tile (10.65SF per box)				
						128x82=10496/144=72.88 SF				
		Grout		OWC	Raven	To Be Confirmed with homeowners				
FF4	54	Fireplace Tile	Realstone	NA	Carbon	6x24 Carbon Ledgestone				
	3	Fireplace Tile Schulter	Metal Depot	A311218-6063	OWC - Paint Black	1-1/2 X 1-1/2 X 1/8 6063-T52 Aluminum Angle (Sharp Corner)				
FF5	1	Fireplace Mantel	Notable Wood	Custom	Special Walnut	Matte, Special Walnut, 87.5"L x 6"H x 6"D				
FF6A	3	Kitchen Shelves	Ultra Shelf	Custom	Special Walnut	11"Wx9"Dx1.75"H (Stove Wall)				
FF6B	3	Kitchen Shelves	Ultra Shelf	Custom	Special Walnut	22"Wx9"Dx1.75"H (Window Wall)				
	3	Bar Wine Shelves	Pottery Barn	84-4919369	Driftwood	Holman Handmade Floating Entertaining Wine Bottle Shelf - Seadrift				
L1	3	Pendant Kitchen Island Lights	1800lighting	2726759	Clear Glass/Black	Bruno Marashlian Newton 14 Inch Mini Pendant by Innovations Lighting				
L2	4	Kitchen Sconces	Y-Lighting	NA	Black	Warehouse 44 Arm Outdoor Wall Light				
L3	1	Pantry Ceiling Light Fixture	Lumens	Aldor & Core	Glass/ORB	Stella Semi-Flushmount				
L4		Intentionally Blank								
L5	1	Rear Hallway Light Fixture	Lumens	Troy Lighting	Glass/ORB	Candace Flushmount, Height 8.75", Diameter 17.5", Weight				
L6	5	Family Room Sconces	Capital Lighting	Savoy House	Iron/Glass	OBERYN WALL LIGHT				
L7	1	Family Room Chandelier	NA	NA	NA	Use existing fixture and shorten length				
L8	2	Living Room Sconces	Capital Lighting	Savoy House	Iron/Glass	OBERYN WALL LIGHT				
L9	11	Foyer Light Fixture	Shades of Light	FM16026 BK	Black/Gold	MODERN RINGED LED CEILING LIGHT				
L10	1	Stair Light Fixture	Shades of Light	FM19143 BK	Black/Glass	ASHLEY SEMI-FLUSH CEILING LIGHT - LARGE				
L11	1	Sun Room Light Fixture	Lumens	Troy Lighting	Glass/ORB	Candace Flushmount, Height 8.75", Diameter 17.5", Weight				
L12	1	Master Bedroom	Lamps Plus	71N76	Gold	Gold Dual Shade 12 1/2" Wide Drum Ceiling Light				
L13	1,	Sitting Room Sconce	Build.com	:9-9131CP-1-13	Glass/ORB	Drake Adjustable Wall Sconce				
L14	1	Powder Room Sconce	Shades of Light	BS18061 CK	Glass/Black	GWYNN ISLE DOME VANITY LIGHT - 2 LIGHT				
L15	1	Dining Room Light Fixture	Wayfair	W004031324	Black/Brass	Naudain 20 - Light Sputnik Sphere Chandelier				





Framed - Premier Plywood MapleLam Cabinets

- Consists of a face frame constructed cabinet with a natural simulated maple wood grain interior. MapleLam is a polypropylene laminate with an electron beam cured protective coating.
- Unfinished sides are 1/2" thick plywood with MapleLam interior with a raw wood veneer exterior.
- 3. Finished sides are 3/4" thick plywood with MapleLam Interior with a matching wood veneer on exposed ends.
- 4. All backs are 3/8" thick plywood with MapleLam interior and raw veneer exterior.
- All tops and bottoms are 1/2" thick plywood with MapleLam interior and raw veneer exterior.
- 6. Wall and base shelves are 3/4" thick and fully adjustable.
- 7. Base shelves are 15-1/2" deep.
- Dovetail Drawers have 5/8" thick solid Beech sides (Optional Maple and Walnut Drawer Boxes). Drawer bottom is 1/4" maple/birch plywood, fully captured on all four sides.
- Drawers slide on Tandem Blumotion Soft Close Full Extension Concealed Undermount drawer slides with a 100 lb. static / 75 lb. dynamic load capacity.
- 10. All cabinets receive a superior finish which consist of a series of tough catalyzed sealer and top-coat applications, oven-cured, for the ultimate in durability and appearance.
- 11. Face frames are 3/4" X 1-1/2" solid wood, assembled with two dowels.
- 12. Premier Plywood MapleLam cabinets that have open interior(s) or framed door(s) are available with wood veneered interiors.
- 13. NOTE: Do not order cabinets with the optional Premier Plywood Veneer (plywood core) series to be installed between Premier Plywood MapleLam cabinetry. The bottoms of Premier Plywood MapleLam cabinet cases have a different appearance than Premier Plywood Veneer cabinet cases.








Premier Plywood MapleLam (Partial Overlay Shown)




Door Cross Section




- Framed, Plywood box cabinetry
- Main Kitchen perimeter white
- Kitchen Island Ebony
- Pantry U-Shape countertop in Knotty Alder, Natural matte finish, w/java glaze
- Bar cabinetry in white
- All top drawers will be a flat panel drawer front, the remaining drawers will be a 5 piece application

























Note: Bottom Drawer will be larger than middle drawer (no shown in drawing)









	Qty	Item	Vendor	Vendor #	AL KEYNOTES Finish	Description
	QLY		Velidoi	vendor#	FIIIISII	Description
C1 C40	-	Kitchen Cabinetry	TIC	Custom	M/hite /Dlask	Dou TIC during a door to be colorted/confirmed
C1-C40	1	Kitchen Cabinetry	TIC	Custom	White/Black	Per TIC drawings - door to be selected/confirmed
C1-C40	1	Bar Cabinetry	TIC	Custom	White	Per TIC drawings - door to be selected/confirmed
C1-C40	1	Pantry Cabinetry	TIC	Custom	White	Per TIC drawings - door to be selected/confirmed
	22	Kitchen Permiter (White)	Top Knobs	TK1015BSN	Brushed Satin Nick	RIVERSIDE PULL 7 9/16 INCH (C-C) Brushed Satin Nickel (2 extra)
	24	Kitchen Island (Black)	Top Knobs	TK1015BLK	Flat Black	RIVERSIDE PULL 7 9/16 INCH (C-C) FLAT BLACK (2 Extra)
	6	Bar Cabinetry (Black)	Top Knobs	TK1015BLK	Flat Black	RIVERSIDE PULL 7 9/16 INCH (C-C) FLAT BLACK (1 extra)
	1	Barn Door Hardware	Emtek	86068	Flat Black	Emtek 86068 Rod Pull 12"
		Appliances				
A1	1	Microwave - built-in	Bosch	HMD8053UC	Stainless Steel	800 Series Drawer Microwave30" Stainless Steel
A2	1	Dishwasher	Bosch	SHPM78Z55N	Stainless Steel	800 Series Dishwasher24" Stainless steel
A3	1	Range - Slide in	Bosch	HGS8655UC	Stainless Steel	800 Series Gas Freestanding Range36" Stainless Steel
A4	1	Fridge	Bosch	B36CD50SNS	Stainless Steel	500 Series French Door Bottom Mount Refrigerator36" Easy clean stainless steel
A5	1.	Beverage Center	U-Line	UHBV024-SG01A	Stainless Steel	HBV024 24" Beverage Center
A8	1	Miele Drawer	Miele	WTV 512	White	Washer-dryer stacking kit with integrated drawer`
	1	Hood Blower	Broan	PM390	Stainless Steel	Broan Nu-Tone Liner with 390CFM max
	5	Warranty for appliances	See shipping	numbers		5 year warranty for each appliance
		<u>Plumbing</u>				
P1	1	Sink	Kohler	K-6489-0	white	Whitehaven single-bowl farmhouse kitchen sink with tall apron
	1	Sink Strainer	Kohler	K-6639-ST	Stainless Steel	Steel sink racks for 36" Whitehaven
P2	1	Faucet	Kohler	K-23765-CP	Polished Chrome	Pull-down single-handle semi-professional kitchen sink faucet
P3	1	Powder Room seat	TBD			
		Finishes & Lighting				
FF1	10	Subway Backsplash	The Tile Bar	10.76 Per Box	Bianco	Lancaster Bianco 3x12 Ceramic Tile 80.8 SF needed
POPULATION I		(Kitchen, Pantry/WD, Bar)	position proof.	5075000 1007000 200 AND 100000	0000000010000	k=125x60(7500), P=60x50(3000) B=18x63 (1134) T=11634/144
	1	Schulder for edge finish detail	The Tile Bar	na	Aluminum	Essential Satin Silver 8 mm L-Shape Aluminum Tile Edging Trim
		Grout	OWC	OWC	Raven	To Be Confirmed with homeowners
FF2	0	Countertop (Kitchen & Bar)	owc	Quartzite	white/polished	Quartzite to be selected for kitchen and bar area
FF3	11	Pantry & Powder Rm Floor Tile	The Tile Bar	10.65 SF per box	Black/White	Cascais White Ornate 9x9 Matte Porcelain Tile (10.65SF per box)
	570,000		100.0000 1000.0000000000000000000000000	PORTOGORNOUS PROPERTY	,	128x82=10496/144=72.88 SF
		Grout		owc	Raven	To Be Confirmed with homeowners
FF4	54	Fireplace Tile	Realstone	NA	Carbon	6x24 Carbon Ledgestone
	3	Fireplace Tile Schulter	Metal Depot	A311218-6063	OWC - Paint Black	1-1/2 × 1-1/2 × 1/8 6063-T52 Aluminum Angle (Sharp Corner)
FF5	1	Fireplace Mantel	Notable Wood	Custom	Special Walnut	Matte, Special Walnut, 87.5"L x 6"H x 6"D
FF6A	3	Kitchen Shelves	Ultra Shelf	Custom	Special Walnut	11"Wx9"Dx1.75"H (Stove Wall)
FF6B	3	Kitchen Shelves	Ultra Shelf	Custom	Special Walnut	22"Wx9"Dx1.75"H (Window Wall)
TTOD	3	Bar Wine Shelves	Pottery Barn	84-4919369	Driftwood	Holman Handmade Floating Entertaining Wine Bottle Shelf - Seadrift
L1	3	Pendant Kitchen Island Lights	1800lighting	2726759	Clear Glass/Black	Bruno Marashlian Newton 14 Inch Mini Pendant by Innovations Lighting
L2	4	Kitchen Sconces	Y-Lighting	NA	Black	Warehouse 44 Arm Outdoor Wall Light
L3	1	Pantry Ceiling Light Fixture	Lumens	Aldor & Core	Glass/ORB	Stella Semi-Flushmount
L3 L4	1		Luillells	AIGUL & COLE	Glass/OND	Stena Sennin Iushiniount
	1	Intentionally Blank	Lumora	Troy Lighting	Class/ORD	Condosa Flushmount, Height 9 7F!! Diorester 17 F!! \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
L5	1	Rear Hallway Light Fixture	Lumens	Troy Lighting	Glass/ORB	Candace Flushmount, Height 8.75", Diameter 17.5", Weight
L6	5	Family Room Sconces	Capital Lighting	Savoy House	Iron/Glass	OBERYN WALL LIGHT
L7	1	Family Room Chandelier	NA Constall indition	NA Community	NA	Use existing fixture and shorten length
L8	2	Living Room Sconces	Capital Lighting	Savoy House	Iron/Glass	OBERYN WALL LIGHT
L9	1	Foyer Light Fixture	Shades of Light	FM16026 BK	Black/Gold	MODERN RINGED LED CEILING LIGHT
L10	1	Stair Light Fixture	Shades of Light	FM19143 BK	Black/Glass	ASHLEY SEMI-FLUSH CEILING LIGHT - LARGE
L11	1	Sun Room Light Fixture	Lumens	Troy Lighting	Glass/ORB	Candace Flushmount, Height 8.75", Diameter 17.5", Weight
L12	1	Master Bedroom	Lamps Plus	71N76	Gold	Gold Dual Shade 12 1/2" Wide Drum Ceiling Light
L13	1	Sitting Room Sconce	Build.com	:9-9131CP-1-13	Glass/ORB	Drake Adjustable Wall Sconce
L14	1	Powder Room Sconce	Shades of Light	BS18061 CK	Glass/Black	GWYNN ISLE DOME VANITY LIGHT - 2 LIGHT
L15	1	Dining Room Light Fixture	Wayfair	W004031324	Black/Brass	Naudain 20 - Light Sputnik Sphere Chandelier





- 6" round duct connector/backdraft damper.
 Enclosed lighticandescent max. 40-watt
 Accepts two included.
 One piece washabie aluminum mesh filter.
 Durable, powder coated silver finish.
 Heat Sentry^m automatically turns blower to high speed when excess cooking heat
- Fully enclosed bottom.
 Power supply cord included.
 One Year Limited Warranty.
- One Year Limited Warranty.
 OPTIONAL ACCESSORIES:
 Non-ducted recirculating kit (includes charcoal filter, soffit grille, 90° stack bor and 6" to 7" round transition).
- Disposable charcoal filter kit.
 CUTOUT: 19-5/8" wide X 10-3/8" deep
 OVERALL: 20-1/2" wide X 11-1/4" deep
- -- 5-7/8° ---1-1/8"





Bosch Microwave Drawer 800 Series Drawer Microwave30" HMD8053UC \$1,599



A2

Bosch Dishwasher \$1,149 800 Series Dishwasher24" Stainless steel SHPM78Z55N





Bosch Slide-in Range \$4,199 800 Series Gas Freestanding Range36" Stainless Steel HGS8655UC







Bosch Fridge \$2,999 A4 500 Series French Door Bottom Mount Refrigerator36" Easy clean stainless steel B36CD50SNS



A5

Wine Fridge U-LINE, UHBV024-SG01A \$1,499



Client's existing Miele Washer



A7

Client's existing Miele Dryer



Miele Washer/Dryer Stacking drawer




	MATERIAL KEYNOTES								
	Qty	Item	Vendor	Vendor #	Finish	Description			
		Kitchen Cabinetry							
C1-C40	1	Kitchen Cabinetry	TIC	Custom	White/Black	Per TIC drawings - door to be selected/confirmed			
C1-C40	1	Bar Cabinetry	TIC	Custom	White	Per TIC drawings - door to be selected/confirmed			
C1-C40	1	Pantry Cabinetry	TIC	Custom	White	Per TIC drawings - door to be selected/confirmed			
	22	Kitchen Permiter (White)	Top Knobs	TK1015BSN	Brushed Satin Nick	RIVERSIDE PULL 7 9/16 INCH (C-C) Brushed Satin Nickel (2 extra)			
	24	Kitchen Island (Black)	Top Knobs	TK1015BLK	Flat Black	RIVERSIDE PULL 7 9/16 INCH (C-C) FLAT BLACK (2 Extra)			
	6	Bar Cabinetry (Black)	Top Knobs	TK1015BLK	Flat Black	RIVERSIDE PULL 7 9/16 INCH (C-C) FLAT BLACK (1 extra)			
	1	Barn Door Hardware	Emtek	86068	Flat Black	Emtek 86068 Rod Pull 12"			
		Appliances							
A1	1	Microwave - built-in	Bosch	HMD8053UC	Stainless Steel	800 Series Drawer Microwave30" Stainless Steel			
A2	1	Dishwasher	Bosch	SHPM78Z55N	Stainless Steel	800 Series Dishwasher24" Stainless steel			
A3	1	Range - Slide in	Bosch	HGS8655UC	Stainless Steel	800 Series Gas Freestanding Range36" Stainless Steel			
A4	1	Fridge	Bosch	B36CD50SNS	Stainless Steel	500 Series French Door Bottom Mount Refrigerator36" Easy clean stainless steel			
A5	1	Beverage Center	U-Line	UHBV024-SG01A	Stainless Steel	HBV024 24" Beverage Center			
A8	1	Miele Drawer	Miele	WTV 512	White	Washer-dryer stacking kit with integrated drawer`			
	1	Hood Blower	Broan	PM390	Stainless Steel	Broan Nu-Tone Liner with 390CFM max			
	5	Warranty for appliances	See shipping	numbers	0 (411111000 0 (400)	5 year warranty for each appliance			
		Plumbing							
P1	1	Sink	Kohler	K-6489-0	white	Whitehaven single-bowl farmhouse kitchen sink with tall apron			
I E J	1	Sink Strainer	Kohler	K-6639-ST	Stainless Steel	Steel sink racks for 36" Whitehaven			
P2	1	Faucet	Kohler	K-23765-CP	Polished Chrome	Pull-down single-handle semi-professional kitchen sink faucet			
P3	1	Powder Room seat	TBD	K 25/05 CI	i olistica cittoriic	Tali down single handle semi professional kitchen sink tadeet			
ГJ	1		100						
FF1	10	Finishes & Lighting Subway Backsplash	The Tile Bar	10.76 Per Box	Bianco	Lancaster Bianco 3x12 Ceramic Tile 80.8 SF needed			
111	10	(Kitchen, Pantry/WD, Bar)	The the bal	10.70 FEI DOX	Dianico	k=125x60(7500), P=60x50(3000) B=18x63 (1134) T=11634/144			
	1	Schulder for edge finish detail	The Tile Bar	no.	Alumainuma				
	1	Grout	OWC	na OWC	Aluminum	Essential Satin Silver 8 mm L-Shape Aluminum Tile Edging Trim			
FEO			OWC	000000000	Raven	To Be Confirmed with homeowners			
FF2	0	Countertop (Kitchen & Bar)	107000007	Quartzite	white/polished	Quartzite to be selected for kitchen and bar area			
FF3	11	Pantry & Powder Rm Floor Tile	The Tile Bar	10.65 SF per box	Black/White	Cascais White Ornate 9x9 Matte Porcelain Tile (10.65SF per box)			
		2		0.170		128×82=10496/144=72.88 SF			
	<u> </u>	Grout	-	OWC	Raven	To Be Confirmed with homeowners			
FF4	54	Fireplace Tile	Realstone	NA	Carbon	6x24 Carbon Ledgestone			
	3	Fireplace Tile Schulter	Metal Depot	A311218-6063	OWC - Paint Black	1-1/2 X 1-1/2 X 1/8 6063-T52 Aluminum Angle (Sharp Corner)			
FF5	1	Fireplace Mantel	Notable Wood	Custom	Special Walnut	Matte, Special Walnut, 87.5"L x 6"H x 6"D			
FF6A	3	Kitchen Shelves	Ultra Shelf	Custom	Special Walnut	11"Wx9"Dx1.75"H (Stove Wall)			
FF6B	3	Kitchen Shelves	Ultra Shelf	Custom	Special Walnut	22"Wx9"Dx1.75"H (Window Wall)			
	3	Bar Wine Shelves	Pottery Barn	84-4919369	Driftwood	Holman Handmade Floating Entertaining Wine Bottle Shelf - Seadrift			
L1	3	Pendant Kitchen Island Lights	1800lighting	2726759	Clear Glass/Black	Bruno Marashlian Newton 14 Inch Mini Pendant by Innovations Lighting			
L2	4	Kitchen Sconces	Y-Lighting	NA	Black	Warehouse 44 Arm Outdoor Wall Light			
L3	1	Pantry Ceiling Light Fixture	Lumens	Aldor & Core	Glass/ORB	Stella Semi-Flushmount			
L4		Intentionally Blank							
L5	1	Rear Hallway Light Fixture	Lumens	Troy Lighting	Glass/ORB	Candace Flushmount, Height 8.75", Diameter 17.5", Weight			
L6	5	Family Room Sconces	Capital Lighting	Savoy House	Iron/Glass	OBERYN WALL LIGHT			
L7	1	Family Room Chandelier	NA	NA	NA	Use existing fixture and shorten length			
L8	2	Living Room Sconces	Capital Lighting	Savoy House	Iron/Glass	OBERYN WALL LIGHT			
L9	1	Foyer Light Fixture	Shades of Light	FM16026 BK	Black/Gold	MODERN RINGED LED CEILING LIGHT			
L10	1	Stair Light Fixture	Shades of Light	FM19143 BK	Black/Glass	ASHLEY SEMI-FLUSH CEILING LIGHT - LARGE			
L11	1	Sun Room Light Fixture	Lumens	Troy Lighting	Glass/ORB	Candace Flushmount, Height 8.75", Diameter 17.5", Weight			
L12	1	Master Bedroom	Lamps Plus	71N76	Gold	Gold Dual Shade 12 1/2" Wide Drum Ceiling Light			
L13	1	Sitting Room Sconce	Build.com	:9-9131CP-1-13	Glass/ORB	Drake Adjustable Wall Sconce			
	- 5/	Powder Room Sconce	Shades of Light	BS18061 CK	Glass/Black	GWYNN ISLE DOME VANITY LIGHT - 2 LIGHT			
L14	1 1								











Fireplace Faux Wood Mantel Schluter for right side of fireplace 96"Hx





Floor Selection by OWC: An engineered 11 ½"W planks to be finished to match existing wood floors.





FF5 Fireplace Faux Wood Mantel
Special Walnut
Size 87.5"Wx6"Hx6"D




FF6
Total Qty 6
Kitchen Shelves
Special Walnut
Qty 3 at 11"Wx9"Dx1.75"H (right of sink)
Qty 3 at 22"Wx9"Dx1.75"H (left of sink)






	all action for the contract of			MATERIA	AL KEYNOTES	
	Qty	Item	Vendor	Vendor #	Finish	Description
		Kitchen Cabinetry			n =	
C1-C40	1.	Kitchen Cabinetry	TIC	Custom	White/Black	Per TIC drawings - door to be selected/confirmed
C1-C40	1	Bar Cabinetry	TIC	Custom	White	Per TIC drawings - door to be selected/confirmed
C1-C40	1	Pantry Cabinetry	TIC	Custom	White	Per TIC drawings - door to be selected/confirmed
01 0.0	22	Kitchen Permiter (White)	Top Knobs	TK1015BSN	Brushed Satin Nick	RIVERSIDE PULL 7 9/16 INCH (C-C) Brushed Satin Nickel (2 extra)
	24	Kitchen Island (Black)	Top Knobs	TK1015BLK	Flat Black	RIVERSIDE PULL 7 9/16 INCH (C-C) FLAT BLACK (2 Extra)
	6	Bar Cabinetry (Black)	Top Knobs	TK1015BLK	Flat Black	RIVERSIDE PULL 7 9/16 INCH (C-C) FLAT BLACK (2 Extra)
		Barn Door Hardware		86068	Flat Black	Emtek 86068 Rod Pull 12"
	1	Appliances	Emtek	00000	Flat Diack	Liftek 60006 Kod Puli 12
A 4	-		D. T.	LIMPOOFSILIC	Ct-:-I CtI	000 Ci D Mi 2011 Ct-i-1 Ct1
A1	1	Microwave - built-in	Bosch	HMD8053UC	Stainless Steel	800 Series Drawer Microwave30" Stainless Steel
A2	1	Dishwasher	Bosch	SHPM78Z55N	Stainless Steel	800 Series Dishwasher24" Stainless steel
A3	1	Range - Slide in	Bosch	HGS8655UC	Stainless Steel	800 Series Gas Freestanding Range36" Stainless Steel
A4	1,	Fridge	Bosch	B36CD50SNS	Stainless Steel	500 Series French Door Bottom Mount Refrigerator36" Easy clean stainless steel
A5	1,	Beverage Center	U-Line	UHBV024-SG01A	Stainless Steel	HBV024 24" Beverage Center
A8	1.	Miele Drawer	Miele	WTV 512	White	Washer-dryer stacking kit with integrated drawer`
	1	Hood Blower	Broan	PM390	Stainless Steel	Broan Nu-Tone Liner with 390CFM max
	5	Warranty for appliances	See shipping	numbers		5 year warranty for each appliance
		Plumbing				
P1	1	Sink	Kohler	K-6489-0	white	Whitehaven single-bowl farmhouse kitchen sink with tall apron
	1	Sink Strainer	Kohler	K-6639-ST	Stainless Steel	Steel sink racks for 36" Whitehaven
P2	1	Faucet	Kohler	K-23765-CP	Polished Chrome	Pull-down single-handle semi-professional kitchen sink faucet
P3	1	Powder Room seat	TBD	1 257 65 CI	1 Olibrica cili olilic	Tall down single hande seini professional kitchen sink tadeet
13		Finishes & Lighting	1100			
FF1	10	Subway Backsplash	The Tile Bar	10.76 Per Box	Bianco	Lancaster Bianco 3x12 Ceramic Tile 80.8 SF needed
LLT	10	https://distributions.com/	The the bai	10.70 PEI BOX	Dialico	
	-	(Kitchen, Pantry/WD, Bar)	The Tile Dec	our to	61	k=125x60(7500), P=60x50(3000) B=18x63 (1134) T=11634/144
	1	Schulder for edge finish detail	The Tile Bar	na	Aluminum	Essential Satin Silver 8 mm L-Shape Aluminum Tile Edging Trim
	<u> </u>	Grout	OWC	OWC	Raven	To Be Confirmed with homeowners
FF2	0	Countertop (Kitchen & Bar)	OWC	Quartzite	white/polished	Quartzite to be selected for kitchen and bar area
FF3	11	Pantry & Powder Rm Floor Tile	The Tile Bar	10.65 SF per box	Black/White	Cascais White Ornate 9x9 Matte Porcelain Tile (10.65SF per box)
						128x82=10496/144=72.88 SF
		Grout		OWC	Raven	To Be Confirmed with homeowners
FF4	54	Fireplace Tile	Realstone	NA	Carbon	6x24 Carbon Ledgestone
	3	Fireplace Tile Schulter	Metal Depot	A311218-6063	OWC - Paint Black	1-1/2 X 1-1/2 X 1/8 6063-T52 Aluminum Angle (Sharp Corner)
FF5	1.	Fireplace Mantel	Notable Wood	Custom	Special Walnut	Matte, Special Walnut, 87.5"L x 6"H x 6"D
FF6A	3	Kitchen Shelves	Ultra Shelf	Custom	Special Walnut	11"Wx9"Dx1.75"H (Stove Wall)
FF6B	3	Kitchen Shelves	Ultra Shelf	Custom	Special Walnut	22"Wx9"Dx1.75"H (Window Wall)
1100	3	Bar Wine Shelves	Pottery Barn	84-4919369	Driftwood	Holman Handmade Floating Entertaining Wine Bottle Shelf - Seadrift
L1	3	Pendant Kitchen Island Lights	1800lighting	2726759	Clear Glass/Black	Bruno Marashlian Newton 14 Inch Mini Pendant by Innovations Lighting
L2	4	Kitchen Sconces	Y-Lighting	NA	Black	Warehouse 44 Arm Outdoor Wall Light
L3	1	Pantry Ceiling Light Fixture	Lumens	Aldor & Core	Glass/ORB	Stella Semi-Flushmount
	1	, , ,	Lumens	Aldor & Core	Glass/UND	Stala Salli-Tusillioulit
L4	- 1	Intentionally Blank	Louise	Tues Liebtie	Class (ODD	Condess Disabases Liebbo 7511 Disabates 47 511 Ministra
L5	1	Rear Hallway Light Fixture	Lumens	Troy Lighting	Glass/ORB	Candace Flushmount, Height 8.75", Diameter 17.5", Weight
L6	5	Family Room Sconces	Capital Lighting	Savoy House	Iron/Glass	OBERYN WALL LIGHT
L7	1	Family Room Chandelier	NA	NA	NA	Use existing fixture and shorten length
L8	2	Living Room Sconces	Capital Lighting	Savoy House	Iron/Glass	OBERYN WALL LIGHT
L9	1	Foyer Light Fixture	Shades of Light	FM16026 BK	Black/Gold	MODERN RINGED LED CEILING LIGHT
L10	1	Stair Light Fixture	Shades of Light	FM19143 BK	Black/Glass	ASHLEY SEMI-FLUSH CEILING LIGHT - LARGE
L11	1	Sun Room Light Fixture	Lumens	Troy Lighting	Glass/ORB	Candace Flushmount, Height 8.75", Diameter 17.5", Weight
L12	1	Master Bedroom	Lamps Plus	71N76	Gold	Gold Dual Shade 12 1/2" Wide Drum Ceiling Light
L13	1	Sitting Room Sconce	Build.com	:9-9131CP-1-13	Glass/ORB	Drake Adjustable Wall Sconce
L14	1	Powder Room Sconce	Shades of Light	BS18061 CK	Glass/Black	GWYNN ISLE DOME VANITY LIGHT - 2 LIGHT
	1	Dining Room Light Fixture	Wayfair	W004031324	Black/Brass	Naudain 20 - Light Sputnik Sphere Chandelier











Fireplace Faux Wood Mantel Schluter for right side of fireplace 96"Hx





Floor Selection by OWC: An engineered 11 ½"W planks to be finished to match existing wood floors.






FF5 Fireplace Faux Wood Mantel
Special Walnut
Size 87.5"Wx6"Hx6"D



FF6
Total Qty 6
Kitchen Shelves
Special Walnut
Qty 3 at 11"Wx9"Dx1.75"H (right of sink)
Qty 3 at 22"Wx9"Dx1.75"H (left of sink)



	Harris South A Harris			MATERIA	L KEYNOTES	
	Qty	Item	Vendor	Vendor #	Finish	Description
		Kitchen Cabinetry				
C1-C40	1	Kitchen Cabinetry	TIC	Custom	White/Black	Per TIC drawings - door to be selected/confirmed
C1-C40	1	Bar Cabinetry	TIC	Custom	White	Per TIC drawings - door to be selected/confirmed
C1-C40	1	Pantry Cabinetry	TIC	Custom	White	Per TIC drawings - door to be selected/confirmed
0.000.000.000	22	Kitchen Permiter (White)	Top Knobs	TK1015BSN	Brushed Satin Nick	RIVERSIDE PULL 7 9/16 INCH (C-C) Brushed Satin Nickel (2 extra)
	24	Kitchen Island (Black)	Top Knobs	TK1015BLK	Flat Black	RIVERSIDE PULL 7 9/16 INCH (C-C) FLAT BLACK (2 Extra)
	6	Bar Cabinetry (Black)	Top Knobs	TK1015BLK	Flat Black	RIVERSIDE PULL 7 9/16 INCH (C-C) FLAT BLACK (1 extra)
	1	Barn Door Hardware	Emtek	86068	Flat Black	Emtek 86068 Rod Pull 12"
		Appliances				
A1	1	Microwave - built-in	Bosch	HMD8053UC	Stainless Steel	800 Series Drawer Microwave30" Stainless Steel
A2	1	Dishwasher	Bosch	SHPM78Z55N	Stainless Steel	800 Series Dishwasher24" Stainless steel
A3	1	Range - Slide in	Bosch	HGS8655UC	Stainless Steel	800 Series Gas Freestanding Range36" Stainless Steel
A4	1	Fridge	Bosch	B36CD50SNS	Stainless Steel	500 Series French Door Bottom Mount Refrigerator36" Easy clean stainless steel
A5	1	Beverage Center	U-Line	UHBV024-SG01A	Stainless Steel	HBV024 24" Beverage Center
A8	1	Miele Drawer	Miele	WTV 512	White	Washer-dryer stacking kit with integrated drawer`
AO	1	Hood Blower	Broan	PM390	Stainless Steel	Broan Nu-Tone Liner with 390CFM max
	5	Warranty for appliances	See shipping	numbers	Stairliess Steel	5 year warranty for each appliance
	J.	Plumbing	See shipping	Hullibels		3 year warrancy for each appliance
P1	1	Sink	Kohler	K-6489-0	white	Whitehaven single-bowl farmhouse kitchen sink with tall apron
LI	1	Sink Strainer	Kohler	K-6639-ST	Stainless Steel	Steel sink racks for 36" Whitehaven
P2	1	Faucet	Kohler	K-23765-CP	Polished Chrome	Pull-down single-handle semi-professional kitchen sink faucet
P3	1	Powder Room seat	TBD	N-23/03-CP	Polisilea Cilionie	Pull-down Single-naticle Serni-professional kitchen Sink faucet
P3	1	PO TO PROBLEMS IN PROTOCOL MANON CONTROL CONTROL	עסו			
FF1	10	Finishes & Lighting	The Tile Bar	10.76 Per Box	Dianas	Lancaster Bianco 3x12 Ceramic Tile 80.8 SF needed
LLT	10	Subway Backsplash	THE THE Dal	10.76 Pel BOX	Bianco	ELECTIVE OF THE PROPERTY AND THE SECTION OF THE SEC
	-	(Kitchen, Pantry/WD, Bar)	The Tile Dev		Alone	k=125x60(7500), P=60x50(3000) B=18x63 (1134) T=11634/144
	1.	Schulder for edge finish detail	The Tile Bar	na	Aluminum	Essential Satin Silver 8 mm L-Shape Aluminum Tile Edging Trim
EEO	_	Grout	OWC	OWC	Raven	To Be Confirmed with homeowners
FF2	0	Countertop (Kitchen & Bar)	OWC	Quartzite	white/polished	Quartzite to be selected for kitchen and bar area
FF3	11	Pantry & Powder Rm Floor Tile	The Tile Bar	10.65 SF per box	Black/White	Cascais White Ornate 9x9 Matte Porcelain Tile (10.65SF per box)
		COMME		0)46	Doggan	128×82=10496/144=72.88 SF
FF.4	F.4	Grout		OWC	Raven	To Be Confirmed with homeowners
FF4	54	Fireplace Tile	Realstone	NA	Carbon	6x24 Carbon Ledgestone
	3	Fireplace Tile Schulter	Metal Depot	A311218-6063	OWC - Paint Black	1-1/2 X 1-1/2 X 1/8 6063-T52 Aluminum Angle (Sharp Corner)
FF5	1	Fireplace Mantel	Notable Wood	Custom	Special Walnut	Matte, Special Walnut, 87.5"L x 6"H x 6"D
FF6A	3	Kitchen Shelves	Ultra Shelf	Custom	Special Walnut	11"Wx9"Dx1.75"H (Stove Wall)
FF6B	3	Kitchen Shelves	Ultra Shelf	Custom	Special Walnut	22"Wx9"Dx1.75"H (Window Wall)
	3	Bar Wine Shelves	Pottery Barn	84-4919369	Driftwood	Holman Handmade Floating Entertaining Wine Bottle Shelf - Seadrift
L1	3	Pendant Kitchen Island Lights	1800lighting	2726759	Clear Glass/Black	Bruno Marashlian Newton 14 Inch Mini Pendant by Innovations Lighting
L2	4	Kitchen Sconces	Y-Lighting	NA .	Black	Warehouse 44 Arm Outdoor Wall Light
L3	1	Pantry Ceiling Light Fixture	Lumens	Aldor & Core	Glass/ORB	Stella Semi-Flushmount
L4		Intentionally Blank				
L5	1	Rear Hallway Light Fixture	Lumens	Troy Lighting	Glass/ORB	Candace Flushmount, Height 8.75", Diameter 17.5", Weight
L6	5	Family Room Sconces	Capital Lighting	Savoy House	Iron/Glass	OBERYN WALL LIGHT
L7	1	Family Room Chandelier	NA	NA	NA	Use existing fixture and shorten length
L8	2	Living Room Sconces	Capital Lighting	Savoy House	Iron/Glass	OBERYN WALL LIGHT
L9	1	Foyer Light Fixture	Shades of Light	FM16026 BK	Black/Gold	MODERN RINGED LED CEILING LIGHT
L10	1	Stair Light Fixture	Shades of Light	FM19143 BK	Black/Glass	ASHLEY SEMI-FLUSH CEILING LIGHT - LARGE
L11	1	Sun Room Light Fixture	Lumens	Troy Lighting	Glass/ORB	Candace Flushmount, Height 8.75", Diameter 17.5", Weight
L12	1	Master Bedroom	Lamps Plus	71N76	Gold	Gold Dual Shade 12 1/2" Wide Drum Ceiling Light
L13	1	Sitting Room Sconce	Build.com	:9-9131CP-1-13	Glass/ORB	Drake Adjustable Wall Sconce
	- 1	Powder Room Sconce	Shades of Light	BS18061 CK	Glass/Black	GWYNN ISLE DOME VANITY LIGHT - 2 LIGHT
L14	1	TOWACT ROOM SCONCC	Shades of Light	W004031324	Black/Brass	Naudain 20 - Light Sputnik Sphere Chandelier





Lutron Diva Light Switches Single pole, 3-way, and dimmers





Leviton GFI & Dual Outlets White for all areas except for Island

Note: Existing plates, outlets, and switches will be upgraded to the Lutron and Leviton switches and outlets in white colorway



LED Recessed Light Fixtures



Dining Room Bar Under cabinetry lighting InvisLED Tape Lighting w/Channel and diffuser







Kitchen Closet Ceiling NA - OWC will use existing recessed light fixture



TBC - Family Room Chandelier



Stairway Ceiling Mounted

L10

L13



Sitting Room Sconce




Kitchen Pendants - Qty 4



Rear Entry Hallway



Height 8.75", Diameter 17.5", Weight



L3

Family Room Wall Sconces

Pantry/WD Room

Semi-Recessed Ceiling Fixture



L8 Living Room Wall Sconces



L15



Foyer Ceiling Mounted Light Fixture



L14

Sunroom Ceiling Light Height 7.75", Diameter 12.5



L12



TBC - Master Bedroom Ceiling Light




Powder Room Sconce



TBD Dining Room Chandelier













L14

Design Note: New light fixture will require movement of the electrical to fit the new sconce selection. Bottom of light fixture will need to be placed above mirror.




FF3





- Extend the ledgestone to the end of the wall and add a Schluter to the right side so the tile finishes with a crisp clean edge detail.
- Based on this information, the mantle will be 1" shy of the end.
- Schluter will also be used around fireplace opening















Sítting Room

















































































CENTRAL NOTES:

- The contractors shell check and verify all dimensions and conditions prior to starting work and notify the architect of any discrepancies.
- Contractor (s) shall obtain any and all permits as required by the local authorities.
- All work shall be designed and must be performed in compliance with the 2020 Residential Code of New York State, and all applicable local Cades and Zoning regulation.
- The general contractor shall acardinate the work of all trades and sub-contractor (s) unless otherwise noted.
- All contractors to cooperate in coordinating construction.
- All cutting and patching shall be done by the general contractor and shall be the responsibility of the C.C. to see that the final patch is not visible after finish (es).
- The contractor shall protect and not damage trees, planting or shrubs where work or operation for work is required at exterior of building.
- The storage of motoricls and equipment shall be located where directed by the architect or owner.
- Where partition(s) are removed, flooring(s) at oid partition(s) shall be Filed-in level with existing to receive final finish(es). At vails once ellipsip patch and oligin finish surfaces to match existing or as required to receive new finishes.
- 10, Instal R-15 insulation in existing exterior walls as required. New windows to be Andersen couble rung with insulating glass white — sizes as noted on drawings. Provide insect screens for all operating sasses.
- 12. All glass within 18" of the foor shall be tempered safety
- Provide 4" x 4" pant or 2 2" x 4" spiked at bearing points of all couble framing members and "V" a unless otherwise
- All aperable windows and exterior doors to be weatherstripped and all windows shall be caulied.
- The confractor, by submitting his sid, represents that he has sixted the project location and agrees with alons and catallis as representing the full extent of construction. If contractor has found that plans and details are at variance with what is physically in the field, he and notify the creditation of aware before stamitting his bit.
- Contractor to carry appropriate insurance, workmens compensation and liability in the sums prescribed by cuttorities adving jurisdiction over the project.

STRUCTURAL SPECIFICATIONS:

- The contractor shall be responsible for visiting the site and familiarizing himself with existing conditions.
- reconstanting names and existing conditions.

 The controlled shall be solely responsible for all sole working conditions and shall observe all safety requirements established by undestablished operates and worser. Where conflicts solels, the more stringent recuirements shall apply. Care shall be exercised to solve endoagening personnel or the structure.
- All structural work shall conform to the requirements of the Uniform Building Code of New York State, latest edition.
- All structural drawings shall be used in conjunction with specifications, architectural and mechanical drawings.
- All dimensions shall be verified by the contractor. The general contractor shall coordinate and be responsible for the approved size and location of all openings through roaf, floors and walls.
- All sections and details shall be considered typical and apply for the same and similar conditions, unless atterwise specifically nated.
- Contractor shall turnish and be solely responsible for all temporary bracing required to mointain stability of the structure during construction.

STRUCTURAL LUMBER:

- 1. All framing to be No. 1 & No.2 Doug Fir Larch (North) DESIGN VALUES:

- th Single Member 825 as'

 10 Repetitive Member 1150 as'

 10 Repetitive Member 1150 as'

 10 405 ps persentiation to grain

 10 2400 as' sociole to grain

 10 2400 as' sociole to grain

 11 1400.000 psi

 21 1400.000 psi

 22 1400.000 psi

 23 1400.000 psi

 24 1400.000 psi

 25 1400.000 psi

 26 1400.000 psi

 26 1400.000 psi

 27 1400.000 psi

 28 1400.000 psi

 29 1400.000 psi

 29 1400.000 psi

 20 1400.000 psi

 20
- Fb = 2600 asi Fv = 285 psi Fc = 750 psi perpendicular to grain Fc = 2510 as' paral et to grain E = 1.9 x 10 (6) psi
- All froming indicated "LML" on plan shall be laminated veneer lumber equal to Trussloist. V. as manufactured by Trussloist, A. Weyerhoeuser Business, 1, 800, 678, 8787, or approved.
 - equal. All TJ's and Parallam PSL's shall be by TrusJoist or approved equal.
- For d'mensions see architectural drawings.
- 4 nor amenicans see arcinectural provings, and proving over) beams, headers on globes small be supported with galaxin cell seed headers on globes small be supported with galaxin cell seed policy. The province of the province of the galaxin cell seed policy permitted. All post to beens, beam to post and post to looking commociona to be more emis-brings proport or column cop one beats convections on celotided. Use nating as the convection to the convection to the most of the province of the
- Black solid between joists and rofters at bearing wells or gircers. Previde bridging at 8"-0" a.c. maximum.
- All plywood shecthing shall be 5/8" excerior grade, C=D, species group 1 or 2. Instal roof, floor, wall sheething with face grain perpendicular to supports. Stagger joints.

 Provice double floor joists under all walls parallel to framing.
- Provice ledgers, blocking, nailers and rough framing hardware as required.
- 10. Set all froming with natural grown up.

- Frame with double headers and trimmers around openings larger than spacing between joists, study or rafters, unless larger is shown on plans
- 2. All froming shall be core in accordance with the lotest edition of "National Design Specifications for Stress Graded Lumber and its Fastenings" as published by the Notional Lumber Menufacturers Association.
- 14. All lumber materials used in the construction shall be new, sound and dry materials, free from rat, large and loose knots, strukes and other imperfections whereby strength may be imprined. Sizes shall be as indicated on the drawings.
- Provide special heavy duty meta hangers and / or steel fabrications where shown and as may be recuired to transfer all loads.
- 17. Built-up girders and headers shall be fastened together as fallows:
- For more than 3 plies, use 2 rows of 1/2" diameter through bolts at 12" centers staggered.
- Celling joists must be lapped against and attached circuity to ratters with 3 16 d common nais. Do not use
- Too not all joists and rafters to top plate of stud bearing wals or partitions with a minimum of 3 16 d common nots.
- 20. Precautions shall be taken to minimize air bonne saw dust created from autling CCA treated members. Dust masks shall be worn by anyone working in the immediate area where treated members are being out.
- 21. Provide minimum 3-1/2" deep bearing full width of headers and girders.
- 23. Celling joists shall be connected to each other to create continuous members to tile opposite roof raffers together.
- Color ties shall be one continuous member to tie opposite roof rafters together.
- 25. Install all collar ties and ceiling joists simultaneously with roof rathers

SOIL BEARING ASSUMED TO BE 4,000 P.S.F.

FLOOR LOADING LIVE LOAD

ATTIC 1st and 2nd FLOCR DEAC LOAD

ATTIC 1st and 2nd FLOCR 1. STRUCTURAL STEEL TO BE A-36, Fb = 24,000

PLUMBING NOTES:

- Work shall consist of furnishing all labor, materials, and equipment necessary and required to complete all plumbing work as indicated on the drawings and specified herein including but not limited to the following: A. Rubbish removal.
- B. A sonitary drainage and venting system conveying the wastes from plumning fixtures, to connect with the sanitary saver, septic system, or existing system.
- the sentery seem, septic system, or existing system, C. Cold water supply from the water moir or existing system, distribution piping, one connections to all pulmbing firstness and equipment requiring cold water. C. Ital water supply from new or existing but water supply system, not water supply piping, and connections to all piping fishures and equipment requiring the water.
- Cleaning, adjusting and testing.
- F. All alumbing liktures and supports, trimmings, pipe filtings, hargers, volves, traps, vocum breakers, insulation, and other occassories required to complete the work ready for operation.
- A. Soil and main vent plastic Branch vents plastic.
- Hot and cold water capper tubing type I hard temper above grade, type K below grade.
- All materials shall be new and installed with skilled labor in a first class monner.
- All drainage piping shall pitch at a minimum 1/8" per fact in direction of flow unless otherwise prown on
- All hot and cold water piping and fittings to be insulated with Rubatex R-180 F.S tubing insulation or
- seticated by cener.

 The contractor shall file all necessary drowlings of plumbing with with the proper cuthorities, and in every mire changes requested or required and shall file only mire changes requested or required and shall file for the pumbing systems required by one authorities, county, and/or the state; to shall pay for clit host concern, and/or the state; to shall pay for clit host concern, and/or the state; to shall pay for clit host concern, and/or the state; to shall pay for clit host concern, and or the state; to shall pay for clit host shall pay for clit host shall be shall b

Title

SOUTH SALEM, NEW YORK 10590

FOR BUILDING PERMIT MARCH 8, 2021

Drawing Index

DRAWING INDEX SUMMARY

# Title	5	Scale		
1 Title Sheet	No	Scale		
		= 1'-0		
1 Construction	Plan 1/4"	= 1'-0		
2 Elevations	1/4"	= 1'-0		
1 Electrical Pl	an 1/4"	= 1'-0		
	Title Sheet Demolition Existing Ele Construction Elevations	1 Title Sheet		

Zoning Tabulation

N.Y.S. ENERGY CONSERVATION CONSTRUCTION CODE

SINGLE FAMILY RESIDENTIAL DESIGN DEGREE DAYS: 5500 - 5999 DESIGN TEMPERATURE: 6 DEGREES F. / 83 DEGREES F.

ENVELOPE COMPONENT	R VALUE REQUIRED	R VALUE PROVIDED	
FENESTRATION	U0.35	U0.28	
SKYLIGHT	U0.55	N/A	
CEILING	38	N/A	
WOOD FRAME WALL	20	R-21	
FLOOR	19	N/A	
BASEMENT WALL	10/13	N/A	
SLAB R-VALUE & DEPTH	10,2 FT	N/A	
CRAWL SPACE WALL R-VALU	IE 10/13	N/A	

BELLO ARCHITECTURE (N.Y.S. LIC. NO. 027735) CERTIFES THAT TO THE BEST OF MY KNOWLEDGE AND BELLET, THESE PLANS AND SPECIFICATIONS CONFORM WITH THE APPLICABLE SECTIONS OF THE NEW YORK STATE ENERGY CONSERVATION CONSTRUCTION CODE.

Climatic and Geographic Design Criteria

	WIND SPEED	SUBJECT TO DAMAGE FROM							L		
GROUND SNOW LOAD	MPH FOR 3 SEC. WIND GUST	SEISMIC DESIGN CATEGORY	WEATHER NG	FROST DEPTH LINE	TERMITE	DECAY	WINTER DESIGN TEMP	ICE SHELD UNDERLAYMENT REQUIRED	FLOOD HAZARDS	AIR FREEZING INDEX	Draw
30	120	С	SEVERE	42"	YVH/COM	SL/MOD	7	YES	FIRM 9-28-07	618	



Na.	Dutte		
1		3-8-21	For Building Permit
	П		
	_		





36 New Street 36 New Street Rye, New York 10580 Tel: 914-690-0870 Fax: 914-937-1968


Project:

heet Title: Title Sheet


No Scale 20126 3/8/21

C - 101
















ELECTRICAL NOTES		ELECTRICAL LEGEND	ELECTRICAL SPECIFICATIONS		
	Q	Duplex electrical outlet			
 Unless dimensioned all electrical ayouts are schematic. Exact location to be determined by field coordination with owner's approval. 	₽ QFI.		New and existing location autiets to be white Leviton, exception will be the Kitchen island which are to be black		
Electrical contractor shall obtain all inspections and engages required by local state and existed special contractors.	0	Recessed 6" LED downlight fixture	White trim. Existing recessed lights require new white trim, white shield and LED bulbs	Not had	
2. Electrical contractor shall obtain all inspections and apprevals required by local, state and national codes and shall be responsible that all electrical work collect for a drawings and specifications and other requirements of codes are met.	0	Recessed 4" LED downlight fixture	THE STATE STATE STATE	क्षेत्र क कार्य	
4. Electrical contractor shall write total anothers and for	+	Chandelier	To be supplied by Owner and installed by GC		
existing and proposed work and shall notify crichitect or service requirements, and additional service shall be installed in conformance with local codes.	4	Pendant light fixture	To be supplied by Owner and installed by GC	Sarra will To the same of the	
installed in conformance with local codes. 4. At least Extures by paper — installed by controller unless	- Ф-	Surface mounted sconce	To be supplied by Owner and installed by GC	/8 S	
A1 light fixtures by owner — installed by contractor unless specified otherwise.	Ø	Exhaust fan unit	To be supplied by Owner and installed by OC		
Electrical contractor to do all necessary wining and connections for all mechanical equipment as required.		Exhaust Eght/fan unit combo	To be supplied by Owner and installed by GC		
Thermastats to be supplied by HVAC contractor and installed by electrical contractor.	\$	Light switch	Turical new and existing light exitation for	TOPIN SOM I	
 All telephone and T.V. outlets shall be located and installed by others. Contractor shall coordinate with owner and installed curing construction to insure oil wires are hidden in construction prior to insulation of fine finishes. All new selfches to be allent selfches. 	Is	3 Way light switch	Typical new and existing light switches for dimming and non-dimming shall be Lutron, Diva, white	TAN MAY TO THE TOTAL OF THE TOT	104
hidden in construction prior to installation of fina finishes.	D _{\$}	Dimmer light switch		ALADOTT OA	2,6
9. Wring shall be "Rome X" coble.	9	Smoke detector		AMADITY OF THE PROPERTY OF THE	, NAT TRU
 Minimum service shall be 120/240 V, 3 wire, single phase with min, 50 amp spare capacity. 	0	Carbon manaxide detector		CARSON MENT	KII AS
 D'atribution shall be circuit breakers type w/ min. 2 extro circuits. 	I	Nest thermostat			The state of the s
 Dedicated circuits shall be provided for high-draw equipment one appliances. 	AC.	Above counter			6,50k
13. Al electrical receptocles shall be duplex type, 15 amp	N	New electrical item			REEL MARE TRUE TON
14. Smoke detecting alorm devices shall be single-station type, either phata-electric or ionization shall be directly	īM	TV Receptacle	TBD- TV cable source w/possible infrared set-up	7	42
14. Smoke detecting dorm devices shall be single-station type, either proce-eacting or formation shall be directly connected to a lighting circuit with no intervening wall switch. Provide detectors to protect each separate separate processing over adequately.	•	Recessed light with directional trim			
seeping area adequately.	E	Existing location			Drawing Issue
	R	Replace customer supplied fixture		STITING AREA	No. Dote By
		Existing track lights	Update fixture to LED bulbs	Reset 3 Solding light Rature	1 3-8-21 For Building Permit RR
		Existing surround sound speakers		ENNIG AREA	
	_	Led strip light w/channel and diffuser			
		ELECTRICAL NOTES	_	Cut 0.7-24	Drawing Revisions
	1. CUTLETS NUMBER	S-KOWN IN PLANS ARE WIN-VUM, C.C. TO PROVIDE AS REQUIRED BY CODE, OUTLET LOCATIONS AG ELECTRICAL, T.V., PHONE, ETC. TO BE REVIEWED WITH CWINER.		Grander Oc. Brongedia	No. Date 8y
				The of three well to the total	
		CAL CONTRACTOR TO PROVIDE AND COORDINATE ALL CUILETS AS REQUIRED FOR ANY APPLIANCES.		108 108 108 108 108 108 108 108 108 108	
		LETS & KITCHEN COUNTERTOPS TO BE CFL. SMOKE AND CARBON MONOXIDE DETECTORS AS REQUIRED BY CODE		45	
	SHALL B ELECTRIC	ECTRICAL LIGHT FIXTURES, SWITCHES AND OUTLETS HE SELECTED BY GWINEH AND INSIALLED BY THE CAL CONTRACTOR.			
				•	
				The state of the s	
				1077B 80plar	
				BEDROOM	Bello
				No. of the state o	Architecture, PLLC
					36 New Street Rye, New York 10580
					Tel: 914-690-0870
				State of a challeng selection, order to S. Shake the Challeng Solden, recogning figure I to top but the challenge Solden, recogning figure I to top but the challenge Solden challenge of the cha	Fax: 914-937-1968
				1 for part of the state of the	Product
				HORGH	
					3
				C FIRST FLOOD FLEATBLOAD BLAND	
				1) FIRST FLOOR ELECTRICAL PLAN	
				1/2" = 1' - 0"	Sheet Title:
					Electrical plan
					Scale Project No. 20126
					2.3120
					3/8/21 Sheet No. E-101
					Drawe By
					RB



Whole Home Interior Design Sample

THE END of Visual Presentation



South Salem, NY 10590

