SPIDER® SHELVING SYSTEM



INDEX						F	PAGE(S)
Spider [®] Shelvi	ng	; S	ys	te	m		<u> 76 - 77</u>
Preconfigured	M	lo	de	ls			78 - 82
Accessories .							83 - 90
Components							91 - 95

THE MOST VERSATILE SHELVING SYSTEM ON THE MARKET

Quick to assemble and built for heavy-duty industrial use, the Spider[®] Shelving System meets all of your storage needs. With its vast range of accessories, it is the most versatile and flexible shelving system on the market.

- By combining shelving and Mini-Racking, you can extend the range of possibilities available
- By adding modular drawers, you can organize your small parts more efficiently
- Vertical expansion is also possible with our multi-level shelving system

Designed for intensive use, our modular storage system uses the space you have available to its full potential, in areas such as warehouses, parts departments, repair shops and distribution centers.

Trust in our expertise and enjoy peace of mind, knowing all your current and future storage needs will be met.





R5SEE-871809

SPIDER® SHELVING SYSTEM


THE ROUSSEAU DIFFERENCE




R drawers can be installed in Rousseau's Spider® Shelving System but also in over 35 commercially available shelving brands.



Easy assembly: The shelves are installed on the posts with four 14-gauge steel compression clips for quick and easy reconfiguration.





The multipurpose common post is a key structural component. Its unique tubular T shape provides up to seven fixing zones for different applications. It also has a hollow center to prevent interference between sections.




Each component has been designed to be easy to use.

NOTE: The unique design of the Spider® post is a trademark of Rousseau Metal Inc.

GENERAL DIMENSIONS



SHE1024




36"W, 42"W AND 48"W SINGLE SHELVING UNITS, OPEN AND CLOSED

OPEN SHELVING



SRB1011

Add-on unit



Starter unit



SRB2011 Add-on unit

HERE ARE SOME OF OUR MOST POPULAR PRECONFIGURED MODELS OF OPEN AND CLOSED SHELVING UNITS

- The preconfigured models in this section include open or closed uprights and BOX shelves
- The closed shelving preconfigured models in this section include back panels • and a front base
- The open shelving preconfigured models in this section include a back brace •

D	IMENSIO	NS		NUMBER C	OF SHELVES		
w	D	н	5	6	7	8	9
	12"		S001	S007	S013	S019	S225
	18"	75"	S002	S008	S014	S020	S226
	24"		S003	S009	S015	S021	S227
	12"		S004	S010	S016	S022	S228
36"	18"	87"	S005	S011	S017	S023	S229
	24"		S006	S012	S018	S024	S230
	12"		S401	S407	S413	S419	S625
	18"	99"	S402	S408	S414	S420	S626
	24"		S403	S409	S415	S421	S627
	12"		S131	S137	S143	S149	S255
	18"	75"	S132	S138	S144	S150	S256
	24"		S133	S139	S145	S151	S257
	12"		S134	S140	S146	S152	S258
42"	18"	87"	S135	S141	S147	S153	S259
	24"		S136	S142	S148	S154	S260
	12"		S531	S537	S543	S549	S555
	18"	99"	S532	S538	S544	S550	S556
	24"		S533	S539	S545	S551	S557
	12"		S031	S037	S043	S049	S355
	18"	75"	S032	S038	S044	S050	S356
	24"		S033	S039	S045	S051	S357
	12"		S034	S040	S046	S052	S358
48"	18"	87"	S035	S041	S047	S053	S359
	24"		S036	S042	S048	S054	S360
	12"		S431	S437	S443	S449	S455
	18"	99"	S432	S438	S444	S450	S456
	24"		S433	S439	S445	S451	S457

NOTES: For more information about drawers in shelving, see page 119.

Shelving with drawers must be anchored to the ground with a floor anchoring kit (SH45/SH47).



78

36"W, 42"W AND 48"W BACK-TO-BACK SHELVING, OPEN AND CLOSED

OPEN SHELVING



HERE ARE SOME OF OUR MOST POPULAR PRECONFIGURED MODELS OF BACK-TO-BACK, OPEN AND CLOSED SHELVING UNITS

- The closed shelving preconfigured models in this section include back panels and front bases
- The open shelving preconfigured models in this section include a back brace

D	IMENSIO	NS		NUMBER C	OF SHELVES	
W	D*	Н	10	12	14	16
	24"		S001B	S007B	S013B	S019B
	36"	75"	S002B	S008B	S014B	S020B
	48"		S003B	S009B	S015B	S021B
	24"		S004B	S010B	S016B	S022B
36"	36"	87"	S005B	S011B	S017B	S023B
	48"		S006B	S012B	S018B	S024B
	24"		S401B	S407B	S413B	S419B
	36"	99"	S402B	S408B	S414B	S420B
	48"		S403B	S409B	S415B	S421B
	24"		S131B	S137B	S143B	S149B
	36"	75"	S132B	S138B	S144B	S150B
	48"		S133B	S139B	S145B	S151B
	24"		S134B	S140B	S146B	S152B
42"	36"	87"	S135B	S141B	S147B	S153B
	48"		S136B	S142B	S148B	S154B
	24"		S531B	S537B	S543B	S549B
	36"	99"	S532B	S538B	S544B	S550B
	48"		S533B	S539B	S545B	S551B
	24"		S031B	S037B	S043B	S049B
	36"	75"	S032B	S038B	S044B	S050B
	48"		S033B	S039B	S045B	S051B
	24"		S034B	S040B	S046B	S052B
48"	36"	87"	S035B	S041B	S047B	S053B
	48"		S036B	S042B	S048B	S054B
	24"		S431B	S437B	S443B	S449B
	36"	99"	S432B	S438B	S444B	S450B
	48"		S433B	S439B	S445B	S451B

NOTES: * The depth includes two units. e.g., 24" = two 12" units

For more information about drawers in shelving, see page 119.

Shelving with drawers must be anchored to the ground with a floor anchoring kit (SH45/SH47).






L	2
G	
	\leq
5	~
0	ה

CLOSED SHELVING

SRE1011B

Starter unit



SRB2011B

Add-on unit

SRB1011B

Add-on unit

SRE2011B Starter unit

[•] The preconfigured models in this section include open or closed uprights and BOX shelves

87"H CLOSED SHELVING WITH ACCESSORIES

Some of our most popular shelving units are shown below

NOTES: The 2" front base is always included with closed shelving preconfigured models. For help on completing the product number, see page 78.



Starter unit Add-on unit

PRODUCT NO.

S__3008

S__3009

S__3010

WITH DIVIDERS
 8 shelves
• 28 slots:
∘ 28 slots 12"W×9"⊦
• 21 dividers, 5½"H

W×D

36"×12'

36"×18"

36"×24"

SHELVING

• 12 shelves

• 56 slots:

WITH DIVIDERS

∘ 8 slots 9"W×9"H

• 42 slots 6"W×6"H

• 4 dividers, 12"H

SHELVING

• 6 shelves

• 6 plastic bins

WITH ACCESSORIES

• 2 plastic bin panels

• 6 slots 12"W×12"H

Concession of the local division of the loca

SRF3022

PRODUCT NO.

3021

S__3022

S__3023

S

SRB3022

SHELVING WITH DIVIDERS 8 shelves • 19 slots: • 12 dividers, 12"H

• 18 slots 12"W×12"H • 1 slot 36"W×12"H • 6 shelf fronts



SHELVING		
WITH DIVIDERS		

• 10 shelves

- 25 slots:
- 9 slots 12"W×12"H
- 12 slots 12"W×6"H
- 4 slots 18"W×12"H
- 8 dividers, 6"H
- 8 dividers, 12"H

SRF3032 SRB3032 Starter unit Add-on unit

PRODUCT NO.	W×D
S3031	36"×12"
S3032	36"×18"
S3033	36"×24"

	A A A A A A A A A A A A A A A A A A A
<u>L</u> L	
KK	
1 million	

• 35 dividers, 6"H • 6 dividers, 9"H 52

SRE3052	SRB3052
Starter unit	Add-on unit

PRODUCT NO.	W×D
S3051	36"×12"
S3052	36"×18"
S3053	36"×24"



SRE3062

PRODUCT NO.

S 3062

Starter unit Add-on unit

SRB3062





	0.0.0
The second second	000
	Sector States
	0.0.0

SHELVING

- WITH DIVIDERS
- 8 shelves • 8 dividers, 12"H
- 9 dividers, 5¹/₂"H

SHELVING WITH

• 21 dividers, 51/2"H

• 2 utility back panels

ACCESSORIES

 Shelving with Accessories

8 shelves

• 10 hooks

SRE3005	SRB3005
Starter unit	Add-on uni

PRODUCT NO.	W×D
S3004	36"×12"
S3005	36"×18"
S3006	36"×24"



SRE3202 SRB3202 Starter unit Add-on unit

RODUCT	NO.		

PRODUCT NO.	W×D	
S3201	36"×12"	
S3202	36"×18"	
S3203	36"×24"	



SHELVING WITH ACCESSORIES • 5 shelves • 1 flipper door

• 1 clothes hanging rail • 1 utility panel

10 hooks

W×D

36"×18"

SRE3209 SRB3209 Starter unit Add-on unit

PRODUCT NO.	W×D	
S3209	36"×18"	
S3210	36"×24"	

-		
		AL.
	哨罐凿目	
	2 · · · · · · · · · · · · · · · · · · ·	
		Contraction of the local division of the loc
	语 编 图 1 H	
	Carl Contract Contract Contract	
	调用用 11 日	
		Contraction of the owner owne
	Contraction and an and a second second	
		Income Statement Street Barry
	and the state of t	
		CONTRACTOR OF TAXABLE PARTY.
	Contraction and the second second	

SRE3212 SRB3212 Starter unit Add-on unit

PRODUCT NO.	W×D	
S3211	36"×12"	
S3212	36"×18"	
S3213	36"×24"	

Starter unit Add-on unit W×D 36"×12" 36"×18" 36"×24" SHELVING WITH

• 48 slots 3"W×16"H • 12 slots 3"W×20"H • 44 dividers, 16"H

╞╾┿╤╾┿╤╼╌	
┢╤╍╇╼╤╼╋	
┍┯┷┶┷┶┯	
D.D.D.	-
000	

3005	SRB3005	
r unit	Add-on unit	
	~	

SHELVING WITH MODULAR DRAWERS

Some of our most popular shelving units with drawers are shown below.

- The preconfigured models in this section include welded closed uprights and hook-on mounting brackets for Spider[®] shelving for quick and easy assembly
- Additional accessories available: utility panels, plastic bin panels, finishing panels, shelf dividers, doors, etc., see pages 83-90
- To order an add-on unit, add <u>A</u> to the product number



R5SEE-871817

Drawer compartments are included in all models.

See number of compartments and proposed layouts in

the chart below.

To order drawers without compartments, replace the last two digits of the model number with the next even number up.

e.g., R5SEC-751801 with R5SEC-751802 without

DRAWER	IBER OF COMPART	MENTS (LATOOT C	
DIMENSIONS	3"H TO 5"H	6"H TO 8"H	9"H AND HIGHER
36"W×18"D	24 (0518)	8 (0304)	6 (0203)
36"W×24"D	30 (0524)	12 (0308)	9 (0206)
42"W×18"D	18 (0512)	12 (0308)	6 (0203)
42"W×24"D	30 (0524)	12 (0308)	8 (0304)
48"W×18"D	32 (0724)	10 (0405)	8 (0304)
48"W×24"D	40 (0732)	15 (0410)	8 (0304)
NOTE: For interior drawer dimensions, see pages 206-208			



Shelving units with drawers must be anchored to the ground (anchoring kit included).

SHELVING WITH 18"H, 24"H, 36"H AND 48"H BANKS OF MODULAR DRAWERS

SHELVING WITH 18"H BANK OF MODULAR DRAWERS



- 4 drawers:
- 3 drawers, 4"H
- 1 drawer, 6"H
- 75"H (5 shelves)
 - or 87"H (6 shelves) shelving

W×D	75"H	87"H
36"×18"	R5SEC-751801_	R5SEC-871801_
36"×24"	R5SEE-751801_	R5SEE-871801_
42"×18"	R5SGC-751801_	R5SGC-871801_
42"×24"	R5SGE-751801_	R5SGE-871801_
48"×18"	R5SHC-751801_	R5SHC-871801_
48"×24"	R5SHE-751801_	R5SHE-871801_

SHELVING WITH 24" OF MODULAR DRAWERS

• 5 drawers:

 75"H (5 shelves) or 87"H (6 shelves) shelving 		
W×D	75"H	87"H
36"×18"	R5SEC-752401_	R5SEC-872401_
36"×24"	R5SEE-752401_	R5SEE-872401_
42"×18"	R5SGC-752401_	R5SGC-872401_
42"×24"	R5SGE-752401_	R5SGE-872401_
48"×18"	R5SHC-752401_	R5SHC-872401_
48"×24"	R5SHE-752401_	R5SHE-872401_

R5SEE-872401

R5SEE-871801



•	7	drawers:	
---	---	----------	--

SHELVING WITH 36"H BANK OF MODULAR DRAWERS

- 3 drawers, 4"H
- 4 drawers, 6"H
- 75"H (5 shelves)
- or 87"H (6 shelves) shelving

W×D	75"H	87"H
36"×18"	R5SEC-753601_	R5SEC-873601_
36"×24"	R5SEE-753601_	R5SEE-873601_
42"×18"	R5SGC-753601_	R5SGC-873601_
42"×24"	R5SGE-753601_	R5SGE-873601_
48"×18"	R5SHC-753601_	R5SHC-873601_
48"×24"	R5SHE-753601_	R5SHE-873601_

R5SEE-873601

- 7 drawers:
 - 4 drawers, 4"H
 - 2 drawers. 6"H
 - 1 drawer, 8"H
 - 75"H (5 shelves)
 - or 87"H (6 shelves) shelving

3	W×D	75"H	87"H
-	36"×18"	R5SEC-753603_	R5SEC-873603_
	36"×24"	R5SEE-753603_	R5SEE-873603_
	42"×18"	R5SGC-753603_	R5SGC-873603_
	42"×24"	R5SGE-753603_	R5SGE-873603_
	48"×18"	R5SHC-753603_	R5SHC-873603_
	48"×24"	R5SHE-753603_	R5SHE-873603_

R5SEE-873603

2 drawers, 6"H 75"H (5 shelves)

- 3 drawers, 4"H

SHELVING WITH 48"H BANK OF MODULAR DRAWERS



• 8 drawers: - 8 drawers, 6"H

- 75"H (4 shelves)
- or 87"H (5 shelves) shelving

W×D	75"H	87"H
36"×18"	R5SEC-754801_	R5SEC-874801_
36"×24"	R5SEE-754801_	R5SEE-874801_
42"×18"	R5SGC-754801_	R5SGC-874801_
42"×24"	R5SGE-754801_	R5SGE-874801_
48"×18"	R5SHC-754801_	R5SHC-874801_
48"×24"	R5SHE-754801_	R5SHE-874801_

•	9	drawers:
---	---	----------

- 4 drawers, 4"H
- 4 drawers, 6"H
- 1 drawer, 8"H
- 75"H (4 shelves) or 87"H (5 shelves) shelving

W×D	75"H	87"H
36"×18"	R5SEC-754803_	R5SEC-874803_
36"×24"	R5SEE-754803_	R5SEE-874803_
42"×18"	R5SGC-754803_	R5SGC-874803_
42"×24"	R5SGE-754803_	R5SGE-874803_
48"×18"	R5SHC-754803_	R5SHC-874803_
48"×24"	R5SHE-754803_	R5SHE-874803_

R5SEE-874803

•	11	drawers:	
---	----	----------	--

- 4 drawers, 3"H
- 3 drawers, 4"H -
- 4 drawers, 6"H
- 75"H (4 shelves)
 - or 87"H (5 shelves) shelving

W×D	75"H	87"H
36"×18"	R5SEC-754807_	R5SEC-874807_
36"×24"	R5SEE-754807_	R5SEE-874807_
42"×18"	R5SGC-754807_	R5SGC-874807_
42"×24"	R5SGE-754807_	R5SGE-874807_
48"×18"	R5SHC-754807_	R5SHC-874807_
48"×24"	R5SHE-754807_	R5SHE-874807_

R5SEE-874807



- 7 drawers:
- 2 drawers, 3"H
- -3 drawers, 4"H
- 2 drawers, 6"H
- 1 front-access roll-out shelf
- 75"H (4 shelves) or 87"H (5 shelves) shelving

W×D	75"H	87"H
36"×18"	R5SEC-754809_	R5SEC-874809_
36"×24"	R5SEE-754809_	R5SEE-874809_
42"×18"	R5SGC-754809_	R5SGC-874809_
42"×24"	R5SGE-754809_	R5SGE-874809_
48"×18"	R5SHC-754809_	R5SHC-874809_
48"×24"	R5SHE-754809_	R5SHE-874809_

R5SEE-874809



W×D 75"H 36"×18" R5SEC-754805 36"×24" 42"×18" 42"×24" 48"×18" R5SHC-754805 48"×24" R5SHE-754805

R5SEE-874805

R5SEE-754805 R5SGC-754805 R5SGE-754805_

• 10 drawers:

- 6 drawers, 4"H - 4 drawers, 6"H

or 87"H (5 shelves) shelving

• 75"H (4 shelves)





87"H R5SEC-874805

R5SEE-874805

R5SGC-874805 R5SGE-874805_

R5SHC-874805

R5SHE-874805



DIVIDERS

SHELF DIVIDER

inserting into other dividers
Two nylon clips are provided with
each divider

• The dividers are installed by

• Sizes given are nominal dimensions (c/c shelves)

PRODUCT NO.

• Painted steel

.

PRODUCT NO.	D×H
SH50-1206	12"D×6"H
SH50-1209	12"D×9"H
SH50-1212	12"D×12"H
SH50-1215	12"D×15"H
SH50-1218	12"D×18"H
SH50-1506	15"D×6"H
SH50-1512	15"D×12"H
SH50-1806	18"D×6"H
SH50-1809	18"D×9"H
SH50-1812	18"D×12"H
SH50-1815	18"D×15"H
SH50-1818	18"D×18"H
SH50-1824	18"D×24"H

SH50-2406	24"D×6"H	
SH50-2409	24"D×9"H	
SH50-2412	24"D×12"H	
SH50-2415	24"D×15"H	
SH50-2418	24"D×18"H	
SH50-2424	24"D×24"H	
DIVIDERS FOR X-RAY STORAGE		
PRODUCT NO.	D×H	
SH50-1816	18"D×16"H	
SH50-1820	18"D×20"H	

SH50

T

D×H

NOTE: Other sizes are available. Contact your customer service representative for more information.

• Magnetic plastic

PRODUCT NO.

SH82-600

NOTE:

• Comes in 6" lengths and can be cut to

desired length with scissors or a knife

For use with paper labels (not included).

Label must be 7/8" high.

W×Н

6"×1"







(P

PARTIAL DIVIDER





DIVIDING RODS

- Sold in pairs
- ¼"dia. stainless steel rod
- Includes a 90° bend at one end to keep it in place
- Superior rigidity to the plastic rods often found on the market for this type of application
- Excellent corrosion and chemical resistance

PRODUCT NO.	HEIGHT
SH56-72	72"
SH56-84	84"
SH56-96	96"

LABEL HOLDERS

MAGNETIC LABEL HOLDER

SH82

SELF-ADHESIVE LABEL HOLDER

SRP0410

• Attaches with a self-adhesive strip

• Full-width label holder for use with paper labels

	PRODUCT NO.	W×H	
The second se	SH81-36	36"×1"	
	SH81-42	42"×1"	
10	SH81-48	48"×1"	

NOTE: Paper labels (not included).

SH52

SH56

SH81

SHELVING

- Unique patented design for easy position changes
- Height: 51/2"
- Easy tool-free installation

PRODUCT NO.	DEPTH	FOR SHELVES
SH52-1206	71/8"D	12"D
SH52-1506	101/8"D	15"D
SH52-1806	131/8"D	18"D
SH52-2406	191⁄8"D	24"D

PANELS

FINISHING PANEL

- · Finishing panel for end-of-aisle shelving units
- Quick and easy hook-on assembly
- Creates a neater appearance
- Compatible with certain multi-level shelving applications. Contact Customer Service for more information
- To order: Complete the product number with the depth required: 12", 15", 18" or 24"

PRODUCT NO.	HEIGHT
SH37075	75"
SH37- 087	87"

SIDE UTILITY PANEL

SH37


SH69



- Load capacity: 50lb./sq. ft., 300lb. max. per panel
- To order: Complete the product number with the depth required: 12", 15", 18" or 24"

PRODUCT NO.	HEIGHT
SH6814	14"
SH6820	20"
SH6832	32"

FULL-HEIGHT HEAVY-DUTY UTILITY PANEL



- · Full-height heavy-duty utility panel for end-of-aisle shelving units
- Holes spaced 1" apart c/c .
- Quick and easy hook-on assembly
- Creates a neater appearance
- Four widths available: 12" (9 holes), 15" (13 holes), 18" (15 holes) and 24" (21 holes)
- Compatible with WM9F, WM9G, WM9H, WM9J and WM9L light-duty hooks, and WM9A and WM9B heavy-duty hooks
- Also compatible with WM9C rails; WM9D, WM9M, WM9N, WM9P and WM9Q holders
- Compatible with WM21 shelves
- Load capacity: 50lb./sq. ft., 500lb. max. per panel
- Compatible with certain multi-level shelving applications. Contact Customer Service for more information
- To order: Complete the product number with the depth required: 12", 15", 18" or 24'

PRODUCT NO.	HEIGHT
SH6951	51"
SH6975	75"

SH6951	51"
SH6975	75"
SH6987	87"

BACK UTILITY PANEL



- Utility panel for the backs of shelving
- Load capacity: 250lb. per panel
- Easy to install
- Installs at the back of an existing shelving unit
- Holes spaced 1" apart c/c
- Compatible with SH31 back panels
- Compatible with WM9F, WM9G, WM9H, WM9J and WM9L light-duty hooks, and WM9A and WM9B heavy-duty hooks
- Compatible with WM9C rails, and WM9D, WM9M, WM9N, WM9P and WM9Q holders
- Compatible with SR uprights
- that have perforated sides Panel combinations:
- 75"H posts (39"H+39"H)
- 87"H posts (39"H+51"H)
- 99"H posts (51"H + 51"H)
- To order: Complete the product number with the width required: 30", 36", 42" or 48

PRODUCT NO.	HEIGHT
SR7939	39"
SR7951	51"

NOTE: SR79 panels are not reversible





Four widths available: 12" (8 holes), 15" (12 • holes), 18" (14 holes) and 24" (20 holes)

of the upright

Simple tool-free assembly

Compatible with WM9F, WM9G, WM9H, WM9J and WM9L light-duty hooks, and WM9A and WM9B heavy-duty hooks

installed on either the inside or outside

Compatible with WM9C rails, and WM9D, WM9M, WM9N, WM9P and WM9Q holders

• The SH68 Side Utility Panel can be

- Compatible with WM21 shelves

PRODUCT NO.	HEIGHT
SH6814	14"
SH6820	20"
SH6832	32"

The SH65 Back Utility Panel installs inside

a shelving unit between two shelves

Four widths available: 30" (26 holes),

15" (32 holes), 42" (38 holes) and 48"

BACK (INTERIOR) OR SIDE PLASTIC BIN PANEL

to c

CC

CCC

CEC

CCC

CC

W×H

30"W×20"H

30"W×32"H

36"W×20"H

36"W×32"H

42"W×20"H

42"W×32"H

48"W×20"H

48"W×32"H

NOTE: For SH65 installation, allow a minimum 4" c/c between shelves.

CC

-

ы

8

177

CEE

רבר

רבר

BACK

SH65-3020

SH65-3032

SH65-3620

SH65-3632

SH65-4220

SH65-4232

SH65-4820

SH65-4832

•

•

of the upright

• Simple tool-free assembly

• Used for hanging RG20 bins

SIDE

SH66-1220

SH66-1232

SH66-1520

SH66-1532

SH66-1820

SH66-1832

SH66-2420

SH66-2432

• Compatible with all brands of

SH65 / SH66

SH65 Back Plastic Bin Panel: installs inside

a shelving unit between two shelves

SH68 Side Plastic Bin Panel: can be

installed on either the inside or outside

plastic bins with hanging lip on the market

D×H

12"D×20"H

12"D×32"H

15"D×20"H

15"D×32"H

18"D×20"H

18"D×32"H


24"D×20"H

24"D×32"H

BACK UTILITY PANEL (INTERIOR)







Compatible with WM9F, WM9G, WM9H, WM9J and WM9L light-duty hooks, and WM9A and WM9B heavy-duty hooks Compatible with WM9C rails, and WM9D, WM9M, WM9N, WM9P

(44 holes)

- and WM9Q holders Compatible with WM21 shelves
- Load capacity: 50lb./sq. ft., 300lb. max. per panel
- To order: Complete the product number with the width required: 30", 36", 42" or 48"

PRODUCT NO.	HEIGHT
SH6714	14"
SH6720	20"
SH6732	32"

NOTE: For SH67 installation, allow a minimum 4" c/c between shelves.

LED LIGHTS

LED LIGHT FOR SPIDER® SHELVING

SH95

- Brightens shaded areas under shelves • Can be installed under SH20 shelves
- Brighter and more energy efficient than a fluorescent tube
- Color temperature: 6000-7000K (cool)
- Rigid aluminum housing
- Includes a 10-foot power cord

PRODUCT NO.	FOR
SH95-01	30"W or 36"W shelves
SH95-02	42"W or 48"W shelves



DOORS, HANDLES AND LOCKS

ROTATING	
HANDLE	

Door opens by turning handle to the left or the right.



The hasp or lock are positioned so they do not impede the hand.



Add a second lock to your door.

DOUBLE



ELECTRONIC LOCK



- Two locks can be used for maximum security
- To order: Specify the type of lock required, e.g., SH43-3075L3+CZ06-LP to add an LP lock as well as the lock ordered

PRODUCT N	O. DESCRIPTIO	N
CZ05-L3	To add an L3	lock
CZ06-LP	To add an LP	lock

To add a second lock to an existing door, please NOTE: contact Customer Service.

SH67

End-Users: 1.866.463.4270 Distributors: 1.800.463.4271 85









SOLID DOORS WITH FRAME

SRE3205

272

L3

KA-KD-MK

273

SH41

- The doors open 180° and have a recessed lock and handle
- Three types of lock available: L3 for a standard central lock, LP for a safety hasp or L50 for an electronic lock
- Quick and easy installation
- Integrated spacer frame for installation of . Rousseau modular drawers
- Frame is 2" deep
- Compatible with Rousseau . Spider[®] shelving only
- Widths available: 30". 36". 42" and 48"
- Heights available: 39", 41", 51", 53", 63", 75", 87" and 99'
- To order: Specify the width and height of the door, e.g., SH41-3075L3

PRODUCT NO.	LOCK TYPE
SH41L3	Standard Lock
SH41LP	Safety Hasp
SH41L50	Electronic Lock



SRE3204

POLYCARBONATE DOORS WITH FRAME

•

.



Three types of lock available: L3 for a	
standard central lock, LP for a safety has	C
or L50 for an electronic lock	

The doors open 180° and have a recessed

Polycarbonate front panels provide

visibility of the shelving contents

Excellent impact resistance

- Quick and easy installation •
- Integrated spacer frame for installation • of Rousseau modular drawers
- Frame is 2" deep

lock and handle

- Compatible with Rousseau . Spider[®] shelving only
- Widths available: 30", 36", 42" and 48". Heights available: 39", 41", 51", 53", 63", 75", 87" and 99"
- To order: Specify the width and height of the door, e.g., SH43-3075L3

PRODUCT NO.	LOCK TYPE
SH43L3	Standard Lock
SH43LP	Safety Hasp
SH43L50	Electronic Lock

STACKED DOORS, SOLID OR POLYCARBONATE





- Solid stacked doors: SH91
- Polycarbonate stacked doors: SH93
- The doors open 180° and have a recessed lock and handle
- Quick and easy installation
- Compatible with Rousseau Spider® shelving only
- Three types of lock available: L3 for a standard central lock, LP for a safety hasp or L50 for an electronic lock

NOTES: Choose SH41/SH43 doors if the doors are full height or start at the bottom and end at the center. Choose SH91/SH93 doors if the doors start at the top and end at the center. Consult data sheet S64 to see all dimensions and possible configurations.



R5SEE-871811



R5SEE-871807

SH85



L3

KA-KD-MK

273

273

FLIPPER DOOR

- Full-width handle provides a comfortable grip
- Add L3 to the product number for a standard lock, and L50 for an electronic lock
- 14"H c/c door for folder storage 16"H c/c door for binder storage •
- Installs between two SH20 shelves
- Compatible with SH52 dividers •
- Door heights available: 14", 16", 17" or 18" •
- To order: Specify the height and type of lock required, e.g., SH85-361816L3 for a 16"H door with standard lock

PRODUCT NO.	W×D	USABLE DEPTH
SH85-3018	30"W×18"D	15"
SH85-3024	30"W×24"D	21"
SH85-3618	36"W×18"D	15"
SH85-3624	36"W×24"D	21"
SH85-4218	42"W×18"D	15"
SH85-4224	42"W×24"D	21"
SH85-4818	48"W×18"D	15"
SH85-4824	48"W×24"D	21"

272

SH91/SH93



273

MISCELLANEOUS RAILS AND HOLDERS

PLASTIC BIN RAIL



SH62 **CLOTHES HANGING RAIL**

SH72

- · Ideal for ends of aisles. Quick and easy hook-on assembly
- Ideal for all brands of 5"H to 7"H bins Bins sold separately

PR

SH

SH

RODUCT NO.	DEPTH
162-18	18"
162-24	24"

SPOOL HOLDER

- Efficient spool storage for shelving • One or two rods available
- Load capacity: 50lb. per rod, 100lb. total per double rod
- ³/₄" dia. rods compatible with most spools
- . Designed so the bar can be pivoted to help with changing spools
- Different spool sizes can be combined on the same rod
- To order: Complete the product number with the number or rods required: 01 or 02





PLASTIC BIN





• Lightweight and durable 45° angled rim for easy identification of bin contents and removal of bins

• Load capacity: 80lb. per rail

•

•

•

PRODUCT NO.

SH70-__18

SH70-__24

NOTE:

Quick and easy installation

Hooks onto the shelving posts

for multi-level shelving.

Includes a 1" dia. rod and two brackets

To order: Complete the product number

with the width required: 30", 36", 42" or 48"

DEPTH

18"

24"

Because space is required under the clothes hanging rail, this product is not recommended

Compatible with SH65/SH66 plastic bin • panels, and SH62/WM9C plastic bin rails

• For easier storing, moving and managing

6" plastic bins can be subdivided

12"	18"	24"
<u> </u>	<u> </u>	<u> </u>
81/2"	81/2"	81/2"
101/2"	101/2"	10½"
	61/2" 61/2"	81/2" 81/2"
	0 ¹ /2" 0 ¹ /2"	8 /2 8 /2
	81/2" 81/2"	101/2" 101/2"

PRODUCT NO.	W×D
SH72-3012-01	30"W×12"D
SH72-3018	30"W×18"D
SH72-3024	30"W×24"D
SH72-3612-01	36"W×12"D
SH72-3618	36"W×18"D
SH72-3624	36"W×24"D
SH72-4212-01	42"W×12"D
SH72-4218	42"W×18"D
SH72-4224	42"W×24"D
SH72-4812-01	48"W×12"D
SH72-4818	48"W×18"D
SH72-4824	48"W×24"D

WM9A

DIMENSIONS			PRODUCT NO.		
W	D	н	BIN	PARTITION	DIVIDER
3"	3"	2"	RG20-030302	-	-
4"	3"	2"	RG20-040302	-	-
6"	3"	2"	RG20-060302	RG22-0302	-
6"	6"	2"	RG20-060602	RG22-0602	RG24-0602
3"	3"	3"	RG20-030303	-	-
4"	3"	3"	RG20-040303	-	-
6"	3"	3"	RG20-060303	RG22-0303	-
6"	6"	3"	RG20-060603	RG22-0603	RG24-0603

of small parts

NOTE: Height 2" = 1¹/₂" real

Height 3" = 21/2" real

HEAVY-DUTY SQUARE HOOK

- Used with utility panels (SH67, SH68, SH69, SH79 and SR79) to hang accessories and tools
- Flat surface on top
- Raised end to prevent accessories or tools from sliding off
- Hook-on installation
- Includes side notches for extra stability
- 50lb. load capacity
- Sold individually
- 1"W (two holes)

LENGTH
6"
12"

HEAVY-DUTY ROUND HOOK

WM9B

- Used with utility panels (SH67, SH68, • SH69, SH79 and SR79) to hang accessories and tools
- ¾" dia. tube
- Tools and accessories slide on and off easily
- Hook-on installation
- Includes side notches for extra stability
- 50lb. load capacity
- Sold individually
- Hook base: 2"W (three holes) x 5"H

PRODUCT NO.	LENGTH
WM9B-06	6"
WM9B-12	12"




RG20

PLASTIC BIN RAIL

SHELVIN

WM9C

CAN HOLDER



		and SR79 panels
	٠	Ideal for storing various items of different sizes, such as aerosol cans
	•	Hook-on installation
H	٠	Includes side notches for extra stability
	-	Two widths availables ("(7 holes)

such as aerosol cans -on installation

- les side notches for extra stability
- Two widths available: 6" (7 holes) and 15" (16 holes)

PRODUCT NO.	W×D×H
WM9D-06	6"W×3"D×4"H
WM9D-15	15"W×3"D×4"H

PLIERS HOLDER

WM9M

WM21

WM9D

- Hooks on SH67, SH68, SH69, SH79 and SR79 panels
- Holds up to six pliers

and SR79 panels

installing SH52 dividers

PRODUCT NO.	W×D×H
WM9M-01	9"W×2½"D×2"H

				-	-						1			-			1			ł
c			-												1				5	
					н												4	4	4	
٠					18			4		-	a					4	-	4	2	
									л		r					-	-	-	2	
c					н				E		п	ь		6	9		2	2		
5					0		e								2		3	2	3	
	٠						۲		P		۰.	н	4	15	3	8	2	3	3	
٠								-	-		-	4		12	2	e	2			
÷	2												2	2	2	3	2	3	8	
5	5	з	15	T							e.	2		F			۰			
۰			×					4				л				۰	۰	A	h	
					×					л		18	-1	a b						
ï			10				8		1	5			P	÷	6	я	×	×	×	
2	۰	۰	6		-		2	4	4		4	-				S.	6	×	'n	
5			3	5	-0		2	-	2			2			Ŀ.	2	÷		÷	
۰		л				2			2	2		2			Ŀ.		÷	÷	÷	
÷		٠	٠	٠				1			1				L	1	2	6	÷	
2	2		÷	٠	×	ж												2	1	
	4	2								_	_	_	-	-			2	2	2	
R.	1	1	1	1	2	2	12	1	R.	1	1		M		1	T.	r	1	1	
	٠			2		2		2	6				н	υ	2	2	5	t.	т	
1			1			1	1	1	1	12	R.	1	R.	1	1	1	E)	8	8	

SCREWDRIVER HOLDER

LONG TOOL HOLDER

• Hooks on SH67, SH68, SH69, SH79 and SR79 panels

• Hooks on SH67, SH68, SH69, SH79

with hanging lip on the market

Compatible with RG20 plastic bins

Two widths available: 6" (7 holes)

W×H

6"W×3"H

15"W×3"H

Plastic bins hook onto the rail for efficient

Includes side notches for extra stability

Compatible with all brands of plastic bins

LOAD CAPACITY

WM9N

WM9Q

30 lb

60 lb

and SR79 panels

• Bins sold separately

and 15" (16 holes)

PRODUCT NO.

WM9C-06

WM9C-15

•

storage of small parts

Holds 6-12 screwdrivers

PRODUCT NO.	VERSION	W×D×H
WM9N-01	Single	9"W×1½"D×2"H
WM9N-02	Double	9"W×3¾16"D ×2"H

ŇE

PRODUCTINO.	VERSION	WADAH
WM9N-01	Single	9"W×1½"D×2"H
WM9N-02	Double	9"W×3¾6"D ×2"H

Hooks on SH67, SH68, SH69, SH79 and SR79 panels • Holds up to three long tools Easy to install Color: black

PRODUCT NO. W×D×H

8"W×3"D×4"H

VINYL RUB-ON IDENTIFICATION DECAL WM91

WM9Q-08



- For easy identification of where tools should be stored on utility panels (SH67, SH68, SH69, SH79 and SR79)
- Contrasting color so it is easy to notice when a tool is missing and what kind of tool it is
- Ideal for 5S method tool management
- Sold in rolls of 2'W x 8'L

PRODUCT NO. WM91-01J

LIGHT DUTY HOOKS



You can store many different parts, tools and accessories using our family of lightduty hooks

They are compatible with most panels currently available on the market (1/4" dia. holes) as well as Rousseau utility panels (SH67, SH68, SH69, SH79 and SR79)

		ж	٨	١		a	5	đ	5	1	2	2	i.	÷			1
			٠	٠		2	н	2	e.	c	2	2	2			-	i
1.0.0			٠		,	۰			ж	2	e	2	4			2	1
1.6.9			ь	1		л	8		8	2	2	8	2	4	5	2	
1.0			٠	a.			л	л									2
1.4.4	÷	÷	é														
-		4															٠
1.8.8		٠	2	÷						٠		÷	٠				
1.55			2				s	6	-	c	-	s					4
199	1	9	2	2	9	5	a	s	4	s	5	s	5		2	2	ŝ
1.4.4		6	s	s	4	s	4	s	4			2	2		-	2	2
			2	2			2	2	2	2			2		2	2	2
	4											2					

TILTABLE SHELF FOR UTILITY PANEL



• Includes slots spaced 2" apart c/c for



• Includes two side brackets which can be

as a back stop for plastic bins or binders Load capacity: 50lb. (evenly distributed)

• Hooks on SH67, SH68, SH69, SH79

Three widths available: 13" (14 holes), 15" (16 holes) and 31" (32 holes)

placed at right angles or at a 15° angle

The shelf is reversible and its edge can act

- 15"W shelves must be installed on 24"W panels or wider
- 31"W shelves must be installed on 36"W panels or wider

PRODUCT NO.	W×H
WM21-1308	13"W×8"H
WM21-1312	13"W×12"H
WM21-1508	15"W×8"H
WM21-1512	15"W×12"H
WM21-3108	31"W×8"H
WM21-3112	31"W×12"H

TYPE / PACKAGE	DIMENSION	PRODUCT NO.
Straight hooks/20	1 ½"D	WM9F-150
Single hooks/20	1 ½" dia.	WM9G-150
Single hooks/20	2" dia.	WM9G-200
Double back single hooks/10	3"D	WM9H-03
Double back single hooks/10	5"D	WM9H-05
Double back double hooks/10	3"D	WM9J-03
Double back double hooks/10	5"D	WM9J-05
Drill holder/1	5"W x 3½"D	WM9L-01

Hooks on SH67, SH68, SH69, SH79



RF32 / RF36

MODULAR DRAWERS AND ROLL-OUT SHELVES

Quick and easy hook-on assembly

• Each kit includes two front and two rear mounting brackets and all

34", 36", 46" and 48"

hardware required

adjustment of shelves

and 48")

or doors

PRODUCT NO.

RE30-18

RE30-24

RE30-30

RE30-34

RE30-36

RE30-46

RE30-48

Standard heights available: 18", 24", 30",

 Mounting bracket kits are compatible with all Rousseau drawer widths (30", 36", 42"

Includes holes spaced 1" apart c/c for easy

34"H brackets are used with 39"H posts

Two brackets can be stacked if a shelf is installed between them, see page 125

To order non-standard mounting bracket

heights, please contact Customer Service

HEIGHT

18"

24"

30"

34"


36"

46" 48"




MOUNTING BRACKETS FOR SPIDER [®] SHELVING

RE30



Shelving units with drawers must be anchored to the ground.

FILLER



RE90

- Installs under the bank of drawers with an adhesive strip
 Fulfills aesthetic requirements of certain
- runnis aestrictic requirements of certain work environments (hospitals, offices, etc.)
 Compatible with Rousseau Spider[®] and
- Spacesaver shelving, order
- RE90-WW<u>02</u> instead of RE90-WW<u>01</u>

PRODUCT NO.	W×H
RE90-3001	30"W×5%"H
RE90-3601	36"W×5⁄%"H
RE90-4201	42"W×5⁄%"H
RE90-4801	48"W×5⁄8"H

HEAVY-DUTY MODULAR DRAWER



- Drawer with stainless steel front and gray painted steel interior: RF36
 400h load acception 100% extension
 - 400lb. load capacity, 100% extension
- Heavy-duty construction

Painted steel drawer: RF32

- Easy to install
- Vast choice of accessories available to customize the drawer to your storage needs, see pages 228-233
- Drawer heights available: 3", 4", 5", 6", 7", 8", 9", 10", 12" and 14"
- To order: Add the drawer height to the product number and specify the type of drawer front required (painted steel or stainless steel), e.g., RF32-362406
- For preconfigured modular drawers with compartments, see pages 210-227;

PRODUCT NO.	W×D
RF3018	30"W×18"D
RF3024	30"W×24"D
RF3618	36"W×18"D
RF3624	36"W×24"D
RF4218	42"W×18"D
RF4224	42"W×24"D
RF4818	48"W×18"D
RF4824	48"W×24"D

HEAVY-DUTY FRONT ACCESS ROLL-OUT SHELF RF41

- 400lb capacity, 100% extension;
- Heavy-duty construction;
 - Easy to install;
 - Painted steel with 3" edges on sides and back;
- Height: 6";
- Full access to contents;
- Complete the product number by choosing the desired width: 30", 36", 42" or 48".

PRODUCT NO.	DEPTH
RF4118	18"
RF4124	24"

HEAVY-DUTY 3-SIDED ACCESS ROLL-OUT SHELF RF45

- 400lb. load capacity, 100% extension
- Heavy-duty construction
- Easy to install
- Galvanized steel with 1½"H edge on the back
- Total height: 5"
- Full access to contents
- To order: Complete the product number with the width required: 30", 36", 42" or 48"

PRODUCT NO.	DEPTH
RF4518	18"
RF4524	24"

DE30

LOCKING AND SECURITY MECHANISMS

VERTICAL SECURITY BAR

RE80

- Locks all drawers in a shelving unit with a key or padlock
- The key or safety hasp is located at the top of the bar to facilitate access
- Covers a bank of drawers from 18"H to 48"H
- Quick and easy hook-on assembly
- More than one bar on the same mounting bracket can be installed (for different users)
- Installs on the right-hand side
- The 36"H bar is compatible with the 34"H mounting bracket, and the 48"H bar is compatible with the 46"H mounting bracket
- Compatible with Rousseau Spider® shelving only. For Spacesaver shelving, order RE81-HHL3A instead of RF80-HHI 301
- To order: Specify the type of lock required, for a standard lock, add L3 to the product number; for a safety hasp, add LP to the product number



KA-KD-MK	272	
ка-кр-мк		

PRODUCT NO.	HEIGHT
RE80-18A	18"
RE80-24A	24"
RE80-30A	30"
RE80-36A	36"
RE80-48A	48"

LOCK-OUT MECHANISM

- open position Activated manually, only when required
- Compatible with all drawer accessories
- Plastic bins in the back row may make it more difficult to activate the mechanism


PRODUCT NO. RF85

SECURITY PANEL

- **RF91**
- Blocks access between two drawers or two banks of drawers
 - Usable space in the bank of drawers is reduced by 1"
 - Installs between two drawers
 - To order: Complete the product number with the width required: 30", 36", 42" or 48"

PRODUCT NO.	DEPTH
RF9118	18"
RF9124	24"

INTEGRATED LOCK-IN MECHANISM



The drawer or roll-out shelf can be opened with one hand only

TENTED

- Closes with a simple push
- Stops drawer or roll-out shelf from opening on their own
- Easy to retrofit
- To order: Add A to the product number for the drawer, preconfigured compartment layout or roll-out shelf, e.g., RF32-362406A
- · For replacement parts or to retrofit this mechanism, order an RY08-WWA

PRODUCT NO.

А

ECONO LOCK-IN MECHANISM




- Automatically activated when lifting the handle up
- The drawer or roll-out shelf can be opened with one hand only
- Closes with a simple push
- Stops drawer or roll-out shelf from opening on their own
- Easy to retrofit
- To order: Add B to the product number for the drawer, preconfigured compartment layout or roll-out shelf, e.g., RF32-362406B
- For replacement parts or to retrofit this mechanism, order an RY01-B

DRAWER LOCK









PRODUCT NO. в

- Compatible with all drawer dimensions
- Does not reduce the drawer's storage space
- Easy to retrofit
- To order: Add L3 to the product number for the drawer or preconfigured compartment layout, e.g., RF32-362406L3
- For replacement parts or to retrofit this mechanism, order an RY01-L3

PRODUCT NO. L3







SR11 / SH11

STRUCTURAL COMPONENTS

POST

ヨヨ

Ð

1111

Sł

SR10/SH10

- Tubular T shape provides up to seven fixing zones
- Includes perforations spaced 1" apart c/c on each side for easy adjustment of shelves
- 14ga steel
- Options:
- SR10 universal post with perforated front surface for adding Mini-Racking or multi-level shelving
- SH10 shelving post with smooth front surface for a neater finish

SR UNIVERSAL POST	SH SHELVING POST	HEIGHT
SR10-039	SH10-039	39"
SR10-051	SH10-051	51"
SR10-075	SH10-075	75"
SR10-087	SH10-087	87"
SR10-099	SH10-099	99"
SR10-111	SH10-111	111"
SR10-123	SH10-123	123"

NOTES: Other sizes are available. Contact your customer service representative for more information.

The unique design of the Spider[®] post is a trademark of Rousseau Metal Inc.

WELDED CLOSED UPRIGHT

SR

· Upright with full-height factory-

- welded panel Enables faster assembly

• Panel combinations:

or 24"

SH30-__39

SH30-__51

PRODUCT NO.

- 75"H posts (39"H+39"H)

87"H posts (39"H+51"H)

99"H posts (51"H+51"H)

111"H posts (39"H+39"H+39"H)

123"H posts (39"H+39"H+51"H) • To order: Complete the product number

with the depth required: 12", 15", 18"

HEIGHT

39"

51"

To order: Complete the product number with the depth required: 12", 15", 18" or 24"

SR	SH	
UNIVERSAL POST	SHELVING POST	HEIGHT
SR12075	SH12075	75"
SR12087	SH12087	87"
SR12099	SH12099	99"

NOTE: Other sizes are available. Contact your customer service representative for more information.

• Upright with factory-welded side braces

WELDED OPEN UPRIGHT

- Enables faster assembly •
- To order: Complete the product number • with the depth required: 12", 15", 18" or 24"

SR UNIVERSAL POST	SH SHELVING POST	HEIGHT
SR110752	SH110752	75"
SR110872	SH110872	87"
SR110992	SH110992	99"

NOTE: Other sizes are available. Contact your customer service representative for more information.

SHELF FRONT OR FRONT BASE

•

or 48"



Same component used for
both applications

Quick and easy hook-on installation To order: Complete the product number with the width required: 30", 36", 42"

PRODUCT NO.	HEIGHT
SH2802	2"
SH2805	5"

NOTE: The 2" front base is always included with closed shelving preconfigured models.



SH30

SR12/SH12

BACK PANEL



S	Η	13	1
-		5	1

SH28


- Panel combinations:
 - 75"H posts (39"H+39"H)
- 87"H posts (39"H+51"H)
- 99"H posts (51"H+51"H)
- 111"H posts (39"H+39"H+39"H)
- 123"H posts (39"H+39"H+51"H
- To order: Complete the product number with the width required: 30", 36", 42' or 48"

	PRODUCT NO.	HEIGHT	
	SH3139	39"	
)	SH3151	51"	
			_

COMPONENTS

BACK SWAY BRACE

SH33 SIDE BRACES



• Sold in pairs

- Enables uprights to be attached in a • "ladder" for easier assembly
- Recommendations:
 - For 99"H uprights or shorter: one pair of side braces

SH34

SH79

For uprights higher than 99"H: please refer to technical guide S58 or contact your customer service representative

PRODUCT NO.	DEPTH
SH34-12	12"
SH34-15	15"
SH34-18	18"
SH34-24	24"
SH34-30	30"

CORNER GUSSETS

0

- Replaces a back sway brace to provide full access to the front and rear of the shelving
- . three kits required per shelving unit

PRODUCT NO. SH35

NOTE: Not to be used for shelving over 99"H, multi-level shelving or SHC2XXXX double shelf reinforcements

- Utility panel for the backs of shelving
 - Forms an integral part of the • shelving structure
 - Holes spaced 1" apart c/c
 - Load capacity: maximum 250lb. per panel
 - Compatible with WM9F, WM9G, WM9H, • WM9J and WM9L light-duty hooks, and WM9A and WM9B heavy-duty hooks
 - Compatible with WM9C rails, and • WM9D, WM9M, WM9N, WM9P and WM9Q holders
 - Panel combinations:
 - 75"H posts (39"H+39"H) -
 - 87"H posts (39"H+51"H) -
 - 99"H posts (51"H+51"H)
 - To order: Complete the product number with the width required: 30", 36", 42" or 48"

PRODUCT NO.	HEIGHT
SH7939	39"
SH7951	51"

NOTE: Used without SH31 back panels.



SH35

- STRUCTURAL BACK UTILITY PANEL

- 14ga steel
- Each kit includes four gussets. Minimum of

• X-shaped factory-assembled brace

• Please refer to technical guide S58

or contact your customer service

representative for exact placement of

For 99"H uprights and shorter: one brace

For uprights higher than 99": two braces

WIDTH

30"

36"

42"

48"

· Easy to install

the brace PRODUCT NO.

SH33-30

SH33-36

SH33-42

SH33-48

Recommendations:

COMPONENTS



INSTALLATION ACCESSORIES

FLOOR ANCHOR PLATE



- Sold individually
- Attaches to the post for anchoring shelving sections to the ground. Distributes the load over a larger surface and protects the floor
- 12ga galvanized steel

PRODUCT NO. SH45

FLOOR ANCHORING HARDWARE

- t
- Anchors shelving to the ground
- Includes four bolts for concrete floors
- PRODUCT NO. SH47-04

LEVELING GLIDE KIT

- Sold in pairs
 Adjusts the height of Spider[®] Shelving units from 1¹/₄" to 2¹/₉" on uneven surfaces
- Load capacity: maximum 750lb. per glide
- Restrictions:
- Only compatible with 99"H shelving or shorter
- Only compatible with SR uprights and posts
- Not compatible with RF32/RF36 modular drawers, RF41/RF45 roll-out shelves and SH28 bases

PRODUCT NO. SR49-01

SH45 SHIM PLATE



SH46

SR47


- Sold individually
 - Levels shelving units on uneven surfaces
 - Slides under SH45 floor anchor plates
 - 12ga or 16ga galvanized steel

PRODUCT NO.	THICKNESS
SH46-12	12 gauge (0.100")
SH46-16	16 gauge (0.060")

WALL SPACER

SH47

SR49



Anchors shelving to the wall

- Adjusts from 3" to 4"
- Wall anchoring hardware not included (holes are ⁵⁄₁₆" dia.)

PRODUCT NO. SR47-0304

COMPONENTS

SHELVES AND SHELF ACCESSORIES

BOX SHELF

SH60

• Box-type shelf with front and rear edges PRODUCT NO. W × D PRODUCT NO. W × D SH20-3012 30"×12" SH20-4212 42"×12" roll-formed and welded SH20-3015 30"×15" SH20-4215 42"×15" • 20 gauge steel, 1¹/₄" thick SH20-3018 42"×18" 30"×18" SH20-4218 • 4 sturdy and compact SH60 clips included SH20-3024 30"×24" SH20-4224 42"×24" • Perforations for dividers (SH52) SH20-3612 36"×12" SH20-4812 48"×12" at every 3"c/c SH20-3615 SH20-4815 48"×15" 36"×15" SH20-3618 36"×18" SH20-4818 48"×18" SH20-3624 36"×24" SH20-4824 48"×24"

SH20

(KA)

NOTE: Other sizes are available. Contact your Customer Service representative for more information.

R

SHELF LOAD CAPACITY

Shelving load capacity tests are based on ANSI MH28.1 Shelving Manufacturer Association (SMA) standards.


These load capacities include a safety factor and are valid for an evenly distributed load. The capacities specified are in pounds.

NOTE: SH22, SH24 and SHC reinforcements are not factory installed on SH20 BOX shelves.

tests are based				
ing Manufacturer dards.	DIMENSIONS W×D	MEDIUM-DUTY CAPACITY WITHOUT REINFORCEMENT	HEAVY-DUTY CAPACITY CENTRAL REINFORCEMENT	EXTRA HEAVY-DUTY CAPACITY DOUBLE REINFORCEMENT
nclude a safety	30"W×12"D	750	_	-
an evenly	30"W×15"D	775	_	-
apacities specified	30"W×18"D	800	_	-
	30"W×24"D	450	_	-
	36"W×12"D	750	_	-
C reinforcements are not	36"W×15"D	775	_	-
SH20 BOX shelves.	36"W×18"D	800	1000	1100
	36"W×24"D	625	1050	1100
	42"W×12"D	650	_	-
	42"W×15"D	650	_	-
	42"W×18"D	650	850	1050
	42"W×24"D	650	875	1050
	48"W×12"D	550	_	-
	48"W×15"D	550	_	-
	48"W×18"D	575	725	1025
	48"W×24"D	600	750	1050



CENTER SHELF REINFORCEMENT (HEAVY-DUTY) SHC



• One SH24 front reinforcement combined with two SH22 side reinforcements

Galvanized steel

PRODUCT NO.	W×D	
SHC1009	30"W×18"D	-
SHC1010	30"W×24"D	
SHC1003	36"W×18"D	_
SHC1004	36"W×24"D	
SHC1007	42"W×18"D	
SHC1008	42"W×24"D	
SHC1005	48"W×18"D	_
SHC1006	48"W×24"D	

DOUBLE SHELF REINFORCEMENT (EXTRA HEAVY-DUTY)



Combination of two front reinforcements (SH24) with two side reinforcements (SH22); Galvanized steel.

Guiranizea steen.	
PRODUCT NO.	W×D
SHC2009	30"W×18"D
SHC2010	30"W×24"D
SHC2003	36"W×18"D
SHC2004	36"W×24"D
SHC2007	42"W×18"D
SHC2008	42"W×24"D
SHC2005	48"W×18"D
SHC2006	48"W×24"D

NOTE: Required when the shelves need to support higher loads, concentrated loads or when aesthetics are important.

SIDE SHELF REINFORCEMENTS

•



SH22

- Two L-shaped reinforcements that attach on each side of the shelf These side reinforcements increase the
- These side reinforcements increase the load capacity of 36"W × 24"D shelves to 800lb.
- Galvanized steel

PRODUCT NO.	DEPTH
SH22-18	18"
SH22-24	24"

2 FRONT SHELF REINFORCEMENT

:#22222-

- C-shaped reinforcement
- Required when the shelves need to
- support loads concentrated at the front
- Galvanized steel

WIDTH
30"
36"
42"
48"

NOTE: This reinforcement increases rigidity, not load capacity.



SH24

SHC