

**SCS Global Services** does hereby certify that an independent assessment has been conducted on behalf of:

## Next Floor Inc.

1857 Sawmill Road, Suite 202, Conestogo, Ontario NOB 1N0, Canada

For the following product(s):

**Vinyl Tile:**

LVT by Next Floor® (Maximum Thickness 5.0mm), StoneCast by Next Floor® (Maximum Thickness 7.0mm),  
WPC by Next Floor® (Maximum Thickness 8.5mm)

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

**FloorScore®**

Indoor Air Quality Certified to SCS-105 Version 4.2 – 2023

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m3 (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-FS-07117

Valid from: November 12, 2024 to October 31, 2025

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.



A handwritten signature in black ink.

Diana Kirsanova Phillips, Chief Assurance Officer,  
SCS Global Services