VNEW was featured on The Balancing Act-Lifetime Network hosted by Montel Williams



Scan the QR code to watch

1 out of 3 women are currently affected by a pelvic floor disorder.

Approximately 300,000 women in the U.S. undergo surgical procedures for pelvic organ prolapse each year.

[Before surgery] "I had increasing pain and pressure bulging into my vaginal cavity. Issues with elimination (both bowel and bladder) and consequently those issues led to insecurities with intimacy. I'm back to leading a full and active life. To the ladies out there, don't suffer - there are solutions."

Patti G.

Patient and Registered Nurse

"I wish for more women to be able to experience the amazing recovery that I've enjoyed and I am grateful that companies out there like ARMS offer products like DermaPure so women like me can participate in our lives uninhibited and unencumbered by a medical condition."

Christine V. **Patient and Registered Nurse**

I FARN MORF ABOUT



This brochure is designed to give you an overview of **VNEW** tissue grafts used in urological and gynecological procedures like pelvic organ prolapse (POP) surgery.

Your healthcare professional is always your best resource for information on your specific case.

Ask about the use of **VNEW** to effectively and safely repair your damaged tissue.

> Scan to visit armsmedical.com









info@armsmedical.com

DISCLAIMER ALL LOGO. TRADEMARKS. PRODUCT NAMES ARE OWNED BY THEIR RESPECTIVE OWNERS. ALL CLAIMS MADE ON THIS DOCUMENT ARE MADE BY ARMS MEDICAL FOR THE PURPOSES OF MARKETING



Treat your **PELVIC ORGAN PROLAPSE** with something NEW



VNEW is a specialized dermal allograft used by surgeons in gynecological and urological procedures when repairing pelvic organ prolapse (POP) and other pelvic floor conditions including:

- · Fistula
- Cystocele
- · Rectocele
- Enterocele
- Rectal prolapse
- · Synthetic mesh removal
- · Stress urinary incontinence

al·lo·graft / noun

- a tissue graft from a donor of the same species.

VNEW is a next-generation decellularized dermal allograft, made with human donor tissue that is processed with dCELL Technology. This process removes > 99% of the DNA and does not damage the graft.



Scan the QR code to learn more.

Capture QR code using your phone's camera.



Pelvic organ prolapse occurs when the connective tissues and/or muscles of the pelvic floor become weak or damaged. These muscles can no longer hold pelvic organs in place.

TYPES OF POP

- CYSTOCELE dropped bladder (not feeling empty after urination)
- RECTOCELE bulge at the bottom of the vagina (difficulty moving your bowel)
- ENTEROCELE herniation of the small bowel (a pulling sensation in your pelvis that eases when lying down)
- APICAL PROLAPSE descent of the uterus, cervix or vaginal vault

WHO IS AT RISK

- · Post-menopausal women
- · Overweight or obese women
- · Women who have had a hysterectomy
- · Women who have given birth vaginally

SYMPTOMS OF POP

- · Pressure or fullness in the pelvic area
- · Lower back pain
- · Painful intercourse
- · Feeling of something bulging or falling out
- · Recurring UTI
- Chronic urge to urinate

95% of Women

who had pelvic organ prolapse repair surgery with tissue processed with



would recommend the surgery*



Learn more about patient satisfaction following prolapse surgery utilizing dCELL Technology