



**APPLETON
SUPPLY[®]**
COMPANY, INC.

PRODUCT CATALOG

**Soffit & Fascia
Flashing
Trims & Edging
Siding & Accessories
Trim Coil & Roll Valley
Gutter Protection
Safety Products**

GIBRALTAR

BUILDING ACCESSORIES DIVISION

SEMCO | DOT | APPLETON | AWARD | NORWESCO

www.gibraltarbuildingproducts.com

ASC32221C



at APPLETON SUPPLY COMPANY
Teamwork is our
ULTIMATE
Competitive Advantage

Welcome! If you're looking for the first choice in metal products and roofing accessories, you've come to the right place.

Since 1918, building professionals and distributors have relied on Appleton Supply for metal building products that stand the test of time – like our industry respected Appleton Building Products™ and Sell-Even® brand aluminum soffit systems.

The fact is, customers consistently give Appleton Supply superior rating for quality, availability and service. We deliver quality products our customers can count on, when they need them, at a fair price – benchmarks we value in our reputation.

Appleton Supply is a Gibraltar Industries Company. Gibraltar Industries is a leading manufacturer and provider of products and services for the renewable energy, conservation, residential, and infrastructure markets. Gibraltar serves a large number of customers in a variety of industries in all 50 states and throughout the world from facilities in the United, States, Canada, and Europe. Gibraltar's common stock is a component of the S&P Small Cap 600 and the Russell 2000® Index.


ENVIRONMENTAL RESPONSIBILITY

Appleton Supply Company is dedicated to reducing waste in addition to improving our business processes to be more environmentally friendly. We have collaborated with both our vendors and customers to help reduce our impact on the environment. The importance of environmental responsibility is promoted to all of our employees while on the job and in day to day life. Materials used in our manufacturing and other business processes are recycled and can be recycled continuously for years to come.

CUSTOMER FOCUSED - DELIVERED WHEN AND WHERE YOU NEED THEM

Through its wholesale and retail distribution, Appleton Supply Company supplies quality building products to homeowners, builders, contractors and architects with a quality product, guaranteed! Appleton Supply works with a dedicated fleet of trucks to deliver your order on time, every time!

CUSTOMER SERVICE: 1-800-558-3414 • FAX: 920-738-4249 • DELIVERIES: 7 TO 10 BUSINESS DAYS



Note: All dimensions in this catalog are to be considered nominal.

SOFFIT & FASCIA

| | |
|--|---|
| 2-Panel Aluminum Soffit Panels | 3 |
| Liberator Bathroom Fan Soffit Termination..... | 3 |
| 3-Panel Aluminum Soffit Panels | 4 |
| 4-Panel Aluminum Soffit Panels | 5 |
| Fascia - Aluminum & Steel | 6 |
| Double Channel | 7 |
| J Channel | 7 |
| Frieze Runner | 7 |

FLASHINGS

| | |
|----------------------------------|----|
| Angle Flashing | 8 |
| Chimney Flashing Kit | 8 |
| Chimney Flashing Reglet | 8 |
| Deck Flashing | 8 |
| Drip Cap | 9 |
| Dormer Flashing..... | 9 |
| Roof Starter..... | 9 |
| Flashing Shingles - Flat | 0 |
| Flashing Shingles - Formed | 10 |
| SplashShield™..... | 10 |
| Kick-Out Flashing..... | 10 |
| Kwik Plug™ | 11 |
| Rain Diverter | 11 |
| W Valley | 11 |
| Z-Flashing | 11 |

TRIMS AND EDGINGS

| | |
|----------------------|----|
| A Edging | 12 |
| D Edging | 12 |
| Gutter Apron | 13 |
| Brick Moulding | 13 |

ALUMINUM SIDING AND ACCESSORIES

| | |
|--|----|
| Siding | 14 |
| Siding J-Channel | 14 |
| Undersill Trim | 14 |
| Corner Post - Outside | 14 |
| Corner Post - Inside | 14 |
| Siding Starter Strip | 15 |
| Foam Backer | 15 |
| Siding Corners - Hardboard Siding..... | 15 |
| Backflash | 15 |
| H-Moulding | 16 |

TRIM COIL AND ROLL FLASHING

| | |
|--|----|
| Painted Trim Coil | 17 |
| PVC Trim Coil | 17 |
| Roll Flashing – Aluminum | 18 |
| Roll Flashing – SGalvanized teal | 18 |
| Roll Flashing – Copper | 18 |

WALL BRACE, SAFETY AND CLEANMESH

| | |
|---|----|
| Wall Bracing | 19 |
| Roof Brackets | 19 |
| Rooftop Safety Equipment..... | 19 |
| Cleanmesh™ | 20 |
| Kwikmesh™ - Galvanized 1/8 mesh Roll..... | 20 |


COLOR GUIDES

| | |
|---|----|
| Soffit, Fascia, Ventilation, Flashings, Trim & Edgings..... | 21 |
| Trim Coil Colors | 22 |

| | |
|--------------------|----|
| Index | 23 |
|--------------------|----|



Soffit Panels are precision formed to interlock for a professional finish for eave and overhang areas
12 ft. Lengths · 0.019 Aluminum · Durable baked-on polyester finish



2-Panel Soffit - 12 in. width - 17 pieces per carton - 34 cartons per pallet



Solid



Vented

13.96 sq. in.
N.F.A.

SOLID

| Color | Part# |
|--------------|-----------|
| Birch White | 2SS12-WH |
| Royal Brown | 2SS12-RBR |
| Terra Bronze | 2SS12-TB |

VENTED

| Color | Part# |
|--------------|------------|
| Birch White | 2FVS12-WH |
| Royal Brown | 2FVS12-RBR |
| Terra Bronze | 2FVS12-TB |

Liberator Bathroom Fan Soffit Termination System - Part# LIBERATOR


The Liberator soffit termination system streamlines installation and helps optimize airflow by allowing complete ducting before soffit panel installation. This high performance soffit vent improves overall fan performance. The Liberator soffit termination system is ideal for new residential construction. The patent pending design eliminates water intrusion costs associated with roof and/or wall terminations

- Designed for ventilation fans up to 110 CFM using 4 inch ductwork
- High performance soffit vent improves overall fan performance
- Easy installation results in a professional appearance
- Unique design eliminates water intrusion commonly associated with roof and/or wall terminations
- Low resistance backdraft damper eliminates cold drafts and improves blower door test results
- Mounting bracket can be located anywhere with a vertical surface within the overhang
- Overall height is less than 6 in. and fits in most 4/12 pitch roof overhangs
- Flush mounted termination grill mounts with a single fastener (included)
- 1 per carton



LIBERATOR

Soffit Panels are precision formed to interlock for a professional finish for eave and overhang areas
12 ft. Lengths · 0.019 Aluminum · Durable baked-on polyester finish



3-Panel Soffit - 12 in. width - 17 pieces per carton - 34 cartons per pallet

Solid



SOLID

| Color | Part# |
|---------------|---------------|
| Almond | 3PSS12-AL |
| Birch White | A3SS12-WH |
| Coffee | 3PSS12-CF |
| Copper Penny | 3PSS12-CP |
| Heritage Gray | 3PSS12-HGRY |
| Hickory | 3PSS12-HKY |
| Hunter Green | 3PSS12-HG |
| Khaki | 3PSS12-MKHAKI |
| Royal Brown | A3SS12-RBR |
| Sandstone | 3PSS12-STONE |
| Terra Bronze | 3PSS12-TB |

Vented

N.F.A. 3.24 sq. in. /ft.



VENTED

| Color | Part# |
|---------------|---------------|
| Almond | 3PVS12-AL |
| Birch White | A3VS12-WH |
| Coffee | 3PVS12-CF |
| Copper Penny | 3PVS12-CP |
| Heritage Gray | 3PVS12-HGRAY |
| Hickory | 3PVS12-HKY |
| Hunter Green | 3PVS12-HG |
| Khaki | 3PVS12-MKHAKI |
| Royal Brown | A3VS12-RBR |
| Sandstone | 3PVS12-STONE |
| Terra Bronze | 3PVS12-TB |

Fully Vented

N.F.A. 9.72 sq. in. /ft.




FULLY VENTED

| Color | Part# |
|-------------|-------------|
| Birch White | 3PFVS12-WH |
| Royal Brown | 3PFVS12-RBR |


PVC COATED VENTED

N.F.A. 3.24 sq. in. /ft.

| Color | Part# |
|-------------|-------------|
| Birch White | PVC3VS12-WH |



Soffit Panels are precision formed to interlock for a professional finish for eave and overhang areas
12 ft. Lengths · 0.019 Aluminum · Durable baked-on polyester finish



4-Panel Soffit - 16 in. width - 12 pieces per carton - 34 cartons per pallet

Solid



SOLID

| Color | Part# |
|---------------|---------------|
| Almond | 4PSS16-AL |
| Birch White | A4SS16-WH |
| Black | 4PSS16-BL |
| Coffee | 4PSS16-CF |
| Copper Penny | 4PSS16-CP |
| Desert Tan | 4PSS16-DT |
| Driftwood | 4PSS16-DW |
| Heritage Gray | 4PSS16-HGRAY |
| Hickory | A4SS16-HKY |
| Hunter Green | 4PSS16-HG |
| Khaki | 4PSS16-MKHAKI |
| Royal Brown | A4SS16-RBR |
| Sandstone | 4PSS16-STONE |
| Terra Bronze | 4PSS16-TB |

Vented

N.F.A. 6.48 sq. in. /ft.



VENTED

| Color | Part# |
|---------------|---------------|
| Almond | 4PVS16-AL |
| Birch White | A4VS16-WH |
| Black | 4PVS16-BL |
| Coffee | 4PVS16-CF |
| Copper Penny | 4PVS16-CP |
| Desert Tan | 4PVS16-DT |
| Driftwood | 4PVS16-DW |
| Heritage Gray | 4PVS12-HGRAY |
| Hickory | A4VS16-HKY |
| Hunter Green | A4VS16-HG |
| Khaki | 4PVS16-MKHAKI |
| Royal Brown | A4VS16-RBR |
| Sandstone | 4PVS16-STONE |
| Terra Bronze | 4PVS16-TB |

PVC COATED VENTED SOFFIT

N.F.A. 6.48 sq. in. /ft.

| Color | Part# |
|-------------|-------------|
| Birch White | PVC4VS16-WH |

Vented

N.F.A. 12.96 sq. in. /ft.



FULLY VENTED

| Color | Part# |
|-------------|-------------|
| Birch White | 4PFVS16-WH |
| Hickory | 4PFVS16-HKY |
| Royal Brown | 4PFVS16-RBR |

Color Matched Aluminum Trim Nails - 1 lb.

| | |
|---------------|-----------|
| Almond | TN-AL |
| Coffee | TN-CF |
| Copper Penny | TN-CP |
| Gray | TN-GY |
| Sandstone | TN-STONE |
| Antique Ivory | TNTC-AIVY |
| Cobalt | TNTC-CBT |
| Clay | TNTC-CLAY |
| Charcoal | TNTC-COAL |
| Cobblestone | TNTC-COB |
| Pecan | TNTC-PCN |
| Pine | TNTC-PINE |
| Slate | TNTC-SL |
| Sand | TNTC-SND |
| Tan | TNTC-TN |



Aluminum Fascia Used to cover the wood trim between the roof and soffit. 12 ft. Lengths · 0.024 Aluminum · Durable baked-on polyester finish
25 pieces per carton · 50 Cartons per pallet

4 in. Aluminum Fascia - Smooth

| Color | Part# |
|--------------|-----------|
| Almond | FH4-AL |
| Birch White | FH4-WH |
| Coffee | FH4-CF |
| Hickory | FH4-HKY |
| Hunter Green | FH4-HG |
| Royal Brown | FH4-RBR |
| Sandstone | FH4-STONE |
| Terra Bronze | FH4-TB |

4 in. Aluminum Fascia - Cedar

| Color | Part# |
|-------------|-----------|
| Birch White | FH4-CR-WH |


Fascia Surface Textures



Ribbed, Hemmed



Light woodgrain pattern
No Ribbing, Hemmed



Woodgrain pattern
Ribbed, Unhemmed

6 in. Aluminum Fascia - Smooth

| Color | Part# |
|---------------|------------|
| Almond | FH6-AL |
| Birch White | AFH6-WH |
| Black | FH6-BL |
| Coffee | FH6-CF |
| Copper Penny | FH6-CP |
| Desert Tan | FH6-DT |
| Driftwood | FH6-DW |
| Heritage Gray | FH6-HGRAY |
| Hickory | AFH6-HKY |
| Hunter Green | AFH6-HG |
| Khaki | FH6-MKHAKI |
| Royal Brown | AFH6-RBR |
| Sandstone | FH6-STONE |
| Sierra | FH6-SR |
| Terra Bronze | FH6-TB |

6 in. Aluminum Fascia - No Ribs

| Color | Part# |
|-------------|-----------|
| Birch White | FH6-NR-WH |

6 in. Aluminum Fascia - Cedar

| Color | Part# |
|-------------|---------------|
| Almond | FH6-CR-AL |
| Birch White | FH6-CR-WH |
| Coffee | FH6-CR-CF |
| Hickory | FH6-CR-HKY |
| Khaki | FH6-CR-MKHAKI |
| Royal Brown | FH6-CR-RBR |
| Sandstone | FH6-CR-STONE |

6 in. Aluminum Fascia - Rustic

| Color | Part# |
|---------------|-------------|
| Almond | F6-R-AL |
| Birch White | F6-R-WH |
| Coffee | F6-R-CF |
| Copper Penny | F6-R-CP |
| Heritage Gray | F6-R-HGRAY |
| Hickory | F6-R-HKY |
| Khaki | F6-R-MKHAKI |
| Royal Brown | F6-R-RBR |
| Sandstone | F6-R-STONE |
| Terra Bronze | F6-R-TB |

8 in. Aluminum Fascia - Smooth

| Color | Part# |
|---------------|------------|
| Almond | FH8-AL |
| Birch White | AFH8-WH |
| Black | FH8-BL |
| Coffee | FH8-CF |
| Copper Penny | FH8-CP |
| Desert Tan | FH8-DT |
| Driftwood | FH8-DW |
| Heritage Gray | AFH8-HGRAY |
| Hickory | AFH8-HKY |
| Hunter Green | AFH8-HG |
| Khaki | FH8-MKHAKI |
| Royal Brown | AFH8-RBR |
| Sandstone | FH8-STONE |
| Terra Bronze | FH8-TB |

8 in. Aluminum Fascia - Cedar

| Color | Part# |
|--------------|------------|
| Almond | FH8-CR-AL |
| Birch White | FH8-CR-WH |
| Royal Brown | FH8-CR-RBR |
| Terra Bronze | FH8-CR-TB |



10 in. Aluminum Fascia - Smooth

| Color | Part# |
|--------------|------------|
| Almond | FH10-AL |
| Birch White | FH10-WH |
| Coffee | FH10-CF |
| Hickory | FH10-HKY |
| Hunter Green | FH10-HG |
| Royal Brown | FH10-RBR |
| Sandstone | FH10-STONE |
| Terra Bronze | FH10-TB |

6 in. 0.015 Steel Fascia - Cedar

| Color | Part# |
|-------------|------------|
| Birch White | FH6-CRS-WH |

6 in. 0.015 Steel Fascia - Rustic

| Color | Part# |
|-------------|------------|
| Birch White | FH6-RS-WH |
| Hickory | FH6-RS-HKY |
| Royal Brown | FH6-RS-RBR |


12 ft. · 15 pcs per carton · 44 cartons per pallet

8 in. 0.015 Steel Fascia - Rustic


| Color | Part# |
|-------------|-----------|
| Birch White | FH8-RS-WH |

6 in. PVC Coated Fascia

| Color | Part# |
|-------------|-----------|
| Birch White | PVCFH6-WH |




Double Channel Soffit support channel installed in corners where two soffit runs come together.
10 ft. lengths · 0.019 Aluminum · 5 pieces per carton · 50 cartons per pallet



| Color | Part# | Color | Part# |
|---------------|-----------|--------------|-----------|
| Almond | DC-AL | Hickory | ADC-HKY |
| Birch White | ADC-WH | Hunter Green | DC-HG |
| Coffee | DC-CF | Khaki | DC-MKHAKI |
| Copper Penny | DC-CP | Royal Brown | ADC-RBR |
| Driftwood | DC-DW | Sandstone | DC-STONE |
| Heritage Gray | ADC-HGRAY | Terra Bronze | DC-TB |


J-Channel Soffit support channel installed at the wall or used to finish a run of siding
12 ft. lengths · 0.019 Aluminum · 25 pieces per carton · 50 cartons per pallet



| Color | Part# | Color | Part# |
|--------------|--------|---------------|-----------|
| Almond | UT-AL | Heritage Gray | AUT-HGRAY |
| Birch White | AUT-WH | Hickory | AUT-HKY |
| Black | UT-BL | Hunter Green | AUT-HG |
| Coffee | UT-CF | Khaki | UT-MKHAKI |
| Copper Penny | UT-CP | Royal Brown | AUT-RBR |
| Desert Tan | UT-DT | Sandstone | UT-STONE |
| Driftwood | UT-DW | Terra Bronze | UT-TB |


Frieze Runner (F-Channel) Soffit support channel installed at the wall. 12 ft. lengths · 0.019 Aluminum · 25 pieces per carton · 50 cartons per pallet

Frieze Runner



| Color | Part# | Color | Part# |
|---------------|-----------|--------------|-------------|
| Almond | FRP-AL | Hickory | AFRP-HKY |
| Birch White | AFRP-WH | Hunter Green | FRP-HG |
| Black | FRP-BL | Khaki | AFRP-MKHAKI |
| Coffee | FRP-CF | Royal Brown | FRP-RBR |
| Copper Penny | FRP-CP | Sandstone | FRP-STONE |
| Heritage Gray | FRP-HGRAY | Terra Bronze | FRP-TB |

Reversible Frieze Runner



| Color | Part# | Color | Part# |
|-------------|--------|--------------|------------|
| Almond | RFR-AL | Hickory | RFR-HKY |
| Birch White | RFR-WH | Hunter Green | ARFR-HG |
| Coffee | RFR-CF | Royal Brown | ARFR-RBR |
| Desert Tan | RFR-DT | Sandstone | ARFR-STONE |
| Driftwood | RFR-DW | Terra Bronze | ARFR-TB |




Angle Flashing Protection along dormers and rooflines. Installed under the course of shingles along the roof line. 10 ft. lengths.

1 in. x 3 in. - Inside Angle

0.016 Aluminum

50 pieces per carton · 45 Cartons per pallet

| Color | Part # |
|------------|---------|
| Snow White | A1X3-SW |



Chimney Flashing Kit contains precut flashing or a typical one-flue brick chimney up to 32 in. by 32 in.


| Color | Part # | Carton | Pallet |
|----------------|------------|--------|--------|
| Black | 310122-BL | 1 | 45 |
| Mill | 310122 | 1 | 45 |
| Royal Brown | 310122-RBR | 1 | 45 |
| Weathered Wood | 310122-WW | 1 | 45 |



Four 32 in. Side Flashings, Twelve 6 in. x 8 in. Step Flashings
30 Gauge Galvanized Steel.

Chimney Flashing Reglet 30 Gauge Galvanized Steel. 10 ft. lengths.

| Color | Part # | Carton | Pallet |
|----------------|--------|--------|--------|
| Black | CFGBL | 10 | 45 |
| Mill | CFGM | 10 | 45 |
| Royal Brown | CFG BR | 10 | 45 |
| Weathered Wood | CFGWW | 10 | 45 |




Deck Flashing

Prevents moisture from entering the house at your ledger board connection.
30 Gauge Galvanized Steel. 10 ft. lengths.

| Color | Part # | Carton | Pallet |
|----------------|----------|--------|--------|
| Royal Brown | 4DECKBRG | 25 | 45 |
| Weathered Wood | 4DECKWWG | 25 | 45 |

| Color | Part # | Carton | Pallet |
|---------------------------------|---------|--------|--------|
| Premium Deck Flashing Black | PDFLASH | 10 | - |
| Deck Flashing Weathered Wood | 4DECKWW | 25 | - |




Note: Must have a protective barrier when installed with treated lumber

Aluminum Drip Cap

10 ft. lengths · 0.019 in. (nom.) · 50 pieces per carton · 45 Cartons per pallet

| Size: A x B | White | Birch White | Polar White | Hickory | Brown | Mill |
|-----------------------|-----------|-------------|-------------|------------|------------|------|
| 1 in. x 1-5/8 in. | | - | 1WH | - | - | - |
| 1-1/8 in. x 1-5/8 in. | | - | 815WH | - | - | - |
| 1-1/4 in. x 1-1/4 in. | ADC125-WH | - | - | ADC125-HKY | ADC125-RBR | - |
| 1-1/4 in. x 1-1/2 in. | | - | 816WH | - | 816BR | 816 |
| 1-3/8 in. x 1-3/8 in. | | - | 817WH | - | 817BR | - |
| 1-1/2 in. x 1-1/8 | | ADC15-WH | | | | |
| 1-5/8 in. x 1-1/8 in. | | - | 818AWH | - | - | - |
| 1-3/4 in. x 1 in. | | - | 827WH | - | 827BR | - |
| 2 in. x 1 in. | | - | 829AWH | - | 829ARBR | - |



Steel Drip Cap

10 ft. lengths · 0.012 in. (nom.) · 50 pieces per carton · 45 Cartons per pallet


| Size: A x B | White | Birch White | Polar White | Hickory | Brown | Mill |
|-----------------------|-------|-------------|-------------|---------|-------|------|
| 1-1/2 in. x 1-5/8 in. | | - | 825GWH | - | - | - |

Dormer Flashing

Diverts water away from the structure where the front of a dormer wall meets the roofline.

Wall Flash


0.019 in. Aluminum
25 pcs/ctn · 45 ctn/pal



| Color | Part # |
|--------|--------------|
| Black | WALLFLASH-BL |
| W'Wood | WALLFLASH-WW |

Roof Starter


0.012 in. Steel
25 pcs/ctn · 45 ctn/pal



| Color | Part # |
|-------------|--------|
| Polar White | 6GRSWH |
| Brown | 6GRSBR |

Dormer Flashing


0.012 in. Steel
10 pcs/ctn · 45 ctn/pal



| Color | Part # |
|--------|-----------|
| Black | 3X5GDF-BL |
| Mill | 3X5GDF |
| Brown | 3X5GDF-BR |
| W'Wood | 3X5GDF-WW |

Dormer Flashing - Heavy

0.015 in. Steel
10 pcs/ctn · 45 ctn/pal




| Color | Part # |
|-------------|--------------|
| Black | 3X5GDFH-BL |
| Mill | 3X5GDF-HEAVY |
| Royal Brown | 3X5GDFH-BR |
| W'Wood | 3X5GDFH-WW |



Aluminum Flat Shingles - 0.012 in.

100 pieces per bundle · 100 bundles per pallet

| Description | Part # |
|-----------------------------|--------|
| 5 in. x 7 in. - Mill Finish | 963 |
| 8 in. x 8 in. - Mill Finish | 8X8STD |



Steel Flat Shingles - 0.012 in.


100 pieces per bundle · 100 bundles per pallet

| Description | Part # |
|-----------------------------|---------|
| 5 in. x 7 in. - Mill Finish | 964 |
| 8 in. x 8 in. - Mill Finish | 8X8GALV |

Aluminum Formed Shingles

100 pieces per bundle · 100 bundles per pallet

| Description | Mill | Black | Brown | Weath'd Wood |
|-----------------------------------|-------------|--------------|--------------|--------------|
| 2-1/2 in. x 2-1/2 in. x 7 in. | 5X7FRM-ECON | 963FRMBL | 963FRMBR | - |
| 2-1/2 in. x 2-1/2 in. x 7-5/8 in. | - | 963FRMBLMET | 963FRMBRMET | - |
| 3 in. x 5 in. x 8 in. | - | - | 3X5X8ALUM-BR | - |
| 4 in. x 4 in. x 7 in. | 4X4X7ALUM | - | - | - |
| 4 in. x 4 in. x 8 in. | 4X4X8STD | 4X4X8ALUM-BL | 4X4X8ALUM-BR | 4X4X8ALUM-WW |



Steel Formed Shingles

0.012 in. Galvanized Steel

| Description | Mill | Black | Royal Brown | Weathered Wood | No./Pkg. | Pkg./Pallet |
|---------------------------------|-----------|----------------|----------------|----------------|----------|-------------|
| 2-1/2 in. x 2-1/2 in. x 7 in. | 964FRM | - | - | - | 100 | 100 |
| 2 in. x 4 in. x 8 in. | 2X4X8GALV | 2X4X8GALV-BL | 2X4X8GALV-BR | 2X4X8GALV-WW | 100 | 100 |
| 4 in. x 4 in. x 8 in. (50 Bdl) | 4X4X8-50 | 4X4X8GALVBL-50 | 4X4X8GALVBR-50 | 4X4X8GALVWW-50 | 50 | - |
| 4 in. x 4 in. x 8 in. (100 Bdl) | 4X4X8-50 | 4X4X8GALV-BL | 4X4X8GALV-BR | 4X4X8GALV-WW | 100 | 100 |
| 5 in. x 5 in. x 12 in. | 5X5X12 | - | - | - | 10 | - |

Copper Formed Shingles

| Description | Part # | QTY. |
|--|----------|-----------|
| Copper Formed Shingles - 2-1/2 in. x 2-1/2 in. x 7 in. | 939FRM | 10/Bundle |
| Copper Formed Shingles - 4 in. x 4 in. x 8 in. | 4X4X8COP | 10/Bundle |



SplashShield™ Rain Diverter

| Description | Part # | QTY. |
|------------------------------|--------------|-------|
| Royal Brown/White - Aluminum | SPLASHSHIELD | 2/Bag |



Kick-Out Flashing Used to divert water away from a wall and into a gutter. Usually installed on the bottom of a roof edge that intersects a wall surface.

| Description | Part # | QTY. |
|--|-----------|-------|
| Galvanized Steel Kick-Out Flashing - 4 in. x 4 in. x 8 in. | KICKFLASH | 1/Bag |




Kwik-Plug™ Professionally repair holes left by old roof vents or roof deck damage up to 8 in. x 8 in.

| Description | Part # | No./Carton | Cartons/Pallet |
|----------------------------------|----------|------------|----------------|
| Kwik-Plug™ Steel/OSB Roof Repair | KWIKPLUG | 12 | 108 |



Rain Diverter Directs water away from doorways on the roof where there is no gutter present.

| Description | Part # | No./Carton | Cartons/Pallet |
|--|---------|------------|----------------|
| 5 ft. Aluminum Rain Diverter - 0.016 in. | 10.25RD | 20 | 45 |



W-Valley Channels water down the roof into the gutters, in the roof valley area. Outer edges are hemmed for safe handling. 10 ft. lengths.

Steel W-Valley - 0.012 in. Galvanized Steel · Minimum order: 100 pcs.

| Size | Black | Brown | Weathered Wood |
|-----------------|---------|---------|----------------|
| 18 in. | 18WBL | 18WBR | 18WWW |
| 20 in. | 20WBL | 20WBR | 20WWW |
| 20 in. - Ribbed | 20WBL-R | 20WBR-R | 20WWW-R |




Heavy Duty Steel W-Valley - 0.015 in. Galvanized Steel · Minimum order: 100 pcs.

| Size | Mill | Black | Hunter Green | Royal Brown | Weathered Wood |
|-----------------|------------|--------------|--------------|-------------|----------------|
| 20 in. | 20WHEAVY | 20WBLHEAVY | 20WHGHEAVY | 20WBRHEAVY | 20WWWHEAVY |
| 24 in. | 24WHEAVY | 24WBLHEAVY | 24WHGHEAVY | 24WBRHEAVY | 24WWWHEAVY |
| 24 in. - Ribbed | 24WHEAVY-R | 24WBLHEAVY-R | - | - | 4WWWHEAVY-R |


Z-Flashing - Protects the top edge of siding sheets from water infiltration. 10 ft. lengths · Aluminum 0.019 in. (nom.) · 50 pieces per carton · 45 Cartons per pallet

| Size: A x B | Mill | Polar White | Brown |
|---------------------|------|-------------|--------|
| 3/8 in. x 1-1/8 in. | 828A | 828AWH | 828ABR |
| 5/8 in. x 7/8 in. | 858A | 858AWH | 858ABR |
| 3/4 in. x 3/4 in. | - | 834AWH | - |
| 7/8 in. x 1 in. | - | 878AWH | 878ABR |




A Edge Drip Edge that covers and protects the exposed edge of the roofline. 0.012 Galvanized Steel
10 ft. lengths · 25 per Carton

| Description | Part # |
|-----------------------|--------|
| 1-1/2 in. x 1-1/2 in. | 150A |



D Edge Drip Edge with shingle support that covers and protects the exposed edge of the roofline.
10 ft. lengths · 25 per Carton



Aluminum D Edge · Hemmed

| Color | 12 ft. Lengths | | | | | |
|------------------|-----------------|---------------------|---------------------|-----------------------|-----------------------|-------------|
| | 2-1/2 x 1 x 3/8 | 2-5/8 x 1-1/2 x 3/8 | 2-3/4 x 1-1/8 x 7/8 | 2-5/8 x 1-11/16 x 3/8 | 2-5/8 x 1-11/16 x 3/8 | 3 x 2 x 7/8 |
| Almond | - | 888DAL | - | - | ADE12-AL | - |
| Birch White | 600DBWH | 888DBWH | 880DBWH | ADE10-WH | ADE12-WH | - |
| Black | 600DBL | 888DBL | 880DBL | ADE10-BK | ADE12-BK | - |
| Charcoal | - | - | - | ADE10-COAL | - | - |
| Coffee | - | - | - | - | ADE12-CF | - |
| Copper Penny | - | - | - | - | ADE12-CP | - |
| Desert Tan | - | - | - | ADE10-DT | ADE12-DT | - |
| Driftwood | - | 888DDW | - | - | ADE12-DW | - |
| Heritage Gray | - | - | - | - | ADE12-HGRAY | - |
| Hickory | 600DHKY | 888DHKY | 880DHKY | - | ADE12-HKY | - |
| Hunter Green | - | - | - | ADE10-HG | ADE12-HG | - |
| Khaki | - | - | - | - | ADE12-MKHAKI | - |
| Musket Brown | - | - | 880DMB | ADE10-MB | - | - |
| Pebblestone Clay | - | 888DPB | - | - | - | - |
| Polar White | - | - | - | - | - | 894DWH |
| Royal Brown | 600DBR | 888DBR | - | ADE10-RBR | ADE12-RBR | 894DBR |
| Sandstone | - | 888DSTONE | - | - | ADE12-STONE | - |
| Terra Bronze | - | - | - | ADE10-TB | ADE12-TB | - |
| Weathered Wood | 600DWW | 888DWW | 880DWW | - | - | - |

Galvanized D Edge · Hemmed

| Color | Style 500 | | | | | | |
|----------------|---------------------|---------------------|-----------------------|-----------------------|-----------------------|-------------|-----------------|
| | 2-1/2 x 1-1/8 x 7/8 | 2-1/2 x 1-1/2 x 7/8 | 2-5/8 x 1-11/16 x 3/8 | 2-5/8 x 1-11/16 x 7/8 | 2-5/8 x 1-11/16 x 7/8 | 3 x 2 x 7/8 | 4 x 1-1/8 x 7/8 |
| Mill Finish | 890D | - | - | 889DAL | - | - | - |
| Almond | 890DAL | 890DHEAVY-AL | - | - | 891DAL | - | - |
| Birch White | - | - | SDE-WH | 889DWH | - | - | - |
| Black | 890DBL | - | - | 889DBL | 891DBL | - | - |
| Coffee | - | - | - | 889DCF | - | - | - |
| Driftwood | 890DWW | - | - | 889DDW | - | - | - |
| Heritage Gray | - | - | - | - | - | - | - |
| Hickory | 890DHKY | - | - | 889DHKY | - | - | - |
| Hunter Green | 890DHG | - | - | 889DHG | - | - | - |
| Polar White | 890DWH | 890DHEAVY-PWH | - | - | 891DPWH | 892DWH* | 893DWH* |
| Royal Brown | 890DBR | 890DHEAVY-BR | SDE-RBR | 889DBR | 891DBR | 892DBR* | 893DBR* |
| Weathered Wood | 890DWW | 890DHEAVY-WW | - | 889DWW | 891DWW | -- | - |

* 20/Carton


GUTTER APRON Directs water into the gutter system. Installed over the roof edge, extending into the gutter.
10 ft. lengths · 25 pieces per carton · 45 cartons per pallet

Aluminum Gutter Apron

| Color | 2-1/2 in. x 2 in. | 3 in. x 2 in. |
|---------------|-------------------|---------------|
| Almond | GA-AL | - |
| Birch White | GA-WH | GA2X3-BWH |
| Coffee | GA-CF | - |
| Driftwood | GA-DW | - |
| Heritage Gray | GA-HGRAY | - |
| Hunter Green | GA-HG | - |
| Hickory | GA-HKY | - |
| Khaki | GA-MKHAKI | - |
| Polar White | - | GA2X3-PWH |
| Royal Brown | GA-RBR | GA2X3-BR |
| Sandstone | GA-STONE | - |
| Terra Bronze | GA-TB | - |


Galvanized Steel Gutter Apron

| Color | 2-3/8 x 2 | 3 in. x 2 in. |
|--------------|-----------|-----------------|
| Almond | 960AL | GGA2X3HEAVY-AL |
| Black | 960BL | GGA2X3HEAVY-BL |
| Coffee | 960CF | - |
| Driftwood | 960DW | - |
| Hickory | 960HKY | - |
| Hunter Green | 960HG | GGA2X3HEAVY-HG |
| Polar White | 960WH | GGA2X3HEAVY-PWH |
| Royal Brown | 960BR | GGA2X3HEAVY-RBR |
| Weath'd Wood | 960WW | GGA2X3HEAVY-WW |



BRICK MOULDING Used as a protective and decorative cover for edgings of doorways and garage doors.
10 ft. lengths · 10 pieces per carton · 10 cartons per pallet

| Color | Part# |
|--------------|--------|
| Birch White | BM-WH |
| Coffee | BM-CF |
| Driftwood | BM-DW |
| Hickory | BM-HKY |
| Hunter Green | BM-HG |
| Royal Brown | BM-RBR |
| Terra Bronze | BM-TB |




HORIZONTAL SIDING Woodgrain Aluminum Siding used to beautify the exterior of your home.
0.019 Aluminum · 12 ft. 6 in. lengths · 12 pieces per carton/square · Minimum Order: Full Square

8 in. Aluminum Horizontal Siding



| Color | 8 in. Woodgrain Hollowback | 8 in. Woodgrain Foamback | 8 in. Smooth Hollowback* | 8 in. Smooth Foamback* |
|----------------|----------------------------|--------------------------|--------------------------|------------------------|
| Imperial Brown | 8H19-IBR | 8INS-IBR | - | - |
| Gray | 8H19-GY | 8INS-GY | - | - |
| Slate | 8H19-SL | 8INS-SL | - | - |
| Tan | 8H19-TN | 8INS-TN | - | - |
| White | 8INS-WH | 8INS-WH | 8HS19-WH | 8INSM19-WH |

*Additional lead time may be required





Double 4 in. Aluminum Horizontal Siding

| Color | Woodgrain Hollowback | Woodgrain Foamback |
|------------|----------------------|--------------------|
| Imp. Brown | DH19-IBR | D4INS-IBR |
| Gray | DH19-GY | D4INS-GY |
| Slate | DH19-SL | D4INS-SL |
| Tan | DH19-TN | D4INS-TN |
| White | DH19-WH | D4INS-WH |




SIDING J-CHANNEL Used to trim around windows, doors and where siding meets the soffit or roof angle. 0.019 Aluminum · 12 ft. lengths

| Color | 5/8 in. Hollowback · 25/Carton | 1-1/8 in. Foamback · 50/Carton |
|----------------|--------------------------------|--------------------------------|
| Imperial Brown | J58-IBR | J18-GY |
| Gray | J58-GY | J18-IBR |
| Slate | J58-SL | J18-SLL |
| Tan | J58-TN | J18-TN |
| White | J58-WH | J18-WH |



UNDERSILL TRIM


Designed to hold the cut edge of siding in place.
0.019 Aluminum · 12 ft. lengths · 50/Carton



| Color | Smooth Utility Trim |
|----------------|---------------------|
| Imperial Brown | UTW-IBR |
| Gray | UTW-GY |
| Slate | UTW-SL |
| Tan | UTW-WH |
| White | UTW-TN |

OUTSIDE CORNER POST


Woodgrain siding outside corner.
0.019 Aluminum · 10 ft. lengths · 10/Carton



| Color | Outside Corner Post |
|----------------|---------------------|
| Imperial Brown | BP1-IBR |
| Gray | BP1-GY |
| Slate | BP1-SL |
| Tan | BP1-TN |
| White | BP1-WH |

INSIDE CORNER POST


Smooth siding outside corner.
0.019 Aluminum · 10 ft. lengths · 10/Carton



| Color | Inside Corner Post |
|----------------|--------------------|
| Imperial Brown | IC1-IBR |
| Gray | IC1-GY |
| Slate | IC1-SL |
| Tan | IC1-TN |
| White | IC1-WH |

STARTER STRIP Used to hold first course of siding at the base of wall.
10 ft. lengths · Mill Finish · Sold individually

| Description | Part# | No./Carton | Cartons/Pallet |
|---|--------|------------|----------------|
| Starter Strip - 0.016 Aluminum | 2875SS | 50 | 45 |
| Starter Strip - 0.012 Galvanized Steel - 25 | GSS25 | 25 | 45 |
| Starter Strip - 0.012 Galvanized Steel | GSS | 50 | 45 |
| Starter Strip - 0.015 Galvanized Steel | 3.5GSS | 25 | 30 |




FOAM BACKER - R0.96

| Description | Part # | No./Carton | Carton/Pallet |
|---|--------|------------|---------------|
| 4 in. Foam Backer for Double 4 in. Siding | 4FOM | - | - |
| 8 in. Foam Backer for 8 in. Siding | 8FOM | - | - |


ENGINEERED WOOD SIDING CORNERS FOR HARDBOARD SIDING Individual aluminum corners for 7/16 inch hardboard siding.
0.019 Primed Aluminum · 100 pieces per carton · 100 cartons per pallet

| Description | Part # |
|---|-------------|
| 6 in. Primed Outside Corner - Smooth | 1000 |
| 8 in. Primed Outside Corner - Smooth | 1100 |
| 10 in. Primed Outside Corner - Smooth | 1200 |
| 12 in. Primed Outside Corner - Smooth | 2101 |
| 8 in. Primed Siding Corner - Smooth - XL | 2108XL |
| 8 in. Primed Siding Corner - Woodgrain - XL | 2108XL-W |
| 12 in. Primed Siding Corner - Smooth - XL | 2110XL |
| 12 in. Primed Siding Corner - Woodgrain -XL | 2110XL-W |
| 12 in. Primed Inside Corner - Smooth - 10/package | 2110X-IS-10 |



BACKFLASH Aluminum seam backer plate for fiber cement siding
0.012 Aluminum · 100 pieces per carton · 100 Cartons per pallet


| Description | Part # |
|---|--------------|
| 6 in. x 12 in. - Birch White over Royal Brown | BACKFLASH-EA |



H-MOULDING FOR 7/16 IN. HARDBOARD SIDING

Aluminum H connectors for siding. 0.015 Primed Aluminum


| Description | Part # | No./Carton | Carton/Pallet |
|--------------------------------------|--------|------------|---------------|
| 6 in. Primed Aluminum - Woodgrain | 6HW | 200 | 100 |
| 8 in. Primed Aluminum - Smooth | 8H | 100 | 100 |
| 8 in. Primed Aluminum - Woodgrain | 8HW | 100 | 100 |
| 12 in. Primed Aluminum - Smooth | 12H | 100 | 100 |
| 12 in. - Primed Aluminum - Woodgrain | 12H | 100 | 100 |



UNIVERSAL H-MOULDING FOR FIBER CEMENT

(5/16 in. - 3/8 in.) · 100 pieces per carton

| Description | Part # |
|--|--------|
| 5-15/16 in. Primed Aluminum - Woodgrain | UH6W |
| 7 in. Primed Aluminum - Woodgrain | UH7W |
| 7-15/16 in. Primed Aluminum - Woodgrain | UH8W |
| 10-15/16 in. Primed Aluminum - Woodgrain | UH11W |
| 11-15/16 in. Primed Aluminum - Woodgrain | UH12W |



LONGER UNIVERSAL H-MOULDING FOR FIBER CEMENT

(5/16 in. - 3/8 in.)


25 pieces per carton

| Description | Part # |
|------------------------------------|-------------|
| 8 in. Primed Aluminum - Smooth | UH8FT-PRM |
| 8 in. Primed Aluminum - Woodgrain | UH8FTW-PRM |
| 10 in. Primed Aluminum - Smooth | UH10FT-PRM |
| 10 in. Primed Aluminum - Woodgrain | UH10FTW-PRM |

INSTALLATION ESSENTIALS

Fiber Cement · SmartSide® Siding


LAP SIDING H-MOULDING DIVIDERS



BACK FLASH ALUMINUM SEAM BACKER PLATE



ANGLE FLASHING



ALUMINUM TRIM COIL



PAINTED TRIM COIL Painted aluminum trim coil matches the soffit system and is used for custom flashing projects or hard-to-finish areas. Painted on both sides to satisfy any custom flashing requirements. 0.019 Aluminum - 1 roll per carton

14 in. x 50 ft. Trim Coil 0.019 Aluminum - 1 roll per carton - 64 Cartons/Pallet

| Description | Part # |
|---|----------|
| Birch White/Birch White - 14 in. x 50 ft. | ATC14-WH |
| Royal Brown/Birch White - 14 in. x 50 ft. | ATC24 |

24 in. x 50 ft. Trim Coil 0.019 Aluminum - 1 roll per carton - 48 Cartons/Pallet

| Description | Part # |
|--|-----------------|
| Almond/Birch White - 24 in. x 50 ft. | ATC24-AL |
| Birch White/Birch White - 24 in. x 50 ft. | ATC24-WH |
| Black/Birch White - 24 in. x 50 ft. | ATC24-BL |
| Black/Royal Brown - 24 in. x 50 ft. | ATC25-BL-BR |
| Coffee/Birch White - 24 in. x 50 ft. | ATC25-CF |
| Copper Penny/Birch White - 24 in. x 50 ft. | ATC24-CP |
| Desert Tan/Birch White - 24 in. x 50 ft. | ATC24-DT |
| Driftwood/Birch White - 24 in. x 50 ft. | ATC24-DW |
| Gray/Charcol - 24 in. x 50 ft. | ATC24-GY-COAL |
| Hunter Green/Birch White - 24 in. x 50 ft. | ATC24-HG |
| Hickory/Birch White - 24 in. x 50 ft. | ATC24-HKY |
| Light Maple/Natural Clay - 24 in. x 50 ft. | ATC24-LMAP-NCLY |
| Musket Brown/Birch White - 24 in. x 50 ft. | ATC24-MB |
| Khaki/Prairie Wheat - 24 in. x 50 ft. | ATC24-MKHA-PW |
| Pebblestone Clay/Birch White - 24 in. x 50 ft. | ATC24-PB |
| Royal Brown/Birch White - 24 in. x 50 ft. | ATC24-BR |
| Sandy Clay/Wicker Rocker - 24 in. x 50 ft. | ATC24-SNC-WRO |
| Sierra/Birch White - 24 in. x 50 ft. | ATC24-SR |
| Sandstone/Black - 24 in. x 50 ft. | ATC24-STON-BL |
| Sandstone/Slate Blue - 24 in. x 50 ft. | ATC24-STON-SB |
| Terra Bronze/Birch White - 24 in. x 50 ft. | ATC24-TB |
| Terra Bronze/Hickory - 24 in. x 50 ft. | ATC24-TB-HKY |

PVC Coated 24 in. x 50 ft. Trim Coil 0.019 Aluminum - 1 roll per carton - 24 Cartons/Pallet

| Description | Part # |
|---|----------|
| Hickory - Textured - 24 in. x 50 ft. | APVC-HKY |
| Royal Brown - Textured - 24 in. x 50 ft. | APVC-RBR |
| Terra Bronze - Textured - 24 in. x 50 ft. | APVC-TB |
| White - Textured - 24 in. x 50 ft. | APVC-WH |



Economy Aluminum Roll Flashing

1 roll per carton · Nominal Thickness: 0.010

| Description | Part# | Ctn/Pallet |
|-----------------|-----------|------------|
| 6 in. x 10 ft. | 999-10-6 | 36 |
| 10 in. x 10 ft. | 999-10-10 | 36 |
| 12 in. x 10 ft. | 999-10-12 | 36 |
| 14 in. x 10 ft. | 999-10-14 | 36 |
| 20 in. x 10 ft. | 999-10-20 | 36 |
| 24 in. x 10 ft. | 999-10-24 | 36 |
| | | |
| 6 in. x 50 ft. | 999-50-6 | 25 |
| 10 in. x 50 ft. | 999-50-10 | 25 |
| 12 in. x 50 ft. | 999-50-12 | 25 |
| 14 in. x 50 ft. | 999-50-14 | 25 |
| 20 in. x 50 ft. | 999-50-20 | 25 |
| 36 in. x 50 ft. | 999-50-36 | 25 |

Standard Aluminum Roll Flashing

1 roll per carton · Nominal Thickness: 0.012

| Description | Part# | Ctn/Pallet |
|-----------------|-----------|------------|
| 14 in. x 10 ft. | 961-10-14 | 36 |
| 20 in. x 10 ft. | 961-10-20 | 36 |
| 24 in. x 10 ft. | 961-10-24 | 36 |
| | | |
| 10 in. x 50 ft. | 961-50-10 | 25 |
| 14 in. x 50 ft. | 961-50-14 | 25 |
| 20 in. x 50 ft. | 961-50-20 | 25 |
| 24 in. x 50 ft. | 961-50-24 | 25 |



Painted Aluminum Roll Flashing

1 roll per carton · Nominal Thickness: 0.010

| Brown/White | Part# | Pal |
|--------------------|---------------|-----|
| 6 in. x 10 ft. | 999BW-10-6 | 36 |
| 10 in. x 10 ft. | 999BW-10-10 | 36 |
| 14 in. x 10 ft. | 999BW-10-14 | 36 |
| | | |
| 14 in. x 50 ft. | 999BW-50-14 | 25 |
| 24 in. x 50 ft. | 999BW-50-24 | 25 |
| | | |
| Terra Bronze/Black | Part# | Pal |
| 14 in. x 10 ft. | 999TBBL-10-14 | 25 |
| 14 in. x 50 ft. | 999TBBL-50-14 | 25 |

Economy Galvanized Roll Flashing

1 roll per carton · Nominal Thickness: 0.010

| Description | Part# | Ctn/Pallet |
|-----------------|-----------|------------|
| 6 in. x 10 ft. | 959-10-6 | 36 |
| 12 in. x 10 ft. | 959-10-12 | 36 |
| 20 in. x 10 ft. | 959-10-20 | 36 |
| 24 in. x 10 ft. | 959-10-24 | 36 |
| | | |
| 6 in. x 50 ft. | 959-50-6 | 25 |
| 12 in. x 50 ft. | 959-50-12 | 25 |
| 20 in. x 50 ft. | 959-50-20 | 25 |
| 24 in. x 50 ft. | 959-50-24 | 25 |
| 36 in. x 50 ft. | 959-50-36 | 25 |

Standard Galvanized Roll Flashing

1 roll per carton · Nominal Thickness: 0.012

| Description | Part# | Ctn/Pallet |
|-----------------|-----------|------------|
| 10 in. x 10 ft. | 969-10-10 | 36 |
| 14 in. x 10 ft. | 969-10-14 | 36 |
| 16 in. x 10 ft. | 969-10-16 | 36 |
| 20 in. x 10 ft. | 969-10-20 | 36 |
| 24 in. x 10 ft. | 969-10-24 | 36 |
| | | |
| 10 in. x 50 ft. | 969-50-10 | 25 |
| 12 in. x 50 ft. | 969-50-12 | 25 |
| 14 in. x 50 ft. | 969-50-14 | 25 |
| 16 in. x 50 ft. | 969-50-16 | 25 |
| 20 in. x 50 ft. | 969-50-20 | 25 |
| 24 in. x 50 ft. | 969-50-24 | 25 |

Painted Steel Roll Flashing

1 roll per carton · Nominal Thickness: 0.012

| Description | Part# | Pal |
|-------------------------|-------------|-----|
| 24 in. x 50 ft. - Black | 969-50-24BL | 25 |



Copper Roll Flashing

12 oz. · 6 rolls per carton


| Description | Part# | Ctn/Pallet |
|-----------------|-----------|------------|
| 6 in. x 10 ft. | 939-10-6 | 45 |
| 20 in. x 10 ft. | 939-10-20 | 45 |



WALL BRACING ICC Certified: Report # ESR-2990

Galvanized Steel - 0.030 nom. · 12 per carton · 45 cartons per pallet

| Description | Part # |
|--|--------|
| 1-7/8 in. x 3/8 in. x 11 ft. · 3-3/4 in. Galvanized Wall Brace - Mill Finish | 11WB12 |


Heavy Duty Roof Brackets

10 per carton

| Description | Part# |
|-------------------|---------|
| 10 in. Adjustable | HD-2500 |
| 10 in. 45° Fixed | HD-2501 |
| 6 in. 90° Fixed | HD-2502 |



2500



2501



2502

Fall Protection Harnesses

| Description | Part# |
|----------------|-------------|
| Seraph (M-L) | HD-11160 |
| Cyclone (M-L.) | HD-21042 |
| Safety Bucket | HD-00815-QC |


 Adjustable Velocity HUV Harness,
50 ft. Vertical Lifeline Assembly
18 in. Lanyard Extension
Heavy-Duty Temper
Reusable Anchor


HD-11160



HD-21042

Life Lines & Lanyards

| Description | Part # | QTY |
|--|----------|-----|
| 50 ft. Vertical Lifeline Assembly | HD-01320 | 4 |
| 6 ft. Shock Absorbing Lanyard - Single Leg | HD-01220 | 1 |



HD-01320



HD-01220

Anchors

| Description | Part # | QTY |
|--------------------------|----------|-----|
| Permanent Rooftop Anchor | HD-00510 | 10 |
| Temporary Rooftop Anchor | HD-00455 | 10 |



HD-00510



HD-00455

Clean Mesh® Advanced gutter protection system. Stainless steel micro mesh is effective against small debris, including pine needles, seed pods and shingle grit. Fascia mount for 5 in. or 6 in. K-Style gutters. Available in 3 and 4 ft. lengths. Patent: 8,635,811

| Description | Part# | QTY |
|---|------------|-----|
| 5 in. width x 4 ft. length - Mill Finish | 99377 | 25 |
| 5 in. width x 3 ft. length - Mill Finish | GP3SCREENM | 32 |
| 6 in. width x 4 ft. length - Mill Finish | 99375 | 25 |
| 6 in. width x 4 ft. length - Black Finish | 99379 | 25 |



Kwik Mesh™

Galvanized - 1/8 in. mesh - 51.12 sq. in./ft. N.F.A.

| Size | Part # | QTY. |
|----------------|--------|---------|
| 6 in. x 25 ft. | KM625 | 6 rolls |





Soffit, Fascia, Ventilation, Flashings, Trims & Edgings, Roll Flashing

(Not all items are available in all colors)



Almond (AL)



Birch White (BW)



Black (BL)



Coffee (CF)



Copper Penny (CP)



Desert Tan (DT)



Driftwood (DW)



Heritage Gray (HGRY)




Hickory (HK)



Hunter Green (HG)



Khaki (KH)



Musket Brown (MB)



Pebblestone Clay (PB)



Polar White (PWH)




Royal Brown (RBR)




Sandstone (STONE)



Sierra (VA)



Terra Bronze (TB)



Weathered Wood (WW)

Aluminum Siding



Brown (BR)



Gray (GY)



Slate (SL)




Tan (TAN)



White (WH)


Stocking Colors




Birch White/Birch White



Hunter Green/Royal Brown



Sandstone/Black



Terra Bronze/Hickory



Gray/Charcoal




White Textured



Hickory Textured




Charcoal Textured



Almond/Birch White



Coffee/Birch White



Copper Penny/Birch




Royal Brown/Birch White




Clay/Antique Ivory




Brick/Evergreen




Khaki/Prairie Wheat



Heritage Gray/Classic




Pine/Almond




Sandstone/Slate Blue



Slate/Cobalt




Sandy Clay/Wicker Rocker




Grecian Stone/Nickel




Biscayne Blue/Knights




Waves of Grain/Hat Box



Arbor Mist/Bronze




Light Maple/Natural Clay




Smokey Sable/Dover Gray



Snow White/Hunt Club




Sterling Gray/Savannah Wicker



Clay/Desert Tan

Aluminum Alloy3105
Thickness019 (nom.)
Tensile Strength 25,000
Yield Strength 21,000

Sell-Even® aluminum trim coil matches the soffit system and is used for custom flashing projects or hard-to-finish areas. Coil material is painted on both sides. Not all colors are stocked in all stores. Please see the building materials department for ordering options. Colors shown are digitally reproduced and may vary slightly from actual color.




| | | | |
|---------------------------------|----|----------------------------|----|
| 2-Panel Aluminum Soffit..... | 3 | Inside Corner Post | 14 |
| 3-Panel Aluminum Soffit..... | 4 | J-Channel | 7 |
| 4-Panel Aluminum Soffit..... | 5 | Kick-Out Flashing | 10 |
| Aluminum Fascia | 6 | Kwik Mesh™ | 20 |
| Aluminum Roll Flashing..... | 18 | Kwik-Plug™..... | 11 |
| Aluminum Siding | 14 | Liberator | 3 |
| Angle Flashing..... | 8 | Life Lines & Lanyards..... | 19 |
| BackFlash..... | 15 | Outside Corner Post | 14 |
| Brick Moulding | 13 | Primed Siding Corner..... | 15 |
| Bucket of Safety | 19 | PVC Coated Trim Coil..... | 17 |
| Chimney Flashing Kit | 8 | PVC Coated Soffit | 5 |
| Chimney Flashing Reglet..... | 8 | Rain Diverter | 11 |
| Clean Mesh® | 20 | Roof Brackets | 19 |
| Copper Formed Shingles..... | 10 | Roof Starter..... | 9 |
| Copper Roll Flashing | 18 | Rooftop Anchors..... | 19 |
| Deck Flashing..... | 8 | Rooftop Safety Kit | 19 |
| Dormer Flashing | 9 | Siding J-Channel..... | 14 |
| Double Channel | 7 | Siding Starter Strip..... | 15 |
| Drip Cap | 9 | SplashShield™ | 10 |
| Fall Protection..... | 19 | Steel Fascia..... | 6 |
| Flat Shingles | 10 | Step Flashing..... | 10 |
| Foam Backer | 15 | Style A Roof Edge | 12 |
| Formed Shingles..... | 10 | Style D Roof Edge..... | 12 |
| Frieze Runner | 7 | The Liberator | 3 |
| Frieze Runner - Reversible..... | 7 | Trim Coil..... | 17 |
| Galvanized Roll Flashing..... | 18 | Undersill Trim | 14 |
| Gutter Apron | 13 | Wall Brace..... | 19 |
| Gutter Protection..... | 20 | Wall Flash | 9 |
| Hardboard Siding Corners | 15 | W-Valley | 11 |
| H-Moulding | 16 | Z-Flashing..... | 11 |



Notes

GIBRALTAR BUILDING ACCESSORIES DIVISION

"Provider Of Quality Building Accessories, Built Upon Regional Expertise"



GIBRALTAR

BUILDING ACCESSORIES DIVISION

SEMCO | DOT | APPLETON | AWARD | NORWESCO

gibraltarbuildingproducts.com

Trims & Flashing
Metal Roofing
Ventilation
Drywall Bead
Stucco & Plaster
Soffit & Fascia
Steel Framing
Gutter Protection
Safety Products



APPLETON
SUPPLY[®]
COMPANY, INC.

GIBRALTAR

BUILDING ACCESSORIES DIVISION

SEMCO | DOT | APPLETON | AWARD | NORWESCO

www.gibraltarbuildingproducts.com