DEXRON[®] VI ATF

000003001354

Version 3.5

Revision Date 2021/02/04



Print Date 2021/02/04

SECTION 1. IDENTIFICATION

| Product name | : | DEXRON [®] VI ATF |
|-----------------------------------|----|---|
| Synonyms | : | RDL-3434, GM Mat. Spec. 9986153 |
| Product code | : | DEX6B6U, DEX6ICT, DEX6P5R, DEX6IBC, DEX6DRM, DEX6DCT, DEX6C16, DEX6C12, DEX6BLK, DEX6 |
| Manufacturer or supplier's de | | Petro-Canada Lubricants Inc. 2310 Lakeshore Road West Mississauga ON L5J 1K2 Canada |
| I elepnone | : | 1-905-403-6785 |
| Emergency telephone numbe | er | |
| Emergency telephone num- : ber | : | CHEMTREC: 1-800-424-9300; Poison Control Centre: Consult local telephone directory for emergency number(s). |
| Recommended use of the che | en | nical and restrictions on use |
| Recommended use | : | Automatic Transmission Fluid for use in General Motors vehi- cles, requiring the DEXRON VI specification. |
| Prepared by | : | Product Safety: +1 905-491-0565 |

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|---|------------|-----------------------|
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified | 72623-86-0 | 50 - 70 |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; | 72623-87-1 | 10 - 30 |

DEXRON[®] VI ATF

000003001354

Version 3.5

Revision Date 2021/02/04

Print Date 2021/02/04

| Baseoil — unspecified | | |
|---|------------|---------|
| Methacrylate copolymers | | 1 - 5 |
| Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspeci- fied | 64742-54-7 | 1 - 5 |
| Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified | 64742-55-8 | 1 - 5 |
| 3-(decyloxy)tetrahydrothiophene 1,1- dioxide | 18760-44-6 | 1 - 5 |
| dimantine | 124-28-7 | 0.1 - 1 |
| Ethanol, 2,2'-iminobis-, N-tallow alkyl derivs. | 61791-44-4 | 0.1 - 1 |

Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

| If inhaled | : Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice. |
|---|---|
| In case of skin contact | In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice. |
| In case of eye contact | Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention. |
| If swallowed | Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice. |
| Most important symptoms and effects, both acute and delayed | : First aider needs to protect himself. |

SECTION 5. FIREFIGHTING MEASURES

| Suitable extinguishing media | : | Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. |
|---|-----|--|
| Unsuitable extinguishing media | : | No information available. |
| Specific hazards during fire- fighting | : | Cool closed containers exposed to fire with water spray. |
| Hazardous combustion prod- | : | Carbon oxides (CO, CO2), smoke and irritating vapours as |
| Internet: lubricants.petro-canada.com/s | sds | Page: 2 / 10 |

Trademarks are owned or used under license.



DEXRON[®] VI ATF

000003001354



| Version 3.5 | | Revision Date 2021/02/04 | Print Date 2021/02/04 |
|---------------------|---|---|-----------------------|
| ucts | | products of incomplete combustion. | |
| Further information | : | Prevent fire extinguishing water from converted water or the ground water system. | ontaminating surface |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protec- : tive equipment and emer- gency procedures | Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene. |
|---|---|
| Environmental precautions : | Do not allow uncontrolled discharge of product into the envi- ronment. |
| Methods and materials for : containment and cleaning up | Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities. |

SECTION 7. HANDLING AND STORAGE

| Advice on protection against fire and explosion | : | None known. |
|---|---|---|
| Advice on safe handling | : | For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Use only with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use. |
| Conditions for safe storage | : | Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sun- light. |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| | - | | | |
|---|---------|----------------------------|-----------------------|--------------|
| Components | CAS-No. | Value type | Control parame- | Basis |
| Internet: lubricants.petro-canada.com/sds | 3 | | | Page: 3 / 10 |
| Trademarks are owned or used under license. | | Petro-Canada Lubricants is | a HollyFrontier brand | |

DEXRON[®] VI ATF

000003001354

Version 3.5

Revision Date 2021/02/04

Print Date 2021/02/04

| | | (Form of | ters / Permissible | |
|--|------------|--|--------------------|-----------|
| | | exposure) | concentration | |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspeci- fied | 72623-86-0 | TWA (Mist) | 5 mg/m3 | CA AB OEL |
| | | STEL (Mist) | 10 mg/m3 | CA AB OEL |
| | | TWAEV (Mist) | 5 mg/m3 | CA QC OEL |
| | | STEV (Mist) | 10 mg/m3 | CA QC OEL |
| | | TWA (Mist) | 1 mg/m3 | CA BC OEL |
| | | TWA (Inhal- able particu- late matter) | 5 mg/m3 | ACGIH |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil — unspeci- fied | 72623-87-1 | TWA (Mist) | 5 mg/m3 | CA AB OEL |
| | | STEL (Mist) | 10 mg/m3 | CA AB OEL |
| | | TWAEV (Mist) | 5 mg/m3 | CA QC OEL |
| | | STEV (Mist) | 10 mg/m3 | CA QC OEL |
| | | TWA (Mist) | 1 mg/m3 | CA BC OEL |
| | | TWA (Inhal- able particu- late matter) | 5 mg/m3 | ACGIH |
| Distillates (petroleum), hy- drotreated heavy paraffinic; Baseoil — unspecified | 64742-54-7 | TWA (Mist) | 5 mg/m3 | CA AB OEL |
| | | STEL (Mist) | 10 mg/m3 | CA AB OEL |
| | | TWAEV (Mist) | 5 mg/m3 | CA QC OEL |
| | | STEV (Mist) | 10 mg/m3 | CA QC OEL |
| | | TWA (Mist) | 1 mg/m3 | CA BC OEL |
| | | TWA (Inhal- able particu- late matter) | 5 mg/m3 | ACGIH |
| Distillates (petroleum), hy- drotreated light paraffinic; Baseoil — unspecified | 64742-55-8 | TWA (Mist) | 5 mg/m3 | CA AB OEL |
| | | STEL (Mist) | 10 mg/m3 | CA AB OEL |
| | | TWAEV (Mist) | 5 mg/m3 | CA QC OEL |
| | | STEV (Mist) | 10 mg/m3 | CA QC OEL |
| | | TWA (Mist) | 1 mg/m3 | CA BC OEL |
| | | TWA (Inhal- able particu- late matter) | 5 mg/m3 | ACGIH |

Engineering measures

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

:

:

Respiratory protection

Use respiratory protection unless adequate local exhaust



DEXRON[®] VI ATF

000003001354



| Version 3.5 | | Revision Date 2021/02/04 | Print Date 2021/02/04 |
|-----------------------------|---|---|--|
| | | ventilation is provided or exposure that exposures are within recomm Respirator selection must be base exposure levels, the hazards of th working limits of the selected resp | nended exposure guidelines. ed on known or anticipated ne product and the safe |
| Filter type | : | organic vapour filter | |
| Hand protection Material | : | neoprene, nitrile, polyvinyl alcoho | I (PVA), Viton(R). |
| Remarks | : | Chemical-resistant, impervious gla approved standard should be wor chemical products if a risk assess essary. | n at all times when handling |
| Eye protection | : | Wear face-shield and protective s problems. | uit for abnormal processing |
| Skin and body protection | : | Choose body protection in relation tration and amount of dangerous cific work-place. | |
| Protective measures | : | Wash contaminated clothing befo | re re-use. |
| Hygiene measures | : | Remove and wash contaminated ing the inside, before re-use. Wash face, hands and any expos handling. | |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | : | viscous liquid |
|-----------------------------|---|---|
| Colour | : | red |
| Odour | : | Mild petroleum oil like. |
| Odour Threshold | : | No data available |
| рН | : | No data available |
| Pour point | : | -54 °C (-65 °F) |
| Boiling point/boiling range | : | No data available |
| Flash point | : | 206 °C (403 °F) Method: Cleveland open cup |
| Fire Point | : | 230 °C (446 °F) |

DEXRON[®] VI ATF

000003001354



| 00000001004 | | | |
|--|---|---|---------------------------|
| Version 3.5 | | Revision Date 2021/02/04 | Print Date 2021/02/04 |
| Evaporation rate | : | No data available | |
| Flammability | : | Remarks: Low fire hazard. This may fore ignition will occur. | terial must be heated be- |
| Auto-Ignition Temperature | : | No data available | |
| Upper explosion limit / Upper flammability limit | : | No data available | |
| Lower explosion limit / Lower flammability limit | : | No data available | |
| Vapour pressure | : | No data available | |
| Relative vapour density | : | No data available | |
| Relative density | : | No data available | |
| Density | : | 0.846 kg/l (15 °C) | |
| Solubility(ies) Water solubility | : | insoluble | |
| Partition coefficient: n- octanol/water | : | No data available | |
| Viscosity Viscosity, kinematic | : | 29.8 cSt (40 °C / 104 °F) | |
| | | 6.0 cSt (100 °C / 212 °F) | |
| Explosive properties | : | Do not pressurise, cut, weld, braze, pose containers to heat or sources | |
| | | | |

SECTION 10. STABILITY AND REACTIVITY

| Possibility of hazardous reac- tions | : | Hazardous polymerisation does not occur. Stable under normal conditions. |
|---|---|---|
| Conditions to avoid | : | No data available |
| Incompatible materials | : | Reactive with oxidising agents and reducing agents. |
| Hazardous decomposition products | : | May release COx, NOx, SOx, smoke and irritating vapours when heated to decomposition. |

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

| Information on likely routes of | : | Eye contact |
|---------------------------------|---|--------------|
| exposure | | Ingestion |
| | | Inhalation |
| | | Skin contact |

DEXRON[®] VI ATF

000

| 003001354 | | | |
|---|------------|---|-----------------------------|
| sion 3.5 | | Revision Date 2021/02/04 | Print Date 2021/02/ |
| Acute toxicity | | | |
| Product: Acute oral toxicity | : | Remarks: No data available | |
| Acute inhalation toxicity | : | Assessment: The substance or m tion toxicity Remarks: No data available | ixture has no acute inhala- |
| Acute dermal toxicity | : | Remarks: No data available | |
| Components: | | | |
| Lubricating oils (petroleun fied: | n), C | 15-30, hydrotreated neutral oil-ba | ised; Baseoil — unspeci- |
| Acute oral toxicity | : | LD50 (Rat): > 5,000 mg/kg, | |
| Acute inhalation toxicity | : | LC50 (Rat): > 5.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist | |
| Acute dermal toxicity | : | LD50 (Rabbit): > 2,000 mg/kg, | |
| Lubricating oils (petroleun fied: | n), C | 20-50, hydrotreated neutral oil-ba | ised; Baseoil — unspeci |
| Acute oral toxicity | : | LD50 (Rat): > 5,000 mg/kg, | |
| Acute inhalation toxicity | : | LC50 (Rat): > 5.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist | |
| Acute dermal toxicity | : | LD50 (Rabbit): > 2,000 mg/kg, | |
| Distillates (petroleum), hyd Acute oral toxicity | drotr : | eated heavy paraffinic; Baseoil – LD50 (Rat): > 5,000 mg/kg, | - unspecified: |
| Acute dermal toxicity | : | LD50 (Rabbit): > 2,000 mg/kg, | |
| Skin corrosion/irritation | | | |
| <u>Product:</u> Remarks | : | No data available | |
| Serious eye damage/eye ir | ritati | on | |
| Product: | | | |
| Remarks | : | No data available | |
| Respiratory or skin sensiti No data available | isatio | on | |
| Germ cell mutagenicity No data available | | | |
| Carcinogenicity | | | |



DEXRON[®] VI ATF

000003001354

Version 3.5



Print Date 2021/02/04

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

| Toxicity to fish | : | Remarks: No data available |
|--|------|----------------------------|
| Toxicity to daphnia and other aquatic invertebrates | : | Remarks: No data available |
| Toxicity to algae/aquatic plants | : | Remarks: No data available |
| Toxicity to microorganisms | : | Remarks: No data available |
| Persistence and degradabili | itv | |
| r orototorioo ana aogradadin | i y | |
| Product: | i cy | |
| - | : | Remarks: No data available |
| Product: | | Remarks: No data available |
| Product: Biodegradability | | Remarks: No data available |
| Product: Biodegradability Bioaccumulative potential | | Remarks: No data available |
| Product: Biodegradability Bioaccumulative potential No data available | | Remarks: No data available |

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

| Disposal methods | |
|---------------------|--|
| Waste from residues | The product should not be allowed to enter drains, water courses or the soil. Offer surplus and non-recyclable solutions to a licensed disposal company. Waste must be classified and labelled prior to recycling or disposal. Send to a licensed waste management company. Dispose of product residue in accordance with the instructions of the person responsible for waste disposal. |

DEXRON[®] VI ATF

000003001354

Version 3.5



Print Date 2021/02/04

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good

National Regulations

TDG

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

| The components of this product are reported in the following inventories: | | | | |
|---|---|---|--|--|
| DSL | : | On the inventory, or in compliance with the inventory | | |
| TSCA | : | All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption. | | |
| IECSC | : | On the inventory, or in compliance with the inventory | | |

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

| ACGIH CA AB OEL | : | USA. ACGIH Threshold Limit Values (TLV) Canada. Alberta, Occupational Health and Safety Code (table 2: OEL) |
|--------------------|---|---|
| CA BC OEL | : | Canada. British Columbia OEL |
| CA QC OEL | : | Québec. Regulation respecting occupational health and safe- ty, Schedule 1, Part 1: Permissible exposure values for air- borne contaminants |
| ACGIH / TWA | : | 8-hour, time-weighted average |
| CA AB OEL / TWA | : | 8-hour Occupational exposure limit |
| CA AB OEL / STEL | : | 15-minute occupational exposure limit |
| CA BC OEL / TWA | : | 8-hour time weighted average |
| CA QC OEL / TWAEV | : | Time-weighted average exposure value |
| CA QC OEL / STEV | : | Short-term exposure value |

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); Ecx - Concentration associated with x% response; Elx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in

DEXRON[®] VI ATF

000003001354

Version 3.5

Revision Date 2021/02/04

Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; I C50 - Lethal Concentration to 50 % of a test population; I D50 - Lethal Dose to

cals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC -No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS -Workplace Hazardous Materials Information System

| For Copy of SDS | : | Internet: lubricants.petro-canada.com/sds Western Canada, telephone: 1-800-661-1199; fax: 1-800-378- 4518 Ontario & Central Canada, telephone: 1-800-268-5850; fax: 1- 800-201-6285 Quebec & Eastern Canada, telephone: 1-800-576-1686; fax: 1-800-201-6285 For Product Safety Information: 1 905-491-0565 |
|------------------------------|---|---|
| Prepared by | : | Product Safety: +1 905-491-0565 |
| Revision Date Date format | : | 2021/02/04 yyyy/mm/dd |

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN



Print Date 2021/02/04