



CC Testing Labs, Inc.
18417 Bryant St
Northridge, CA 91325

818-797-1500
http://www.cctestlabslabs.com
LIC# C8-0000068-LIC
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

CTL-240523-058
1 of 4

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A CALIFORNIA COMPLIANCE CERTIFICATE.

BATCH RESULT: PASS

SAMPLE: CRUNCH BERRY SUNDAE (CONCENTRATE) CLIENT: CLEAN CARTS COMPLETED: JULY 25, 2024



METRC SAMPLE: N/A / METRC BATCH: N/A

CRUNCH BERRY SUNDAE

MATRIX: CONCENTRATE
CATEGORY: INHALABLE
SAMPLE ID: CTL-240523-020
COLLECTED ON: JULY 23, 2024
RECEIVED ON: JULY 23, 2024
SAMPLE SIZE: 1 UNITS

CANNABINOID OVERVIEW

TOTAL THC:	924.33 MG/G
TOTAL CBD:	1.52 MG/G
TOTAL CANNABINOIDS:	961.58 MG/G
SUM OF CANNABINOIDS:	961.71 MG/G

BATCH RESULT: PASS

 MYCO PASS	 PESTICIDES PASS	 POTENCY COMPLETE	 METALS PASS	 SOLVENTS PASS
--	---	--	---	---

CANNABINOIDS BY HPLC: CCTL-PM-002, SOP-011 // JULY 23, 2024

ANALYTE	LIMIT (mg)	AMT (%)	AMT (mg/g)	LOD/LOQ (mg/g)	PASS/FAIL	ANALYTE	LIMIT (mg)	AMT (%)	AMT (mg/g)	LOD/LOQ (mg/g)	PASS/FAIL
CBC		0.393	3.93	0.2926/0.5851	N/A	Δ ⁸ -THC		ND	ND	0.2926/0.5851	N/A
CBD		0.152	1.52	0.2926/0.5851	N/A	Δ ⁹ -THC		92.342	923.42	0.2926/0.5851	N/A
CBDA		ND	ND	0.2926/0.5851	N/A	THCA		0.104	1.04	0.2926/0.5851	N/A
CBDV		< LOQ	< LOQ	0.2926/0.5851	N/A	THCV		0.337	3.37	0.2926/0.5851	N/A
CBG		1.913	19.13	0.2926/0.5851	N/A	TOTAL THC**		92.433	924.33		N/A
CBGA		ND	ND	0.2926/0.5851	N/A	TOTAL CBD**		0.152	1.52		N/A
CBN		0.930	9.30	0.2926/0.5851	N/A						

** TOTAL THC = DELTA-8-THC + (DELTA-8-THCA X 0.877) + DELTA-9-THC + (THCA X 0.877)
** TOTAL CBD = CBD + (CBDA X 0.877)

James W. Cox

James W. Cox
Laboratory Director
JULY 25, 2024

This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be reproduced except in full without the written approval of CCTL. Samples were collected as per 4 CCR Section 15707.



CC Testing Labs, Inc.
18417 Bryant St
Northridge, CA 91325

818-797-1500
http://www.cctestlabs.com
LIC# C8-0000068-LIC
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

CTL-240523-058
2 of 4

PESTICIDES BY LCMS: CCTL-PM-030 // JULY 25, 2024

ANALYTE	LIMIT (µg/g)	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
PYRETHRINS	0.5	ND		PASS
SPINETORAM	0.1	ND		PASS
SPINOSAD	0.1	ND		PASS
ABAMECTIN	0.1	ND	0.006/0.012	PASS
CHLORDANE ¹	Any amt	ND		PASS
CYFLUTHRIN	2	ND	0.023/0.047	PASS
CYPERMETHRIN	1	ND	0.012/0.023	PASS
DIMETHOMORPH	2	ND	0.006/0.012	PASS
MALATHION	0.5	ND	0.006/0.012	PASS
PERMETHRIN	0.5	ND	0.024/0.047	PASS
PRALLETHRIN	0.1	ND	0.006/0.012	PASS
PROPICONAZOLE	0.1	ND	0.006/0.012	PASS
ACEPHATE	0.1	ND	0.006/0.012	PASS
ACEQUINOCYL	0.1	ND	0.012/0.024	PASS
ACETAMIPRID	0.1	ND	0.006/0.012	PASS
AZOXYSTROBIN	0.1	ND	0.006/0.012	PASS
BIFENAZATE	0.1	< LOQ	0.006/0.012	PASS
BIFENTHRIN	3	ND	0.024/0.047	PASS
BOSCALID	0.1	ND	0.006/0.012	PASS
CAPTAN	0.7	ND	0.238/0.475	PASS
CARBARYL	0.5	ND	0.006/0.012	PASS
CHLORANTRANIL-IPROLE	10	ND	0.006/0.012	PASS
CLOFENTEZINE	0.1	ND	0.006/0.012	PASS
DIAZINON	0.1	ND	0.006/0.012	PASS
ETOXAZOLE	0.1	ND	0.006/0.012	PASS
FENHEXAMID	0.1	ND	0.006/0.012	PASS
FENPYROXIMATE	0.1	ND	0.006/0.012	PASS
FLONICAMID	0.1	ND	0.006/0.012	PASS
FLUDIOXONIL	0.1	ND	0.006/0.012	PASS
HEXYTHIAZOX	0.1	ND	0.006/0.012	PASS
IMIDACLOPRID	5	ND	0.006/0.012	PASS
KRESOXIM-METHYL	0.1	ND	0.006/0.012	PASS
METALAXYL	2	ND	0.006/0.012	PASS
METHOMYL	1	ND	0.006/0.012	PASS
MEVINPHOS ¹	Any amt	ND	0.006/0.012	PASS
MYCLOBUTANIL	0.1	ND	0.006/0.012	PASS
NALED	0.1	ND	0.006/0.012	PASS

PESTICIDES BY GCMS: CCTL-PM-020 // JULY 24, 2024

ANALYTE	LIMIT (µg/g)	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
OXAMYL	0.5	ND	0.006/0.012	PASS
PENTACHLORONI-TROBENZENE	0.1	ND	0.030/0.061	PASS
PHOSMET	0.1	ND	0.006/0.012	PASS
PIPERONYLBUTO-XIDE	3	ND	0.006/0.012	PASS
PYRETHRINS		ND	0.006/0.012	N/A
PYRETHRIN I		ND	0.006/0.012	N/A
PYRETHRINS		ND	0.006/0.012	N/A
PYRETHRIN II		ND	0.006/0.012	N/A
PYRIDABEN	0.1	ND	0.006/0.012	PASS
SPINETORAM J		ND	0.006/0.012	N/A
SPINETORAM L		ND	0.006/0.012	N/A
SPINOSAD A		ND	0.006/0.012	N/A
SPINOSAD D		ND	0.006/0.012	N/A
SPIROMESIFEN	0.1	ND	0.006/0.012	PASS
SPIROTETRAMAT	0.1	ND	0.006/0.012	PASS
SPIROXAMINE ¹	Any amt	ND	0.006/0.012	PASS
TEBUCONAZOLE	0.1	ND	0.006/0.012	PASS
THIAMETHOXAM	5	ND	0.006/0.012	PASS
TRIFLOXYSTROB-IN	0.1	ND	0.006/0.012	PASS
ALDICARB ¹	Any amt	ND	0.006/0.012	PASS
CARBOFURAN ¹	Any amt	ND	0.006/0.012	PASS
CHLORDANE CIS ¹		ND	0.015/0.030	N/A
CHLORDANE TRANS ¹		ND	0.015/0.030	N/A
CHLORFENAPYR ¹	Any amt	ND	0.030/0.059	PASS
CHLORPYRIFOS ¹	Any amt	ND	0.006/0.012	PASS
COUMAPHOS ¹	Any amt	ND	0.006/0.012	PASS
DAMINOZIDE ¹	Any amt	ND	0.006/0.012	PASS
DICHLORVOS ¹	Any amt	ND	0.006/0.012	PASS
DIMETHOATE ¹	Any amt	ND	0.006/0.012	PASS
ETHOPROPHOS ¹	Any amt	ND	0.006/0.012	PASS
ETOFENPROX ¹	Any amt	ND	0.006/0.012	PASS
FENOXYCARB ¹	Any amt	ND	0.012/0.024	PASS
FIPRONIL ¹	Any amt	ND	0.006/0.012	PASS
IMAZALIL ¹	Any amt	ND	0.006/0.012	PASS
METHIOCARB ¹	Any amt	ND	0.006/0.012	PASS
METHYL PARATHION ¹	Any amt	ND	0.030/0.061	PASS
PACLOBUTRAZOL ¹	Any amt	ND	0.006/0.012	PASS
PROPOXUR ¹	Any amt	ND	0.006/0.012	PASS
THIACLOPRID ¹	Any amt	ND	0.006/0.012	PASS

¹ CATEGORY 1 PESTICIDES

James W. Cox

James W. Cox
Laboratory Director
JULY 25, 2024

This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be reproduced except in full without the written approval of CCTL. Samples were collected as per 4 CCR Section 15707.



CC Testing Labs, Inc.
18417 Bryant St
Northridge, CA 91325

818-797-1500
http://www.cctestingslabs.com
LIC# C8-0000068-LIC
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

CTL-240523-058
3 of 4

MYCOTOXINS BY LCMS: CCTL-PM-020 // JULY 25, 2024

ANALYTE	LIMIT (µg/kg)	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	1.455/2.910	N/A
AFLATOXIN B2		ND	2.917/5.834	N/A
AFLATOXIN G1		ND	1.455/2.910	N/A

ANALYTE	LIMIT (µg/kg)	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN G2		ND	1.455/2.910	N/A
AFLATOXINS	20	ND		PASS
OCHRATOXIN A	20	ND	5.819/11.638	PASS

HEAVY METALS BY ICP-MS: SOP-010 // JULY 24, 2024

ANALYTE	LIMIT (µg/g)	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	0.2	ND	0.011/0.049	PASS
CADMIUM	0.2	ND	0.005/0.049	PASS

ANALYTE	LIMIT (µg/g)	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
LEAD	0.5	< LOQ	0.004/0.049	PASS
MERCURY	0.1	ND	0.002/0.010	PASS

RESIDUAL SOLVENTS BY GCMS: CCTL-PM-010 // JULY 24, 2024

ANALYTE	LIMIT (µg/g)	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
1,2-DICHLOROETHANE	1	ND	0.147/0.294	PASS
ACETONE	5000	ND	23.438/46.875	PASS
ACETONITRILE	410	ND	23.438/46.875	PASS
BENZENE	1	ND	0.147/0.294	PASS
BUTANE	5000	ND	23.438/46.875	PASS
CHLOROFORM	1	ND	0.147/0.294	PASS
ETHANOL	5000	61.495	23.438/46.875	PASS
ETHYL ACETATE	5000	ND	23.438/46.875	PASS
ETHYLENE OXIDE	1	ND	0.147/0.294	PASS
ETHYL ETHER	5000	ND	23.438/46.875	PASS
HEPTANE	5000	ND	23.438/46.875	PASS

ANALYTE	LIMIT (µg/g)	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
HEXANE	290	ND	23.438/46.875	PASS
ISOPROPYL ALCOHOL	5000	ND	23.438/46.875	PASS
METHANOL	3000	ND	23.438/46.875	PASS
METHYLENE CHLORIDE	1	ND	0.147/0.294	PASS
PENTANE	5000	ND	23.438/46.875	PASS
PROPANE	5000	ND	23.438/46.875	PASS
TOLUENE	890	ND	23.438/46.875	PASS
TRICHLOROETHYLENE	1	ND	0.147/0.294	PASS
O-XYLENE		ND	11.719/23.438	N/A
P- AND M-XYLENE		ND	11.719/23.438	N/A
TOTAL XYLENES	2170	ND		PASS

James W. Cox

James W. Cox
Laboratory Director
JULY 25, 2024

This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be reproduced except in full without the written approval of CCTL. Samples were collected as per 4 CCR Section 15707.



CC Testing Labs, Inc.
18417 Bryant St
Northridge, CA 91325

818-797-1500
<http://www.cctestinglabs.com>
LIC# C8-0000068-LIC
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

CTL-240523-058
4 of 4

ACCREDITATIONS



TL-819

ISO17025:2017

IAS ACCREDITED

PESTICIDES BY LCMS: CCTL-PM-030

ABAMECTIN, ABAMECTIN BA, ACEPHATE, ACEQUINOCYL, ACETAMIPRID, ALDICARB, AZOXYSTROBIN, BIFENAZATE, BIFENTHRIN, BOSCALID, CARBARYL, CARBOFURAN, CHLORANTRANILIPROLE, CHLORPYRIFOS, CLOFENTEZINE, COUMAPHOS, CYFLUTHRIN, CYPERMETHRIN, DAMINOZIDE, DIAZINON, DICHLORVOS, DIMETHOATE, DIMETHOMORPH, DIMETHOMORPH I, ETHOPROPHOS, ETOFENPROX, ETOXAZOLE, FENHEXAMID, FENOXYCARB, FENPYROXIMATE, FIPRONIL, FLONICAMID, FLUDIOXONIL, HEXYTHIAZOX, IMAZALIL, IMIDACLOPRID, KRESOXIM-METHYL, MALATHION, METALAXYL, METHIOCARB, METHOMYL, MEVINPHOS, MYCLOBUTANIL, NALED, OXAMYL, PACLOBUTRAZOL, PERMETHRIN, PHOSMET, PIPERONYLBUTOXIDE, PRALLETHRIN, PROPICONAZOLE, PROPOXUR, PYRETHRINS, PYRETHRINS PYRETHRIN I, PYRETHRINS PYRETHRIN II, PYRIDABEN, SPINETORAM, SPINETORAM J, SPINETORAM L, SPINOSAD, SPINOSAD A, SPINOSAD D, SPIROMESIFEN, SPIROTETRAMAT, SPIROXAMINE, TEBUCONAZOLE, THIAACLOPRID, THIAMETHOXAM, TRIFLOXYSTROBIN

RESIDUAL SOLVENTS BY GCMS: CCTL-PM-010

1,2-DICHLOROETHANE, ACETONE, ACETONITRILE, BENZENE, BUTANE, CHLOROFORM, ETHANOL, ETHYL ACETATE, ETHYL ETHER, ETHYLENE OXIDE, HEPTANE, HEXANE, ISOPROPYL ALCOHOL, METHANOL, METHYLENE CHLORIDE, PENTANE, PROPANE, TOLUENE, TOTAL XYLENES, TRICHLOROETHYLENE, O-XYLENE, P- AND M-XYLENE

CANNABINOIDS BY HPLC: CCTL-PM-002, SOP-011

CBC, CBD, CBDA, CBDV, CBG, CBGA, CBN, DELTA-8-THC, DELTA-9-THC, THC: CBD RATIO, THCA, THCV, TOTAL CBD, TOTAL THC

PESTICIDES BY GCMS: CCTL-PM-020

CAPTAN, CHLORDANE, CHLORDANE CIS, CHLORDANE TRANS, CHLORFENAPYR, METHYL PARATHION, PENTACHLORONITROBENZENE

MYCOTOXINS BY LCMS: CCTL-PM-020

AFLATOXIN B1, AFLATOXIN B2, AFLATOXIN G1, AFLATOXIN G2, AFLATOXINS, OCHRATOXIN A

HEAVY METALS BY ICP-MS: SOP-010

ARSENIC, CADMIUM, LEAD, MERCURY

** FOR QUALITY ASSURANCE PURPOSES. NOT A CALIFORNIA COMPLIANCE CERTIFICATE.*

James W. Cox

James W. Cox
Laboratory Director
JULY 25, 2024

This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be reproduced except in full without the written approval of CCTL. Samples were collected as per 4 CCR Section 15707.