NURUSH

Kentucky Bluegrass

NuRush charges onto the scene with amazing turf quality and tolerance to many common turf diseases such as stem rust, dollar spot and summer patch. It has also demonstrated high tolerance to mesotrione in trials.

NuRush can be used as a straight variety or blended with other Jacklin varieties. With Excellent Turf Quality and Heat and Mesotrione Tolerance, NuRush is easily adaptable and versatile.

Key features



Excellent Turf Quality



Good Heat Tolerance



Mesotrione Tolerance



Fewer Seedheads



Disease Resistence

A-List Certified

NuRush is currently certified with the Alliance for Low Input Sustainable Turf. To learn more about A-List and the certification process visit their website at: a-listturf.org



Maintenance

Seeding Rate: 2-3lbs/M*
Mowing (Recommendation) 2-3"
Mowing (Down to) 0.500"

*M=1,000 square feet



Applications

Standing up to heat and having great disease resistance against Summer Patch, Dollar Sport and Leaf Rust, NuRush has excellent turf quality, being statistically tied with the #1 variety in 2019 NTEP ratings. Coming in with a 9 rating (9=no damage) for Mesotrione Tolerance at the 2018 NJ2 location, NuRush can be established with ease. NuRush is an excellenct selection for Parks, Sports Fields and Golf Courses and tolerates mowing heights as low as .50" and up to 3.5".


Specifications

Seeding and establishment may be done in spring or fall, but be wary of summer or winter annuals. For better early weed control, consider an application of Mesotrione in the seeding process. Plant seeds to a depth of no more than 0.25-0.50" below the soil surface to ensure good seed to soil contact. Thatch layers will only slow or impede germination success. After spreading seed, keep seedbed moist throughout germination, with extra care during the early stages to prevent seed from drying out after initial seed imbibition. Germination should begin within 10 to 21 days and be complete within 35 days. Remember, the full turfgrass establishment process may take 6 months to a year.

Mean Genetic Color



Summer Density



Mean Turf Quality at 11 Locations



www.jacklinseed.com

JACKLIN