

Endocalyx, Endogenx, GlycoCheck Table of Contents

Diseases & Conditions Being Researched at Universities and Hospitals

- 2-4 GlycoCheck being used by Researchers in Hospitals & Universities
- 2 Examples of Diseases and Conditions Being Researched
- 2 Key Partner in The Crucial Consortium

Reproducibility and Validity Studies

- 5 Clinical Papers
 - Emergency Room & Intensive Care Unit – The GlycoNurse Study
 - Early Onset Preeclampsia
 - Resuscitated Sepsis
 - Ischemic Heart Disease
- 6 Experimental Papers
 - Insulin
 - Diet-induced Obesity in Mice
 - Arteriogenic Process

Current Ongoing Studies Using GlyCoCheck and Endocalyx Pro (for complete list: www.microvasular.com/endocalyx-pro-studies)

Studies on the effectiveness of Endocalyx Pro are ongoing. Several studies are complete, some studies are ongoing, with new studies launching in the future.

- 7 Tests Have Been Running Since 2015

Functional Studies on Endocalyx Pro (pg 8-16)

- 9-10 Aging Study Abstract
- 8 COVID-19 Study Abstract
- 8 COVID-19 Study Design
- 9-10 Diabetes Study Abstract
- 13-14 Dietary Interventions on Glycocalyx Dimensions with those with Diabetic Nephropathy
- 14-15 Dietary Glycocalyx Precursor Supplementation Ameliorates Age-Related Vascular Dysfunction
- 11 Heart Study Overall Scientific Summary
- 11-12 Kidney Cell Culture Study Objectives
- 10 Kidney Disease Abstract

- 16 Pilot Study in 13 Healthy Volunteers
- 11 Psoriasis Study Design
- 12-13 Sepsis Study Summary
- 13 Additional Studies Being Written and In Approval Process Devoted to These Conditions

Studies on Endogenx Nutraceutical (pg 17-50)

- 17-19 Table of Contents

Abuse of Drugs

- 34 Use of Micronutrients Attenuates Cannabis and Nicotine Abuse as Evidences From a Reversal Design: A Case Study

ADHD

- 27-28 Clinically Significant Symptom Reduction in Children with AD/HD Disorder Treated with Micronutrients: An Open-Label Reversal Design Study
- 28-29 Vitamin-Mineral Treatment of ADHD in Adults: A One-Year Follow-Up of a Randomized Controlled Trial
- 30-31 Vitamin-Mineral Treatment of ADHD in Adults: Double-Blind Randomized Placebo-Controlled Trial
- 31 Moderators of Treatment Response in Adults with ADHD Treated with a Vitamin-Mineral Supplement
- 32 Could Yeast Infections Impair Recovery from Mental Illness? A Case Study Using Micronutrients and Olive Oil Extract for the Treatment of ADHD and Depression
- 38-39 Post-Earthquake Psychological Functioning in Adults with ADHD: Positive Effects of Micronutrients on Resilience
- 39-40 Micronutrients Reduce Stress and Anxiety Following a 7.1 Earthquake in Adults with ADHD
- 41-42 Impact of a Micronutrient Formula and ADHD and Mood Dysregulation in Adults with ADHD: Evidence From an 8-Week Open Label Trial with Natural Follow-Up

Anxiety/Stress/Hyperactivity

- 20 Anxiety and Stress in Children Following an Earthquake
- 26-27 A Randomized Trail of Nutrient Supplements to Minimize Psychological Stress After Natural Disaster
- 29-30 Psychological Functioning 1 Year After a Brief Intervention Using Micronutrients to Treat Stress and Anxiety related to the 2011 Christ Church Earthquakes: A Naturalistic Follow-Up
- 35-36 Shaken but Unstirred? Effects of Micronutrients on Stress and Trauma After an Earthquake: RCT Evidence Comparing Formulas and Doses
- 37-38 Effect of Micronutrients on Neurocognitive Functioning in Adults with ADHD and Severe Mood Dysregulation: A Pilot Study

Autism

- 44 Micronutrients Vs. Standard Medication Management in Autism: A Naturalistic Case-Control Study

Bipolar Disorders

- 24 An Individual Approach to Treatment-Resistant Bipolar Disorder: A Case Series
- 33 Nutritional and Safety Outcomes from an Open-Label Micronutrient Intervention for Pediatric Bipolar Spectrum Disorders
- 36-37 Feasibility of a Nutritional Supplement for Pediatric Bipolar Spectrum Disorders
- 42-43 Database Analysis of Children and Adolescents with Bipolar Disorder Consuming a Micronutrient Formula
- 43-44 Successful Treatment of Bipolar Disorder II and ADHD with a Micronutrient Formula: A Case Study
- 45 Database Analysis of Adults with Bipolar Disorder Consuming a Micronutrient Formula
- 46-47 Multi-nutrient Supplement as Treatment: Literature Review and Case Report of a 12-Year Old Boy with Bipolar Disorder
- 49 Effective Improvement in Bipolar Disorder
- 49 Effective Mood Stabilization in Bipolar Disorder with a Chelated Mineral Supplement

Cost of Treatment

- 21 Hospitalization cost of Conventional Psychiatric Care Vs. Broad Spectrum Micronutrient Treatment

Emotional/Behavioral Dysregulation

- 25-26 Micronutrient Treatment for Children with Emotional and Behavioral Dysregulation: A Case Series
- 47-48 Improved Mood and Behavior During Treatment with a Mineral-Vitamin Supplement: An Open-Label Case Series of Children
- 48 Treatment of Mood Lability and Explosive Rage with Minerals and Vitamins: Two Case Studies in Children
- 50 Do Vitamins or Minerals (Apart from Lithium) Have Mood-Stabilizing Effects?

Mental Health

- 40-41 Safety and Tolerability of a Complex Micronutrient Formula Used in Mental Health: A Compilation of Eight Data Sets

Obsessive Compulsive Disorder (OCD)

- 46 Successful Treatment of OCD with a Micronutrient Formula Following Partial Response to CBT: A Case Study

Psychotic Disorders

- 22-23 Adjunctive Treatment of Psychotic Disorders with Micronutrients
- 34-35 Efficacy and Cost of Micronutrient Treatment of Childhood Psychosis

Traumatic Brain Injury

- 23-24 Micronutrient Treatment of Emotional Dyscontrol Following Traumatic Brain Injury

Most Recent Published Papers Using GlycoCheck (pg 51-60)

Advanced Age

56 Advanced Age Results in a Diminished Endothelial Glycocalyx

Animals

53 Evaluation of Jejunal Microvasculature of Healthy Anesthetized Dogs with Side Stream Dark Field Video Microscopy

Aerobic/High Intensity Exercise

52 Effects of a Single Aerobic Exercise on Perfused Boundary Region and Microvascular Perfusion: A Field Study

54 Effects of High-Intensity Interval Training on Microvascular Glycocalyx and Associated Micro RNAs

Angina

59 Non-Invasive Assessment of Microvascular Dysfunction in Patients with Microvascular Angina

Anesthesia

56 Neuraxial Anesthesia is Less Harmful to the Endothelial Glycocalyx During Elective Joint Surgery Compared to General Anesthesia

Assessment of the GlycoCheck

53 Assessment of the Sublingual Microcirculation with the GlycoCheck System: Reproducibility and Examination Conditions

55 GlycoCheck in Vivo Measurement

Atherosclerosis

54 Sublingual Endothelial Glycocalyx and Atherosclerosis: A Cross Sectional Study

Blood Donation

53 Immediate Effects of Whole Blood Donation on the Endothelial Surface Layer and Glycocalyx Shedding

Cardiac Surgery

53 Microvascular Alterations During Cardiac Surgery Using a Heparin or Phosphorylcholine-Coated Circuit

59 Side-By-Side Alterations in Glycocalyx Thickness and Perfused Microvascular Density During Acute Microcirculatory Alterations in Cardiac Surgery

Cardiovascular Disease

51 Association of Gestational Diabetes with Subclinical Cardiovascular Disease on Echocardiogram and Endothelial Function Testing

51 Impaired Endothelial Glycocalyx Predicts Adverse Outcome in Subjects Without Overt Cardiovascular Disease: A 6-Year Follow-Up Study

Cerebrovascular

- 51 Microvascular Rarefaction in Patients with Cerebrovascular Events
- 59 Protocol for Intraoperative Assessment of the Human Cerebrovascular Glycocalyx

Chronic Heart Failure

- 57 Sublingual Functional Capillary Rarefaction in Chronic Heart Failure

COVID-19/SARS-COV-2

- 51 Apremilast Improves Endothelial Glycocalyx and Microvascular Perfusion: A Possible Protective Mechanism Against COVID-19
- 51 Case Report: Endothelial Glycocalyx Damage in Critically Ill Patients with SARS-CoV-2-Related Multisystem Inflammatory Syndrome (MIS-C)
- 52 Association of COVID-19 with Impaired Endothelial Glycocalyx, Vascular Function and Myocardial Deformation Four Months After Infection
- 52 Vascular Endothelial Glycocalyx Damage in COVID-19
- 52 Microvascular Dysfunction in COVID-19: The Mystic Study
- 53 Tocilizumab Improves Oxidative Stress and Endothelial Glycocalyx: A Mechanism That May Explain the Effects of Biological Treatment of COVID-19

Coronary Heart Disease (CAD)

- 58 Non-Invasive Assessment of Microvascular Dysfunction in Families with Premature Coronary Heart Disease

Dengue Infection

- 53 Visual and Biochemical Evidence of Glycocalyx Disruption in Human Dengue Infection, and Association with Plasma Leakage Severity

Diabetes

- 54 Effects of Different Antidiabetic Medications on Endothelial Glycocalyx, Myocardial Function, and Vascular Function in Type 2 Diabetic Patients: One Year Follow-Up Study
- 55 Improvement of Arterial Stiffness and Myocardial Deformation in Patients with Poorly Controlled Diabetes Mellitus Type 2 After Optimization of Antidiabetic Medication
- 55 Effects of Glucagon-Like Peptid-1 Receptor Agonists, Sodium-Glucose Cotransporter-2 Inhibitors, and their Combination on Endothelial Glycocalyx, Arterial Function, and Myocardial Work Index in Patients with Type 2 Diabetes Mellitus After 12-Month Treatment
- 57 Effect of Sulodexide on Endothelial Glycocalyx and Vascular Permeability in Patients with Type 2 Diabetes Mellitus
- 58 Skeletal Muscle Capillary Density and Microvascular Function are Compromised with Aging and Type 2 Diabetes
- 59 Early Detection of Left Ventricular Dysfunction in First-Degree Relatives of Diabetic Patients by Myocardial Deformation Imaging: The Role of Endothelial Glycocalyx Damage
- 59 Improvement of Arterial Stiffness and Myocardial Deformation in Patients with Poorly Controlled Diabetes Mellitus Type 2 After Optimization of Antidiabetic Medication

Endothelial Glycocalyx

- 54 Evaluation of Endothelial Glycocalyx in Healthy Volunteers – An Observational Study
- 57 Methods for Evaluating Endothelial Function: A Position Statement from the European Society of Cardiology Working Group on Peripheral Circulation

Femoral Artery Ligation

- 55 Perturbed Mechanotransduction by Endothelial Surface Glycocalyx Modification Greatly Impairs the Arteriogenic Process

General Anesthesia

- 54 Non-Invasive Evaluation of Macro- and Micro-Hemodynamic Changes During Induction of General Anesthesia – A Prospective Observational Single-Blinded

Heparin Sulfate

- 51 Mutations in the Heparan Sulfate Backbone Elongating Enzymes EXT1 and EXT2 Have No Major Effect on Endothelial Glycocalyx and the Glomerular Filtration Barrier

Hypertension

- 53 Sex-Related Associations of High-Density Lipoprotein Cholesterol with Aortic Stiffness and Endothelial Glycocalyx Integrity in Treated Hypertensive Patients
- 55&57 HDL Cholesterol Levels and Endothelial Glycocalyx Integrity in Treated Hypertensive Patients
- 57 Association of Impaired Endothelial Glycocalyx with Arterial Stiffness, Coronary Microcirculatory Dysfunction, and Abnormal Myocardial Deformation in Untreated Hypertensives

Hypertonic Saline Solution

- 56 Effect of Acute Hyponatremia Induced by Hypertonic Saline Administration of Endothelial Glycocalyx in Rabbits
- 56 The Effect of Fluid Loading and Hypertonic Saline Solution on Cortical Cerebral Microcirculation and Glycocalyx Integrity

Idiopathic Pulmonary Artery Hypertension

- 52 May We Use Non-Invasive Indices of Aortic Stiffness and Endothelial Glycocalyx as Biomarkers for Idiopathic Pulmonary Artery Hypertension Follow-Up?

Infants

- 59 Perturbation of the Microvascular Glycocalyx and Perfusion in Infants After Cardiopulmonary Bypass

Intravenous Fluid Challenges

- 56 Impact of Intravenous Fluid Challenge Infusion Time on Macrocirculation and Endothelial Glycocalyx in Surgical and Critically Ill Patients

Kidney

- 55 Extracellular Overhydration Linked with Endothelial Dysfunction in the Context of Inflammation in Haemodialysis Dependent Chronic Kidney Disease
- 57 Acute Ischemic Injury to the Renal Microvasculature in Human Kidney Transplantation
- 57 Damage of the Endothelial Glycocalyx in Dialysis Patients
- 58 Association of Kidney Function with Changes in the Endothelial Surface Layer
- 58 Is Systemic Microvascular Endothelial Glycocalyx in Peritoneal Dialysis Patients Related to Peritoneal Transport?

- 58 Effects on Ultrapure Hemodialysis and Low Molecular Weight Heparin on the Endothelial Surface Layer

Malaria

- 53 In Vivo Imaging of the Buccal Mucosa Shows Loss of the Endothelial Glycocalyx and Perivascular Hemorrhages in Pediatric Plasmodium Falciparum Malaria

Microcirculation/Microvascular

- 53 Variability of Microcirculatory Measurements in Critically Ill Patients
- 55 Inflammatory and Angiogenic Factors Linked to Longitudinal Microvascular Changes in Hemodialysis Patients Irrespective to Treatment Dose Intensity
- 55 Uncoupling of Microvascular Blood Flow and Capillary Density in Vascular Cognitive Impairment
- 55 Alterations of Conjunctival Glycocalyx and Microcirculation in Non-Septic Critically Ill Patients
- 56 Increase in Perfused Boundary Region of Endothelial Glycocalyx is Associated with Higher Prevalence of Ischemic Heart Disease and Lesions of Microcirculation and Vascular Wall
- 57 In Vivo Assessment of the Human Cerebral Microcirculation and its Glycocalyx: A Technical Report
- 57 Bedside Analysis of the Sublingual Microvascular Glycocalyx in the ER and Intensive Care Unit – The GlycoNurse Study
- 58 Alteration of the Sublingual Microvascular Glycocalyx in Critically Ill Patients
- 58 Deeper Penetration of Erythrocytes into the Endothelial Glycocalyx is Associated with Impaired Microvascular Perfusion
- 58 Characteristics and Determinants of the Sublingual Microcirculation in Populations of Different Ethnicity
- 59 Effect on an Acute and Chronic Slat Load on Microvascular Permeability in Healthy Subjects

Myocardial Infarction

- 52 Vascular Conditioning Prevents Adverse Left Ventricular Remodeling After Acute Myocardial Infarction: A Randomized Remote Conditioning Study

Neonate

- 52 Effect of Gestational Age and Postnatal Age on the Endothelial Glycocalyx in Neonates

Obesity

- 52 Microvascular Differences in Individuals with Obesity at Risk of Developing Cardiovascular Disease

Periodontal Disease

- 59 The Impact of Periodontal Disease Treatment on Endothelium of Sublingual Micro-vessels

Psoriasis

- 51 Endothelial Glycocalyx and Microvascular Perfusion are Associated with Carotid Intima-Media Thickness and Impaired Myocardial Deformation in Psoriatic Disease
- 51 Endothelial Glycocalyx Integrity and Microvascular Perfusion are Associated with Novel Echocardiographic Markers and Carotid Intima-Media Thickness in Patients with Psoriasis

Preeclampsia

- 54 Early Onset Preeclampsia is Associated with Glycocalyx Degradation and Reduced Microvascular Perfusion

Sclerosis

- 54 Does Sublingual Microscopy Correlate with Nailfold Video-capillaroscopy in Systemic Sclerosis?
- 56 Automated Measurement of Microvascular Function Reveals Dysfunction in Systemic Sclerosis: A Cross-Sectional Study
- 60 The Measurement of the Endothelial Glycocalyx as a New Biomarker of Endothelial Derangement in Systemic Sclerosis: A Challenge for the Future

Sepsis

- 52 Links Between Endothelial Glycocalyx Changes and Microcirculatory Parameters in Septic Patients
- 52 Identification of Novel Sublingual Parameters to Analyze and Diagnose Microvascular Dysfunction in Sepsis: The Nostradamus Study
- 53 Decreased Endothelial Glycocalyx Thickness is an Early Predictor of Mortality in Sepsis
- 54 TIE2 Activation Promotes Protection and Reconstitution of the Endothelial Glycocalyx in Human Sepsis
- 54 Association of Sublingual Microcirculation Parameters and Endothelial Glycocalyx Dimensions in Resuscitated Sepsis
- 55 Derangement of the Endothelial Glycocalyx in Sepsis
- 58 Microcirculatory Effects of the Transfusion of Leukodepleted or Non-Leukodepleted Red Blood Cells in Patients with Sepsis: A Pilot Study
- 58 Plasma free Hemoglobin and Microcirculatory Response to Fresh or Old Blood Transfusions in Sepsis

Smoking Cessation Program

- 59 Effects of Varenicline and Nicotine Replacement Therapy on Arterial Elasticity, Endothelial Glycocalyx and Oxidative Stress During a 3-Month Smoking Cessation Program

Strokes

- 54 Impaired Arterial Elastic Properties and Endothelial Glycocalyx in Patients with Embolic Stroke of Undetermined Source
- 57 Sublingual Microvascular Glycocalyx Dimensions in Lacunar Stroke Victims

Vascular Dysfunction

- 56 Induced TRF2 Deletion Leads to Aging Vascular Phenotype in Mice Associated with Arterial Telomere Uncapping, Senescence Signaling, and Oxidative Stress