



COMPACT INDUSTRIAL CHILLERS



Contact us

Email: cam@arkm.co.nz
 phone: +64 9 307 3582
cicchillers.com.

EC4 (7kW) Specifications.

Cooling capacity		kW	7
		103 kcal/h	6
Power source		V/ph/Hz	415/3/50
Gross power		kW	4.8
Rated current		A	10.8
Compressor	Type		Scroll type
	Power	kW	3.9
	Quantity	net	1
Condenser	Type		Efficient inner fin coil
	Max. pressure		3.5 MPa
	Fan type		Efficiency and low noise outer rotor fan
	Fan quantity	net	1
Evaporator	Type		Tube type
	Tank volume	L	70
	Temp. range	°C	neg. 5C. to 30C.
	Water flow rate	m ³ /h	1.2
		L/min	20
	Pipe size	DN	25
Water Max. pressure		1.5 MPa	
Pump	Type		Stainless steel centrifugal
	Power	kW	0.37
	Head	m	21
Refrigerant	Type		R22
	Throttling type		Capillary
Safety Features			Pressure / Overload / Anti-freeze / Delay / Over-temperature / Flow
Noise level		dB(A)	60
Unit weight		kg	200
Running weight		kg	270
Chiller Dim.	L*W*H	mm	1220*720*1325
Crate Dim.	L*W*H	mm	1270*920*1750

- All options can be customised
- Design and specification are subject to change without prior notice.
- Above cooling capacity is based on the ambient temp. at 35°, inlet water temp. at 0° and outlet water temp. at -5°.