

Panasonic

LED

ADORN YOUR LIFE WITH
RIGHT LIGHT



LED LIGHTING
CATALOGUE & PRICE LIST
APRIL 2022



PANASONIC LED

**Illumination that
inspires the best in you.**

Light inspires a wide range of emotions. Enriched by a century of experience and relevance, we have created lights that encompass the epic range of human feelings. Our technical expertise gives us an intuitive edge to understand your needs and make products accordingly. So here we are, with world - class LED products crafted with impeccable technical precision and unmatched style that inspire the best in you.

May this illumination inspire you, today and always.



SAFETY



Surge Protection

Panasonic LED's driver has a surge voltage resistance upto 2.5kV, which protects the luminaire against voltage spikes in electric circuits.



Wide Voltage Range

Wide input voltage range, for LED Bulb: 80-400V, for LED fixtures: 100-300V.

Voltage fluctuations are common in most places in India, so Panasonic LEDs have a wide operating voltage range.



Fire Resistance

Panasonic LEDs use a Class V2 or greater grade material, which does not catch fire. This ensures that the fire does not spread to the other electrical equipment during short circuits.

COMFORT



Low Glare

Glare can lead to discomfort. That's why Panasonic LEDs have a high quality diffuser and smart design for glareless lighting, making them best suited for the home.



Panasonic LED with uniform distribution

Uniform Lighting

Panasonic LEDs have a uniform arrangement of LEDs and use a wide diffuser to ensure uniform lighting.



Other brands' LED with non-uniform distribution


Safety, Comfort and

LONG LIFE



Consistent Light Output

With the UV-Stabilised Polycarbonate Diffuser, light output remains the same for a long time, which also prevents the diffuser from yellowing.



Better Heat Dissipation

High quality housing and design leads to better heat management and maintains the initial brightness up to 50,000 burning hours.



Heat is drawn away from the light module towards the heat sink, where it dissipates from the fixture.

Long Life for generations





LED SPOT LIGHT



ADDS A SPARK OF STYLE AND FOCUS TO ANY SPACE





SPOT LIGHT

2W



Applications: Residences, Shops, Showrooms

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
2W	3000K	Ø3.5	4.2x1.85	108	PSPM01023R1	180.00	50
2W	6500K	Ø3.5	4.2x1.85	120	PSPM01027R1	180.00	50
2W	Red	Ø3.5	4.2x1.85	NA	PSPM0102RR1	180.00	50
2W	Green	Ø3.5	4.2x1.85	NA	PSPM0102GR1	180.00	50
2W	Blue	Ø3.5	4.2x1.85	NA	PSPM0102BR1	180.00	50
2W	Pink	Ø3.5	4.2x1.85	NA	PSPM0102PR1	180.00	50







LED BULB



BRIGHTENING SPACES AND LIVES

A house is made into a home by a number of things.
Presenting lights with the perfect brightness that
inspire comfort which can only be found at home.






KIGLO OMNI

3W, 5W, 7W, 9W, 10.5W, 12W, 15W, 18W, 23W, 26W



Applications: Living Room, Corridors, Shops, Offices, Staircase

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
3W	3000K	NA	5x9.4	270	PBUM01033	130.00	50
	6500K	NA	5x9.4	276	PBUM01037	130.00	50
5W	3000K	NA	5.7x10.1	450	PBUM01053	140.00	50
	6500K	NA	5.7x10.1	500	PBUM01057	140.00	50
7W	3000K	NA	5.7x10.1	630	PBUM01073	150.00	50
	6500K	NA	5.7x10.1	700	PBUM01077	150.00	50
9W	3000K	NA	5.7x10.1	810	PBUM01093	170.00	50
	6500K	NA	5.7x10.1	900	PBUM01097	170.00	50
10.5W	6500K	NA	5,6x10	1050	PBUM01117	180.00	50
12W	3000K	NA	6x11	1080	PBUM01123	260.00	50
	6500K	NA	6x11	1104	PBUM01127	260.00	50
12W (A57)	6500K	NA	5.7x10.1	1200	PBUM01127R2	220.00	50
15W	3000K	NA	6.5x12.2	1350	PBUM01153	290.00	30
	6500K	NA	6.5x12.2	1380	PBUM01157	290.00	30
18W	3000K	NA	7.5x14	1656	PBUM01183	360.00	30
	6500K	NA	7.5x14	1800	PBUM01187	360.00	30
23W	3000K	NA	8x15.4	2070	PBUM01233	550.00	20
	6500K	NA	8x15.4	2300	PBUM01237	550.00	20
26W	6500K	NA	9x18.4	2600	PBUM01267	575.00	20



E27

3W, 5W, 7W, 9W, 12W



Photo-biological Safe



Eco Friendly



Operating Voltage

100-320V AC



IP 20



Beam Angle 120°



Surge Protection 3.5 kV



CRI >80



LED Life 25000 BH

Applications: Decorative Chandelier, Restaurants, Hospital Lobbies & Passages

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
3W	3000K	NA	5x9.4	270	PBUM18033	130.00	50
3W	6500K	NA	5x9.4	276	PBUM18037	130.00	50
5W	3000K	NA	5.7x10.1	450	PBUM18053	140.00	50
5W	6500K	NA	5.7x10.1	500	PBUM18057	140.00	50
7W	3000K	NA	5.7x10.1	630	PBUM18073	150.00	50
7W	6500K	NA	5.7x10.1	700	PBUM18077	150.00	50
9W	3000K	NA	5.7x10.1	810	PBUM18093	170.00	50
9W	6500K	NA	5.7x10.1	900	PBUM18097	170.00	50
12W	3000K	NA	6x11	1080	PBUM18123	260.00	50
12W	6500K	NA	6x11	1200	PBUM18127	260.00	50

KIGLO HYPER

HIGH WATTAGE | ROCKET SHAPE

30W, 40W, 50W



Photo-biological Safe



Eco Friendly



Operating Voltage

100-300V AC



IP 20



Beam Angle 150°



Surge Protection 3.5 kV



CRI >80



LED Life 25000 BH

Applications: Living Room, Corridors, Shops, Offices, Staircase, Warehouse

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
30W	3000K	NA	10x15.6	2700	PBUM04303R2	875.00	10
30W	6500K	NA	10x15.6	3000	PBUM04307R2	875.00	10
40W	3000K	NA	11.8x17.7	3600	PBUM04403R2	1075.00	10
40W	6500K	NA	11.8x17.7	4000	PBUM04407R2	1075.00	10
50W	3000K	NA	13.8x20.5	4500	PBUM04503R2	1275.00	10
50W	6500K	NA	13.8x20.5	5000	PBUM04507R2	1275.00	10
40W - E27	3000K	NA	10.5x23.3	4000	PBUM05403R2	1075.00	10
40W - E27	6500K	NA	10.5x25.3	4000	PBUM05407R2	1075.00	10
50W - E27	3000K	NA	10.5x23.3	5000	PBUM05507R2	1275.00	10
50W - E27	6500K	NA	10.5x25.3	5000	PBUM05503R2	1275.00	10



EMERGENCY LAMP

9W




- Operating Voltage
120-300V AC
- IP
20
- Beam Angle
120°
- Surge Protection
2.5 kV
- CRI
>80
- LED Life
25000 BH

Applications: Living Room, Corridors, Shops, Offices, Staircase

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
9W	6500K	NA	7.5x13.9	900 (Main)/ 350 (Battery)	PBUM13097	650.00	10

RADAR BULB

9W



- Operating Voltage
120-330V AC
- IP
20
- Beam Angle
240°
- Surge Protection
3.5 kV
- CRI
>80
- LED Life
25000 BH

Applications: General Shops, Small Offices, Homes, Reception Areas, Restaurants, Hospital Lobbies & Passages

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
9W	6500K	NA	6x11.6	900	PBUM28097	700.00	10

ALL ROUNDER BULB

14W



Photo-biological Safe



Eco Friendly

3 IN ONE

1 LAMP = 3 BRIGHTNESS

Changes the brightness each time you click on ON-OFF Switch



4-in-1 LED BULB

Colour Changing | 12W



Photo-biological Safe



Eco Friendly

4 IN ONE

1 LAMP = 3 COLOURS + 1 0.5W NIGHT LAMP

Change colour every time you click on ON-OFF Switch



Operating Voltage
170-270V AC



IP
20



Beam Angle
240°



Surge Protection
3.5 kV



CRI
>80



LED Life
25000 BH



Operating Voltage
100-320V AC



IP
20



Beam Angle
240°



Surge Protection
3.5 kV



CRI
>80



LED Life
25000 BH

Applications: Homes, Restaurants, Hotels, Residential

Applications: Living Room, Corridors, Shops, Offices, Staircase

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
14W	6500K	NA	7x13.5	1260(14W) 700(7W) / (0.5W)	PBUM19147	320.00	30

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
12W	6500K/ 4000K/ 3000K	NA	7x13.5	1200 (6500K) 1140 (4000K) 1080 (3000K)	PBUM21127	340.00	30



RGB BULB

7W



Photo-biological Safe



Eco Friendly



- Operating Voltage
100-300V AC
- IP
20
- Beam Angle
240°
- Surge Protection
2.5 kV
- CRI
>80
- LED Life
25000 BH

Applications: Homes, Restaurants, Hotels, Residential

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
7W	RGB	NA	6x11.8	440	PBUM11070	750.00	30

SMART WiFi

9W



Wi-Fi Enabled




16 Million Multicolour Shades



Voice Control



On/Off & Dim



Scheduling



- Operating Voltage
120-330V AC
- IP
20
- Beam Angle
120°
- Surge Protection
3.5 kV
- CRI
>80
- LED Life
15000 BH

Applications: Living Rooms, Pubs, Restaurant, etc.

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
9W	NA	NA	6.5x11.6	720	PBUM27090	1650.00	20





NIGHT LAMP

0.5W



Photo-biological Safe



Eco Friendly



Operating Voltage
120-330V AC



IP
20



Beam Angle
240°



Surge Protection
3.5 kV



CRI
>80



LED Life
25000 BH

Applications: Puja Ghar, Bed Rooms, Restaurant, etc.

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
0.5W	Blue	NA	4.5x7	NA	92853BU	55.00	60
0.5W	Green	NA	4.5x7	NA	92853GN	55.00	60
0.5W	Red	NA	4.5x7	NA	92853RD	55.00	60
0.5W	White	NA	4.5x7	NA	92853WH	55.00	60
0.5W	Yellow	NA	4.5x7	NA	92853YW	55.00	60
0.5W	Orange	NA	4.5x7	NA	92853OR	55.00	60
0.5W	Pink	NA	4.5x7	NA	92853PN	55.00	60

RGB AUTO COLOR

0.5W



Photo-biological Safe



Eco Friendly



Operating Voltage
100-300V AC



IP
20



Beam Angle
240°



Surge Protection
3.5 kV



CRI
>80



LED Life
25000 BH

Applications: Puja Ghar, Bed Rooms, Restaurant, etc.

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
0.5W	RGB	NA	4.5x7	NA	PBUM16010	80.00	60

CANDLE BULB

4W



Photo-biological Safe



Eco Friendly

Operating Voltage
100-300V ACIP
20Beam Angle
120°Surge Protection
2.5 kVCRI
>80LED Life
25000 BH

Applications: Living Rooms, Chandeliers, Showrooms

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
4W (B22)	3000K	NA	3.8x10.7	360	PBUM39043	170.00	20
4W (B22)	6500K	NA	3.8x10.7	400	PBUM39047	170.00	20
4W (E27)	3000K	NA	3.8x10.7	360	PBUM38043	170.00	20
4W (E27)	6500K	NA	3.8x10.7	400	PBUM38047	170.00	20
4W (E14)	3000K	NA	3.8x10.7	360	PBUM15043	170.00	20
4W (E14)	6500K	NA	3.8x10.7	400	PBUM15047	170.00	20

CANDLE BULB

Clear | 2.7W



Photo-biological Safe



Eco Friendly

Operating Voltage
100-330V ACIP
20Beam Angle
120°Surge Protection
3.5 kVCRI
>80LED Life
25000 BH

Applications: Living Rooms, Chandeliers, Showrooms

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
2.7W (B22)	3000K	NA	3.65 X 10.1	243	PBUM39033	135.00	30
2.7W (B22)	6500K	NA	3.65 X 10.1	270	PBUM39037	135.00	30
2.7W (E27)	3000K	NA	3.65 X 10.1	243	PBUM38033	135.00	30
2.7W (E27)	6500K	NA	3.65 X 10.1	270	PBUM38037	135.00	30
2.7W (E14)	3000K	NA	3.65 X 10.1	243	PBUM15033	135.00	30
2.7W (E14)	6500K	NA	3.65 X 10.1	270	PBUM15037	135.00	30



LED DECORATIVE



ELEGANCE AND ILLUMINATION FOR
EVERY APPLICATION DECOR





DECO CEILING

22W



Photo-biological Safe



Eco Friendly



Operating Voltage

140-275V AC



IP **20**



Beam Angle **150°**



Surge Protection **2.5 kV**



CRI **80**



LED Life **25000 BH**

Applications: Residential, Small Offices, Service Areas, Retail Shop

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
22W	3000K	NA	30x7.8	1683	PCLM02223	1250.00	6
22W	6500K	NA	30x7.8	1870	PCLM02227	1250.00	6

ROPE LIGHT - 45 MTR

6W/Meter



Photo-biological Safe



Eco Friendly



Operating Voltage **140-275V AC**



IP **65**



Beam Angle **120°**



Surge Protection **2.5 kV**



CRI **80**



LED Life **30000 BH**

Applications: Home Decoration, Cove Lighting, Porches, Garden

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP* (₹)	PKG STD
6W/m	3000K	NA	4500x1.2x0.6	270lm/m	PSLM12TU3	7000.00	1
6W/m	4000K	NA	4500x1.2x0.6	270lm/m	PSLM12TU4	7000.00	1
6W/m	6500K	NA	4500x1.2x0.6	300lm/m	PSLM12TU7	7000.00	1
6W/m	Red	NA	4500x1.2x0.6	NA	PSLM12TUR	7000.00	1
6W/m	Green	NA	4500x1.2x0.6	NA	PSLM12TUG	7000.00	1
6W/m	Blue	NA	4500x1.2x0.6	NA	PSLM12TUB	7000.00	1

* MRP is for complete 45m roll.

STRIP LIGHT

25W - 60LED/meter IP20 & IP65

90W - 180LED/meter IP20

50W - 60LED/meter IP20



Photo-
biological
Safe



Eco
Friendly



Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
LED Strip Light IP20 - 60 LED/m							
25W	3000K	NA	500x0.8x0.2	72 lm/W	PSLM06253	850.00	10
25W	4000K	NA	500x0.8x0.2	76 lm/W	PSLM06254	850.00	10
25W	6500K	NA	500x0.8x0.2	80 lm/W	PSLM06257	850.00	10
25W	Red	NA	500x0.8x0.2	NA	PSLM0625R	950.00	10
25W	Green	NA	500x0.8x0.2	NA	PSLM0625G	950.00	10
25W	Blue	NA	500x0.8x0.2	NA	PSLM0625B	950.00	10
50W*	RGB	NA	500x0.8x0.2	NA	PSLM06500	2000.00	10
LED Strip Light IP20 - New Series - 180 LED/m							
90W	3000K	NA	500x0.8x0.2	72 lm/W	PSLM14903	1500.00	10
90W	4000K	NA	500x0.8x0.2	76 lm/W	PSLM14904	1500.00	10
90W	6500K	NA	500x0.8x0.2	80 lm/W	PSLM14907	1500.00	10
90W	Red	NA	500x0.8x0.2	NA	PSLM1490R	1500.00	10
90W	Green	NA	500x0.8x0.2	NA	PSLM1490G	1500.00	10
90W	Blue	NA	500x0.8x0.2	NA	PSLM1490B	1500.00	10
LED Strip Light IP65 - 60 LED/m							
25W	3000K	NA	500x1x0.4	72 lm/W	PSLM07253	1250.00	10
25W	4000K	NA	500x1x0.4	76 lm/W	PSLM07254	1250.00	10
25W	6500K	NA	500x1x0.4	80 lm/W	PSLM07257	1250.00	10
25W	Red	NA	500x1x0.4	NA	PSLM0725R	1350.00	10
25W	Green	NA	500x1x0.4	NA	PSLM0725G	1350.00	10
25W	Blue	NA	500x1x0.4	NA	PSLM0725B	1350.00	10
Strip Light Driver							
12V 2A	NA	NA	10.4x3.55x3.15	NA	PSL0S2401	400.00	10
24V 3A	NA	NA	15x4x3	NA	PSL0S7201	850.00	10

* Remote is use only for 50W RGB



IP
20 / 65



Beam
Angle
120°



CRI
80



LED Life
50000 BH

Applications: Home Decoration, Cove Lighting, Display, Shops



LED PANEL LIGHT



BRIGHTEN UP THE PLACE WITH AESTHETIC SLEEK DESIGN

Turn your places of work into places of victory with inspiration. Presenting lights which inspire a feeling of achievement.



IGNITOS MODAN STEP PANEL

CIRCULAR | SQUARE | 3W, 5W, 10W, 15W, 20W, 24W




Photo-biological Safe



Eco Friendly



Circular



Square



Operating Voltage
100-300V AC



IP
20



Beam Angle
120°



Surge Protection
2.5 kV



CRI
80



LED Life
25000 BH

Applications: General Shops, Small Offices, Reception Area, Homes, Restaurants, Hospital Lobbies & Passages

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
IGNITOS MODAN : Step Panel Light Circular							
3W	3000K	Ø7.5	Ø8.5x2.5	135	PPAM11033	600.00	10
	4000K	Ø7.5	Ø8.5x2.5	150	PPAM11034	600.00	10
	6500K	Ø7.5	Ø8.5x2.5	150	PPAM11037	600.00	10
5W	3000K	Ø10.8	Ø12x2.5	260	PPAM11053	700.00	10
	4000K	Ø10.8	Ø12x2.5	270	PPAM11054	700.00	10
	6500K	Ø10.8	Ø12x2.5	275	PPAM11057	700.00	10
10W	3000K	Ø13.2	Ø14.5x2.5	670	PPAM11103	900.00	10
	4000K	Ø13.2	Ø14.5x2.5	700	PPAM11104	900.00	10
	6500K	Ø13.2	Ø14.5x2.5	700	PPAM11107	900.00	10
15W	3000K	Ø15.6	Ø17x2.5	1000	PPAM11153	1000.00	10
	4000K	Ø15.6	Ø17x2.5	1050	PPAM11154	1000.00	10
	6500K	Ø15.6	Ø17x2.5	1050	PPAM11157	1000.00	10
20W	3000K	Ø17.7	Ø19x2.5	1340	PPAM11203	1200.00	10
	4000K	Ø17.7	Ø19x2.5	1400	PPAM11204	1200.00	10
	6500K	Ø17.7	Ø19x2.5	1400	PPAM11207	1200.00	10
24W	3000K	Ø20.4	Ø22x2.5	1584	PPAM11243	1600.00	10
	4000K	Ø20.4	Ø22x2.5	1632	PPAM11244	1600.00	10
	6000K	Ø20.4	Ø22x2.5	1680	PPAM11246	1600.00	10
IGNITOS MODAN : Step Panel Light Square							
3W	3000K	7.5x7.5	8.5x8.5x2.5	135	PPAM12033	600.00	10
	4000K	7.5x7.5	8.5x8.5x2.5	150	PPAM12034	600.00	10
	6500K	7.5x7.5	8.5x8.5x2.5	150	PPAM12037	600.00	10
5W	3000K	10.8x10.8	12x12x2.5	260	PPAM12053	700.00	10
	4000K	10.8x10.8	12x12x2.5	270	PPAM12054	700.00	10
	6500K	10.8x10.8	12x12x2.5	275	PPAM12057	700.00	10
10W	3000K	13.2x13.2	14.5x14.5x2.5	670	PPAM12103	900.00	10
	4000K	13.2x13.2	14.5x14.5x2.5	700	PPAM12104	900.00	10
	6500K	13.2x13.2	14.5x14.5x2.5	700	PPAM12107	900.00	10
15W	3000K	15.6x15.6	17x17x2.5	1000	PPAM12153	1000.00	10
	4000K	15.6x15.6	17x17x2.5	1050	PPAM12154	1000.00	10
	6500K	15.6x15.6	17x17x2.5	1050	PPAM12156	1000.00	10
20W	3000K	17.7x17.7	19x19x2.5	1340	PPAM12203	1200.00	10
	4000K	17.7x17.7	19x19x2.5	1400	PPAM12204	1200.00	10
	6500K	17.7x17.7	19x19x2.5	1400	PPAM12206	1200.00	10
24W	3000K	20.4x20.4	22x22x2.5	1584	PPAM12243	1600.00	10
	4000K	20.4x20.4	22x22x2.5	1632	PPAM12244	1600.00	10
	6500K	20.4x20.4	22x22x2.5	1680	PPAM12246	1600.00	10

ADJUSTABLE PANEL

CIRCULAR | SQUARE | 12W, 18W



Photo-biological Safe



Eco Friendly



Operating Voltage
140-275V AC



IP
20



Beam Angle
120°



Surge Protection
2 kV



CRI
80



LED Life
25000 BH

Applications: General Shops, Small Offices, Reception Area, Homes, Restaurants, Hospital Lobbies & Passages

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
Adjustable Panel Light - Circular							
12W	3000K	Ø6.2-9.6	14.8x3.2	756	PPAM20123	985.00	10
	4000K	Ø6.2-9.6	14.8x3.2	798	PPAM20124	985.00	10
	6000K	Ø6.2-9.6	14.8x3.2	840	PPAM20127	985.00	10
18W	3000K	Ø6.2-14.7	20x3.2	1134	PPAM20183	1285.00	10
	4000K	Ø6.2-14.7	20x3.2	1197	PPAM20184	1285.00	10
	6000K	Ø6.2-14.7	20x3.2	1260	PPAM20187	1285.00	10
Adjustable Panel Light Square							
12W	3000K	6.2-9.6	14.8x11.9x3.2	756	PPAM21123	985.00	10
	4000K	6.2-9.6	14.8x11.9x3.2	798	PPAM21124	985.00	10
	6000K	6.2-9.6	14.8x11.9x3.2	840	PPAM21127	985.00	10
18W	3000K	6.2-14.7	20x17x3.2	1134	PPAM21183	1285.00	10
	4000K	6.2-14.7	20x17x3.2	1197	PPAM21184	1285.00	10
	6000K	6.2-14.7	20x17x3.2	1260	PPAM21187	1285.00	10



PC PANEL

WITH INTEGRATED DRIVER


CIRCULAR | SQUARE | 3W, 6W, 10W, 15W, 20W



Photo-biological Safe



Eco Friendly



Circular

Square



Operating Voltage
140-275V AC



IP
20



Beam Angle
120°



Surge Protection
>3 kV



CRI
80



LED Life
25000 BH

Applications: Residential, Small Offices, Service Areas, Retail Shops

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
LED PC Panel Light with Integrated Driver - Circular							
3W	3000K	Ø6.8	Ø8.6x3	180	PPAM22033	300.00	20
	4000K	Ø6.8	Ø8.6x3	186	PPAM22034	300.00	20
	6500K	Ø6.8	Ø8.6x3	240	PPAM22037	300.00	20
6W	3000K	Ø9.7	Ø12x3	370	PPAM22063	400.00	20
	4000K	Ø9.7	Ø12x3	390	PPAM22064	400.00	20
	6500K	Ø9.7	Ø12x3	510	PPAM22067	400.00	20
10W	3000K	Ø12.9	Ø14.4x3	700	PPAM22103	600.00	20
	4000K	Ø12.9	Ø14.4x3	720	PPAM22104	600.00	20
	6500K	Ø12.9	Ø14.4x3	850	PPAM22107	600.00	20
15W	3000K	Ø14.5	Ø17x 3	1050	PPAM22153	700.00	10
	4000K	Ø14.5	Ø17x 3	1080	PPAM22154	700.00	10
	6500K	Ø14.5	Ø17x 3	1350	PPAM22157	700.00	10
20W	3000K	Ø19.5	Ø22x3	1400	PPAM22203	900.00	10
	4000K	Ø19.5	Ø22x3	1440	PPAM22204	900.00	10
	6500K	Ø19.5	Ø22x3	1800	PPAM22207	900.00	10
LED PC Panel Light with Integrated Driver - Square							
3W	3000K	6.8x6.8	8.6x8.6x3	180	PPAM23033	300.00	20
	4000K	6.8x6.8	8.6x8.6x3	186	PPAM23034	300.00	20
	6500K	6.8x6.8	8.6x8.6x3	240	PPAM23037	300.00	20
6W	3000K	9.7x9.7	12x12x3	370	PPAM23063	400.00	20
	4000K	9.7x9.7	12x12x3	390	PPAM23064	400.00	20
	6500K	9.7x9.7	12x12x3	510	PPAM23067	400.00	20
10W	3000K	12.9x12.9	14.4x14.4x3	700	PPAM23103	600.00	20
	4000K	12.9x12.9	14.4x14.4x3	720	PPAM23104	600.00	20
	6500K	12.9x12.9	14.4x14.4x3	850	PPAM23107	600.00	20
15W	3000K	14.5x14.5	17x17x3	1050	PPAM23153	700.00	10
	4000K	14.5x14.5	17x17x3	1080	PPAM23154	700.00	10
	6500K	14.5x14.5	17x17x3	1350	PPAM23157	700.00	10
20W	3000K	19.5x19.5	22x22x3	1400	PPAM23203	900.00	10
	4000K	19.5x19.5	22x22x3	1440	PPAM23204	900.00	10
	6500K	19.5x19.5	22x22x3	1800	PPAM23207	900.00	10

PC PANEL

WITH NON-INTEGRATED DRIVER


CIRCULAR | SQUARE | 3W, 6W, 10W, 15W, 20W



Photo-biological Safe



Eco Friendly



Circular

Square



Operating Voltage
140-275V AC



IP
20



Beam Angle
120°



Surge Protection
>3 kV



CRI
80



LED Life
25000 BH


Applications: Residential, Small Offices, Service Areas, Retail Shops

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
LED PC Panel Light with Integrated Driver - Circular							
3W	3000K	Ø6.8	Ø8.6x2	180	PPAM24033R1	400.00	20
	4000K	Ø6.8	Ø8.6x2	186	PPAM24034R1	400.00	20
	6500K	Ø6.8	Ø8.6x2	240	PPAM24037R1	400.00	20
6W	3000K	Ø9.7	Ø12x2	370	PPAM24063R1	500.00	20
	4000K	Ø9.7	Ø12x2	390	PPAM24064R1	500.00	20
	6500K	Ø9.7	Ø12x2	510	PPAM24067R1	500.00	20
10W	3000K	Ø12.9	Ø14.4x2	700	PPAM24103R1	650.00	20
	4000K	Ø12.9	Ø14.4x2	720	PPAM24104R1	650.00	20
	6500K	Ø12.9	Ø14.4x2	850	PPAM24107R1	650.00	20
15W	3000K	Ø14.5	Ø17x2	1050	PPAM24153R1	800.00	10
	4000K	Ø14.5	Ø17x2	1080	PPAM24154R1	800.00	10
	6500K	Ø14.5	Ø17x2	1350	PPAM24157R1	800.00	10
20W	3000K	Ø19.5	Ø22x2	1400	PPAM24203R1	1050.00	10
	4000K	Ø19.5	Ø22x2	1440	PPAM24204R1	1050.00	10
	6500K	Ø19.5	Ø22x2	1800	PPAM24207R1	1050.00	10
LED PC Panel Light with Integrated Driver - Square							
3W	3000K	6.8x6.8	8.6x8.6x2	180	PPAM25033R1	400.00	20
	4000K	6.8x6.8	8.6x8.6x2	186	PPAM25034R1	400.00	20
	6500K	6.8x6.8	8.6x8.6x2	240	PPAM25037R1	400.00	20
6W	3000K	9.7x9.7	12x12x2	370	PPAM25063R1	500.00	20
	4000K	9.7x9.7	12x12x2	390	PPAM25064R1	500.00	20
	6500K	9.7x9.7	12x12x2	510	PPAM25067R1	500.00	20
10W	3000K	12.9x12.9	14.4x14.4x2	700	PPAM25103R1	650.00	20
	4000K	12.9x12.9	14.4x14.4x2	720	PPAM25104R1	650.00	20
	6500K	12.9x12.9	14.4x14.4x2	850	PPAM25107R1	650.00	20
15W	3000K	14.5x14.5	17x17x2	1050	PPAM25153R1	800.00	10
	4000K	14.5x14.5	17x17x2	1080	PPAM25154R1	800.00	10
	6500K	14.5x14.5	17x17x2	1350	PPAM25157R1	800.00	10
20W	3000K	19.5x19.5	22x22x2	1400	PPAM25203R1	1050.00	10
	4000K	19.5x19.5	22x22x2	1440	PPAM25204R1	1050.00	10
	6500K	19.5x19.5	22x22x2	1800	PPAM25207R1	1050.00	10




RIMLESS SURFACE PANEL

CIRCULAR | SQUARE | 6W, 12W, 18W, 24W



Circular



Square



Applications: Residential, Bedroom, Halls, Shops

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
LED Rimless Surface Panel - Circular							
6W	3000K	NA	Ø10x3.1	540	PPAM16063R1	550.00	20
	4000K	NA	Ø10x3.1	570	PPAM16064R1	550.00	20
	6500K	NA	Ø10x3.1	600	PPAM16067R1	550.00	20
12W	3000K	NA	Ø12.5x3.1	1080	PPAM16123R1	850.00	20
	4000K	NA	Ø12.5x3.1	1140	PPAM16124R1	850.00	20
	6500K	NA	Ø12.5x3.1	1200	PPAM16127R1	850.00	20
18W	3000K	NA	Ø15x3.1	1620	PPAM16183R1	1150.00	20
	4000K	NA	Ø15x3.1	1710	PPAM16184R1	1150.00	20
	6500K	NA	Ø15x3.1	1800	PPAM16187R1	1150.00	20
24W	3000K	NA	Ø20x3.1	2160	PPAM16243R1	1550.00	20
	4000K	NA	Ø20x3.1	2280	PPAM16244R1	1550.00	20
	6500K	NA	Ø20x3.1	2400	PPAM16247R1	1550.00	20
LED Rimless Surface Panel - Square							
6W	3000K	NA	10x10x3.1	540	PPAM17063R1	550.00	20
	4000K	NA	10x10x3.1	570	PPAM17064R1	550.00	20
	6500K	NA	10x10x3.1	600	PPAM17067R1	550.00	20
12W	3000K	NA	12.5x12.5x3.1	1080	PPAM17123R1	850.00	20
	4000K	NA	12.5x12.5x3.1	1140	PPAM17124R1	850.00	20
	6500K	NA	12.5x12.5x3.1	1200	PPAM17127R1	850.00	20
18W	3000K	NA	15x15x3.1	1620	PPAM17183R1	1150.00	20
	4000K	NA	15x15x3.1	1710	PPAM17184R1	1150.00	20
	6500K	NA	15x15x3.1	1800	PPAM17187R1	1150.00	20
24W	3000K	NA	20x20x3.1	2160	PPAM17243R1	1550.00	20
	4000K	NA	20x20x3.1	2280	PPAM17244R1	1550.00	20
	6500K	NA	20x20x3.1	2400	PPAM17247R1	1550.00	20

BASE LIGHT


36W



Photo-biological Safe



Eco Friendly



Operating Voltage

140-275V AC



IP 20



Beam Angle
120°



Surge Protection
2.5 kV



CRI
80



LED Life
25000 BH

Applications: Office, Schools, Hospitals, Conference Hall, Banks, BPO,
Suitable for frame ceilings (Armstrong/Gypsum)

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
36W	3000K	56.5x56.5	59.5x59.5x3	2916	PBLM13363	3300.00	4
	4000K	56.5x56.5	59.5x59.5x3	3078	PBLM13364	3300.00	4
	6500K	56.5x56.5	59.5x59.5x3	3240	PBLM13367	3300.00	4





LED DOWN LIGHT



PERFECT FOR HIGHLIGHTING AREAS OF INTEREST

We all live for moments that enrich us.

So we have made lights that enrich those moments
with beauty, harmony and safety.



LUMOR ANORA

CIRCULAR | SQUARE | 5W, 10W, 15W, 20W



Photo-biological Safe



Eco Friendly

 Operating Voltage 140-275V AC	 IP 20	 Beam Angle 120°	 Surge Protection 2 kV	 CRI 80	 LED Life 25000 BH
---	---------------------	-------------------------------	-------------------------------------	----------------------	---------------------------------

Applications: Residential, Small Offices, Service Areas, Retail Shops



Circular



Square

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
LUMOR ANORA : Down Light Circular							
5W	3000K	Ø10	Ø11.6x3.6	380	PDLM01053R1 / PDLM01053R2	400.00	10
	4000K	Ø10	Ø11.6x3.6	392	PDLM01054R1 / PDLM01054R2	400.00	10
	6500K	Ø10	Ø11.6x3.6	400	PDLM01057R1 / PDLM01057R2	400.00	10
10W	3000K	Ø10	Ø11.6x3.6	770	PDLM01103R1 / PDLM01103R2	500.00	10
	4000K	Ø10	Ø11.6x3.6	805	PDLM01104R1 / PDLM01104R2	500.00	10
	6500K	Ø10	Ø11.6x3.6	850	PDLM01107R1 / PDLM01107R2	500.00	10
15W	3000K	Ø15	Ø16.6x3.6	1350	PDLM01153R1 / PDLM01153R2	650.00	10
	4000K	Ø15	Ø16.6x3.6	1425	PDLM01154R1 / PDLM01154R2	650.00	10
	6500K	Ø15	Ø16.6x3.6	1500	PDLM01157R1 / PDLM01157R2	650.00	10
20W	3000K	Ø20.5	Ø22x3.6	1800	PDLM01203R1 / PDLM01203R2	850.00	10
	4000K	Ø20.5	Ø22x3.6	1900	PDLM01204R1 / PDLM01204R2	850.00	10
	6500K	Ø20.5	Ø22x3.6	2000	PDLM01207R1 / PDLM01207R2	850.00	10
LUMOR ANORA : Down Light Square							
5W	3000K	10x10	11.6x11.6x3.6	380	PDLM02053R1 / PDLM02053R2	400.00	10
	4000K	10x10	11.6x11.6x3.6	392	PDLM02054R1 / PDLM02054R2	400.00	10
	6500K	10x10	11.6x11.6x3.6	400	PDLM02057R1 / PDLM02057R2	400.00	10
10W	3000K	10x10	11.6x11.6x3.6	770	PDLM02103R1 / PDLM02103R2	500.00	10
	4000K	10x10	11.6x11.6x3.6	805	PDLM02104R1 / PDLM02104R2	500.00	10
	6500K	10x10	11.6x11.6x3.6	850	PDLM02107R1 / PDLM02107R2	500.00	10
15W	3000K	15x15	16.6x16.6x3.6	1350	PDLM02153R1 / PDLM02153R2	650.00	10
	4000K	15x15	16.6x16.6x3.6	1425	PDLM02154R1 / PDLM02154R2	650.00	10
	6500K	15x15	16.6x16.6x3.6	1500	PDLM02157R1 / PDLM02157R2	650.00	10
20W	3000K	20.5x20.5	22x22x3.6	1800	PDLM02203R1 / PDLM02203R2	850.00	10
	4000K	20.5x20.5	22x22x3.6	1900	PDLM02204R1 / PDLM02204R2	850.00	10
	6500K	20.5x20.5	22x22x3.6	2000	PDLM02207R1 / PDLM02207R2	850.00	10

CONCEAL BOX

5W, 7W, 9W




Photo-biological Safe



Eco Friendly




Operating Voltage
100-275V AC


IP
20


Beam Angle
120°


Surge Protection
2.5 kV


CRI
80


LED Life
25000 BH

Applications: Cabinets, Bedroom, Halls, Shops

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
5W	3000K	Ø7.5	Ø11x5.5	360	PDLM15053	400.00	20
	4000K	Ø7.5	Ø11x5.5	380	PDLM15054	400.00	20
	6500K	Ø7.5	Ø11x5.5	400	PDLM15057	400.00	20
	Red	Ø7.5	Ø11x5.5	NA	PDLM1505R	400.00	20
	Green	Ø7.5	Ø11x5.5	NA	PDLM1505G	400.00	20
	Blue	Ø7.5	Ø11x5.5	NA	PDLM1505B	400.00	20
7W	3000K	Ø8.5	Ø10.5x6	505	PDLM15073	425.00	20
	6500K	Ø8.5	Ø10.5x6	560	PDLM15077	425.00	20
	Red	Ø8.5	Ø10.5x6	NA	PDLM1507R	425.00	20
	Green	Ø8.5	Ø10.5x6	NA	PDLM1507G	425.00	20
	Blue	Ø8.5	Ø10.5x6	NA	PDLM1507B	425.00	20
9W	3000K	Ø8.5	Ø10.5x6	650	PDLM15093	450.00	20
	6500K	Ø8.5	Ø10.5x6	720	PDLM15097	450.00	20
	Red	Ø8.5	Ø10.5x6	NA	PDLM1509R	450.00	20
	Green	Ø8.5	Ø10.5x6	NA	PDLM1509G	450.00	20
	Blue	Ø8.5	Ø10.5x6	NA	PDLM1509B	450.00	20

TRI COLOUR CONCEAL BOX

5W



Photo-biological Safe




Eco Friendly



THREE SWITCHING MODES

3 Colours in 1 Light



Operating Voltage
100-275V AC



IP
20



Beam Angle
120°



Surge Protection
>2 kV



CRI
80



LED Life
25000 BH

Applications: Cabinets, Bedroom, Halls, Shops

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
5W	Red+Blue+Violet	Ø7.5	Ø11x5.5	-	PDLM1505RBU	450.00	20
	6500K+Red+Pink	Ø7.5	Ø11x5.5	-	PDLM15057RD	450.00	20

DUAL COLOUR JUNCTION BOX

7W




Photo-biological Safe



Eco Friendly



THREE SWITCHING MODES



Operating Voltage
140-275V AC



IP
20



Beam Angle
120°



Surge Protection
2 kV



CRI
80



LED Life
25000 BH

Applications: Bedroom, Drawing Room, Halls, Shops

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
7W	CW+WW	5	8.4x4.6	NA	PDLM17077WW	450.00	20
7W	CW+Blue	5	8.4x4.6	NA	PDLM17077BU	450.00	20

JUNCTION BOX


3W



Photo-biological Safe



Eco Friendly



Operating Voltage
100-275V AC



IP
20



Beam Angle
120°



Surge Protection
2.5 kV



CRI
80



LED Life
25000 BH

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
3W	3000K	Ø4.6	Ø8x3.3	210	PDLM16033R1	265.00	50
	6500K	Ø4.6	Ø8x3.3	225	PDLM16037R1	265.00	50
	Red	Ø4.6	Ø8x3.3	NA	PDLM1703RR1	265.00	50
	Green	Ø4.6	Ø8x3.3	NA	PDLM1703GR1	265.00	50
	Blue	Ø4.6	Ø8x3.3	NA	PDLM1703BR1	265.00	50
	Pink	Ø4.6	Ø8x3.3	NA	PDLM1703PR1	265.00	50

Applications: Cabinets, Bedroom, Halls, Shops

DEEP JUNCTION BOX

8W, 12W, 15W



- 
Operating Voltage
140-275V AC
- 
IP 20
- 
Beam Angle
120°
- 
Surge Protection
2 kV
- 
CRI 80
- 
LED Life
25000 BH

Applications: Cabinets, Bedroom, Halls, Shops

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
8W	3000K	Ø5	Ø8.4x6.6	720	PDLM16083	400.00	20
	6500K	Ø5	Ø8.4x6.6	800	PDLM16087	400.00	20
	RED	Ø5	Ø8.4x6.6	NA	PDLM1608R	400.00	20
	GREEN	Ø5	Ø8.4x6.6	NA	PDLM1608G	400.00	20
	BLUE	Ø5	Ø8.4x6.6	NA	PDLM1608B	400.00	20
	PINK	Ø5	Ø8.4x6.6	NA	PDLM1608P	400.00	20
12W	3000K	Ø5	Ø14x6.8	1080	PDLM16123	600.00	20
	6500K	Ø5	Ø14x6.8	1200	PDLM16127	600.00	20
	RED	Ø5	Ø14x6.8	NA	PDLM1612R	600.00	20
	GREEN	Ø5	Ø14x6.8	NA	PDLM1612G	600.00	20
	BLUE	Ø5	Ø14x6.8	NA	PDLM1612B	600.00	20
	PINK	Ø5	Ø14x6.8	NA	PDLM1612P	600.00	20
15W	3000K	Ø5	Ø14x6.8	1350	PDLM16153	650.00	20
	6500K	Ø5	Ø14x6.8	1500	PDLM16157	650.00	20
	RED	Ø5	Ø14x6.8	NA	PDLM1615R	650.00	20
	GREEN	Ø5	Ø14x6.8	NA	PDLM1615G	650.00	20
	BLUE	Ø5	Ø14x6.8	NA	PDLM1615B	650.00	20
	PINK	Ø5	Ø14x6.8	NA	PDLM1615P	650.00	20

SWIVEL

3W, 6W

- Photo-biological Safe
- Eco Friendly
- Tiltable Front Head



- Operating Voltage **140-275V AC**
- IP **20**
- Beam Angle **120°**
- Surge Protection **2.5 kV**
- CRI **80**
- LED Life **25000 BH**

Applications: Living Rooms, Chandeliers, Showrooms

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
3W	3000K	Ø7	9.5x4.2	195	PDLM29033	475.00	30
	6500K	Ø7	9.5x4.2	210	PDLM29037	475.00	30
6W	3000K	Ø9	11.6x5.1	390	PDLM29063	675.00	30
	6500K	Ø9	11.6x5.1	420	PDLM29067	675.00	30

ALUMINIUM SWIVEL COB

3W, 7W, 12W, 15W, 18W, 24W

- Photo-biological Safe
- Eco Friendly
- Tiltable Front Head



- Operating Voltage **140-275V AC**
- IP **20**
- Beam Angle **120°**
- Surge Protection **2.5 kV**
- CRI **80**
- LED Life **25000 BH**

Applications: Living Rooms, Chandeliers, Showrooms

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
3W	3000K	Ø5.5	Ø6.3x4.3	240	PDLM33033	700.00	20
	4000K	Ø5.5	Ø6.3x4.3	255	PDLM33034	700.00	20
	6500K	Ø5.5	Ø6.3x4.3	270	PDLM33037	700.00	20
7W	3000K	Ø7	Ø8.7x5.6	560	PDLM33073	900.00	20
	4000K	Ø7	Ø8.7x5.6	595	PDLM33074	900.00	20
	6500K	Ø7	Ø8.7x5.6	630	PDLM33077	900.00	20
12W	3000K	Ø8.5	Ø10x7.1	960	PDLM33123	1200.00	10
	4000K	Ø8.5	Ø10x7.1	1020	PDLM33124	1200.00	10
	6500K	Ø8.5	Ø10x7.1	1080	PDLM33127	1200.00	10
15W	3000K	Ø8.5	Ø10x7.1	1200	PDLM33153	1400.00	10
	4000K	Ø8.5	Ø10x7.1	1275	PDLM33154	1400.00	10
	6500K	Ø8.5	Ø10x7.1	1350	PDLM33157	1400.00	10
18W	3000K	Ø9.5	Ø11.5x7.2	1440	PDLM33183	1600.00	10
	4000K	Ø9.5	Ø11.5x7.2	1530	PDLM33184	1600.00	10
	6500K	Ø9.5	Ø11.5x7.2	1620	PDLM33187	1600.00	10
24W	3000K	Ø12.5	Ø13.5x8.5	1920	PDLM33243	1900.00	10
	4000K	Ø12.5	Ø13.5x8.5	2040	PDLM33244	1900.00	10
	6500K	Ø12.5	Ø13.5x8.5	2160	PDLM33247	1900.00	10

MINI SURFACE



CABINET LIGHT | 3W



Photo-biological Safe



Eco Friendly



Operating Voltage
140-275V AC



IP
20



Beam Angle
120°



Surge Protection
2.5 kV



CRI
80



LED Life
20000 BH

Applications: Cabinets, Bedroom, Halls, Shops

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
3W	3000K	NA	6.8x1.35	150	PDLM28033	199.00	50
	6500K	NA	6.8x1.35	165	PDLM28037	199.00	50
	Red	NA	6.8x1.35	NA	PDLM2803R	199.00	50
	Green	NA	6.8x1.35	NA	PDLM2803G	199.00	50
	Blue	NA	6.8x1.35	NA	PDLM2803B	199.00	50
3W	3000K	NA	6x1.65	150	PDLM28033R1	199.00	50
	6500K	NA	6x1.65	165	PDLM28037R1	199.00	50
	Red	NA	6x1.65	NA	PDLM2803RR1	199.00	50
	Green	NA	6x1.65	NA	PDLM2803GR1	199.00	50
	Blue	NA	6x1.65	NA	PDLM2803BR1	199.00	50
	Pink	NA	6x1.65	NA	PDLM2803PR1	199.00	50

MINI SURFACE


5W



Photo-biological Safe



Eco Friendly



Operating Voltage

140-275V ACIP **20**Beam Angle **120°**Surge Protection **2 kV**CRI **80**LED Life **25000 BH**

Applications: Cabinets, Bedroom, Halls, Shops

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
5W	3000K	NA	Ø6.1x1.6	405	PDLM28053	250.00	40
	6500K	NA	Ø6.1x1.6	450	PDLM28057	250.00	40
	Red	NA	Ø6.1x1.6	NA	PDLM2805R	250.00	40
	Green	NA	Ø6.1x1.6	NA	PDLM2805G	250.00	40
	Blue	NA	Ø6.1x1.6	NA	PDLM2805B	250.00	40



MODULAR SURFACE

7W



Photo-biological Safe



Eco Friendly

Twist & Fit



Operating Voltage
140-275V AC



IP
20



Beam Angle
120°



Surge Protection
2.5 kV



CRI
80



LED Life
25000 BH

Applications: Bedroom, Halls, Shops

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
7W	3000K	NA	Ø8.4x5.2	630	PDLM32073	500.00	20
	6500K	NA	Ø8.4x5.2	700	PDLM32077	500.00	20
	Red	NA	Ø8.4x5.2	NA	PDLM3207R	500.00	20
	Green	NA	Ø8.4x5.2	NA	PDLM3207G	500.00	20
	Blue	NA	Ø8.4x5.2	NA	PDLM3207B	500.00	20

MODULAR SURFACE

7W, 9W, 15W



Photo-biological Safe



Eco Friendly

Twist & Fit



Operating Voltage
140-275V AC



IP
20



Beam Angle
120°



Surge Protection
2.5 kV



CRI
80



LED Life
25000 BH

Applications: Bedroom, Halls, Shops

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
7W	3000K	NA	Ø8.5x4.8	630	PDLM22073	650.00	10
	4000K	NA	Ø8.5x4.8	665	PDLM22074	650.00	10
	6500K	NA	Ø8.5x4.8	700	PDLM22077	650.00	10
9W	3000K	NA	Ø11x4.8	810	PDLM22093	750.00	10
	4000K	NA	Ø11x4.8	855	PDLM22094	750.00	10
	6500K	NA	Ø11x4.8	900	PDLM22097	750.00	10
	Red	NA	Ø11x4.8	NA	PDLM2209R	750.00	10
	Green	NA	Ø11x4.8	NA	PDLM2209G	750.00	10
	Blue	NA	Ø11x4.8	NA	PDLM2209B	750.00	10
	Pink	NA	Ø11x4.8	NA	PDLM2209P	750.00	10
15W	3000K	NA	Ø13.5x4.8	1350	PDLM22153	950.00	10
	4000K	NA	Ø13.5x4.8	1425	PDLM22154	950.00	10
	6500K	NA	Ø13.5x4.8	1500	PDLM22157	950.00	10





LED BATTEN LIGHT



ZYADA JALE, ZYADA CHALE.

Unwind your mind with a feeling of peace. Illuminate your spaces with lights that inspire warmth.



ALTABRIGHT

ROUND | SQUARE | OVAL | 5W, 10W, 15W, 20W, 24W



Round









Square



Oval

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
ALTABRIGHT : Batten Light							
5W	3000K	NA	29x2.2x3.4	450	PBTM01053	280.00	10
	4000K	NA	29x2.2x3.4	475	PBTM01054	280.00	10
	6500K	NA	29x2.2x3.4	500	PBTM01057	280.00	10
10W	3000K	NA	59x2.2x3.4	900	PBTM01103	375.00	10
	4000K	NA	59x2.2x3.4	950	PBTM01104	375.00	10
	6500K	NA	59x2.2x3.4	1000	PBTM01107	375.00	10
15W	3000K	NA	115x2.5x3.5	1350	PBTM01153	465.00	10
	4000K	NA	115x2.5x3.5	1425	PBTM01154	465.00	10
	6500K	NA	115x2.5x3.5	1500	PBTM01157	465.00	10
20W	3000K	NA	115x2.5x3.5	1800	PBTM01203	560.00	20
	4000K	NA	115x2.5x3.5	1900	PBTM01204	560.00	20
	6500K	NA	115x2.5x3.5	2000	PBTM01207	560.00	20
ALTABRIGHT : Square Batten Light							
5W	3000K	NA	28x2.3x3.7	460	PBTM02053	280.00	10
	4000K	NA	28x2.3x3.7	475	PBTM02054	280.00	10
	6500K	NA	28x2.3x3.7	500	PBTM02057	280.00	10
10W	3000K	NA	58x2.3x3.7	920	PBTM02103	375.00	10
	4000K	NA	58x2.3x3.7	950	PBTM02104	375.00	10
	6500K	NA	58x2.3x3.7	1000	PBTM02107	375.00	10
15W	3000K	NA	114x2.3x3.7	1380	PBTM02153	465.00	10
	4000K	NA	114x2.3x3.7	1425	PBTM02154	465.00	10
	6500K	NA	114x2.3x3.7	1500	PBTM02157	465.00	10
20W	3000K	NA	114x2.3x3.7	1800	PBTM02203	560.00	20
	4000K	NA	114x2.3x3.7	1900	PBTM02204	560.00	20
	6500K	NA	114x2.3x3.7	2000	PBTM02207	560.00	20
ALTABRIGHT : Oval Batten Light							
24W	3000K	NA	115x2.5x3.5	2160	PBTM06243	630.00	20
	4000K	NA	115x2.5x3.5	2400	PBTM06244	630.00	20
	6500K	NA	115x2.5x3.5	2640	PBTM06247	630.00	20

- 
Operating Voltage
100-300V AC
- 
IP
20
- 
Beam Angle
120°
- 
Surge Protection
3.5 kV
- 
CRI
>80
- 
LED Life
30000 BH

Applications: Homes, Shops, Small Offices, Hospital Lobbies & Passages

ALTABRIGHT CURVY


22W/26W



Photo-biological Safe



Eco Friendly



Operating Voltage
100-300V AC



IP
20



Beam Angle
120°



Surge Protection
2.5 kV



CRI
80



LED Life
25000 BH

Applications: Homes, Shops, Small Offices, Hospital Lobbies & Passages

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
22W	3000K	NA	113.9x3.2x3.65	1980	PBTM13223	550.00	10
	6500K	NA	113.9x3.2x3.65	2200	PBTM13227	550.00	10
26W	3000K	NA	113.9x3.2x3.65	2340	PBTM14263	750.00	10
	6500K	NA	113.9x3.2x3.65	2600	PBTM14267	750.00	10

ALTABRIGHT ALUMINIUM


20W



Photo-biological Safe



Eco Friendly



Operating Voltage
140-275V AC



IP
20



Beam Angle
120°



Surge Protection
2.5 kV



CRI
80



LED Life
25000 BH

Applications: Living room, Corridors, Shops, Offices, Staircase

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
20W	3000K	NA	56x2.18x3.8	1800	PBTM18203	450.00	20
20W	6500K	NA	56x2.18x3.8	2000	PBTM18207	450.00	20



ALTABRIGHT HW ALUMINIUM

36W



Photo-biological Safe



Eco Friendly



ALTABRIGHT NIGHT GLOW

22W+2W



Photo-biological Safe



Eco Friendly



Operating Voltage
140-275V AC



IP
20



Beam Angle
120°



Surge Protection
2.5 kV



CRI
80



LED Life
25000 BH



Operating Voltage
140-275V AC



IP
20



Beam Angle
120°



Surge Protection
2.5 kV



CRI
80



LED Life
25000 BH

Applications: Garage, House, Shops, Corridors

Applications: Houses, Bedroom, Lobby, Living Room

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
36W	6500K	NA	117.5x3x3.6	3600	PBTM08367	1225.00	20

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
22W+2W	6500K	NA	119.1x3.21x3.66	2200	PBTM14227	875.00	10

RGB BATTEN


20W



Photo-biological Safe



Eco Friendly



Operating Voltage
140-275V AC



IP
20



Beam Angle
120°



Surge Protection
2.5 kV



CRI
80



LED Life
25000 BH

Applications: Houses, Bedroom, Lobby, Living Room

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
20W	Red	NA	114x2.3x3.7	NA	PBTM0220R	575.00	20
	Green	NA	114x2.3x3.7	NA	PBTM0220G	575.00	20
	Blue	NA	114x2.3x3.7	NA	PBTM0220B	575.00	20

RADAR BATTEN

20W



Photo-biological Safe



Eco Friendly



Operating Voltage
140-275V AC



IP
20



Beam Angle
120°



Surge Protection
2.5 kV



CRI
80



LED Life
25000 BH

Applications: Parking, Corridors, Warehouse, Staircase, Corridors, Elevator

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
20W	6500K	NA	114x2.4x3.8	2000	PBTM21207	900.00	20

SLEEK PC BATTEN

20W




Photo-biological Safe



Eco Friendly



Slim Body & Decorative Endcaps



Operating Voltage

140-275V AC



IP **20**



Beam Angle **120°**



Surge Protection **2.5 kV**



CRI **80**



LED Life **25000 BH**

Applications: Garage, House, Shops, Corridors

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
20W	6500K	NA	120x2.2x2.2	2000	PBTM22207	499.00	25







LED OUTDOOR LIGHTS



ILLUMINATE YOUR COMMUNITIES WITH LIGHTS THAT INSPIRE SAFETY

Your establishments are a reflection of your achievements. They deserve lights which inspire aspirations.



LED STREET LIGHT

15W, 25W, 45W



LED STREET LIGHT

HIGH WATTAGE | 60W, 75W



Operating Voltage
140-275V AC



IP
66



Beam Angle
120°



Surge Protection
4 kV



CRI
80



LED Life
25000 BH



Operating Voltage
140-275V AC



IP
66



Beam Angle
120°



Surge Protection
**4KV Internal
+10 kV SPD**



CRI
80



LED Life
25000 BH

Applications: Street Light, Pathway, Garden, Playground, Buildings & Compound Lighting

Applications: Street Light, Pathway, Garden, Playground, Buildings & Compound Lighting

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
15W	6500K	NA	28.4x11.5x5.5	1500	PSTM23157	1900.00	10
25W	6500K	NA	28.4x11.5x5.5	2500	PSTM23257	2100.00	10
45W	6500K	NA	35.3x13.7x5.5	4500	PSTM23457	2750.00	10

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
60W	6500K	NA	47.8x17.8x6.4	6000	PSTM23607	5850.00	4
75W	6500K	NA	47.8x17.8x6.4	7500	PSTM23757	6350.00	4

LED STREET LIGHT

15W, 25W, 45W



Photo-biological Safe



Eco Friendly



LED STREET LIGHT

HIGH WATTAGE | 60W, 75W



Photo-biological Safe



Eco Friendly



- Operating Voltage
140-275V AC
- IP
65
- Beam Angle
110°
- Surge Protection
4 kV
- CRI
80
- LED Life
25000 BH

- Operating Voltage
140-275V AC
- IP
65
- Beam Angle
110°
- Surge Protection
4 kV
- CRI
80
- LED Life
25000 BH

Applications: Street Light, Pathway, Garden, Playground, Buildings & Compound Lighting

Applications: Street Light, Pathway, Garden, Playground, Buildings & Compound Lighting

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
15W	6500K	NA	27x8x6.6	1500	PSTM01157	2120.00	10
25W	6000K	NA	33x8x7	2500	PSTM01257	3045.00	10
45W	6000K	NA	33x8x7	4500	PSTM01457	4710.00	10

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
60W	6500K	NA	41x12.1x8	6000	PSTM01607	6800.00	4
75W	6500K	NA	41x12.1x8	7500	PSTM01757	8500.00	4



LED FLOOD LIGHT

10W, 20W, 30W, 50W, 100W

-  Photo-biological Safe
-  Eco Friendly
-  IK 07



-  Operating Voltage
140-270V AC
-  IP **65**
-  Beam Angle
120°
-  Surge Protection
4 kV
-  CRI
80
-  LED Life
25000 BH

Applications: Outdoor, Shops, Party Hall






Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
10W	3000K	NA	12.5x11x3.6	900	PFLM17103	950.00	10
	6500K	NA	12.5x11x3.6	1000	PFLM17107	950.00	10
20W	3000K	NA	14.5x12.5x4	1800	PFLM17203	1400.00	10
	6500K	NA	14.5x12.5x4	2000	PFLM17207	1400.00	10
30W	3000K	NA	19.5x16.5x4.6	2700	PFLM17303	2000.00	10
	6500K	NA	19.5x16.5x4.6	3000	PFLM17307	2000.00	10
50W	3000K	NA	23x19.5 x5.8	4500	PFLM17503	2500.00	5
	6500K	NA	23x19.5 x5.8	5000	PFLM17507	2500.00	5
100W	3000K	NA	25x19.5x6	9000	PFLM17AB3	4400.00	2
	6500K	NA	25x19.5x6	10000	PFLM17AB7	4400.00	2

LED FLOOD LIGHT

20W, 30W, 50W, 100W

-  Photo-biological Safe
-  Eco Friendly
-  IK 07



-  Operating Voltage
140-275V AC
-  IP **65**
-  Beam Angle
120°
-  Surge Protection
4 kV
-  CRI
80
-  LED Life
30000 BH

Applications: Outdoor, Shops, Party Hall

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
20W	3000K	NA	14.5x11.5x4.2	1800	PFLM21203	1400.00	10
	6500K	NA	14.5x11.5x4.2	2000	PFLM21207	1400.00	10
30W	3000K	NA	22.5x15.9x4.1	2700	PFLM21303	2000.00	5
	6500K	NA	22.5x15.9x4.1	3000	PFLM21307	2000.00	5
50W	3000K	NA	22.5x15.9x4.1	4500	PFLM21503	2500.00	5
	6500K	NA	22.5x15.9x4.1	5000	PFLM21507	2500.00	5
100W	3000K	NA	33.2x28.9x5.3	9000	PFLM21AB3	4400.00	2
	6500K	NA	33.2x28.9x5.3	10000	PFLM21AB7	4400.00	2

BULK HEAD

12W



Photo-
biological
Safe



Eco
Friendly



Operating
Voltage
140-270V AC



IP
20



Beam
Angle
120°



Surge
Protection
2.5 kV



CRI
80



LED Life
30000 BH

Applications: Living room, Corridors, Shops, Offices, Staircase

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
12W	3000K	NA	23.3x10.7x5	972	PBHM02123	900.00	10
12W	6500K	NA	23.3x10.7x5	1080	PBHM02127	900.00	10





LED PORTABLE LIGHT



PERFECT MODERN, PORTABLE
WITH ELEGANT LOOK




DESK LAMP

5W

- Photo-biological Safe
- Eco Friendly
- Feather Touch (On/Dim/Off)

Rechargeable **battery**



- Operating Voltage **5V DC**
- LED Life **20000 BH**
- Dimming Options **High/Med/Low**
- Anti Slip **Rubber Pads**
- Adjustable Brightness **Level 3**
- Changeable CCT **3000K/4000K/5000K**

Applications: Study Room, Bedside Lamp, Office Workspace

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
5W	3000K/4000K/5000K	NA	7.2x5.7x26.5	150 (Dimmable)	PDEM03050WH	3000.00	5

DESK LAMP

5W

- Photo-biological Safe
- Eco Friendly
- High Flexibility
- Feather Touch (On/Dim/Off)

Rechargeable **battery**



- Operating Voltage **5V DC**
- LED Life **20000 BH**
- Dimming Options **High/Med/Low**
- Anti Slip **Rubber Pads**
- Adjustable Brightness **Level 3**
- Lamp Base **Pen & Mobile Holder**

Applications: Study Room, Bedside Lamp, Office Workspace

Wattage	CCT	Cut Out Dimension (cm)	Product Dimension (cm)	Lumen Output	Product Code	MRP (₹)	PKG STD
5W	4000K	NA	9x10.8x40	150 (Dimmable)	PDEM01054R1	2400.00	5

TORCH LIGHT

1W



Body
ABS Plastic



Brass
Contact
Plates



PC Reflector
with Metallic
Finish



PRECEDENT
MAX



Head Dia
65 mm



Lux (@1 Metre)
13500



Power Source
3AA Battery



Flasher
Switch

Applications: Useful for outdoor activities and daily life

Wattage	Cut Out Dimension (cm)	Product Dimension (cm)	Lux @ 1Mtr	Product Code	MRP (₹)	PKG STD
1W	NA	6.5x21.5	13500	PTLM03017RD	400.00	20
1W	NA	6.5x21.5	13500	PTLM03017BK	400.00	20

TORCH LIGHT

1W



Body
ABS Plastic



Brass
Contact
Plates



PC Reflector
with Metallic
Finish



PRECEDENT
MINI



Head Dia
55 mm



Lux (@1 Metre)
8000






Power Source
3AA Battery

Applications: Useful for outdoor activities and daily life

Wattage	Cut Out Dimension (cm)	Product Dimension (cm)	Lux @ 1Mtr	Product Code	MRP (₹)	PKG STD
1W	NA	5.5x20.5	8000	PTLM02017YL	250.00	20
1W	NA	5.5x20.5	8000	PTLM02017BK	250.00	20

TORCH LIGHT

0.5W

-  Body
ABS Plastic
-  Brass
Contact
Plates
-  PC Reflector
with Metallic
Finish



PRECEDENT
MICRO



Head Dia
35 mm




Lux (@1 Metre)
1800



Power Source
2AA Battery

Applications: Useful for outdoor activities and daily life

Wattage	Cut Out Dimension (cm)	Product Dimension (cm)	Lux @ 1Mtr	Product Code	MRP (₹)	PKG STD
0.5W	NA	3.5x13.8	1800	PTLM01017RD	170.00	30
0.5W	NA	3.5x13.8	1800	PTLM01017BK	170.00	30







HEAD / REGIONAL OFFICES

WEST (H.O.)

Panasonic Life Solutions India Pvt. Ltd.
3rd Floor, B Wing, I-Think Techno Campus,
Pokhran Road No. 2, Thane 0/1),
Thane - 400 607 Maharashtra.
Tel: 022 30418888

EAST

Panasonic Life Solutions India Pvt. Ltd.
4th Floor, Block 'C', Apeejay House, 15,
Park Street, Kolkata,
West Bengal - 700 016.
Tel: 033 32219196

SOUTH

Panasonic Life Solutions India Pvt. Ltd.
No. 8-12, 3rd Floor, Prestige Nebula-II,
Infantry Road, Bengaluru,
Karnataka - 560 001.
Tel: 080 30284400 • 40

NORTH-1

Panasonic Life Solutions India Pvt. Ltd.
SCO-40, 1st Floor, NAC Manimajra,
Chandigarh - 160101.
Tel: 0172 3255715

NORTH-2

Panasonic Life Solutions India Pvt. Ltd.
6th Floor, TDI Centre, Jasola District,
New Delhi -110 025.
Tel: 011 46006400

STATE/ SALES OFFICES

NORTH-1

JAMMU

Panasonic Life Solutions India Pvt. Ltd.
85/1, 1st Floor, Trikuta Nagar,
Jammu - 180 012.
Tel: 0191 2470735 / 36

PUNJAB

Panasonic Life Solutions India Pvt. Ltd.
B-20/ 2813 / 13-A, 3rd Floor,
Ranjit Tower, Pakhowal Road,
Gurdev Nagar, Ludhiana - 141 001.
Tel: 0161 4630796

AMRITSAR

Panasonic Life Solutions India Pvt. Ltd.
45, Deep Complex, Court Road,
Amritsar, Punjab - 143 001.
Tel: 0183 3292567

UTTARAKHAND

Panasonic Life Solutions India Pvt. Ltd.
Khasra No: 332-333-335 & 339,
1st Floor, Main Saharanpur Road,
Niranjanpur, Opp. Institute of
Hotel Management, HCL Compound,
Dehradun - 248 001.
Tel: 0135 3241686

HALDWANI

Panasonic Life Solutions India Pvt. Ltd.
Shop No. U-28, Upper Ground Floor,
Phase - 1, Durga City Centre,
Haldwani - 263 141.

NORTH-2

JAIPUR

Panasonic Life Solutions India Pvt. Ltd.
224-225, 2nd Floor, Ganpati Plaza,
M.I. Road, Jaipur, Rajasthan - 302 001.
Tel: 0141 3007666 / 2331369

UDAIPUR

Panasonic Life Solutions India Pvt. Ltd.
4C /201, Riddhi Siddhi Complex,
Madhuvan, Udaipur, Rajasthan - 313 001.
Tel: 0294 2422412

JODHPUR

Panasonic Life Solutions India Pvt. Ltd.
27/20, Light Industrial Area,
Near ITI Circle, Jodhpur - 342 003

KOTA

Panasonic Life Solutions India Pvt. Ltd.
Office No. 6, Plot No. 621, 1st Floor,
Mukesh Plaza, Dadabari, Kota,
Rajasthan - 324 009.
Tel: 0744 2500368

UTTAR PRADESH

Panasonic Life Solutions India Pvt. Ltd.
201, Govinda Building, 1-A,
Shahnajaf Road, Hazratganj,
Lucknow, Uttar Pradesh - 226 001.
Tel: 0522 3920999

VARANASI

Panasonic Life Solutions India Pvt. Ltd.
P. N. 204, H No. C-27 / 274 A-3,
S-1, 2nd Floor, Dr. Jai Singh Building,
Maldahiya, Varanasi,
Uttar Pradesh - 221 001.

EAST-1

WEST BENGAL

Panasonic Life Solutions India Pvt. Ltd.
1st Floor, Hanshara House,
Beside City Mall (Bazar Kolkata),
Sevoke Road, Siliguri - 734 001.

ASSAM

Panasonic Life Solutions India Pvt. Ltd.
Duhang Arcade 2A, 2nd Floor,
G. S Road, Tarun Nagar, Opp. Dona Planet,
Guwahati, Assam - 781 005.
Tel: 0361 2450577

EAST-2

BIHAR

Panasonic Life Solutions India Pvt. Ltd.
F-1, 1st Floor, Gitanjali Palace,
Jamal Road, Patna, Bihar - 800 001.
Tel: 0612 3297075

ODISHA

Panasonic Life Solutions India Pvt. Ltd.
2nd Floor, Creative Plaza,
Rasulgarh Square, Mouzabomikhal,
Bhubaneswar, Odisha - 751 010.
Tel: 0674 3240109

SAMBALPUR

Panasonic Life Solutions India Pvt. Ltd.
Quality Mansion, 1st Floor,
Nayapada, Sambalpur,
Odisha - 768 001.

RANCHI

Panasonic Life Solutions India Pvt. Ltd.
509, 5th Floor, R.R. Tower,
Opp. Akashwani, Ratu Road,
Ranchi, Jharkhand - 834 001.
Tel: 0651 3241617

STATE/ SALES OFFICES

WEST-1

GOA

Panasonic Life Solutions India Pvt. Ltd.
403, Gera Imperium II, 4th Floor,
Patto Panjim, Goa - 403 001.
Tel: 0832 3294189 / 3193131

PUNE

Panasonic Life Solutions India Pvt. Ltd.
Fifth Avenue, Office No. E4-A, 4th Floor,
Dhole Patil Road, Pune - 411 001.
Tel: 020 66207260

NAVI MUMBAI

Panasonic Life Solutions India Pvt. Ltd.
Arenja Corner, 3rd Floor, 301, Sector 17,
Vashi, Navi Mumbai,
Maharashtra - 400 703.
Tel: 022 65551316

NANDED

Panasonic Life Solutions India Pvt. Ltd.
101 Millennium Tower, Bhawsar Chowk,
Malegaon Road, Taroda Naka,
Nanded - 431 605.
Tel: 02462 268855

AURANGABAD

Panasonic Life Solutions India Pvt. Ltd.
Plot No. 8, Raj Tower, 2nd Floor,
Near Angethi Hotel, Jalna Road,
Aurangabad - 431 001.
Tel: 0240 6500200

KOLHAPUR

Panasonic Life Solutions India Pvt. Ltd.
1st Floor, Office No. 4, Namdev Nest,
Above Axis Bank, Opp. Kamla College,
Rajarampuri, Takala, C.S. No. 1160B
Kolhapur - 416 001.
Tel: 0231 6050945

KALBADEVI ROAD

Panasonic Life Solutions India Pvt. Ltd.
C-369/485, Takwadi,
Behind Bank of India, 485,
Kalbadevi Road, Mumbai - 400 002.
Tel: 022 39567073

NAGPUR

Panasonic Life Solutions India Pvt. Ltd.
Tapashiya, 1st Floor,
Near Rahale Hospital,
Adamsha Chowk, Nagpur - 440 008.
Tel: 09370430999

NASHIK

Panasonic Life Solutions India Pvt. Ltd.
Archit Icon, 1st Floor,
Patil Lane Road,
Nashik - 422 005.

WEST-2

CHHATTISGARH

Panasonic Life Solutions India Pvt. Ltd.
316-317 (A to E), Ravi Bhavan, 3rd Floor,
Jaistambh Chowk, Raipur - 492 001.
Tel: 0771 3291701

GUJARAT

Panasonic Life Solutions India Pvt. Ltd.
405, 3rd Eye One Complex,
Opp. Havmor Restaurant, Panchvati,
C.G. Road, Ahmedabad, Gujarat - 380 006
Tel: 079 30063870 / 26460172

SURAT

Panasonic Life Solutions India Pvt. Ltd.
403, 4th Floor, Union Trade Centre,
Beside Apple Hospital, Udhana Darwaja,
Ring Road, Surat, Gujarat - 395 002.
Tel: 0261 3002008 / 09

VADODARA

Panasonic Life Solutions India Pvt. Ltd.
306, Atlantis, Near Croma,
Genda Circle Road,
Vadodara, Gujarat - 390 007.
Tel: 0265 6541992

RAJKOT

Panasonic Life Solutions India Pvt. Ltd.
Office No. 502, 5th Floor, King's Plaza,
Astrone Chowk, Sardar Nagar,
Main Road, Rajkot, Gujarat - 360 001.
Tel: 0281 3010400

INDORE

Panasonic Life Solutions India Pvt. Ltd.
318, 3rd Floor, D. M. Tower,
21/1, Race Course Road,
Indore - 452 003.
Tel: 0731 3952501 / 05

BHOPAL

Panasonic Life Solutions India Pvt. Ltd.
Manya Arcade, 201, 2nd Floor,
Plot No. 30, M P Nagar, Zone - II,
Bhopal - 462 011.
Tel: 0755 3061815 / 16

SOUTH-1

TELANGANA

Panasonic Life Solutions India Pvt. Ltd.
G2 1-8 384/385, Gowra Grand,
S. P. Road, Begumpet,
Secunderabad, Telangana - 500 003.
Tel: 040 30482989 / 99

BENGALURU

Panasonic Life Solutions India Pvt. Ltd.
Prestige Nebula - II, 3rd Floor,
Block 2nd, Infernity Road,
Cubbon Road, Bengaluru - 560 001.
Tel: 080 30284400 / 01

MANGALORE

Panasonic Life Solutions India Pvt. Ltd.
225, 1st Floor, Ideal Tower,
Opp Saravu Ganpathi Temple,
Hampanakatta,
Mangalore - 575 001.

MYSORE

Panasonic Life Solutions India Pvt. Ltd.
Nakshatra, No. 858/859,
CS 20 K. R. Mohalla,
Narayana Shastry Road, Mysore,
Karnataka - 570 024.

HUBLI

Panasonic Life Solutions India Pvt. Ltd.
A/122-146, 2nd Floor,
Mahalaxmi Mansion, Above Axis Bank,
New Cotton Market,
Deshpande Nagar, Hubli - 580 029.
Tel: 0836 3296694

ANDHRA PRADESH

Panasonic Life Solutions India Pvt. Ltd.
Door No. 49/1015, V.N.R. Tower,
2nd Floor, Labbipet Krishna,
Vijayawada - 520 010.
Tel: 0866 3056789

SOUTH-2

KERALA

Panasonic Life Solutions India Pvt. Ltd.
K.P. Varkey & Madathiparambi Complex,
1st Floor, 351/1085 D, Palarivattom,
Cochin - 683 525.
Tel: 0484 3951000 / 01

TAMILNADU

Panasonic Life Solutions India Pvt. Ltd.
Level 3, Ispahani Centre, 123-124,
Nungambakkam High Road,
Chennai, Tamilnadu - 600 034.
Tel: 044 30261700 / 01

COIMBATORE

Panasonic Life Solutions India Pvt. Ltd.
Balavasantha Complex,
No.1 Bharthi Park, Cross Road 2,
NSR Road, Saibaba Colony,
Coimbatore - 641 011.
Tel: 0422 3226214 / 17

MADURAI

Panasonic Life Solutions India Pvt. Ltd.
Wise House, Door No.109,
Vakil New Street, Madurai,
Tamilnadu - 625 001.
Tel: 0452 3720898 / 99

SHOWROOM ADDRESS

PONDICHERRY

Panasonic Life Solutions India Pvt. Ltd.
201, 1st Floor, Mission Street,
Pondicherry - 605 001.
Tel: 0413 3190071 / 3190081

BENGALURU

Panasonic Life Solutions India Pvt. Ltd.
#40/1, Ground Floor,
Vittal Mallya Road,
Bengaluru - 560 001.

NOTES



Panasonic Life Solutions India Pvt. Ltd.

3rd Floor, B Wing, I-Think Techno Campus,
Pokharan Road No. 2, Thane (W), Thane - 400 607, Maharashtra.
T: (9122) 42228888 | Whatsapp no. : 9136028606
F: (9122) 42228884
Customer Care no. : 022-41304130
Email: info@in.panasonic.com
www.lsin.panasonic.com

Panasonic

All Rights Reserved © 2015 COPYRIGHT Panasonic Life Solutions India Pvt. Ltd.
Specifications are subject to change without notice
Printed in India

The duplication and transfer of images from this catalogue without permission is strictly prohibited.