








■ SMART Entry: Interior Doors





ONTENTS



Composite Door	19-34
Composite Veneer Door	21-30
Composite Glass Door	31-34
Shaker Door	35-38
Barn Door	39-48
Ghost Gate	49-60
Pocket Door	61-72
Folding Door	73-84
Folding Door	73-78
Louver folding door	79-84
Sliding Door	85-88
PVC Door	89-90
Accessories	91-96



COMPOSITE VENEER DOOR

Composite wood veneer door has a strong resistance to deformation, it has a long maintenance cycle, good heat and sound insulation performance. It does not need to be painted, which is environmentally friendly and saves money.




















































PR-FH041

COMPOSITE GLASS DOOR

The composite glass door is not easy to deform or crack, it is clear texture on the surface, the door has the characteristics of heat preservation, impact resistance, and flame retardant, and the sound insulation effect is basically the same as that of the solid wood composite door.








































SHAKER DOOR





























































GHOST GATE































ECOLOGICAL DOOR






ECOLOGICAL DOOR




ECOLOGICAL DOOR



















































































FOLDING DOOR











FOLDING DOOR

















LOUVER FOLDING DOOR

The louvered folding door is beautiful and energy-saving, simple and agile, and can be completely folded up with a clear view of the outside. It can also protect privacy while ventilating and letting in light.





FOLDING DOOR







FOLDING DOOR







PR-ZD022











SLIDING DOOR










PR-YM011











size range	height:1900-2200mm(74.8-86.6in)
	width:610-1050mm(24-41.34in)
	thickness:30-45mm(1.18-1.75in)
surface	0.12/0.14/0.16mm PVC film
fill-in core	MDF sticks core
	honeycomb paper core
	parlicle board core
	solid wood core
edge sealing type	dovetail groove
	PVC strips
	solid wood
finish type	finished

ACCESSORIES

Wood door hardware classification



Xiaomi electronic lock



LANBO electronic lock



Samsung electronic lock



BOSCH electronic lock

Entry door mechanical locks



Model: PR-MS001 Material: Zinc Alloy



Model: PR-MS002 Material: Zinc Alloy



Model: PR-MS003 Material: Zinc Alloy



Model: PR-MS004 Material: 304 Stainless Steel



Model: PR-MS005 Material: 304 Stainless Steel



Model: PR-MS006 Material: 304 Stainless Steel

Pivot door locks



Model: PR-MS007 Material: Zinc Alloy



Model: PR-MS008 Material: 304 Stainless

Sliding door locks




Model: PR-MS009 Material: Zinc Alloy



Model: PR-MS010 Material: Zinc Alloy

ACCESSORIES

Interior door lock



Model: PR-MS005 Material: 304 Stainless Steel Material: 304 Stainless Steel

Model: PR-MS005

Model: PR-MS005

Model: PR-MS005

Material: 304 Stainless Steel Material: 304 Stainless Steel



Model: PR-MS009 Material: Zinc Alloy



Model: PR-MS009 Material: Zinc Alloy



Model: PR-MS009 Material: Zinc Alloy



Model: PR-MS009 Material: Space Aluminum



Model: PR-MS009 Material: Space Aluminum





Model: PR-MS009 Material: Zinc Alloy

Swing door hinge



Model: PR-MS005 Material: 304 Stainless Steel Name: Non-Mortise Hinge



Model: PR-MS005 Material: 304 Stainless Steel Name: Invisible Hinge



Model: PR-MS005 Material: 304 Stainless Steel Name: Full Mortise Hinge



Model: PR-MS005 Material: 304 Stainless Steel Name: Hydraulic Hinge



Model: PR-MS005 Material: 304 Stainless Steel Name: Lift Off Hinge



Model: PR-MS005 Material: 304 Stainless Steel Name: Diuble Action Spring Hinge

Long pull handle



Model: PR-MS005



Model: PR-MS005



Model: PR-MS005



Material: 304 Stainless Steel Materi

ACCESSORIES

Sliding door/folding door sliding track + pulley



Model: PR-MS005 Material: 304 Stainless Steel Type: Barn Door Sliding Track



Model: PR-MS005 Material: Aluminum Alloy Type: Barn Door Sliding Track Track Type: Barn Door Sliding Track



Model: PR-MS005 Material: Carbon Steel



Model: PR-MS005 Material: Aluminum Alloy Type: Sliding Door Sliding Track



Model: PR-MS005 Material: Sliding Door Hanging Wheel



Model: PR-MS005 Material: Sliding Door Hanging Wheel With Cushion



Model: PR-MS005 Material: Folding Door Hanging Wheel Set

Floor Spring Set



Model: PR-MS005 Material: Folding Door Hanging Wheel Set

Other Accessories



Model: PR-MS005 Material: 304 Stainless Steel Name: Ball Catch Latch



Model: PR-MS005 Material: 304 Stainless Steel Name: Roller Latch For Sliding Door / Folding Door

American-style door locks



PR-UK001



PR-UK002



PR-UK003



PR-UK005



PR-UK006



PR-UK007



PR-UK008



PR-UK009



PR-UK010



PR-UK011



PR-UK012




PR-UK013




PR-UK014

DOOR

Measuring method for door size







A: Opening Width: Select the upper/middle/ lower points for measurement, choose the smallest one.

B: Opening Height: Select the left/middle/ right points for measurement, choose the smallest one.

C: Wall Thickness: Select the upper/middle/ lower points for measurement, choose the biggest one.





- 1.chck whether the size of the door frame match with the door leaf, or it is need to cut;
- 2.Use screw assemble the frame, the archiraves are not to installed;
- 3. Fasten the door frame to the hole with fixed iron plate;
- 4.Install hinges to secure the door leaf to the door frame;
- 5.Install the lock and stopper;
- 6.Install architraves to the door frame.

Factory
































1--Thailand oak wood



2--Hovenia duicis hund



3--Okoume





4-Pyinkado



5-Sapele



6-Ash



7-Red oak



9-Teak





